

STANLEY®

TOOLS AND STORAGE 2016/17

STANLEY

TOOLS AND STORAGE 2017



STANLEY®

Stanley Black & Decker UK Ltd

210 Bath Road, Slough,
Berkshire SL1 3YD

Customer Service Phone:


01753 567055

Fax: 01753 572112

stanleytools.co.uk

 [stanleytools](https://www.facebook.com/stanleytools)

 [@ukstanleytools](https://twitter.com/ukstanleytools)

 [youtube.com/user/OfficialStanleyTools](https://www.youtube.com/user/OfficialStanleyTools)

All rights reserved. Neither this catalogue nor its text, illustrations, drawings or any part thereof, may be reproduced, stored in a retrieval system, photocopied, recorded or transmitted in any form, whether electronic or otherwise, without our consent.

To the best of our knowledge, all descriptions and illustrations contained in this catalogue are correct at the time of going to print. We cannot, however, be held liable for any inaccuracies of description or illustration and reserve the right to change specifications without notification.

© Stanley Works 2014/15.

STHT9-98949

A STORY BEHIND EVERY TOOL

Every STANLEY Tool in this catalogue is created to help you work better, smarter, faster. Our Discovery Teams work side-by-side with real tradesmen every day to see how you work and identify ways to help you improve your performance.

It means our tools all come with something extra: understanding. From the tape that lets you measure accurately and single-handedly to the hammer that's heavy on nails but light on your arm, we create tools that help you be the best.

Because we understand that there's nothing better than knowing you've done a great job, and knowing that you're respected for it by the people whose opinion really matters – the guys you work with.



CONDITIONS OF SALE

These conditions are written mainly in plain English. In these conditions "we" means Stanley Black & Decker UK Limited or Stanley Black and Decker Ireland, subsidiaries of Stanley Black & Decker UK Limited or Stanley Black & Decker Ireland, and "you" means the person who accepts a quotation for the sale of the goods and whose order for the goods is accepted by Stanley Black & Decker UK Limited or Stanley Black & Decker Ireland

CATALOGUE ITEMS

1. Quotations and Orders
 - a) All quotations are made and orders accepted under the following conditions. We must give written agreement to new or altered conditions. All orders accepted by us are under these conditions and not your conditions.
 - b) Orders must be for boxes or cartons of items. We can vary order quantities to meet this condition.
 - c) You cannot return any goods unless you have our permission, and only with an approved Returns Material Authority number.
 - d) Each order will be delivered to one address. We will only deliver to your address and not a third party.
 - e) Once we have processed an order you cannot cancel or change it. As we continuously improve our products we can alter specifications without telling you and in these circumstances you have no right to cancel any order to claim damages. Made to order goods cannot be cancelled under any circumstances once the order has been accepted.
 - f) The price we charge you for the goods is the price of them on the date of your order. We will add V.A.T. to our prices at the proper rate on the date we send the goods.
 - g) Any goods shall be sold subject only to these terms and conditions and, for the avoidance of doubt, shall not be sold upon any sale or return basis.
2. Delivery
 - a) We will try to meet all delivery dates, but we are not legally liable for any delay in delivering or any losses caused by a delay. Time shall not be of the essence for delivery.
 - b) Standard terms of delivery are DAP (Delivered at Place) unless otherwise stated.
 - c) Unless we agree otherwise we will deliver goods by our standard delivery service choosing the most convenient and economical method available at the time of delivery. We will only make deliveries by other means if you ask us to and you pay.
 - d) We will deliver and collect goods in normal working hours unless we have agreed otherwise. If this is inconvenient and you ask us to deliver or collect goods at a different time there will be a charge.
 - e) Carriage charges are paid on all orders of a minimum net value. No orders, apart from spare parts will be accepted below this value.
3. Risk of Loss
 - a) Once the goods have been delivered to your premises you are responsible for any loss or damage caused to the goods after you have received them.
 - b) You must examine the goods immediately when they are delivered and tell us about any damage to, or shortages of, boxes and / or cartons within two working days. If the contents of any cartons are missing or damaged you should tell us within fifteen working days of the date of the invoice. When the goods are delivered you must also write details of any visible damage to the goods on the carrier's delivery sheet.
4. Accepting Goods

We will assume you have accepted the goods fifteen business days after they have been delivered unless you tell us about any complaints within that period. Also, if you, your agents, employees or licensees have used the goods, we will count this as accepting the goods.
5. Guarantees
 - a) We only guarantee that when we deliver the goods they will not be damaged or have any faults. We are not liable for fair wear and tear.
 - b) If you think that the goods are faulty you should tell us and wait for an instruction to either return the goods to a place we tell you or keep the goods for us to inspect. If we accept that there is a fault we will either repair or replace the faulty part or parts or refund the original price of the goods.
 - c) The situation described in 5(b) above shall not apply to the following:
 - 1) any goods which have been repaired or altered by somebody who isn't an employee of ours.
 - 2) goods which have been mixed with other goods or used to create other products.
 - 3) any goods which, in our opinion, have been subject to any accident or to damage or which have been improperly stored, maintained or used.
 - d) We are not liable for the following:
 - 1) any direct loss or damage except the liabilities we have already mentioned.
 - 2) any indirect, consequential or incidental loss or damage of any kind (including loss of profits, revenue or contracts) or for any damage to or destruction of any property.
 - 3) injury to, or the death of, any person unless that injury or death is caused by our carelessness or that of our employees.
 - e) Our only guarantees, conditions and liabilities are those given in this document.
 - f) You must indemnify us against all claims, actions, costs, losses, damages or expenses caused by or in connection with the goods unless we are liable under these conditions.
 - g) If we repair or replace any goods under 5(b) we will take the date that the repair is finished or the goods are replaced to be the date on which the goods were delivered.
6. 'Force Majeure'

Without prejudice to any other terms of this agreement we are not liable for any act or omission or if we do not enforce, or we delay enforcing any condition in this Agreement because of any circumstances or causes beyond our control.
7. Payment
 - a) Payment is due at the end of the following month from the date of Invoice unless otherwise advised.
 - b) If you delay paying for no good reason we may choose to suspend all deliveries to you until we have received all payments which are due.
 - c) If you do not pay within our terms we reserve the right to charge interest in accordance with the provisions and rates provided in The Late Payment of Commercial Debts (Interest) Act 1998.
- d) If you disagree with an invoice you must tell us about this within 7 days of receiving the goods, and that if our investigation confirms that your query is justified you do not need to pay for the amounts disputed on the invoice or any interest due.
8. Owning the Goods

Ownership and title to the Goods shall remain with Stanley Black & Decker UK Limited or Stanley Black & Decker Ireland until

 - a) You have paid in full for the goods.
 - b) You have made full payment for any other goods or products supplied under any contracts or on any account whatsoever between Stanley Black & Decker UK Limited or Stanley Black & Decker Ireland and all other sums whatever due from you to Stanley Black & Decker UK Limited or Stanley Black & Decker Ireland have been paid in full.
 - c) If you pay by cheque, bill of exchange or promissory note, we own the property until the same has been honoured. We may apply any payments you make to any of your invoices which we see fit.
 - d) Until you have paid for the goods you will be acting as our fiduciary agent and bailee. You must keep records of the goods and store the goods in a way that makes them clearly identifiable as being our property. These goods should be insured by you or as part of your general insurance cover. We will assume that any goods you have which we supplied belong to us (unless you can prove otherwise)
 - e) If you:
 - 1) make any arrangement with your creditors;
 - 2) go into liquidation;
 - 3) appoint a receiver to manage all or part of your assets;
 - 4) fail to make payment for the goods; or
 - 5) cannot, in our opinion pay your debts; then, we have the following rights:
 - 1) to enter any property and repossess the goods without giving you notice.
 - 2) to give you written notice that you must not sell or get rid of the goods until we have received full payment for them.
 - 3) to cancel any undelivered goods and stop any goods that are being transported to you.
 - f) At any time we may give you the ownership of the goods if we give you notice of our intention to do so. Under condition 8(c) ownership of the goods will pass to you when you sell or get rid of goods which we own immediately before you sold or got rid of them.
 - g) We may sue you for the price of the goods when the payment is due even though the ownership of the goods may not have passed to you.
 - h) In any circumstances prevailing under clause 8e) (1)-(5) then we shall in respect of any rebate arrangement with you exercise our unfettered right to offset any sums due from you against any amount on our accounts receivable ledger by way of credit note under any rebate arrangement, in full or part satisfaction of any sum due to the Company by you.
 - i) In respect of clause 8h) you the Customer undertake to keep us informed upon written 14 day notice of any event or circumstance that places your business in a precarious financial position which may lead to an administration order bankruptcy or liquidation and we undertake to provide you with written 7 day notice of our intention to exercise our rights by way of right of offset.
9. We may impose restrictions on the reselling of goods, subject to U.K. and E.E.C. trading laws.
10. If any condition or part of condition in this Agreement is not valid or cannot be enforced this will not affect any part of the condition or Agreement.
11. If the ownership of your company changes we will automatically cancel this Agreement and negotiate a new one.
12. These conditions of sale only apply to your company and your own branch companies which carry out similar trade. They are not offered to your associate companies, either within or outside its trade unless we agreed this when we were negotiating this Agreement.
13. You shall and shall procure that your officers, employees, agents, sub-contractors and any other persons who perform services for or on behalf of you in connection with this Agreement shall:
 - a) not commit any act or omission which causes or could cause it or Stanley Black & Decker UK Limited or Stanley Black & Decker Ireland to breach or commit an offence under any laws relating to anti-bribery or anti-corruption;
 - b) comply with Stanley Black & Decker UK Limited or Stanley Black & Decker Ireland anti-corruption policy as updated from time to time, a current copy of which is available upon request;
 - c) keep accurate and up to date records showing all payments made and received and all other advantages given and received by it in connection with this Agreement and the steps it takes to comply with this condition and permit Stanley Black & Decker UK Limited or Stanley Black & Decker Ireland to inspect those records as required.
 - d) promptly notify Stanley Black & Decker UK Limited or Stanley Black & Decker Ireland of any request or demand for any financial or other advantage received by it; and any financial or other advantage it gives or intends to give whether directly or indirectly in connection with this Agreement; and
 - e) promptly notify Stanley Black & Decker UK Limited or Stanley Black & Decker Ireland of any breach of this condition. Stanley Black & Decker UK Limited or Stanley Black & Decker Ireland may terminate this Agreement immediately by giving notice to that effect to you if you are in breach of condition 13.

Governing Law
This Agreement, for all purposes, is governed and construed by the laws of England and Wales and both parties agree to submit to the exclusive jurisdiction of the Courts of England and Wales.
Unless we have agreed otherwise in writing, our standard conditions of sale also apply.





“ THIS HAMMER HAS SOME SERIOUS POWER. I WOULD DEFINITELY RECOMMEND THIS HAMMER FOR FIRST FIX WORK. THE HANDLE IS ERGONOMIC AND FITS THE HAND BRILLIANTLY ”

AIDANBUILDER, BUILDER, JOINER, CLADDER



CONTENTS

6

CATALOGUE GUIDE

8

MEASURING, LEVELLING AND LAYOUT

- 10 Short Tapes
- 15 Long Tapes
- 18 Rules
- 22 Electronic Measuring
- 26 Levels
- 30 Torpedo & Line Levels
- 33 Marking Out Tools
- 37 Chalk Lines

42

LASER LEVELLING AND DETECTION

- 46 Optical Level
- 47 Rotary Lasers
- 49 Line Lasers
- 54 Spot Lasers
- 55 Accessories
- 59 Sensors

62

TORCHES

- 64 Headlamp Torches
- 65 Tripod Torches
- 66 Hand Torches

68

KNIVES AND BLADES

- 73 Fixed Blade Knives
- 76 Retractable Knives
- 80 Safety Knives
- 82 Snap-Off Blade Knives
- 84 Craft & Pocket Knives
- 87 Knife Blades

92

MULTI-TOOLS

94 Multi-Tools

96

SCREWDRIVERS

- 100 Screwdrivers
- 113 Ratchet, Multibit & Precision Screwdrivers
- 118 Screwdriver Bits
- 123 Drills

124

SAWS

- 127 Saws
- 130 Specialist Saws
- 137 Mitre Boxes
- 138 Hacksaws

142

CHISELS, PLANES AND SURFORM

- 145 Wood Chisels
- 152 Planes
- 158 Files and Rasps
- 160 Surform

164

DEMOLITION, HAMMERS AND COLD CHISELS

- 167 Demolition Tools
- 170 Masons' Cold Chisels
- 172 Engineers' Cold Chisels & Punches
- 176 Hammers

182

CLAMPS AND PLIERS

- 185 Clamps & Vices
- 191 Compound Pliers
- 193 Pliers
- 206 Bolt Croppers, Nippers & Pincers
- 208 Snips
- 210 Mole Grips

212

SOCKETS, SPANNERS AND WRENCHES

- 215 Socket Sets & Accessories
- 229 Wrenches & Spanners
- 237 Key Sets

240

STAPLING, RIVETING AND GLUING

- 244 Staple Guns
- 248 Hammer Tackers
- 249 Riveters
- 250 Glue Guns

254

PLUMBING AND DRYWALL

- 256 Plumbing Tools
- 258 Drywall Tools

264

TOOL STORAGE

- 267 Rolling Workshops & Tool Chests
- 271 Toolboxes
- 275 Metal Toolboxes
- 277 Soft Storage
- 282 Tool Belts & Pouches
- 283 Organisers
- 286 Sawhorses

USER GUIDE

THE NAMES

STANLEY

Solid, well-built, innovative tools for general everyday use. Hardwearing and reliable, with added pro-inspired features: like Mylar® or Tylon® coating to give your tape greater durability, or knives with Instant Blade Change to reduce your downtime.

STANLEY FATMAX

Tools with real pro performance built in. Whether you're a specialist who needs a specialist tool, or you simply want to bring the very best tool out every time, these are the tools you're looking for. Every one comes with innovative features that help you work faster, hit harder or cut sharper.

THE ADVICE AND REVIEWS

But the catalogue isn't only about the tools. It's also about getting the best from them, and learning what other pro's think of them. So you'll also find expert pro advice about using each tool, and see reviews and ratings from real pro's, too.

REAL PRO ADVICE

At STANLEY, we know that professional tradesmen the world over have more respect for each other's opinions than anything we might say. That's why we ask Real Pro's like you, who use them in the real world every day, for your honest reviews and ratings of our all our tools.

RATED BY REAL PRO'S

Get the best from your STANLEY tool – and yourself – with expert professional hints and tips. We'll help you choose the right tool for every job, keep your tools in top condition and learn the tricks that will help you work better, faster and smarter every day.



PRODUCT INFORMATION EXPLAINED

Below is an example of one of our FatMax® products with the main features highlighted, together with all the product variations and prices contained in an easy to read table.

FATMAX® PRO TWIN BLADE KNIFE

STANLEY
FATMAX

SUPPLIED WITH 2 STANDARD AND 2 HOOKED BLADES



“ GREAT DESIGN. WOULD RECOMMEND TO ANYONE ”

Stokee, Central Heating Engineer

Quotes from real tradesmen on their views of the product along with a score out of five. For further details log onto www.stanleytools.co.uk

STANLEY	Description				£
0-10-789	FatMax® Pro Twin Blade Knife	Carded	6	3253560107895	14.92

0 – 10 – 789

Indicates pack type, e.g. box, merchandiser, split case etc.

Indicates product type, e.g. short tape

Indicates individual product

This will be the product dimensions and/or brief description

This indicates how the products are supplied eg. carded, loose, clammed etc. or indicate a display or merchandiser.

This indicates the quantity of products supplied in a box.

Where appropriate the full 13 digit EAN bar code is shown for easy updating of your electronic stock control systems.

Price ex. VAT

Alternative Codes

XTHT1-51124

XTHT = Pro Hand Tools
FMHT = FatMax Hand Tools
STHT = STANLEY Hand Tools
STST = STANLEY Storage

MEASU LEVELL



RING, RING AND LAYOUT



SHORT TAPES

FATMAX® AUTOLOCK TAPE

STANLEY
FATMAX



**“ ROBUST, ACCURATE
AND INNOVATIVE ”**

JOHN MOORE - JOINER



NEW



STANLEY	Length				£
XTHT0-33671	5m (metric only)	Cutcase	6	3253560336714	27.87
XTHT0-33503	5m/16'	Cutcase	6	3253560335038	27.87
XTHT0-33501	8m (metric only)	Cutcase	6	3253560335014	31.66
XTHT0-33504	8m/26'	Cutcase	6	3253560335045	31.66

FATMAX® PRO TAPE

STANLEY
FATMAX



- Patented bi-material case for durability and comfort
- Patented airlock slide lock for easy locking
- Mylar® coated blade provides 10 times more resistance to abrasion than a lacquered blade
- Blade armour on the first 3" of the blade reduces the risk of breaking the tape by 95%
- 32mm wide blade, providing 4m blade standout
- 150% larger end hook securely holds to all building materials, including rounded or odd shaped items
- 3 Rivet end hook provides a 40% stronger blade
- Class II accuracy

STANLEY	Length				£
5-33-886	5m/16'	Carded	4	3253565338867	23.22
5-33-891	8m/26'	Carded	4	3253565338911	26.38
5-33-896	10m/30'	Carded	4	3253565338966	29.55
0-33-887	5m	Carded	4	3253560338879	23.22
0-33-892	8m	Carded	4	3253560338923	25.64
0-33-897	10m	Carded	4	3253560338978	29.55

FATMAX® MAGNETIC TAPE

STANLEY
FATMAX



- Magnet operates independently from the end hook. No more false readings
- Class II accuracy
- Huge standout of 3.35m for easy one person measuring
- Mylar® coated blade is up to 10 times more resistant to abrasion than normal lacquered blades
- Blade Armor coating on the first 100mm reduces the risk of breaking the tape by 95%
- Wide 32mm blade makes reading the numbers easy
- 3 Rivet end hook 40% stronger than a 2 rivet hook construction
- Specially designed hook grabs on side, top or bottom for versatility
- Cushion grip provides sturdy, slip-resistant hold

STANLEY	Length				£
FMHT0-33864	5m	Carded	4	3253560338640	20.90
FMHT0-33868	8m	Carded	4	3253560338688	25.54

FATMAX® BLADE ARMOR

STANLEY
FATMAX



- Class II accuracy
- Huge standout of 3.35m for easy one person measuring
- Mylar® coated blade is up to 10 times more resistant to abrasion than normal lacquered blades
- Blade Armor coating on the first 100mm reduces the risk of breaking the tape by 95%
- Wide 32mm blade makes reading the numbers easy
- 3 Rivet end hook 40% stronger than a 2 rivet hook construction
- Specially designed hook grabs on side, top or bottom for versatility
- Cushion grip provides sturdy, slip-resistant hold

STANLEY	Length				£
0-33-719	5m/16'	Carded	4	3253560337193	19.00
0-33-726	8m/26'	Carded	4	3253560337261	23.22
0-33-805	10m/30'	Carded	4	3253560338053	26.38
0-33-720	5m (metric only)	Carded	4	3253560337209	19.00
0-33-728	8m (metric only)	Carded	4	3253560337285	23.22
0-33-811	10m (metric only)	Carded	4	3253560338114	26.38

GRIP TAPE

STANLEY



- Rugged shock absorbing rubber design for ultimate impact resistance
- Rubber grips to the work surface, ideal for roofing and uneven work areas
- Nylon® coated blade improves durability and extends blade life
- 3m blade standout for increased reach and easier measuring

STANLEY	Length				£
STHT0-33567	3m/10'	Cutcase	6	3253560335670	12.89
STHT0-33568	5m/16'	Cutcase	6	3253560335687	15.95
STHT0-33569	8m/26'	Cutcase	6	3253560335694	19.51

NEW

KEYCHAIN TAPE

STANLEY



- 13mm blade 90cm stand out
- Tru zero end hook Class II measuring
- ABS Bi-material case with TPR overlay



STANLEY	Length				£
FMHT1-33856	2m	Countertop Jar	36	323561338564	3.49

STAINLESS STEEL POWERLOCK® TAPE

STANLEY



- Stainless steel blade ideal for use in wet, marine and humid environments
- Easy to maintain can be washed if dirty without the risk of rust
- Nylon coating for abrasion resistance
- Stainless steel hook with 2 end rivets
- Tru zero end hook for accuracy
- Metric only

STANLEY	Length	Width in mm				£
0-33-299	5m	19mm	Card	6	3253560332990	21.84
0-33-301	8m	26mm	Card	4	3253560333010	32.77

POWERLOCK® TAPE

STANLEY



- Class II accuracy
- Compact case easier to hold
- 3-rivet end hook for long life
- Tru zero end hook moves to compensate for accurate inside and outside measurements
- Mylar® coated blade is up to 10 times more resistant to abrasion than normal lacquered blades
- Blade Armor coating on the first 100mm of 8m tape reduces the risk of tip breakage by 95% (where specified)
- Strong 25mm width blade for large standout (available on 8m and 10m versions)
- Case made of strong ABS plastic for long life



Top Reader

Top Reader



STANLEY	Length in m	Width in mm				£
0-33-523	3m/10'	19mm	Carded	6	3253560335236	6.91
0-33-553	5m/16'	19mm	Carded	6	3253560335533	11.86
0-33-515	5m/16' (with Blade Armor)	19mm	Carded	6	3253560335151	12.89
0-33-526	8m/26' (with Blade Armor)	25mm	Carded	4	3253560335267	15.80
0-33-531	10m/30' (with Blade Armor)	25mm	Carded	4	3253560335311	18.77
0-33-522	3m	19mm	Carded	6	3253560335229	6.91
0-33-552	5m	19mm	Carded	6	3253560335526	11.86
0-33-527	8m (with Blade Armor)	25mm	Carded	4	3253560335274	15.80
0-33-532	10m (with Blade Armor)	25mm	Carded	4	3253560335328	18.77
0-33-932	5m Top Reader	-	Carded	6	325360339326	16.30

TYLON™ TAPE

STANLEY

- Compact & ergonomic Tylon case for comfort and ease of use
- Belt clip for ease of storage
- Tylon™ blade coating gives greater durability / wear resistance than lacquer
- Matt finish blade reduces glare / reflection for easy reading
- Tru zero end hook moves to compensate for accurate inside and outside measurements



STANLEY	Length in m	Width in mm				£
0-30-686	3m/10'	12.7mm	Carded	6	3253560306861	3.77
1-30-686	3m/10'	12.7mm	Counter Top	12	3253561306860	3.59
0-30-696	5m/16'	19mm	Carded	6	3253560306960	5.94
1-30-696	5m/16'	19mm	Counter Top	12	3253561306969	5.65
0-30-656	8m/26'	25mm	Carded	6	3253560306564	11.35
1-30-656	8m/26'	25mm	Counter Top	12	3253561306563	10.79

THE PRO'S ADVICE



UNDERSTANDING TAPE MARKINGS



Tape Length

Norme CE

Notified body number

Type examination certificate number

Manufacturer

Category of metrology/year of production

Tape classification Accuracy class

Reference testing temperature



16" (US) or 40cm (UK)

19.2 in. 'Black Diamonds' equal truss lengths for roofing materials. (5 length per 8m sheet). (US)

**SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK**




THE PRO'S ADVICE

MAKE YOUR TAPES WORK HARDER


IMPROVE ACCURACY

Tilt the curved blade as close as possible to the surface you are measuring.



MARKING OUT CIRCLES

Pivot the hook slot on a nail or screw inserted into the work-piece and hold a pencil at the length of the radius required.



MINIMISE MEASUREMENT ERROR


When fitting one component to another, such as a door into a frame, minimise the risk of error by making a pencil mark on the back of the tape blade to indicate the actual dimension, then transfer it to the door. The pencil mark can easily be removed with a damp cloth.

SETTING OUT JOISTS

Simply use the conveniently diamond marked 40cm/16" centres.


PENCIL GAUGING

Use the small notch in the end hook for 'pencil gauging' parallel lines down the length of the material, using your finger or the mouth of the rule case to maintain a fixed distance from the edge.



IMPROVE ACCURACY

If the end hook interferes with accuracy by holding the blade off the surface, try laying the tape flat on the work and make your measurement from a convenient 'zero' point such as 10cm, so a measurement of 10cm would appear as 20cm on the tape.




AVOID TAPE DAMAGE

Control the rate of rewind and ensure that the tape doesn't kink.

STRAIGHT LINES

You can draw a straight line simply by turning the blade over.



TIP FOR ELECTRICIANS

The blade of a STANLEY tape can make an excellent, makeshift 'Fish Tape' for drawing cables through cavities.

SEE ALL THE PRO'S ADVICE AT STANLEYTOOLS.CO.UK

LONG TAPES

EUROPEAN PRECISION STANDARDS permissible tolerances

CLASS	10m +/-	20m +/-	30m +/-	50m +/-	100m +/-
II	2.3	4.3	6.3	10.3	20.3
III	4.6	8.6	12.6	20.6	40.6

FATMAX® PRO SELF RETRACTING 30M TAPE

STANLEY
FATMAX



STANLEY	Length				£
0-34-203	30m	Carded	2	3253560342036	49.16

FATMAX® STEEL BLADE LONG TAPE

STANLEY
FATMAX



- Carabiner hook to attach to belt loop
- Stainless steel metal crank
- Class II accuracy
- 9.5mm Steel blade with large graphics for easy read
- Geared quick release button to pull blade from the body without the handle rotating to protect the hand from cuts
- 5:1 Gear ratio for quick blade return
- Bi-material case providing grip in damp conditions
- Barbed folding hook

STANLEY	Length				£
0-34-132	30m / 100'	Carded	6	3253560341329	30.61

STEEL BLADE LONG TAPE

STANLEY

- Class II accuracy
- 9.5mm Steel blade with easy to read markings
- Barbed folding hook
- Hook stores conveniently in case
- Steel metal crank
- High impact ABS closed case to withstand severe working conditions



STANLEY	Length				£
0-34-107	30m/100'	Carded	6	3253560341077	23.29

CLOSED CASE FIBREGLASS LONG TAPE

STANLEY

- High impact ABS closed case to withstand severe work conditions
- White surface with 2mm graduations for precise measuring
- 12.7mm wide blade
- Corrosion-resistant, UV protected, non-conductive tape
- Tape blade has washable PVC coating to increase life
- Class III accuracy



STANLEY	Length				£
0-34-296	20m	Carded	6	3253560342968	9.66
0-34-297	30m	Carded	6	3253560342975	13.08
0-34-262	30m/100'	Carded	6	3253560342623	13.08

POWERWINDER OPEN FRAME FIBREGLASS LONG TAPE

STANLEY

- Folding tru zero end hook for accurate inside and outside measurements
- 13mm wide blade
- Rewinds 3 x faster with 3:1 gear ratio
- Reinforced blade end for long life
- End loop for easy pulling and anchoring
- Slip-resistant rubber grip handle
- Blade bumper to help prevent blade damage
- Comfortable contoured handle
- Durable and impact resistant construction for long life
- Class II accuracy



STANLEY	Length				£
2-34-772	30m	Carded	2	3253562347725	23.23
2-34-775	60m	Carded	2	3253562347756	33.78
2-34-777	100m	Carded	2	3253562347770	42.22

OPEN FRAME FIBREGLASS LONG TAPE

STANLEY



- 2-sided blade graphics with fractional decimal/inch foot scales
- Integrated ground spike to help one person measuring
- 12mm wide blade
- Folding crank for storage & transportation
- Barbed folding hook to anchor the blade
- Anti-shock ABS frame to withstand heavy duty use
- Bi-material handle for greater comfort
- Reinforced fibreglass tape reduces elasticity & improves measuring accuracy
- Corrosion-resistant UV protected, non-conductive tape
- 2mm graduations for precise measuring
- Tape blade has washable PVC coating for durability
- Class III accuracy

STANLEY	Length				£
2-34-791	30m/100'	Carded	2	3253562347916	19.88
2-34-794	60m/200'	Carded	2	3253562347947	28.99



THE PRO'S ADVICE



MAKE YOUR LONG TAPES WORK HARDER

LOCK THE BLADE & APPLY TENSION

This reduces measurement inaccuracies due to blade droop when measuring across open spaces and uneven surfaces. Use the hardened ground spike on the open framed tape to achieve more tension. The principal benefit of the open frame is that debris carried by the tape does not affect the functioning of the tape mechanism.



MARKING OUT CIRCLES

All end hooks have the facility to mark out large radii as needed in marking out sport pitches.

AVOID TAPE DAMAGE

Take care when rewinding to prevent damage to the blade. The rapid rewind of the FatMax and PowerWinder tapes is very useful but needs to be slowed down as you near the last few metres. Avoid twists and kinks in the blade, particularly steel, as this could result in breakage. Wipe the blade clean as you rewind, particularly with an enclosed case model.

DON'T LEAVE EXPOSED TO THE SUN

Both steel and fibreglass tapes should be kept away from excessive heat from the sun to reduce the risk of expansion and stretch.

**SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK**

RULES

EUROPEAN PRECISION STANDARDS permissible tolerances

CLASS	10m +/-	20m +/-	30m +/-	50m +/-	100m +/-
I	1.1	2.1	3.1	5.1	10.1
II	2.3	4.3	6.3	10.3	20.3
III	4.6	8.6	12.6	20.6	40.6

64R RUSTLESS STEEL RULE – METRIC/IMPERIAL, 2 SIDES, 4 EDGES



STANLEY

- Engineers' precision steel rules
- Imperial side graduated to 16ths, 32nds, 64ths, 10ths, 20ths, 50ths, 100th
- Metric side graduated to 0.5mm
- Class I accuracy

STANLEY	Length in m	Width in mm				£
0-35-400	150mm/6" 0.45mm thickness	19mm	Carded	10	5011284316782	8.04
0-35-401	300mm/12" 1mm thickness	25mm	Carded	10	5011284326781	13.53

RUSTLESS FOLDING STEEL RULE



STANLEY

- Subdivided in mm, figured every 10mm in mm; subdivided inches in 16ths on reverse side
- Stainless steel rustproof construction
- Class II accuracy

STANLEY	Length in m	Width in mm				£
1-35-331	600mm/24" 0.8mm thickness	19mm	Carded	5	3253561353314	32.72

LINE OF CHORDS SCALE

STANLEY

- Subdivided in mm and line of chords scale on one side
- Subdivided in mm and circumference scale in mm on the other side
- Class II accuracy




STANLEY	Length in m	Width in mm				£
1-35-333	600mm / 24" 0.8mm thickness	19mm	Loose	5	3253561353338	36.94

PLASTIC FOLDING RULE

STANLEY

- Virtually unbreakable tough engineering plastic
- Metric/imperial version graduated in inches, 8ths top edge



STANLEY	Length				£
0-35-445	1m/39"	Carded	12	5011284143135	16.41

FIBREGLASS FOLDING RULE

STANLEY

- ABS & 11% fibreglass
- Deep graduation
- Red decimal figures
- 10 folds
- Class III accuracy




STANLEY	Length				£
0-35-229	2m	Carded	10	3253560352295	9.48

THE PRO'S ADVICE




ELECTRONIC MEASURING – CHOOSING THE RIGHT MODEL

Check the product comparator opposite to see which model in the range is the best for you. To help make your selection, shown below are typical calculations that can be made by models in the range.




1 DISTANCE

Measure distances up to 200m depending on model




7 HEIGHT TRACKING

Unit operates like a tape measure, continuously measuring all heights between the unit and the targeted points




2 AREA

Calculate the area of a ceiling or floor with just two measurements




8 DISTANCE WITH OBSTRUCTION

Use the internal inclination sensor to calculate distances even with obstructions




3 VOLUME

Room volumes are calculated automatically using only three measurements




9 TRIANGULAR AREA MEASUREMENT

Calculate corner angles from three distance measurements




4 HEIGHT (PYTHAGORAS CALCULATION 1)

Measure heights at a distance using two measurements




10 PARTIAL HEIGHT (PYTHAGORAS CALCULATION 3)

Get accurate measurements of partial heights for measuring walls and windows or balconies




5 COMBINED HEIGHT (PYTHAGORAS CALCULATION 2)

Measure combined heights of walls both above and below the horizontal



6 TRACKING

Unit operates like a tape measure, continuously measuring all distances between the unit and the targeted points



11 STAKE OUT FUNCTION

Two different distances (a and b) can be entered and can then be used to mark off defined measured lengths, e.g. in the construction of wood frames

SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

ELECTRONIC MEASURE GUIDE

MODEL	TLM220i	TLM330	TLM165	TLM99S	TLM99	TLM65
Range (Min / Max)	0.05 - 200m	0.05 - 100m	0.1 - 50m	0.1 - 30m	0.1 - 30m	0.5 - 20m
Accuracy	± 1.0mm	± 1.0mm	± 1.5mm	± 2.0mm	± 2.0mm	± 3.0mm
Inclination Sensor	✓	✓	–	–	–	–
Protection level	IP54	IP54	IP54	IP54	IP54	IP40
Display type	Colour	3 line	2 line	2 line	2 line	LCD
Backlight	Colour	✓	✓	–	–	–
Audible alert	✓	✓	✓	–	–	–
Calculator with +/- function	✓	✓	✓	✓	✓	–
Memory storage (level)	20	20	5	–	–	–
Timer	0-60 secs	0-60 secs	–	–	–	–
Folding toe	✓	✓	✓	–	–	–
Digital 4 x zoom	✓	–	–	–	–	–
Automatic Switch Off (Laser / Unit)	180 / 360 secs	90 / 180 secs	90 / 180 secs	90 / 180 secs	90 / 180 secs	90 / 180 secs
Measurements per set of batteries	up to 5000*	up to 5000	up to 3000	up to 3000	up to 3000	up to 3000
Batteries included	✓	✓	✓	✓	✓	✓
Tripod mounting thread (1/4")	✓	✓	–	–	–	–
Includes carry pouch	✓	✓	✓	–	–	–
Bluetooth enabled	–	–	–	✓	–	–

FUNCTIONS	TLM220i	TLM330	TLM165	TLM99S	TLM99	TLM65
1 Distance	✓	✓	✓	✓	✓	✓
2 Area	✓	✓	✓	✓	✓	✓
3 Volume	✓	✓	✓	✓	✓	✓
4 Height	✓	✓	✓	–	–	–
5 Combined Height	✓	✓	✓	–	–	–
6 Tracking	✓	✓	✓	–	–	–
7 Height Tracking	–	✓	–	–	–	–
8 Distance with Obstruction	✓	✓	–	–	–	–
9 Triangular Area Measurement	✓	✓	–	–	–	–
10 Partial Height	✓	✓	–	–	–	–
11 Stake Out Function	✓	✓	–	–	–	–

*with Li-Ion batteries

ELECTRONIC MEASURING

TLM220i LASER MEASURER



STANLEY

- Range to 200m
- Accuracy is +/- 1mm
- Long range mode allows measurements of long distances in bright light
- Digital point finder with 4 X zoom allows you to zoom in on your target
- Trapezium function to measure the slope of a roof
- Calculator functions: Addition, Subtraction, Area, Volume, Trapezoid and Pythagoras
- Stake out function to calculate constant distances for marking out
- IP55 rated
- 2 X AA Batteries (supplied)

STANLEY	Description				£
1-77-116	TLM220i Laser Measurer	Boxed	5	3253561771163	736.40

TLM330 LASER MEASURER



STANLEY

- 100m range with inclination sensor
- Backlit 3 line display
- Addition/subtraction calculator
- 20 tier memory
- Toe end piece for accurate positioning
- Can be fitted to tripod
- Accuracy: +/-1mm
- Includes pouch and batteries
- Tripod mounting thread
- Audible alert
- IP54
- Timer function
- Stake out function to calculate constant distances for marking out

STANLEY	Description				£
STHT1-77140	TLM330 Laser Measurer	Boxed	10	3253561771408	244.00

TLM165 LASER MEASURER



STANLEY

- 50m range
- Backlit 2 line display
- Addition/subtraction calculator
- 5 tier memory
- Toe end piece for accurate positioning
- Accuracy: +/-1.5mm
- Includes pouch and batteries

STANLEY	Description				£
STHT1-77139	TLM165 Laser Measurer	Boxed	10	3253561771392	137.91

TLM99S LASER MEASURER

STANLEY



NEW

- 30m range ideal for both internal and external work
- Multifunctional - able to measure area, volume and calculate continuous measurements
- Addition/subtraction calculator
- +/- 2mm accuracy for precise estimations
- Bluetooth enabled for creating on site floor plans

STANLEY	Description				£
STHT1-77343	Bluetooth TLM99S	Box	1	3253561773433	116.69

TLM99 LASER MEASURER

STANLEY



- 30m working range
- Great value laser measurer with distance, area and volume calculations
- Accuracy: +/- 2mm
- Includes batteries

STANLEY	Description				£
STHT1-77138	TLM99 Laser Measurer	Boxed	10	3253561771385	95.47

TLM65 SHORT DISTANCE LASER MEASURER

STANLEY



- New – short distance low price point digital laser measure
- 0.5-20m range
- ± 3mm accuracy
- Distance measurement function
- Area & volume calculation
- Continuous measurement function
- Multi unit selection (mm / ")
- Point, Click, Measure
- Simple DIY, easy to use
- Compact and easy to store

Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description				£
STHT1-77032	TLM65 Short Distance Laser Measurer	Boxed	10	3253561770326	63.64

INTELLIMEASURE ULTRASONIC MEASURER

STANLEY



- Measures distances up to 12m/40'
- Accuracy is +/- 0.5%
- Calculates area – estimates materials for flooring, painting, wallpapering etc
- Calculates volume – estimates heating/cooling requirements
- Displays last 3 measurements (no data retrieving necessary)
- 2 X AAA Batteries (not supplied)

STANLEY	Description				£
0-77-018	Intellimeasure Ultrasonic Measurer	Carded	2	3253560770181	39.85

LEVELS ARE SOMETIMES USED AND ABUSED ON SITE. THAT'S WHY WE HAVE BEEN WORKING WITH REAL PRO'S TO DESIGN A LEVEL THAT'S UP TO THE JOB. THE NEW LEVELS HAVE A MACHINED BOTTOM AND CONCAVE SIDES TO KEEP THEM DURABLE AND TRUE. AND WITH A MAGNIFIED EASY TO READ VIAL, YOU CAN KEEP THE JOB ON TRACK.

“ AS A BRICKLAYER THIS IS THE ONLY LEVEL I WOULD USE. STURDY, RELIABLE AND AS TOUGH AS OLD BOOTS ”

PJOK - BRICK LAYER



THE PRO'S ADVICE



THE RIGHT LEVEL FOR THE JOB



BOX BEAM LEVELS

The box beam profile provides the ultimate in terms of overall strength and performance. They are fitted with solid block acrylic vials that have been machined to exacting tolerances to ensure that the movement of the bubble is smooth and comes to rest quickly. A small magnifying area in the centre makes reading the position of the vial easier.



'I' BEAM LEVELS

I beam or girder section levels offer a lighter weight alternative, fitted with tubular 360° vials.

SELECT THE RIGHT LENGTH OF LEVEL

The longer the better, particularly if the surface to be levelled is not perfectly true. A shorter level will tend to follow the contour of the surface, whereas a longer level will even out the undulations. For bricklaying and general builders the best choice is the 1200mm FatMax and for concreters the 1800mm would be a good choice. Finish carpenters may prefer a lighter box or I-beam section body in a length of 600 or 900mm, ideal for fitting kitchen furniture and general trim work.

ADJUSTABLE VIAL LEVEL

The rotating vial can be adjusted to between 0° and 90°, enabling you to set angles for roofing or drainage pipes etc.



TORPEDO LEVEL


The FatMax® Torpedo Level has a V-groove machined in the magnetic base, which allows it to fit firmly on pipe work, ideal for scaffolders, plus it is also perfect for installing machinery, air conditioning ducting or shelving.

SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

LEVELS

FATMAX® SITE I-BEAM LEVEL

STANLEY
FATMAX



0.5mm accuracy – best in class

The accuracy of a level is measured on a calibrated steel reference beam. Accuracy is defined as the maximum amount that a 1 metre level needs to be raised at either end to ensure that the bubble is perfectly centred within the inner marked lines on the vial. FatMax® levels have an accuracy of +/-0.5mm/m on one face and 0.7mm/m on the other.

STANLEY	Length				£
XTHT1-42131	600mm/24"	Loose	2	3253561421310	34.60
XTHT1-42134	1200mm/48"	Loose	2	3253561421341	46.13
XTHT1-42138	1800mm/72"	Loose	1	3253561421389	80.76
XTHT1-42132	600mm/24" Magnetic	Loose	2	3253561421327	39.78
XTHT1-42135	1200mm/48" Magnetic	Loose	2	3253561421358	53.05
XTHT1-42140	1800mm/72" Magnetic	Loose	1	3253561421402	92.87
XTHT1-42139	2000mm/80" Magnetic	Loose	1	3253561421396	98.33

FATMAX® PRO BOX BEAM LEVEL

STANLEY
FATMAX

Bi-material hand grips are screwed into the frame

Vials magnified by 20% for improved all round visibility

Dual machined levelling surfaces for maximum accuracy

Rock solid box beam construction is up to 5 times stronger than other STANLEY levels

Solid block vials provide best in class accuracy in 8 orientations of +/-0.5mm/m



0.5mm accuracy – best in class

The accuracy of a level is measured on a calibrated steel reference beam. Accuracy is defined as the maximum amount that a 1 metre level needs to be raised at either end to ensure that the bubble is perfectly centred within the inner marked lines on the vial. These FatMax® levels have an accuracy of +/- 0.5 mm/m and are backed up with a 10 year warranty.

Magnetic option has rare earth magnets, which are twice as strong as basic strip magnets, built into the level for stability



“ SUPERB LEVEL WITH THE BEST DEGREE OF ACCURACY AND WITHSTANDS THE USUAL DAY TO DAY ENDURANCE OF TRADE WORK ”

RISKYFUTURE, JOINER




STANLEY	Length				£
0-43-616	400mm/16"	Loose	4	3253560436162	28.41
0-43-624	600mm/24"	Loose	4	3253560436247	36.42
0-43-636	900mm/36"	Loose	3	3253560436360	42.51
0-43-648	1200mm/48"	Loose	3	3253560436483	48.55
0-43-672	1800mm/72"	Loose	3	3253560436728	85.00
0-43-681	2000mm/80"	Loose	3	3253560436810	94.09
0-43-625	600mm/24" Magnetic	Loose	4	3253560436254	40.07
0-43-649	1200mm/48" Magnetic	Loose	3	3253560436490	53.42

FATMAX® LEVEL



STANLEY
FATMAX

- 6-9mm wider than other levels in its class
- Heaviest in its class giving ultimate strength
- Shock absorbing end caps for long life
- Machine milled on two sides accurate both sides
- Dual bi-material hand grips ideal for carrying & vertical levelling
- Large vial with bridged "dual view" centre vial for ease of use



STANLEY	Length				£
1-43-524	600mm/24"	Loose	6	3253561435249	26.37
1-43-536	900mm/36"	Loose	3	3253561435362	31.66
1-43-548	1200mm/48"	Loose	3	3253561435485	36.93
1-43-572	1800mm/72"	Loose	3	3253561435720	63.36
1-43-525	600mm/24" Magnetic	Loose	6	3253561435256	29.64
1-43-537	900mm/36" Magnetic	Loose	3	3253561435379	34.83
1-43-549	1200mm/48" Magnetic	Loose	3	3253561435492	40.63

STANLEY CLASSIC LEVEL



STANLEY

- Magnified center block vial for durability and accuracy to +/- 0.5mm/m
- Large high visibility tubular side vials
- New rugged and lightweight body design
- Shock absorbing end caps for long life
- Available from 400mm to 2000mm

STANLEY	Length				£
STHT1-43102	400mm – 2 vials	Loose	10	3253561431029	16.88
STHT1-43103	600mm – 2 vials	Loose	10	3253561431036	19.00
STHT1-43104	800mm – 2 vials	Loose	10	3253561431043	21.10
STHT1-43105	1000mm – 3 vials	Loose	10	3253561431050	23.23
STHT1-43106	1200mm – 3 vials	Loose	10	3253561431067	26.38
STHT1-43107	1500mm – 3 vials	Loose	6	3253561431074	33.78
STHT1-43108	1800mm – 3 vials	Loose	6	3253561431081	42.22
STHT1-43109	2000mm – 3 vials	Loose	6	3253561431098	47.51

FATMAX® I-BEAM LEVEL



STANLEY
FATMAX

- 1mm/m accuracy to ensure accurate levelling for a professional finish
- Rubber end caps protect the level against damage if dropped
- Curved body profile allows use on pipework
- Top edge scale (excluding 1800mm & 2000mm)

STANLEY	Length				£
1-43-553	600mm/24"	Loose	2	3253561435539	16.26
1-43-555	1200mm/48"	Loose	2	3253561435553	25.54
1-43-557	1800mm/72"	Loose	2	3253561435577	38.33
1-43-554	600mm/24" Magnetic	Loose	2	3253561435546	19.15
1-43-556	1200mm/48" Magnetic	Loose	2	3253561435560	27.87
1-43-558	2000mm/78" Magnetic	Loose	2	3253561435584	44.12

PRO 180° LEVEL



STANLEY

- Durable I-beam girder section aluminium body for strength & long life
- 3 tubular vials 1 top read level vial, 1 plumb vial and 180° rotating angle vial (double graduation from 0° up to 90° and in 10° increments)
- Accuracy +/- 1.5mm/m

STANLEY	Length				£
1-42-919	400mm/16"	Loose	6	3253561429194	11.35
1-42-920	600mm/24"	Loose	6	3253561429200	13.62
1-42-921	800mm/32"	Loose	6	3253561429217	17.05
1-42-922	1000mm/40"	Loose	6	3253561429224	20.44
1-42-923	1200mm/48"	Loose	6	3253561429231	22.71

FOAMCAST LEVEL



STANLEY

- I-beam profile
- Injection moulded ABS body lightweight and shock resistant
- 3 high visibility tubular vials level, plumb and 45°
- Metric graduation on bottom face for convenience
- Accuracy +/- 2 mm/m

STANLEY	Length				£
1-42-474	300mm/12"	Loose	10	3253561424748	4.54
1-42-475	450mm/18"	Loose	6	3253561424755	5.68
1-42-476	600mm/24"	Loose	6	3253561424762	6.81
1-42-471	1200mm/48"	Loose	6	3253561424717	12.49

FATMAX® DIGITAL LEVEL



**STANLEY
FATMAX**

- Digital accuracy: 0.1mm/m (at level and plumb) 0.2mm/m at all other angles
- Easy to read LCD screen – backlight
- 360° readout – display flips to an upside down position making it functional for multiple positions
- Horizontal and vertical vials
- Waterproof bag included
- Units displayed as °, %, mm/m
- Audiable signal at 0°, 45° and 90°



STANLEY	Length				£
0-42-063	400mm/16"	Box	1	3253560420635	76.48
0-42-065	600mm/24"	Box	1	3253560420659	98.33
0-42-086	1200mm/48"	Box	1	3253560420864	109.26

DIGITAL ANGLE LEVEL



STANLEY

- Digital accuracy: 0.1mm/, (at level and plumb) 0.2mm/m at all other angles
- Easy to read LCD screen
- Anodised aluminium profile
- Angle measurements from 0° to 180°
- Horizontal and vertical vials



STANLEY	Description				£
0-42-087	400mm/16"	Box	1	3253560420871	130.03

TORPEDO AND LINE LEVELS

FATMAX® PRO TORPEDO LEVEL – MAGNETIC

STANLEY
FATMAX



“ THE VERY STRONG MAGNETS UNDERNEATH MAKE THIS HANDY WHEN LEVELLING STEEL PIPES. VERY STRONG LEVEL: BOUNCES VERY WELL AND STILL WORKS FINE ”

BOBBIE, CENTRAL HEATING ENGINEER



STANLEY	Length				£
0-43-609	250mm/10"	Loose	6	3253560436094	21.10

FATMAX® TORPEDO LEVEL

STANLEY
FATMAX



- 230mm/9" Aluminium die-cast body
- 0.5mm/m accuracy
- Two magnets in the base ideal for erecting scaffolding
- Pipe Groove provides maximum adherence to rounded surfaces
- 5 year accuracy guarantee

STANLEY	Description				£
0-43-603	230mm/9" FatMax® Torpedo Level	Loose	6	3253560436032	19.40

SHOCKPROOF TORPEDO LEVEL



STANLEY

- Aluminium plate with V shaped metal groove to check cylindrical surfaces (e.g. for use on pipes)
- High visibility vials horizontal, vertical and 45°
- Rubber end caps provides excellent protection

STANLEY	Description				£
0-43-511	230mm/9" Magnetic	Loose	6	3253560435110	13.62

ALUMINIUM TORPEDO LEVEL



STANLEY

- Strong & lightweight aluminium body ideal for small installations
- Magnetic base ideal for steel construction
- 3 vials: horizontal, plumb and 45° for wide usage
- Protected central vial for resistance to shocks

STANLEY	Description				£
0-42-465	230mm/9" Magnetic	Loose	6	3253560424657	12.49

PLASTIC TORPEDO LEVEL




STANLEY

- Lightweight injection moulded ABS body for strength
- 3 tubular vials horizontal, plumb and 45°

STANLEY	Description				£
0-42-294	200mm/8"	Loose	6	3253560422943	5.68

LINE LEVEL



STANLEY

- Useful for setting out levels over large areas where precision is of secondary importance e.g ideal for landscape gardening
- Includes hooks for using on a line
- Lightweight metal body for long life

STANLEY	Description				£
0-42-287	80mm/3"	Loose	6	3253560422875	2.84

POCKET LEVEL



STANLEY

- Pocket sized level for easy storage
- Accuracy 1mm/m
- Easy to read vials
- Strong molded plastic casing for durability
- Machined, magnetic base



STANLEY	Description				£
0-42-130	Pocket Level	Carded	6	3253560421304	10.92

THE PRO'S ADVICE



THE RIGHT MARKING OUT TOOL FOR THE JOB


COMBINATION SQUARE

An essential part of the on-site carpenters' tool kit, as it incorporates a range of functions in one tool: square, mitre square, depth and height gauge, level, steel rule and built in scriber.




SLIDING BEVEL

Designed for replicating and marking out angles, but should be used with a protractor if you wish to set it to a specific angle.



CARPENTERS FLAT STEEL SQUARE

Ideal if you regularly need to mark out large sheets of panelling. Both arms of the square are graduated.



MARKING GAUGE

Used for scoring lines along the length of a piece of wood parallel to the face edge or face side. It is more accurate to saw or plane to a scored line than it is to work to a pencil line. The gauge consists of a stock, which rubs against the face edge or face side of the work and a graduated stem which holds a hardened scribing pin. The distance of the pin from the stock is set by a rule and the stem locked in position with a thumbscrew.



FOLDING SQUARE

Invaluable for large scale setting out of building profiles, foundations, floor tiling, paving, driveway construction and landscape gardening. The simple folding system makes it compact and easily portable.



CHALK LINE

Used for marking straight lines on the ground, wall or ceiling. An essential part of the builders' and fitters' tool kit for setting out brick courses, tiling and installation of fitted furniture etc. The FatMax model provides 3 times more abrasion resistant line, together with many other innovative features.



SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

MARKING OUT TOOLS

FOLDING BUILDERS' SQUARE

STANLEY

- Measuring 1200mm x 1200mm x 1720mm – 48" x 48" x 68"
- Solid, light aluminium square ideal for checking and chalking in shell construction, tiling and assembly of partitions
- Angles of 45° and 90°
- Easy to fold and store with hang hold



STANLEY	Description				£
1-45-013	1720mm x 1200mm	Loose	4	3253561450136	44.12

BI-COLOUR SQUARES

STANLEY

- ABS construction jobsite tough
- Bi-colour 2 shot moulding no printing, etching or engraving – all markings are resistant to wear and abrasion
- Angles, hip valley and common cut scales for all roofing applications
- Available as 7" or 12"




STANLEY	Description				£
STHT46010	7" Bi-Colour	Carded	3	76174460100	11.02
STHT46011	12" Bi-Colour	Carded	4	76174460117	15.69

ADJUSTABLE QUICK SQUARE

STANLEY

- Heavy-duty aluminium construction for durability
- Black body with yellow graduations provides maximum readability in various light conditions
- Features Common, Jack and Hip, and Valley scales for various applications
- Multipurpose, adjustable design can be used as a saw guide, bevel or protractor
- Comes with an adjustable arm



STANLEY	Description				£
46-053	Adjustable Quick Square	Carded	4	76174460537	21.70

COMBINATION SQUARE

STANLEY




- Cast iron professional combination square for accuracy & long life
- Can be used as a try and mitre square, depth or height gauge and spirit level
- Blade etched with imperial / metric graduations in mm & cm and inch and 1/8" and 1/16"
- Machined on all faces for accuracy
- Class I accuracy steel rule

STANLEY	Description				£
0-46-151	300mm / 12"	Carded	1	5011284381407	34.10

COMBINATION SQUARE

STANLEY



- Can be used as a try and mitre square, depth or height gauge and spirit level
- Precision die-cast body with 3 precision machined faces for accuracy
- Metric/imperial graduations
- High visibility reading with etched and coated blade – rust resistant
- High quality brass nut and scriber fittings for long life
- 360° vial for all round visibility
- Class II accuracy steel rule

STANLEY	Description				£
2-46-028	300mm / 12" Die Cast	Carded	3	3253562460288	22.71

COMBINATION SQUARE

STANLEY



- 300mm / 12" metric imperial for ease of use
- Lightweight and durable metal body with 3 machined faces for accuracy
- Easy to read, long lasting stamped blade
- 360° vial for all round visibility
- Scriber fitting for accuracy & convenience
- Can be used as a try and mitre square, depth or height gauge and spirit level

STANLEY	Description				£
2-46-222	300mm / 12"	Carded	6	3253562462220	11.35

CARPENTERS' STEEL SQUARE

STANLEY



- Steel square with buffed finish and protective lacquer coating for rust resistance
- Reverse reading scale and crisply embossed graduations for easy reading
- Face graduated every 2mm, reverse of blade every 1/8" for detailed work
- Not supplied with databook

STANLEY	Description				£
1-45-530	600mm / 400mm (metric only)	Loose	6	3253561455308	26.60

ROSEWOOD JOINERS' BEVEL




STANLEY

- High quality rosewood joiners' bevel
- Brass tips and blued steel blade for long lasting, highly accurate marking

STANLEY	Description				£
0-46-702	225mm	Carded	6	5011284153592	23.85

PLASTIC JOINERS' BEVEL



STANLEY

- Sliding blade in hardened blued steel
- Chrome plated metal locking lever to secure blade
- High impact plastic moulded stock with accurately machined face combining lightweight and accuracy

STANLEY	Description				£
0-46-825	200mm	Carded	6	3253560468255	12.09
0-46-529	228mm	Carded	6	3253560465292	12.96

MARKING GAUGE



STANLEY

- Plastic marking gauge
- Plastic stock with metal insert for abrasion resistance
- Stem calibrated for easy setting
- Graduation at 2mm

STANLEY	Description				£
2-47-064	215mm	Carded	5	3253562470645	11.35

FATMAX® BLACK CHISEL TIP PERMANENT MARKER



STANLEY
FATMAX

- Durable chisel tip allows for 2 distinct lines (broad and fine)
- Quick drying water and oil resistant ink marks on almost any surface
- Easy to hook on a belt

STANLEY	Description				£
0-47-314	2pk	Carded x 2	12	3253560473143	3.59

FATMAX® BLACK FINE TIP PERMANENT MARKER



STANLEY
FATMAX

- Quick drying water and oil resistant ink marks on almost any surface
- Easy to grip non slip barrel and cap
- Easy to hook on a belt

STANLEY	Description				£
0-47-312	2pk	Carded x 2	12	3253560473129	3.06

BLACK FINE TIP PERMANENT MARKER



STANLEY

- Quick drying water resistant ink marks on almost any surface

STANLEY	Description				£
0-47-316	2pk	Carded x 2	24	3253560473167	2.09

MINI MULTI FINE TIP PERMANENT MARKER




STANLEY

- Quick drying water and oil resistant ink marks on almost any surface
- In variety of colours for different applications (black, red, green and blue) e.g. live, earth and neutral



STANLEY	Description				£
1-47-329	Mini Multi Fine Tip Marker	Container	72	3253561473296	0.52

CARPENTER AND MASONS' PENCILS



STANLEY


- Rectangular graphite core (HB) for clear marking (1-03-850)
- Rectangular graphite core (type 4H) for clear marking (1-03-851)

STANLEY	Description				£
1-03-850	Red Carpenter Pencil	Blister	60	3253561038501	2.11
1-03-851	Green Mason Pencil	Blister	60	3253561038518	2.11

CHALK LINES

FATMAX® PRO CHALK LINE

STANLEY
FATMAX



FATMAX® QUICK SPIKE

Quickly secures chalk lines to most building materials



STANLEY	Description				£
0-47-480	30m Pro Chalk Line	Carded	6	3253560474805	15.83
0-47-488	30m Pro Chalk Line & 225g Black Chalk	Carded	6	3253560474881	21.33
9-47-486	30m Pro Chalk Line & Quick Spike	Carded	6	3253560474867	23.56

FATMAX® CHALK LINE SET



STANLEY
FATMAX

- 50lb breaking strain on line for longer life
- Large 45g chalk capacity
- Rubber over moulded case for strength and better grip
- High impact ABS case for durability
- Sliding door for quick and easy refill
- Metal crank folds into the case for ease of storage
- Clutch allows line extension without crank rotation
- Stainless steel end hook for added durability and rust prevention
- Patented chalk view window to see exactly how much chalk you have left
- 3.5 to 1 gear ratio rewinds 3 x faster
- Can be used vertically as a plumb bob

STANLEY	Description				£
0-47-681	30m FatMax® Chalk Line Set - 113g Blue Chalk & Fine Tip Black Marker	Carded	6	3253560476816	18.29

LARGE CAPACITY CHALK REEL



STANLEY

- Large capacity chalk line – holds 500g of chalk
- 45m twisted cotton line
- High impact ABS housing
- Rubber over moulding for impact protection
- 3:1 gear ratio – 3x faster than 1:1

STANLEY	Description				£
STHT0-47347	Large Capacity Chalk Reel*	Carded	3	3253560473471	35.00

POWERWINDER CHALK LINE SET



STANLEY

- 3.5 to 1 gear ratio for 3.5 time faster rewind
- Clear View case so you can see the amount of chalk left inside
- Case holds 45g chalk to reduce filling times
- Stainless steel end hook does not rust
- Sliding door for quick and easy refill
- Metal crank folds onto the case for storage & ease of use
- Can be used vertically as a plumb bob
- Clutch allows line extension without crank rotation

STANLEY	Description				£
0-47-465	30m Powerwinder Chalk Line Set - 113g Blue Chalk & Level	Carded	5	3253560474652	16.54

METAL CHALK LINE



STANLEY

- Die cast aluminium case for durability
- Stainless steel end hook for added durability and rust prevention
- Metal case for strength and long life
- 30g chalk capacity
- Can be used vertically as a plumb bob

STANLEY	Description				£
0-47-100	30m STANLEY Metal Chalk Line	Carded	6	3253560471002	10.63

CHALK LINE SET



STANLEY

- Kit contains 30m chalk line, 113g blue chalk and level
- High impact ABS case for durability
- Sliding door for quick and easy refill
- Stainless steel end hook does not rust
- 30g chalk capacity
- Can be used vertically as a plumb bob

STANLEY	Description				£
0-47-443	30m Chalk Line Set – 113g Blue Chalk & Level	Carded	5	3253560474430	7.90

COMPACT 9m CHALK LINE



STANLEY

- Less than 1/2 size standard chalk reels – but still as functional
- 9m precision line – ample for most applications
- 3.5:1 gear ratio – fast rewind
- 28g capacity – 50 lines per refill
- Can be used vertically as a plumb bob

STANLEY	Description				£
STHT0-47147	Compact 9m Chalkline	Blister Card	6	3253560471477	8.47

CHALK REFILL



STANLEY

- Powder specially formulated for good adhesion and high visibility
- Colour recommendations
- Blue: all round colour for interior and exterior use
- Red: for external masonry work, indelible
- White: for interior work such as carpet fitting

STANLEY	Description				£
1-47-403	113g Blue Chalk	Loose	12	3253561474033	3.17
1-47-404	113g Red Chalk	Loose	12	3253561474040	3.17
1-47-405	113g White Chalk	Loose	12	3253561474057	3.17
1-47-803	225g Blue Chalk	Loose	12	3253561478031	4.21
1-47-804	225g Red Chalk	Loose	12	3253561478048	4.21

THE PRO'S ADVICE



MAKE YOUR MARKING OUT TOOLS WORK HARDER

COMBINATION SQUARE


Surface and edge preparation

STEP 1 Plane the face of the wood and check that the surface is flat across its width and true along its length, then mark it with the traditional 'Face Side' mark.

STEP 2 Plane the adjacent edge true, flat and square.

STEP 3 Place the stock of the square on the face side surface and look to see if there is any light showing between blade and wood. Check the wood at several points down the length, make any fine adjustments with the plane and mark this edge with the 'Face Edge' sign.


From here on all marking with a square, bevel or marking gauge should be only from the face side or face edge.





MARKING A LINE ON ALL FOUR FACES

This should be done with a knife for greater accuracy, plus it is easier to work to a cut line rather than a pencil line.



STEP 1 To scribe a line across the face side, hold the stock tightly against the face edge of the wood using your thumb and three fingers. Your index finger should be against the inside edge of the square blade to prevent it from slipping when you press the knife against the outer edge to scribe the line.



STEP 2 To score a line across the face edge, turn the square to place the stock against the face side, place the knife blade into the previous cut and slide the square blade up to the knife blade.



STEP 3 Repeat this on the remaining two sides always ensuring that the stock is against the face side or face edge.




TOP TIP

If several items of the same length are required, clamp them together and mark all at the same time.

LARGE STEEL SQUARE SQUARES

These do not have a stock to hold against the work edge, so to position the square accurately use a spare piece of wood held against the edge and position the square against that.



SLIDING BEVEL

These can be used for surface/edge preparation and marking out as the Try Square, but be careful when there are bevels at each end of a piece of wood. Always mark from the face side or face edge and check that the bevels are facing in the correct direction.

IMPORTANT


Keep your chalk line free from moisture and for surfaces to be painted, check that the chalk does not 'bleed' through paint. When using near furnishings, check that the chalk does not stain fabrics or carpets.

SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

CHALK LINE


STEP 1 Check that the case is well charged with chalk and give it a shake from time to time to ensure that the cord is well chalked. With a new line, draw the cord out to its full extent, pour in a small amount of chalk and rewind it. Complete filling when the cord is fully rewound.

STEP 2 Anchor the end hook securely at one end of the piece to be marked.



STEP 3 Draw out the chalked line and lock the crank handle into place and tension the cord.

STEP 4 Place the cord carefully onto the correct position on the work. With finger and thumb lift the cord a few centimetres to create some tension and then allow it to 'snap' onto the surface to be marked.



STEP 5 Rewind away from the marked line to avoid contaminating the work surface and line.

LASER

LE

AND



VELLING DETECTION

ALL THE PRO'S WE TALKED TO WERE LOOKING FOR THE GREATEST ACCURACY FROM A LASER, BUT EASE OF USE IN ALL SITUATIONS, BOTH INDOORS AND OUT, WAS ALSO SEEN AS VITAL. TO ACHIEVE THIS WE'VE USED IMPROVED TECHNOLOGY, PLUS WE OFFER THE ADDITIONAL SUPPORT THAT WAS REQUESTED WITH A COMPLETE NEW RANGE OF ACCESSORIES AND AN EXTENSIVE AFTER SALES SERVICE NETWORK.



THE PRO'S ADVICE



THE RIGHT LASER TOOL FOR THE JOB

THE MAIN TYPES OF STANLEY LASER TOOLS




Optical Level

Rotary

Cross Line

Spot

THE 4 MAIN FUNCTIONS OF LASER TOOLS



Angles and slopes



Squaring



Plumb line – take a point
from floor to ceiling



Horizontal & vertical levelling
& alignment

WHAT IS A LASER?

LASER stands for 'Light Amplification by Stimulated Emission of Radiation'. A diode is used to create a concentrated laser beam of light in one wavelength. The shorter the wavelength the brighter and more visible the laser beam. STANLEY lasers have a standard wavelength of 635 nanometers, which is suitable for use up to 300m.

IP RATING

When working in dusty and damp conditions, the IP rating of the laser is also important. A selection of STANLEY lasers are rated IP54 (dust resistant and splash proof) or IP66 (dust resistant and completely waterproof).

ARE LASERS POTENTIALLY HAZARDOUS?

Lasers are classed from 1 up to 4 in terms of potential hazard. STANLEY laser classes range from class I up to class IIM, which pose little or no hazard.

Class I – Poses no threat of biological damage.

Class II – The output could harm a person if they were to stare into a beam for a long period of time.

Class IIM – Lasers have a divergent beam and may be hazardous if an optical instrument is placed in front of the eye such as a magnifying glass.

WARRANTY REPAIR AND CALIBRATION SERVICE

All STANLEY laser products are supplied with 1,2,3, or 5 year warranty, against deficiencies in materials and/or workmanship from the date of purchase. We advise that you have your STANLEY laser products serviced annually, and calibrated every 6 months. If your product is malfunctioning within or outside the warranty period, you can get in touch with the After Sales Service Agent as listed. Our service agent can arrange collection throughout the country.

STANLEY Service Centre
Green Lane, Spennymoor, Co. Durham, DL16 6JG, UK
Helpdesk: (+44) (0) 1753 511234
Email: sicagent@sbdinc.com

SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

OPTICAL LEVEL

AL24 AUTO LEVEL


STANLEY



- Range of 90m
- 24 x automatic optical level
- Levelling accuracy of +/-1.6mm at 50m
- 3 screw levelling setting viewed via angular prism
- Magnetically dampened, wire hung compensator
- Top optical peep sight for ease of ranging
- Right angle prism for easy bubble viewing
- Objective aperture 40mm
- 1:100 stadia for estimating distance
- Compensator lock protects unit in transit
- Fine motion knobs for easy horizontal movement
- Rated to IP54 to protect against dust and water splashes
- 5 year warranty

CONTENTS

- Level
- Blumb Bob
- Lens Cover
- Hex Key
- Adjusting Pin
- Manual
- Hard Protective Carry Case
- Tripod
- Measuring Staff



STANLEY	Description				£
1-77-159	AL24 Auto Level Kit	Box	1	3253561771590	332.16

ROTARY LASERS

RL HGW FATMAX® EXTERIOR ROTARY LASER



**STANLEY
FATMAX**



- Working range 600m
- Drop proof glass enclosed beam
- The rotating head can be set up for a 15% slope
- Anti-drift system
- Rugged handle and rubber mouldings add extra strength
- Laser class IIM
- Horizontal levelling accuracy: 1.5mm at 30m 10"
- Vertical levelling accuracy: 9mm at 30m 60"
- Batteries: LR14, Ni-Mh (24 hour battery life)
- Rated to IP66 dust resistant and completely waterproof
- 1 year warranty

CONTENTS

- RLHGW Rotary Laser
- Target Plate
- Remote Control
- Laser Detector
- Laser Glasses
- Rifle Scope
- Rechargeable Battery Pack
- Charger
- Storage / Transport Case



Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description	Thread				£
1-77-439	RL HGW FatMax® Exterior Rotary Laser	5/8"	Box	1	3253561774393	1349.51

FATMAX® RLHVPW INTERIOR ROTARY LASER

STANLEY
FATMAX



- Working range 400m
- Drop proof glass enclosed beam
- Horizontal, plumb and square beam
- The rotating head can be set up for a 10% slope
- Multiple scanning mode (10° / 45° / 90°)
- Can be used with a remote control
- Laser class IIM
- Horizontal levelling accuracy: 1.5mm at 30m 10"
- Vertical levelling accuracy: +/- 3mm at 30m
- Batteries: LR14, Ni-Mh (24 hour battery life)
- Rated to IP66 dust resistant and completely waterproof
- 1 year warranty

CONTENTS

- RLHVPW Rotary Laser
- Target Plate
- Remote Control
- Laser Glasses
- Mounting Bracket
- Rechargeable Battery Pack
- Charger
- Storage / Transport Case



Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description	Thread				£
1-77-427	FatMax® RLHVPW Interior Rotary Laser	5/8"	Box	1	3253561774270	1079.60

FATMAX® RLHW+ ROTARY LASER

STANLEY
FATMAX



- Working range 600m
- Drop proof glass enclosed beam
- Anti-drift system
- Rugged handle and rubber mouldings add extra strength
- The rotating head can be set up for a 10% slope
- Laser class IIM
- Horizontal levelling accuracy: 1.5mm at 30m 10"
- Batteries: LR14, Ni-Mh (24 hour battery life)
- Rated to IP66 dust resistant and completely waterproof
- 1 year warranty

CONTENTS

- RLHW+ Rotary Laser
- Target Plate
- Laser Detector
- Rechargeable Battery Pack
- Charger
- Storage / Transport case



Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description	Thread				£
1-77-429	FatMax® RLHW+ Rotary Laser	5/8"	Box	1	3253561774294	923.29

FATMAX® RLHW EXTERIOR ROTARY LASER

STANLEY
FATMAX



- Working range 600m
- Drop proof glass enclosed beam
- Anti-drift system
- Rugged handle and rubber mouldings add extra strength
- Laser class IIM
- Horizontal levelling accuracy: 1.5mm at 30m 10"
- Batteries: LR14, Ni-Mh (24 hour battery life)
- Rated to IP66 dust resistant and completely waterproof
- 1 year warranty

CONTENTS

- RLHW Rotary Laser
- Target Plate
- Laser Detector
- Rechargeable Battery Pack
- Charger
- Storage / Transport case



STANLEY	Description	Thread				£
1-77-496	FatMax® RLHW Exterior Rotary Laser	5/8"	Box	1	3253561774966	852.32

LINE LASERS

FATMAX® MULTILINE LASER – SML

STANLEY
FATMAX



- Working range 15m / 50m with a detector
- Interior/Exterior use
- Project 1 horizontal and 1 vertical line to create a cross line (V:130° / H:180°)
- Project 1 plumb
- Pulse beam mode allows operating outdoors in combination with the detector
- Magnetically damped pendulum – lockable for safe transport
- Laser class II
- Line accuracy: 2mm/15m (V), 2mm/15m (H)
- Measurement accuracy: 5 x 635nm, 1 x 650nm
- Batteries: 4 x AA (6 hour battery life)
- Rated to IP54 to protect against dust and water splashes
- 1 year warranty

CONTENTS

- SML Multi Line Laser
- Laser Detector
- Laser Glasses
- Laser Target
- 4 x AA Batteries (rechargeable)
- Mains Charger
- Storage / Transport case
- Remote Control



STANLEY	Description	Thread				£
1-77-322	FatMax® Multiline Laser	5/8"	Box	1	3253561773228	568.51

Product video can be viewed at www.stanleytools.co.uk

FATMAX® GREEN BEAM X LINE LASER

STANLEY
FATMAX

- Green beam for enhanced visibility in all lighting conditions
- Clear touch button display for simple operation
- 0.3mm/m accuracy at 10m
- 30m working range
- Features a locking pendulum for safe transport and locking for custom line layout
- Rated to IP54 to protect against dust and water splashes



NEW

STANLEY	Description				£
FMHT1-77348	Green Beam X Line Laser	Box	1	3253561773488	327.81


FATMAX® CROSS LINE LASER – SCL-D

STANLEY
FATMAX

- Working range 30m (spot) / 15m (line) – up to 50m with a detector
- Interior/Exterior use
- Project 1 horizontal and 1 vertical line to create a cross line (V:130° / H:130°)
- Project 2 beams : 1 vertical & 1 plumb
- Pulse beam mode allows operating outdoors in combination with the detector
- Magnetically dampended pendulum -Lockable for safe transport
- Laser class II
- Line accuracy: 3mm/15m (V)
- Measurement accuracy: 3mm at 15m (U), 6mm/15m (D)
- Batteries: 3 x AA (15 hour battery life)
- Rated to IP54 to protect against dust and water splashes
- 2 year warranty

CONTENTS

- SCL-D Cross Line Laser Level
- Laser Detector
- Mounting Brackets (Wall & Pole)
- Mini Tripod
- Laser Target
- Laser Glasses
- 3 x AA Batteries
- Storage / Transport Bag



STANLEY	Description	Thread				£
1-77-321	FatMax® Cross Line Laser – SCL-D	1/4" & 5/8"	Box	1	3253561773211	369.33

FATMAX® CROSS LINE LASER – SCL


STANLEY
FATMAX



- Working range 10m – up to 30m with a detector
- Interior/Exterior use
- Project 1 horizontal and 1 vertical line to create a cross line (V:130° /H:130°)
- Pulse beam mode allows operating outdoors in combination with the detector
- Out of true level sensor
- Magnetically dampened pendulum -Lockable for safe transport
- Laser class II
- Line accuracy: 3mm/15m (V), 3mm/15m (H)
- Measurement accuracy: 3mm/15m (V), 3mm/15m (H)
- Batteries: 3 x AA (16 hour battery life)
- Rated to IP54 to protect against dust and water splashes
- 1 year warranty

CONTENTS

- SCL Cross Line Laser Level
- Mounting Brackets (Wall & Pole)
- Mini Tripod
- Laser Target
- Laser Glasses
- 3 x AA Batteries
- Storage / Transport Bag



STANLEY	Description	Thread				£
1-77-320	FatMax® Cross Line Laser – SCL	1/4" & 5/8"	Box	1	3253561773204	273.17

LINE LASER 360° – SLL360


STANLEY



- Projects 360° self levelling line, ideal for decorating and room layout
- Automatic self levelling
- Laser line at 360° + 1 vertical line allows a cross line on front of the unit
- No pulse diode
- Locking pendulum
- Wall mount bracket for fine adjustments
- Laser class I
- Line accuracy: 4mm at 10m
- 20m radius range
- Batteries: 3 x AA (15 hour battery life)
- Rated to IP54 to protect against dust and water splashes
- 1 year warranty

CONTENTS

- SLL360 Laser Level
- Mounting Bracket
- Tripod
- Storage / Transport Bag



STANLEY	Description	Thread				£
STHT1-77137	Line Laser 360° – SLL360	1/4"	Box	1	3253561771378	305.91

Product video can be viewed at www.stanleytools.co.uk

FATMAX® CLLI CROSS LINE LASER KIT


STANLEY
FATMAX



- 10m working range in an interior and exterior working environment
- Projects 1 horizontal and 1 vertical line to create a cross line – ideal for quick layout jobs.
- Out of true level sensor
- Magnetically dampened pendulum
- Pendulum lock for safe transportation
- Laser class I
- Horizontal levelling accuracy: angular accuracy = 4°
- Line accuracy: 4mm at 10m
- Batteries: 3 x AA (15 hour battery life)
- Rated to IP54 to protect against dust and water splashes
- 1 year warranty

CONTENTS

- CLLI Cross Line Laser
- Mounting Pole
- Target Plate
- Mounting Bracket
- Storage / Transport Bag
- 3 x AA Batteries



Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description	Thread				£
1-77-123	FatMax® CLLI Cross Line Laser Kit	1/4"	Box	1	3253561771231	174.78

CUBIX™ CROSSLINE LASER

STANLEY



- Self levelling cross line laser
- Single laser diode split with lens
- 3 position power / lock switch
- Integrated slots in housing for quick connection to accessory bracket
- Bracket supplied
- Accurate to 0.8mm/m
- 8m distance laser measuring



Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description				£
STHT1-77340	Cubix™ Crossline Laser	Boxed	1	3253561773402	63.64

SELF LEVELLING WALL LASER

STANLEY

- Projects horizontally or vertically - suitable for a variety of common projects
- Levels automatically enabling automatic reference for angled lines
- Supplied with wall mount and attachments for hands free convenience
- Inclination scale for setting angles



NEW

STANLEY	Description				£
STHT1-77149	Self Levelling Wall Laser	Box	1	3253561771491	47.73

MANUAL WALL LINE LASER

STANLEY

- Features back lit visuals for enhanced vial visibility
- 360° rotating base
- +/- 1mm accuracy - suitable for most DIY tasks
- 3m working distance
- Ideal for picture hanging/ shelving/ decorating applications



NEW

STANLEY	Description				£
STHT1-77148	Manual Wall Line Laser	Box	1	3253561771484	31.82

SPOT LASERS

FATMAX® SPOT LINE LASER – SLP5


**STANLEY
FATMAX**



- Working range of 30m (spot) / 10m (line)
- Projects 5 beams (3 horizontal, 1 vertical, 1 plumb) and 1 horizontal line >120°
- Improved accuracy spec
- Out of true level sensor
- Magnetically dampened pendulum -Locable for safe transport
- Magnetic pivoting base
- Laser class II
- Horizontal levelling accuracy: 3mm/15m (H)
- Measurement accuracy: 3mm/15m (H)
- Batteries: 3 x AA (15 hour battery life)
- Rated to IP54 to protect against dust and water splashes
- 1 year warranty

CONTENTS

- SLP5 3 Spot Laser Level
- Magnetic base
- Tripod
- Storage / Transport Bag
- 3 x AA Batteries



STANLEY	Description	Thread				£
1-77-319	FatMax® Spot Line Laser – SLP5	1/4"	Box	1	3253561773198	284.05

FATMAX® 3 SPOT LINE LASER – SLP3


**STANLEY
FATMAX**



- Working range of 30m
- Projects 3 beams (front, top and bottom plumb) – ideal for point to point transfer work (stud wall, down lighters etc.)
- Magnetically dampened pendulum -Locable for safe transport
- Out of true level sensor
- Magnetic pivoting base
- Laser class II
- Measurement accuracy: 4mm/10m
- Batteries: 2 x AA (20 hour battery life)
- Rated to IP54 to protect against dust and water splashes
- 1 year warranty

CONTENTS

- SLP3 3 Spot Laser Level
- Magnetic Base
- Tripod
- Storage / Transport Bag
- 2 x AA Batteries



Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description	Thread				£
1-77-318	FatMax® 3 Spot Line Laser – SLP3	1/4"	Box	1	3253561773181	213.02

3 SPOT LASER – SPL3

STANLEY



NEW

- Self levelling auto correct up to 4°
- 30m range +/- 1/8" accurate
- Raised and offset down beam - ideal for stud tracking
- Projects 3 beams - top, bottom and horizontal



STANLEY	Description				£
STHT1-77342	SPL3 - 3 Spot Laser	Box	1	3253561773426	106.08

ACCESSORIES

MINI TRIPOD

STANLEY



- Can be used with lasers with 1/4" thread
- Folded flat, it can also be used with 5/8" thread
- Comes complete with magnet

STANLEY	Description				£
1-77-192	Mini Tripod	Box	20	3253561771927	13.28
1-77-128	Multi Line Laser Adapter	Box	1	3253561771286	6.81

CAMERA TRIPOD

STANLEY



- Can be used with lasers with 1/4" thread
- Adjustable height from 44cm – 119cm for convenience
- Compact and stable

STANLEY	Description				£
1-77-201	Camera Tripod	Box	2	3253561772016	26.55

ALUMINIUM TRIPODS

STANLEY



1-77-131

1-77-163

- 1-77-131 Aluminium Tripod: Can be used with lasers with 5/8" thread
- 1-77-163 Aluminium Tripod: Can be used with lasers with 5/8" thread – optical and rotating (When used with Multiline 1-77-322 requires 1-77-024 adapter). Extends from 97cm – 160cm in height
- 1-77-164 Aluminium Tripod: Can be used with lasers with 5/8" thread – optical and rotating (When used with Multiline 1-77-322 requires 1-77-024 adapter). Extends from 119cm – 292cm in height

STANLEY	Description				£
1-77-131	Aluminium Tripod	Box	1	3253561771316	79.68
1-77-163	Aluminium Tripod	Box	4	3253561771637	79.68
1-77-164	Aluminium Tripod	Box	4	3253561771644	186.00
1-77-024	Multi Line Laser Adapter	Box	1	3253561770241	6.55

3.6M EXTENSION POLE

STANLEY



- Can be used with lasers with 1/4" thread
- Extends up to 3.6m
- Can be used externally with tri-legs supplied

STANLEY	Description				£
1-77-022	3.6m Extension Pole	Box	5	3253561770227	97.35

GRADING ADAPTER

STANLEY



- Can be used with lasers with 1/4" and 5/8" thread

STANLEY	Description				£
1-77-168	Grading Adapter	Box	1	3253561771682	106.28

WALL MOUNTING BRACKET

STANLEY

- 5/8" thread fitting – fitted with channel mount and lock
- May be screwed to wall surface for ease of use
- Height adjustment via fine screw thread and graduation indicator



STANLEY	Description				£
1-77-172	Wall Mounting Bracket	Box	6	3253561771729	66.42

MEASURING STAFF

STANLEY

- Measuring staff designed to provide height and distance readings used in conjunction with optical levels, rotating lasers and line lasers
- Suitable for: 1-77-159 AL24
1-77-427 FM Rotating Laser With Plumb Beam
1-77-429 FM Rotating Laser
- 5m overall with 5 sections – graduated in cm and mm
- Strong, lightweight aluminium construction



STANLEY	Description				£
1-77-162	Measuring Staff	Box	10	3253561771620	57.13

LASER GLASSES

STANLEY

- Laser Glasses designed to enhance the brightness of the laser line internally and externally
- Suitable for all lasers



STANLEY	Description				£
1-77-171	Laser Glasses	Box	10	3253561771712	13.28

LASER GRID TARGET

STANLEY

- Laser grid target designed to enhance the brightness of the laser line internally and externally
- Suitable for all lasers
- Magnetic base for ease of use



STANLEY	Description				£
1-77-170	Laser Grid Target	Box	10	3253561771705	13.28

LINE DETECTOR WITH CLAMP

STANLEY
FATMAX



- Accuracy 1mm/m
- Can be used up to 30m
- Audible 20mm display screen
- 1-77-023 Designed for outdoor usage with a pulsating beam line laser
- 1-77-132 Designed for use with lasers with pulse mode for internal and external use
- 1-77-133 Designed for outdoor use with Rotating Lasers
- Green Beam Detector for use with The Green Beam Cross Line Laser (FMHT1-77348)



STANLEY	Description				£
1-77-023	Detector for Line Lasers	Box	1	3253561770234	97.35
1-77-132	Detector for Line Lasers	Box	1	3253561771323	97.35
1-77-133	Detector for Rotating Lasers	Box	1	3253561771330	97.35
FMHT1-74267	Green Beam Detector	Box	1	3253561742675	Disc

ROTARY LASER REMOTE CONTROL

STANLEY
FATMAX



- Remote control for Rotating Lasers for use up to 40m away from the laser unit

STANLEY	Description				£
1-77-134	Remote Control	Box	1	3253561771347	28.58

MAINS CHARGER

STANLEY



- Replacement charger for the Multiline (1-77-322) and Rotating Lasers

STANLEY	Description				£
1-77-127	Mains Charger	Box	1	3253561771279	39.84

SENSORS

		STUD DETECTION DEPTH					WHAT'S DETECTED						FEATURES						
		12mm	19mm	25mm	38mm	75mm	Moisture	Wood	Metal	Non Ferrous	Electric	Wood Metal differentiates	Multi Depth	LCD Screen	One Pass	AC detection	Audible Indicator	Edge Finder	Centre Finder
0-77-030	Moisture Detector						●							●					
0-77-500	Intellisensor Pro Stud Sensor	●		●	●			●	●		●		●	●		●	●	●	
FMHT0-77407	S300 Sensor				●	●			●	●	●	●	●	●	●	●		●	
FMHT0-77406	S200 Sensor		●								●		●	●	●	●		●	
FMHT0-77404	S150 Sensor				●						●		●		●	●	●		
FMHT0-77403	S100 Sensor		●								●				●	●	●		

MOISTURE DETECTOR

STANLEY

- Provides moisture readings in wood and masonry
- Gives % moisture reading based on electrical resistance across two detection pins (8mm length)
- Measures moisture in wood from 6-44% (readings over 15% are suspicious and need investigating, over 20% indicate decay)
- Measures moisture in masonry from 0.2%-2% (readings over 1.5% are suspicious and need investigating)
- Backlit LCD display indicating the moisture level on a bar graph
- Auto power off
- Powered by 3 cell batteries (supplied)



STANLEY	Description				£
0-77-030	Moisture Detector	Carded	2	3253560770303	29.76

INTELLILASER™ PRO STUD SENSOR



STANLEY

- Locates the edges of metal (ferrous) and wooden studs and joists (does not differentiate between wood and metal)
- Locates live electrical wires to 50mm depth
- Depth detection of 12mm / 25mm / 38mm
- Backlit LCD screen for easy read
- Powered by 9V battery (not supplied)
- Auto shut off
- Heavy duty ABS construction for long life
- Automatic calibration for fast operation
- Easy to see laser beam ensures quick and easy marking and levelling
- A separate laser pod can be set to level plumb or any angle needed

STANLEY	Description				£
0-77-500	Intellisensor Pro Stud Sensor	Carded	2	3253560775001	79.73

S100 SENSOR



STANLEY

- Compact and simple to use
- Detects studs up to 19mm
- Stud edge finder
- 3 stage LED indication
- Audio/visual live AC detection alert



STANLEY	Description				£
STHT0-77403	S100 Sensor	Carded	4	3253560774035	17.26

S150 SENSOR



STANLEY

- Detects studs concealed up to 38mm
- Stud edge finder
- 3 stage LED indication
- Audio/visual live AC detection alert



STANLEY	Description				£
STHT0-77404	S150 Sensor	Carded	4	3253560774042	19.92

S200 SENSOR

STANLEY



- LCD display
- Centre finder for accurate detection
- Audio/visual live AC detection alert




STANLEY	Description				£
STHT0-77406	S200 Sensor	Carded	4	3253560774066	21.10

S300 SENSOR

**STANLEY
FATMAX**



- Backlit LCD display for easy reading in low light conditions
- Includes scan mode for precise detection up to 75mm for ferrous metal
- Audio/visual live AC detection alert



STANLEY	Description				£
FMHT0-77407	S300 Sensor	Carded	4	3253560774073	39.85



Detects wood and metal studs for accurate working.



Detects live AC cables up to 51mm depth.



Detects stud edges for quick and accurate marking out.



Detects wood/ferrous and non-ferrous metals to various depths according to model.



Includes scan mode to quickly locate and identify materials with increased precision.



Detects stud centres for fast and precise location of suitable fixing points.

TORC



HES



HEADLAMP TORCHES

FATMAX® HEADLAMP

STANLEY
FATMAX



**80
LUMENS**

STANLEY	Description				£
FMHT0-70767	FatMax® Headlamp	Blister	6	3253560707675	21.21

TRIPOD TORCHES

LED TRIPOD TORCH

STANLEY

- Unique tripod design for hands free convenience
- 0.5W LED with 30 Lumens of bright white light
- Tilting lens for extra versatility head
- Shatter resistant lens for longer life
- Runs with 3, 6 or 9 batteries (not included)
- With 9 batteries 1 LED can provide light for more than 8 days



STANLEY	Description				£
0-95-112	Tripod Torch	Blister	6	3253560951122	25.54

MINI TRIPOD KEYRING TORCH

STANLEY

- Handy keyring so you are never without a torch
- Unique tripod design for hands free convenience
- 100,000 hour LED life
- 3 position rotating head
- Includes 3 lithium cell batteries



STANLEY	Description				£
0-95-113	Mini Tripod Keyring Torch	Counter Top	16	3253560951139	6.39

HAND TORCHES

STANLEY® HEAVY DUTY CLAMPING FLOODLIGHT

STANLEY



- Powerful handheld and heavy duty
- Opens 90mm's wide and grips onto ceiling beams, floor joists and table tops
- 350° rotating head and 120° head tilt
- Patented battery technology – use 2 or 4 C cell batteries
- High floodlighting characteristics to illuminate a large work surface
- Non marring clamping feet



**75
LUMENS**

STANLEY	Description				£
1-95-891	Heavy Duty Clamping Floodlight	Box	2	3253561958915	53.79

FATMAX® 3D ALUMINIUM TORCH

**STANLEY
FATMAX**



- Large robust body for heavy duty use
- Specially designed reflector for a strong focused beam
- Heavy duty anodized aluminium for strength and durability
- Textured handle for firm grip
- Weather resistant for outdoor use
- Shatter proof lens withstands drops and blows
- Front push button easy to use
- Uses D batteries (not included)

**135
LUMENS**

STANLEY	Description				£
1-95-153	FatMax® 3D Aluminium Torch	Blister	6	3253561951534	48.36

FATMAX® 3AAA ALUMINIUM TORCH

STANLEY
FATMAX



- Specially designed reflector for a strong focused beam
- Heavy duty anodized aluminium for strength and durability
- Textured handle for firm grip
- Pocket size for convenience
- Weather resistant for outdoor use
- Shatter proof lens withstands drops and blows
- End push button easy to use
- Uses AAA batteries (not included)

120
LUMENS

STANLEY	Description				£
1-95-152	FatMax® 3AAA Aluminium Torch	Blister	6	3253561951527	31.00

FATMAX® 2AA ALUMINIUM TORCH

STANLEY
FATMAX



- Specially designed reflector for a strong focused beam
- Heavy duty anodized aluminium for strength and durability
- Textured handle for firm grip
- Pocket size for convenience
- Weather resistant for outdoor use
- Shatter proof lens withstands drops and blows
- End push button easy to use
- Uses AA batteries (not included)

80
LUMENS

STANLEY	Description				£
1-95-151	FatMax® 2AA Aluminium Torch	Blister	6	3253561951510	27.27

KNIV



ES AND BLADES



PRO'S TOLD US THAT HAVING TO CHANGE BLADES REGULARLY WAS A NUISANCE, WHICH IS WHY WE'VE DEVELOPED A BLADE THAT LASTS MORE THAN 5 TIMES LONGER THAN COMPETITIVE UTILITY BLADES.

“ GREAT PRODUCT, LONG LASTING – I WOULDN'T BUY ANY OTHER BLADES AFTER TRYING THESE ”

JOHN - CARPENTER / JOINER



THE PRO'S ADVICE



CHOOSE THE RIGHT KNIFE, DO THE BEST JOB

FIXED BLADE KNIVES

These are the real workhorses of the range. Designed for heavy applications and constant use, they'll get through as much work as you need. The rapid blade changing mechanism means you spend less time changing blades and more time doing what you do best – a professional job.



RETRACTABLE BLADE KNIVES

These offer similar performance to the fixed blade models and the blade can be retracted safely into the handle when not in use.



SAFETY KNIVES

A range of knives built with safety in mind. Ideal for the warehousing environment. Safety knives include features such as auto retract and spring loaded blade technology to prevent injury when opening boxes, packaging and wrapping.



SNAP-OFF BLADE KNIVES

The snap-off blade offers constant sharp edges, but is also strong and thick enough to apply heavy pressure without the blade breaking.



CRAFT, SPORT AND POCKET KNIVES

Handy pocket, craft and sports knives ideal for a wide variety of tasks.



**SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK**

BLADES RANGE GUIDE

	CODE	DESCRIPTION	Carbide™ Blades 11-800	FatMax Blades 11-700 1992 Blades 11-921	1991 Blades 11-911	1992 Round-Nose Safety Blade 11-987	1996 Blades 11-983	5192 Concave Blades 11-952	5901 Slimknife Blades 11-221 5905 Slimknife Blades 11-115	Saw Blades for Wood 15-276 Saw Blades for Metal 15-277
FIXED BLADE KNIVES	0-10-818	FatMax® Fixed Blade Knife	●	●	●		●	●		●
	0-10-780	FatMax® Fixed Blade Knife	●	●	●		●	●		●
	1-10-550	Titan Fixed Blade Knife with Scabbard	●	●	●		●			●
	0-10-855	Folding Utility Knife	●	●	●		●	●		
	FMHT0-10827	FatMax® Fixed Blade Folding Knife	●	●	●		●	●		
	0-10-705	Fixed Blade Utility Knife	●	●	●		●	●		●
	2-10-199	Classic 199 Fixed Blade Knife	●	●	●		●			●
	0-10-299	Fixed Blade Utility Knife	●	●	●		●	●		●
	0-10-129	Saw Knife Set	●	●	●		●	●		●
RETRACTABLE BLADE KNIVES	0-10-789	FatMax® Twin Blade Knife	●	●	●		●	●		
	XTHT0-10502	FatMax® Twin Blade Folding Knife	●	●	●		●	●		
	0-10-819	FatMax® Retractable Blade Knife	●	●	●		●	●		
	0-10-825	FatMax® Retractable Folding Knife	●	●	●		●			
	0-10-778	FatMax® Retractable Blade Knife	●	●	●		●	●		
	0-10-237	FatMax® Retractable Blade Knife Auto Load	●	●	●		●	●		
	2-10-122	Titan Retractable Knife	●	●	●		●	●		
	0-10-788	Instant Change Retractable Blade Knife	●	●	●		●	●		
	0-10-499	499 Retractable Blade Knife	●	●	●		●	●		
	0-10-707	Retractable Blade Utility Knife	●	●	●		●	●		
	9-10-810	Quickslide Knife	●	●	●		●	●		
	2-10-099	99E Original STANLEY Retractable Blade Knife	●	●		●	●	●		
	0-10-088	150mm Retractable Blade Utility Knife	●	●	●					
SAFETY KNIVES	0-10-242	FatMax® Safety Knife	●	●	●	●	●	●		
	0-10-189	155mm Springback Safety Knife	●	●	●	●	●	●		
	0-10-243	Pocket Folding Safety Knife	●	●	●	●	●	●		
	0-10-244	Safety Wrap Cutter	●	●	●	●	●	●		
CRAFT KNIVES	0-10-590	Interlock Craft Knife							●	
WINDOW SCRAPER	0-28-590	Window Scraper	●	●			●			

FIXED BLADE KNIVES

FATMAX® PRO FIXED BLADE KNIFE

STANLEY
FATMAX

Magnetic nose holds the blade in place while it's being changed

Holds up to 15 blades for less refill time

Bigger than standard utility knives allowing work with gloved hands

Supplied with 10 heavy duty blades

No tools required for blade changing for speed of use

Die cast aluminium housing for strength and durability



“ QUITE SIMPLY, THE BEST STANLEY KNIFE ON THE MARKET! ”

PJMC, Plumber



STANLEY	Description				£
0-10-818	FatMax® Pro Fixed Blade Knife	Carded	6	3253560108182	14.79

FATMAX® FIXED BLADE KNIFE

STANLEY
FATMAX

- Complete with 5 FatMax® Blades
- Magnetic nose stops blade from falling out for easier changing
- Blade clamp for heavy duty applications
- Push button blade door release for quick and easy blade change
- Auto rise blade storage holder presents 1 blade for changing
- Hardened steel wear plate in the nose prolongs the useful life of the knife
- Thumb pad for comfort
- Ergonomic cutting angle ideal for flooring applications
- Ideal for heavy duty applications

STANLEY	Description				£
0-10-780	FatMax® Fixed Blade Knife	Carded	6	3253560107802	11.25



TITAN FIXED BLADE KNIFE



STANLEY

- Light weight aluminium body combining ease of use and durability
- Strong high quality brass wheel for locking the blade
- Ideal for precision cutting of the most flexible to the most resistant materials (paper, cardboard, plastic, leather)
- Supplied with 3 heavy duty blades

STANLEY	Description				£
1-10-550	175mm Titan Fixed Blade Knife with Scabbard	Loose	12	3253561105500	14.21
2-10-550	175mm x 6 pieces Titan Fixed Blade Knife	Carded	12	3253562105509	13.08

FATMAX® FOLDING FIXED BLADE KNIFE



**STANLEY
FATMAX**

- Ergonomic design for comfortable extended heavy duty use
- Metal body for added durability
- Soft hand grip and thumb pad for comfort and control
- Tape cutter for box opening without damaging contents
- Quick blade change for speed of use
- Blade storage for convenience and quick blade replacement
- Includes convenient belt clip



STANLEY	Description				£
FMHT0-10827	Folding Fixed Blade Knife	Carded	6	3253560108274	12.71

FOLDING UTILITY KNIFE



STANLEY

- One-hand open/close for fast, easy access
- Aluminium body lightweight but very strong
- Instant blade change to save time
- Accepts standard STANLEY blades



STANLEY	Description				£
0-10-855	Folding Utility Knife	Carded	4	3253560108557	12.55

STANLEY FIXED BLADE UTILITY KNIFE



STANLEY

- Fixed blade
- Narrow nose for accurate cutting and access
- Ergonomically designed to keep knuckles clear of the work surface
- Durable, simple and comfortable shape
- No tools blade change

STANLEY	Description				£
0-10-705	Fixed Blade Utility Knife	Carded	6	3253560107055	5.83

CLASSIC 199® FIXED BLADE KNIFE




STANLEY

- Zinc alloy body with a knurled surface for comfortable, assured holding
- Over lapping nose blade locking system for greater safety during cutting
- Knife supplied with 3 blades

STANLEY	Description				£
2-10-199	140mm Classic 199® Fixed Blade Knife	Carded	12	5000366101996	4.65

FIXED BLADE UTILITY KNIFE



STANLEY

- Metal knife lacquered and grooved for improved holding
- Interlock patented blade locking system for greater safety during cutting
- Supplied with 3 spare blades

STANLEY	Description				£
0-10-299	136mm Fixed Blade Utility Knife	Carded	12	3253560102999	3.53

SAW KNIFE SET



STANLEY

- Zinc alloy body with a knurled surface for comfortable, assured holding
- Over lapping nose blade locking system to block the blade laterally even during difficult cuts
- Knife complete with 3 blades, hacksaw blade and saw blade
- Replacement blades: 0-15-276 Wood blade
0-15-277 Metal blade

STANLEY	Description				£
0-10-129	140mm Saw Knife Set	Carded	6	5000366101293	7.27

RETRACTABLE KNIVES

FATMAX® PRO TWIN BLADE KNIFE

STANLEY
FATMAX

Instant blade change button for convenience

Thumb pad for extra grip

Twin blade knife accepts all standard blades

Bigger than standard utility knives allowing work with gloved hands

Safety interlock when one blade is in use, the other slider is in a locked position

SUPPLIED WITH 2 STANDARD AND 2 HOOKED BLADES



Blade storage for 5 blades

Swing out blade storage for fast blade changes



“ GREAT DESIGN. WOULD RECOMMEND TO ANYONE ”

Stokee, Central Heating Engineer



STANLEY	Description				£
0-10-789	FatMax® Pro Twin Blade Knife	Carded	6	3253560107895	15.83

FATMAX® FOLDING TWIN BLADE KNIFE

STANLEY
FATMAX

- Twin blade – allows for multi-task knife – use the right blade for the right job
- Quick blade changes for increased work speed and efficiency
- Longer blade-life- use the right blade for the job
- Folds into compact size – ideal for a pocket



Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description				£
XTH0-10502	FatMax® Folding Twin Blade Knife	Carded	6	3253560105020	18.10

FATMAX® PRO RETRACTABLE BLADE KNIFE



STANLEY
FATMAX

- Die cast aluminium housing for strength and durability
- Supplied with 10 spare blades
- Holds up to 15 blades for less refill time
- Magnetic nose holds the blade in place while it's being changed
- Bigger than standard utility knives allowing work with gloved hands
- No tools required for blade changing for speed of use
- Brass wheel blade lock for positive blade lock

STANLEY	Description				£
0-10-819	FatMax® Pro Retractable Blade Knife	Carded	6	3253560108199	15.83

FATMAX® RETRACTABLE FOLDING KNIFE



STANLEY
FATMAX

- Folding lockback design fits easily in the pocket
- Ergonomic, rugged design for heavy duty use
- Retractable blade for safety and convenience
- Rubberised thumb pad for comfort
- Instant blade change – no tools needed
- Internal blade storage for convenience



Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description				£
0-10-825	FatMax® Retractable Folding Knife	Carded	6	3253560108250	13.61

FATMAX® RETRACTABLE BLADE KNIFE



STANLEY
FATMAX

- Complete with 5 FatMax® Blades
- Instant blade change – no tools required
- Push button blade door release for quick and easy blade change
- Auto rise blade storage holder presents 1 blade for changing
- Thumb pad for comfort
- Ergonomic cutting angle ideal for flooring applications
- Ideal for heavy duty applications

STANLEY	Description				£
0-10-778	FatMax® Retractable Blade Knife	Carded	6	3253560107789	13.69

TITAN RETRACTABLE KNIFE



STANLEY

- Lightweight aluminium body combining ease of use and durability
- Strong high quality brass wheel for efficient locking of the blade
- Ideal for precision cutting of the most flexible to the most resistant materials (paper, cardboard, plastic, leather)
- Supplied with 3 blades
- Available with scabbard

STANLEY	Description				£
2-10-122	185mm / 7½" Titan Retractable Knife	Carded	12	3253562101228	15.33

INSTANT CHANGE™ RETRACTABLE BLADE KNIFE



STANLEY

- Ergonomic bi-material body – for precise guiding of the cut and comfort of use
- Quick blade change by pressing yellow button – no tools required
- Increased blade storage – store up to 8 regular duty utility blades
- Large thumb pad for more control
- InterLock® nose firmly secures blade into knife

STANLEY	Description				£
0-10-788	Instant Change™ Knife	Carded	6	3253560107888	11.92

499 RETRACTABLE BLADE KNIFE



STANLEY

- Retractable blade knife with several positions
- Includes blade holder in the handle – allowing for quick access to spare blades
- Supplied with 3 blades
- Instant blade change – no tools required

STANLEY	Description				£
0-10-499	499 Retractable Blade Knife	Carded	6	3253560104993	9.29

RETRACTABLE BLADE KNIFE AUTOLOAD



STANLEY

- Autoload blade change – instant access to new stored blades
- Soft grip with rubber slider
- Narrow nose – ideal for drywallers

STANLEY	Description				£
0-10-237	STANLEY Retractable Blade Knife Autoload*	Carded	4	3253560102371	13.78

RETRACTABLE BLADE UTILITY KNIFE



STANLEY

- Narrow nose for accurate cutting and access
- Ergonomically designed to keep knuckles clear of the work surface
- Durable, simple and comfortable shape

STANLEY	Description				£
0-10-707	Retractable Blade Utility Knife	Carded	6	3253560107079	8.24

QUICKSLIDE™ POCKET UTILITY KNIFE



STANLEY

- All metal construction – solid, reliable and long lasting
- Instant blade change – no tools required
- One handed operation blade slider extends the blade easily and quickly
- Push down and slide safety feature ensures the blade is not accidentally extended
- Accepts the following popular STANLEY® utility blades (11-911, 11-921, 11-983)
- Metal belt clip
- Pocket size for convenience

STANLEY	Description				£
9-10-810	QuickSlide™ Knife	Counter Top	12	3253569108107	8.43
0-10-810	QuickSlide™ Knife	Carded	6	3253560108106	8.43

ORIGINAL STANLEY® 99E® RETRACTABLE BLADE KNIFE



STANLEY

- The one and only original STANLEY® retractable knife
- InterLock® nose firmly secures blade into knife
- Precision die cast zinc body both strong and lightweight
- 5 blade positions allows wider usage for variety of cutting applications
- Blades stored inside the handle

STANLEY	Description				£
2-10-099	155mm 99E® Retractable Blade Knife	Carded	12	3253562100993	6.81
4-98-006	155mm 99E® Retractable Blade Knife	Pre-loaded tower of knives	24	3253564980067	163.38

RETRACTABLE BLADE UTILITY KNIFE



STANLEY

- Rapid blade change
- ABS body both lightweight and extremely strong
- Fine adjustment allows 5 blade positions
- No tools required to change the blade for quicker blade change

STANLEY	Description				£
0-10-088	150mm Retractable Blade Utility Knife	Carded	12	3253560100889	2.84

SAFETY KNIVES

FATMAX® SNAP-OFF CARTRIDGE BLADE KNIFE



STANLEY
FATMAX

- Die cast construction – tough and hard wearing
- Auto retract for safety – automatically retracts when contact is lost
- Blade reset for added safety
- Bi-material – For comfort and control
- Fold out blade storage for convenience
- Instant blade change for less downtime and less blade contact
- Integrated wrap cutter – 2 knives in 1



STANLEY	Description				£
0-10-242	FatMax Safety Knife*	Carded	4	3253560102425	12.72
0-10-245	Replacement Safety Wrap Cutter Blades	Carded	6	3253560102456	1.17

SPRINGBACK SAFETY KNIFE



STANLEY

- Safety knife with self retracting blade
- Spring loaded blade automatically retracts when the slider is released
- Supplied with special round nose heavy duty blade for ultimate safety

STANLEY	Description				£
0-10-189	155mm Springback Knife	Carded	6	3253560101893	8.51
1-10-189	155mm Springback Knife	Loose	12	3253561101892	7.96

POCKET FOLDING SAFETY KNIFE



STANLEY

- Auto retract for safety
- Folding – Fits in the pocket and 2 safety cues
- High visibility – Easy to spot
- No tools required for blade change means less downtime



STANLEY	Description				£
0-10-243	Pocket Folding Safety Knife*	Carded	4	3253560102432	9.54

SAFETY WRAP CUTTER



STANLEY

- Replaceable blade for convenience
- ABS plastic – Strong and light
- High visibility – Easy to spot



STANLEY	Description				£
0-10-244	Safety Wrap Cutter*	Carded	6	3253560102449	3.70
0-10-245	Replacement Safety Wrap Cutter Blades	Carded	6	3253560102456	1.17

SNAP-OFF BLADE KNIVES

FATMAX® PRO SNAP-OFF CARTRIDGE BLADE KNIFE

STANLEY
FATMAX

Wide 25mm blade for heavy duty, intensive applications



“ HAD THIS KNIFE FOR THE LAST 16 MONTHS AND HAS BEEN EXCELLENT FOR MY JOB IN THE ROOFING INDUSTRY. NICE AND HEAVY, EASY TO SNAP-OFF BLADES AND SIMPLE BLADE LOCKING SYSTEM ”

TOAN, Roofer

Locking knob ideal for heavy duty applications

Die cast aluminium housing for strength and durability

Stainless steel cartridge holds 4 blades



No tools required for blade changing for speed and ease



STANLEY	Description				£
0-10-820	25mm FatMax® Pro Snap-off Knife	Carded	6	3253560108205	13.72

FATMAX® SNAP-OFF CARTRIDGE BLADE KNIFE

STANLEY
FATMAX



- Blade wiper cleans debris away
- Blade locking clamp only applies to (0-10-481) and (0-10-486)
- Auto loading spare blade saves time
- Soft grip bi-material handle for comfort and control
- Stainless steel cartridge holds 6 blades 9mm (0-10-475), 6 blades 18mm (0-10-481) or 4 blades 25mm (0-10-486)
- Blade snapper for speed and safety
- Locking wheel to clamp blade

Blade wiper



Blade snapper



STANLEY	Description				£
0-10-475	9mm FatMax® Snap Off Knife	Carded	6	3253560104757	9.94
0-10-481	18mm FatMax® Snap Off Knife	Carded	6	3253560104818	11.69
0-10-486	25mm FatMax® Snap Off Knife	Carded	6	3253560104863	13.45

DYNAGRIP® SNAP-OFF BLADE KNIFE



- STANLEY**
- Blade carrier and blade guide in stainless steel for smooth operation, strength and longlife
 - Ergonomic handle in flexible elastomer for long life and comfortable to use
 - Blade locking system using a wheel for greater safety while cutting

STANLEY	Description				£
0-10-409	9mm DynaGrip® Snap-off Blade Knife	Carded	12	3253560104092	5.40
0-10-418	18mm DynaGrip® Snap-off Blade Knife	Carded	6	3253560104184	7.39

INTERLOCK® SNAP-OFF BLADE KNIFE



- STANLEY**
- Solvent resistant, metal body for strength
 - Quick and easy blade change through notched wheel – no tools required

STANLEY	Description				£
0-10-095	9mm InterLock® Snap-off Blade Knife	Carded	12	3253560100957	4.73
0-10-018	18mm InterLock® Snap-off Blade Knife	Carded	12	3253560100186	7.39

SNAP-OFF BLADE KNIFE – SELF LOCKING



- STANLEY**
- Moulded body for strength and durability
 - Supplied with 3 spare blades

STANLEY	Description				£
0-10-280	18mm Snap-off Blade Knife Self Locking	Carded	6	3253560102807	5.24

SNAP-OFF BLADE KNIFE – SELF LOCKING



- STANLEY**
- Two part moulded body that allows rapid blade changing
 - Multi-position push button for quick, easy use
 - Blade snapper included in handle for safety

STANLEY	Description				£
0-10-150	9mm SM Snap-off Blade Knife	Carded	12	3253560101503	1.75
0-10-151	18mm SM Snap-off Blade Knife	Carded	12	3253560101510	2.33

CRAFT & POCKET KNIVES

SPORT UTILITY QUICKSLIDE™ KNIFE



STANLEY

- Multi-blade and multi-function knife
- 3" / 75mm serrated sport blade ideal for home, garden and leisure applications
- Standard utility blade for multi-purpose cutting
- No tools required for blade changing for speed of use
- One handed operation blade slider extends the blade easily and quickly
- Wide thumb grip for easy operation
- For security the blades cannot be used simultaneously



STANLEY	Description				£
0-10-813	Sports Utility QuickSlide™ Knife	Carded	2	3253560108137	25.62
8-10-813	Sports Utility QuickSlide™ Knife with 10 Blades	Cutcase	6	3253568108139	25.62

LINER LOCK KNIFE WITH CARABINER



STANLEY

- 440C stainless steel rust free and durable
- 75mm/3" blade with titanium coated edge for long lasting sharpness
- Thumb knob for easy opening
- Carabiner clip for easy storage
- Liner lock gives positive locking action



STANLEY	Description				£
0-10-254	Liner Lock with Carabiner Knife	Carded	6	3253560102548	14.79

SKELETON LINER LOCK KNIFE



STANLEY

- Stainless steel rust free and durable
- Thumb knob for easy opening
- Liner lock positive locking action
- Lanyard hole for easy storage
- Designed for general purpose and light duty applications



STANLEY	Description				£
0-10-253	Skeleton Liner Lock Knife	Carded	6	3253560102531	12.67

110MM FOLDING POCKET KNIFE



STANLEY

- Pocket craft knife with a retractable blade supplied with 2 x 5901 blades
- Metal body for strength

STANLEY	Description				£
0-10-598	110mm Folding Pocket Knife	Carded	12	5000366105987	8.20

INTERLOCK™ CRAFT KNIFE



STANLEY

- Tapered metal body for long life
- InterLock® system that allows efficient lateral blade locking
- Quick and easy blade change through notched wheel no tools required
- Supplied with 3 blades in the integrated blade holder

STANLEY	Description				£
0-10-590	InterLock® Craft Knife	Carded	12	3253560105907	7.39

DISPOSABLE CRAFT KNIFE



STANLEY

- Disposable craft knife for precision work
- A tapered plastic body allows precision blade control
- Blades protected by a plastic guard for long life
- Supplied with 5901 blade

STANLEY	Description				£
0-10-601	3 x 140mm Disposable Craft Knife	Carded	12	3253560106010	2.23
1-10-601	140mm Disposable Craft Knife	Box of 50	1	3253561106019	39.42

170MM WINDOW SCRAPER



STANLEY

- Ideal for removing excess paint/stickers from windows
- Supplied with 1 heavy duty blade

STANLEY	Description				£
0-28-590	170mm Window Scraper	Carded	12	5000366105932	1.67

SCRAPER



STANLEY

- Retractable rectangular blade
- Brass push button
- Ideal tool to remove paint and glue
- Replacement blades: 0-28-510 and 1-11-515

STANLEY	Description				£
0-28-500	Scraper	Carded	10	3253560285005	3.63
0-28-510	Replacement Blades – 10 Pack	Carded	10	3253560285104	3.28

KNIFE BLADES

TUNGSTEN CARBIDE™ BLADES

STANLEY

SPEND LESS TIME CHANGING BLADES

- Blade stays sharper 5X* longer
- Steel body allows flexibility to help to prevent breaking
- Laser deposited carbide lines edge delivering a long lasting blade for the job site



A BLADE THAT LETS YOU WORK LONGER

*Than conventional blades



High Speed In-line Application Creates Durable and Long Lasting Edge



Tungsten Carbide Powder Deposited Through a High Powered Laser to the Blade Edge



Diamond Wheels Grind Angle onto Finished Carbide Blade



Having ONLY a Carbide Edge Allows Rest of Blade to Remain Flexible

“ LOOKS LIKE A WINNER! THESE BLADES LAST AND LAST! ”


Brian, Carpenter

“ THE BLADES WOULDN'T STOP CUTTING! WHAT DID YOU DO TO THESE BLADES? ”

Carl, Carpenter

“ ...THE BEST BLADE I'VE EVER USED! ”

John, Drywall



*Blade stays sharper 5X longer than traditional competitive blades.

STANLEY	Description	📦	✉	🏷	£
0-11-800U	Tungsten Carbide™ Blades 5 Pack	Carded x 5	10	3253560118006	4.37
2-11-800U	Tungsten Carbide™ Blades 10 Pack	Carded x 10	10	3253562118004	6.66
8-11-800U	Tungsten Carbide™ Blades 50 Pack	Carded x 50	6	3253568118008	26.70

FATMAX® BLADE

STANLEY
FATMAX



- Induction hardened edge ensures 75% longer life*
- S3 cutting technology makes blade 35% sharper
- Up to 20% stronger*
- Snap resistant up to 35kg†
- New geometry of the blade provides more edge
- Heat treated back allows blade to flex and spring back whilst maintaining snap resistance

*Based on average values compared with STANLEY® 1992® blades. †Based on 3 point bend testing

STANLEY	Description				£
5-11-700	FatMax® Blade	Carded x 5	10	3253565117004	2.04
6-11-700	FatMax® Blade	Carded x 10	10	3253566117003	3.06
8-11-700	FatMax® Blade	Carded x 100	6	3253568117001	29.07

1992® HEAVY DUTY BLADE

STANLEY

- The original heavy duty, general purpose blade
- Blades fit all standard STANLEY® knives
- Ideal for carpet, vinyl and any other material requiring a stiffer and stronger blade




STANLEY	Description				£
0-11-921	1992® Trimming Knife Blade	Carded x 5	10	5000366119212	1.75
2-11-921	1992® Trimming Knife Blade	Carded x 10 Dispenser	10	3253562119216	2.66
8-11-921	1992® Trimming Knife Blade	Carded x 100 Dispenser	6	3253568119210	25.74
3-11-921	1992® Trimming Knife Blade	Loose x 10 Dispenser	10	3253563119215	2.59
1-11-921	1992® Trimming Knife Blade	Loose box of 100 (20 x 5)	1	3253561119217	25.74
4-11-921	1992® Trimming Knife Blade	Loose box of 400	1	3253564119214	93.64

1991® TRIMMING KNIFE BLADE

STANLEY

- Normal duty general purpose blade ideal for paper, card, leather and most sheet materials
- Blades fit all standard STANLEY® knives (except 99E® knife)



STANLEY	Description				£
0-11-911	1991® Trimming Knife Blade 50mm	Carded x 5	10	5000366119113	1.52
2-11-911	1991® Trimming Knife Blade 50mm	Carded x 10 Dispenser	10	3253562119117	2.17
1-11-911	1991® Trimming Knife Blade 50mm	Loose Box of 100	1	3253561119118	21.06

1992® ROUNDED TIP SAFETY BLADE

STANLEY



- Ideal for opening cartons without damaging contents
- Blade has rounded ends to limit risk of injury
- Ideal safety blade
- Blades fit Springback knife and 99E® original STANLEY® retractable blade knife

STANLEY	Description				£
2-11-987	Rounded Safety Blade	Carded x 10 Dispenser	10	3253562119872	2.59

1996™ HOOKED TRIMMING KNIFE BLADE

STANLEY



- Sharpened hook blade with point ideal for cutting sheet material from rolls, in particular floor, roof and plastic coverings
- Blades fit all STANLEY® knives

STANLEY	Description				£
0-11-983	1996™ Hooked Knife Blade 50mm	Carded x 5	10	5000366119618	1.75
1-11-983	1996™ Hooked Knife Blade 50mm	Loose Box of 100	1	3253561119835	29.27

5192 CONCAVE TRIMMING KNIFE BLADE

STANLEY



- Concave blade for precision cuts on leather and marquetry
- Ideal where accuracy is paramount
- Ideal for all models except 10-550 Titan Fixed Blade Knife and 10-199 Classic 199® Fixed Blade Knife

STANLEY	Description				£
0-11-952	5192 Concave Trimming Knife Blade	Carded x 5	10	3253560119522	2.09
1-11-952	5192 Concave Trimming Knife Blade	Loose Box of 100	1	3253561119521	29.27

SAW BLADES FOR WOOD OR METAL TO FIT FIXED BLADE KNIVES

STANLEY



- Wood and metal cutting blades for use in restricted areas or for curved shapes
- 0-15-276 ideal for wood
- 0-15-277 ideal for metal
- Ideal for use with STANLEY® fixed blade knives

STANLEY	Description				£
0-15-276	190mm x 1 Saw Blades for Wood to Fit Fixed Blade Knives	Carded	12	3253560152765	2.09
0-15-277	190mm x 1 Saw Blades for Metal to Fit Fixed Blade Knives	Carded	12	3253560152772	2.09

TUNGSTEN CARBIDE™ SNAP-OFF BLADES



STANLEY
FATMAX

- Blade stays sharper 5 X* longer
- Laser deposited carbide lined edge delivering a long lasting blade for the job site
- Tungsten Carbide Powder deposited through a high powered laser to the blade edge
- Improved durability and wear

*Blade stays sharper 5 X longer than traditional competitive blades

STANLEY	Description				£
STHT0-11818U	Carbide™ Snap Off Blades 5 Pack -18mm	Carded x 5	10	325360118181	6.67
STHT2-11818U	Carbide™ Snap Off Blades 10 Pack – 18mm	Carded x 10	10	3253562118189	11.14
STHT8-11818U	Carbide™ Snap Off Blades 50 Pack -18mm	Carded x 50	10	3253568118183	43.87
STHT0-11825U	Carbide™ Snap Off Blades 5 Pack – 25mm	Carded x 5	10	3253560118259	6.98
STHT3-11825U	Carbide™ Snap Off Blades 20 Pack – 25mm	Carded x 20	10	32535603118256	26.38

FATMAX® SNAP-OFF BLADES



- Up to 25% longer life 18mm FatMax® Snap Off Blade*



- Up to 50% longer life 25mm FatMax® Snap Off Blade*

STANLEY
FATMAX

- Induction hardened edge gives sharper, longer lasting blade better value and less down time
- Normal duty general purpose blade ideal for paper, card, leather and most sheet materials
- 25mm blade for use in:
 - 10-820 25mm Xtreme™ Snap-off Knife
 - 10-486 25mm FatMax® Snap-off Knife
- 18mm blade for use in:
 - 10-481 FatMax® Snap-off Blade Knife with Cartridge
 - 10-418 DynaGrip® Snap-off Blade Knife
 - 10-018 InterLock® Snap-off Blade Knife
 - 10-380 Snap-off Blade Knife with Cartridge
 - 10-280 Snap-off Blade Knife – Self Locking
 - 10-151 SM Snap-off Knife

*Based on average values compared to standard STANLEY® Snap Off blades

STANLEY	Description				£
0-11-718	5pk FatMax® Snap-off Blade – 18mm	Carded x 5	10	3253560117184	3.95
2-11-718	10pk FatMax® Snap-off Blade – 18mm	Carded x 10	10	3253562117182	7.11
0-11-725	5pk FatMax® Snap-off Blade – 25mm	Carded x 5	6	3253560117252	4.47
6-11-725	10pk FatMax® Snap-off Blade – 25mm	Carded x 10	10	3253566117256	8.39

9MM SNAP-OFF KNIFE BLADES



STANLEY

- Spare blade dispenser with blade breaker and storage of used segments
- 12 breakable blade segments. For use in:
 - 10-475 FatMax® Snap-off Cartridge Blade Knife
 - 10-409 DynaGrip® Snap-off Blade Knife
 - 10-095 InterLock® Snap-off Blade Knife
 - 10-150 SM Snap-off Blade Knife

STANLEY	Description				£
0-11-300	Snap-off Knife Blades – 9mm	Carded x 10	10	3253560113001	2.92
1-11-300	Snap-off Knife Blades – 9mm	Loose Box of 100	1	3253561113000	25.74

18MM SNAP-OFF KNIFE BLADES

STANLEY

- Spare blade dispenser with blade breaker and storage of used segments
- 7 breakable blade segments. For use in:
 - 10-481 FatMax® Snap-off Blade Knife with Cartridge
 - 10-418 DynaGrip® Snap-off Blade Knife
 - 10-018 InterLock® Snap-off Blade Knife
 - 10-380 Snap-off Blade Knife with Cartridge
 - 10-280 Snap-off Blade Knife – Self Locking
 - 10-151 SM Snap-off Knife



STANLEY	Description				£
2-11-301	Snap-off Knife Blades – 18mm	Carded x 5	10	3253562113016	2.66
0-11-301	Snap-off Knife Blades – 18mm	Carded x 10	10	3253560113018	4.46
1-11-301	Snap-off Knife Blades – 18mm	Loose Box of 100	1	3253561113017	35.11

25MM SNAP-OFF KNIFE BLADES

STANLEY

- Spare blade dispenser with blade breaker and storage of used segments
- Reinforced thickness specially for intensive use (1mm thick)
- 6 breakable blade segments For use in:
 - 10-820 25mm Xtreme™ Snap-off Knife



STANLEY	Description				£
0-11-325	Snap-off Knife Blades – 25mm	Carded x 10	10	3253560113254	5.27

5901 SLIMKNIFE BLADE

STANLEY

- Straight general purpose light duty blade for modelling and craft work
- For use with 0-10-590 and 0-10-598



STANLEY	Description				£
0-11-221	5901 Slimknife Blade	Carded x 3	10	3253560112219	2.09
1-11-221	5901 Slimknife Blade	Loose Box of 50	1	3253561112218	23.40

5905 SLIMKNIFE BLADE

STANLEY

- Ideal for cutting flexible sheet material or wet paper without tearing
- For use with 10-590 Craft Knife



STANLEY	Description				£
1-11-115	5905 Slimknife Blade of 50	Loose Box of 50	1	3253561111150	25.74

MULTI-



TOOLS



MULTI-TOOLS

12 IN 1 MULTI-TOOL WITH POUCH



STANLEY

- Ideal for everyday use within industry, automotive and construction or at home
- Supplied with a STANLEY® branded pouch with belt clip for convenience
- Modern, sleek polished look
- Hardened and tempered tools for long life
- 12 tools in 1 including: Universal pliers with serrated noses, wire cutter, saw, small and large knife, bottle opener, curve jaw pliers, 3mm and 6mm and 8mm flared screwdriver, Phillips 1 screwdriver, file

STANLEY	Description				£
0-84-519	12 in 1 Multi-Tool	Counter Top	5	3253560845193	12.84

14 IN 1 MULTI-TOOL

STANLEY

- 14 tools in 1 including: Saw, knife, screwdriver, file, 1/4" SD socket driver with 8, 10 & 13mm sockets. Also includes bit driver and a selection of Phillips, pozi, slotted and hex bits
- Steel locking plates each tool locks into place when in use – eliminates folding and aids access
- Bi-material outer for grip and control
- Pocket sized ideal for all trades and hobbies



STANLEY	Description				£
STHT0-70695	14 in 1 Multi-Tool	Carded	6	3253560706951	16.95

SCREW



DRIVERS



THE PRO'S ADVICE




THE RIGHT SCREWDRIVER FOR THE RIGHT JOB

The first decision is which type of tip shape you require – Slotted, Phillips, Pozi or Torx

SLOTTED – ideal for traditional cabinet making

For quality craftsmanship slotted screws still look the most attractive, particularly when the slots line up perfectly. Slotted screwdrivers are made with flared tips and parallel tips. For most work select a flared tip screwdriver, but you should select a parallel tip that is the same width as the screw slot, if you need to drive the screw below the surface of the wood without damage. Select a tip that matches the width of the screw slot, too wide and it will damage the work, too narrow and it may damage the screw slot.



PHILLIPS & POZI – ideal for general joinery and construction

Phillips and Pozi are popular in all forms of joinery and construction, and are now used universally and referred to by their point size, 1, 2, 3 or 4 PT.

The geometry of the screw recesses is different so avoid 'making do' with the 'wrong' screwdriver. The driving faces of the Phillips screw all taper down to the tip, whereas with Pozi they are parallel which is designed to reduce 'Cam Out', the point when the screwdriver lifts out of the recess damaging the screw.



TORX – ideal for maintenance and service engineers

This is the strongest and most wear resistant screw type most commonly found in machinery, cars and domestic appliances and commonly used for timber and decking screws.

HANDLE

For maximum performance a screwdriver handle should be moulded to the bar, with a soft grip and a round smooth end cap, which offers comfort and improved grip to provide greater torque turning power.

BAR AND TIP

Chrome vanadium steel provides a strong, corrosion resistant bar. Sand blasted tips have a fine texture, which provides an even more secure grip in the slot or recess as the harder steel of the tip 'bites' into the softer screw. Bolster screwdrivers provide hardened tips for durability and reduced wearing. Precision machined for excellent head to fastener fit. Stainless steel screwdrivers providing a chrome vanadium steel bar resisting bending and snapping.

MAKE YOUR SCREWDRIVERS WORK HARDER

USE THE RIGHT SCREWDRIVER

Although you can get away with using a Pozi screwdriver with a Phillips screw and vice versa, it should be avoided. Using the wrong driver can cause cam out and damage both the screw and the screwdriver.

USE A RATCHET SCREWDRIVER

Ratchet screwdrivers make tightening screws faster and easier. Choose a screwdriver with a solid mechanism that will cope with high torque loads. Top end professional ratchet screwdrivers – like the FatMax® Xtreme™ – have tough, ultra fine mechanisms and come with a range of interchangeable bits to suit all fastener types.

BIGGER HANDLES = MORE TORQUE

For really stubborn fasteners, larger handled soft grip screwdrivers work best as they allow maximum purchase. For these fasteners selection of a heavy duty driver is essential as poor quality screwdrivers can chip or round when under high loads. And remember to use the right bit pattern. Pozidriv for Pozidriv and Phillips for Phillips. Always use the biggest slotted blade that the fastener and position will allow.

MULTIBIT SCREWDRIVERS – MORE FASTENERS, LESS BULK

For maintenance on the go multibit screwdrivers – ratchet or fixed – make life easier as they allow you to carry a variety of bit patterns without the bulk of carrying a whole screwdriver set. Choose a multibit that has internal storage – usually in the handle – for even more convenience and fewer lost bits.

BRADAWL – FOR QUICK SCREWDRIVING WITHOUT POWER TOOLS

When driving screws straight into soft timber without a pilot – use a bradawl to mark an indent where the screw needs to be driven. This will make sure the screw goes exactly where you want it to.

USE VDE WHEN WORKING ON OR NEAR LIVE CIRCUITS

VDE (verband der elektrotechnik) screwdrivers and pliers are insulated to protect against electric shocks. STANLEY FatMax VDE Screwdrivers are individually tested to 10000v.

SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

SCREWDRIVERS


FATMAX® FLARED

STANLEY
FATMAX

Large diameter handle offers great torque needed for driving wood screws

Soft grip handle – perfect combination of great grip plus reduces fatigue

Smooth domed end for fast spinning action - speed and comfort



Chrome vanadium steel bar allows for high torque and reduces the chance of tip breakage

Handle moulded direct to bar virtually unbreakable bond. Highly reliable and providing an extra long life

Colour coded ends for easy identification of the "right" screwdriver for each screw type

STANLEY	Type	Bar Length	Bar Width	Handle Length	Handle Width	Overall Length				£
0-65-479	Flared	75mm	3mm	96mm	20mm	171mm	Carded	6	3253560654795	3.35
0-65-016	Flared	100mm	4mm	100mm	28mm	200mm	Carded	6	3253560650162	4.22
0-65-481	Flared	125mm	4mm	100mm	28mm	225mm	Carded	6	3253560654818	4.45
0-65-098	Flared	100mm	5.5mm	105mm	33mm	205mm	Carded	6	3253560650988	4.82
0-65-482	Flared	125mm	5.5mm	105mm	33mm	230mm	Carded	6	3253560654825	5.17
0-65-483	Flared	150mm	5.5mm	105mm	33mm	255mm	Carded	6	3253560654832	5.40
0-65-141	Flared	150mm	6.5mm	115mm	40mm	265mm	Carded	6	3253560651411	6.61
0-65-137	Flared	150mm	8mm	115mm	40mm	265mm	Carded	6	3253560651374	7.22
0-65-138	Flared	175mm	8mm	115mm	40mm	290mm	Carded	6	3253560651381	7.84
0-65-139	Flared	200mm	10mm	115mm	40mm	315mm	Carded	6	3253560651398	8.42
0-65-143	Flared	250mm	12mm	115mm	40mm	365mm	Carded	6	3253560651435	9.62

FATMAX® PARALLEL

STANLEY
FATMAX



STANLEY	Type	Bar Length	Bar Width	Handle Length	Handle Width	Overall Length				£
0-65-006	Parallel	50mm	2.5mm	96mm	20mm	146mm	Carded	6	3253560650063	3.00
0-64-978	Parallel	50mm	3mm	96mm	20mm	146mm	Carded	6	3253560649784	3.35
0-65-008	Parallel	100mm	3mm	96mm	20mm	196mm	Carded	6	3253560650087	3.85
0-64-979	Parallel	150mm	3mm	96mm	20mm	246mm	Carded	6	3253560649791	4.22
0-64-983	Parallel	75mm	3.5mm	100mm	28mm	175mm	Carded	6	3253560649838	3.61
0-64-984	Parallel	100mm	3.5mm	100mm	28mm	200mm	Carded	6	3253560649845	3.97
0-65-017	Parallel	100mm	4mm	100mm	28mm	200mm	Carded	6	3253560650179	4.22
0-65-093	Parallel	150mm	4mm	100mm	28mm	250mm	Carded	6	3253560650933	4.22
0-65-400	Parallel	Stubby 30mm	5.5mm	60mm	30mm	90mm	Carded	6	3253560654009	4.22
0-65-094	Parallel	150mm	5.5mm	105mm	33mm	255mm	Carded	6	3253560650940	5.17
0-65-404	Parallel	Stubby 30mm	6.5mm	60mm	30mm	90mm	Carded	6	3253560654047	4.82
0-65-096	Parallel	150mm	6.5mm	115mm	40mm	265mm	Carded	6	3253560650964	6.61

FATMAX® POZI

STANLEY
FATMAX



STANLEY	Type	Bar Length	Handle Length	Handle Width	Overall Length				£
0-65-319	PZ0	75mm	100mm	28mm	175mm	Carded	6	3253560653194	4.22
0-65-335	PZ1	100mm	105mm	33mm	205mm	Carded	6	3253560653354	4.82
0-65-336	PZ1	250mm	105mm	33mm	355mm	Carded	6	3253560653361	6.03
0-65-337	PZ2	125mm	105mm	33mm	230mm	Carded	6	3253560653378	6.03
0-62-571	PZ2	250mm	105mm	33mm	355mm	Carded	6	3253560625719	7.22
0-65-338	PZ3	150mm	115mm	40mm	265mm	Carded	6	3253560653385	7.22
0-65-339	PZ4	200mm	115mm	40mm	315mm	Carded	6	3253560653392	9.62
0-65-408	PZ1	Stubby 30mm	60mm	30mm	90mm	Carded	6	3253560654085	3.61
0-65-409	PZ2	Stubby 30mm	60mm	30mm	90mm	Carded	6	3253560654092	4.82

FATMAX® PHILLIPS

STANLEY
FATMAX



STANLEY	Type	Bar Length	Handle Length	Handle Width	Overall Length				£
0-65-204	PH00	50mm	96mm	20mm	146mm	Carded	6	3253560652043	3.97
0-65-206	PH0	75mm	100mm	28mm	175mm	Carded	6	3253560652067	4.22
0-65-207	PH1	100mm	105mm	33mm	205mm	Carded	6	3253560652074	4.82
0-65-209	PH2	125mm	105mm	33mm	230mm	Carded	6	3253560652098	6.61
0-65-224	PH2	250mm	105mm	33mm	355mm	Carded	6	3253560652241	7.22
0-65-316	PH3	150mm	115mm	40mm	265mm	Carded	6	3253560653163	7.22
0-65-317	PH4	200mm	115mm	40mm	315mm	Carded	6	3253560653170	9.62
0-65-406	PH1	Stubby 30mm	60mm	30mm	90mm	Carded	6	3253560654061	3.61
0-65-407	PH2	Stubby 30mm	60mm	30mm	90mm	Carded	6	3253560654078	4.82

FATMAX® TAMPERPROOF TORX

STANLEY
FATMAX



STANLEY	Type	Bar Length	Handle Length	Handle Width	Overall Length				£
0-65-340	TT10	75mm	100mm	28mm	175mm	Carded	6	3253560653408	4.82
0-65-395	TT15	75mm	100mm	28mm	175mm	Carded	6	3253560653958	5.40
0-65-396	TT20	100mm	100mm	28mm	200mm	Carded	6	3253560653965	6.03
0-65-397	TT25	100mm	105mm	33mm	205mm	Carded	6	3253560653972	6.61
0-65-398	TT30	125mm	115mm	40mm	240mm	Carded	6	3253560653989	7.84
0-65-399	TT40	125mm	115mm	40mm	240mm	Carded	6	3253560653996	8.42

FATMAX® BOLSTER SCREWDRIVERS

STANLEY
FATMAX

- Apply extra torque with a wrench using the hex bolster
- Narrow waist and smooth domed end for fast spinning action and more control
- Colour coded with large soft grip handles for comfortable use and easy selection

NEW




STANLEY	Type	Bar Length	Bar Width	Handle Length	Handle Width	Overall Length				£
FMHT0-62619	Flared	150mm	6.5mm	115mm	40mm	265mm	Carded	6	3253560626198	7.27
FMHT0-62620	Flared	175mm	8mm	115mm	40mm	290mm	Carded	6	3253560626204	8.63
FMHT0-62621	Flared	200mm	10mm	115mm	40mm	315mm	Carded	6	3253560626211	9.26
FMHT0-62624	PZ2 + Bolster	125mm	PZ2	105mm	33mm	230mm	Carded	6	3253560626242	6.63
FMHT0-62625	PZ3 + Bolster	150mm	PZ3	115mm	40mm	265mm	Carded	6	3253560626259	7.95
FMHT0-62622	PH2 + Bolster	125mm	PH2	105mm	33mm	230mm	Carded	6	3253560626228	7.27
FMHT0-62623	PH2 + Bolster	150mm	PH3	115mm	40mm	265mm	Carded	6	3253560626235	7.95

FATMAX® STAINLESS STEEL SCREWDRIVERS

STANLEY
FATMAX

- Full stainless steel bars for added corrosion resistance both on the screwdriver and prevents extraneous rust forming on the screw itself

NEW



STANLEY	Type	Bar Length	Bar Width	Handle Length	Handle Width	Overall Length				£
FMHT0-62640	Parallel	100mm	4mm	100mm	28mm	200mm	Carded	6	3253560626402	5.28
FMHT0-62641	Parallel	100mm	5.5mm	100mm	33mm	200mm	Carded	6	3253560626419	6.46
FMHT0-62642	Flared	150mm	6.5mm	115mm	40mm	265mm	Carded	6	3253560626426	8.26
FMHT0-62643	Flared	175mm	8.5mm	115mm	40mm	290mm	Carded	6	3253560626433	9.80
FMHT0-62644	Phillips	100mm	PZ1	105mm	33mm	205mm	Carded	6	3253560626440	6.03
FMHT0-62645	Phillips	125mm	PZ2	105mm	33mm	230mm	Carded	6	3253560626457	8.26
FMHT0-62646	Pozi	100mm	PH1	105mm	33mm	205mm	Carded	6	3253560626464	6.03
FMHT0-62647	Pozi	125mm	PH2	105mm	33mm	230mm	Carded	6	3253560626471	7.53

FATMAX® BIT ADAPTOR

STANLEY
FATMAX




STANLEY	Description				£
0-65-490	1/4" X 125mm Bit Adaptor	Carded	6	3253560654900	8.42
1-65-490	1/4" X 125mm Bit Adaptor	Loose	6	3253561654909	8.42

FATMAX® VDE

STANLEY
FATMAX

- All STANLEY VDE screwdrivers are individually tested to 10,000 volts, and guaranteed to 1,000 volts
- New Plusminus combi pattern, ideal for modern consumer units, fuse panels, connection blocks (FMHT0-62648 & FMHT0-62649 only)



The heavy duty plastic sheath running the length of the bar protects the user from live current


Red handles help self selection and identification of a VDE screwdriver

STANLEY	Type	Bar Length	Bar Width	Handle Length	Handle Width	Overall Length				£
0-65-410	Parallel	50mm	2.5mm	96mm	20mm	146mm	Carded	6	3253560654108	4.22
0-65-411	Parallel	75mm	3.5mm	100mm	28mm	175mm	Carded	6	3253560654115	4.82
0-65-412	Parallel	100mm	4mm	100mm	28mm	200mm	Carded	6	3253560654122	5.40
0-65-413	Parallel	150mm	5.5mm	105mm	33mm	255mm	Carded	6	3253560654139	6.37
0-65-414	Phillips	75mm	PH0	100mm	28mm	175mm	Carded	6	3253560654146	5.40
0-65-415	Phillips	100mm	PH1	105mm	33mm	205mm	Carded	6	3253560654153	6.03
0-65-416	Phillips	125mm	PH2	105mm	33mm	230mm	Carded	6	3253560654160	7.84
0-65-417	Pozi	75mm	PZ0	100mm	28mm	175mm	Carded	6	3253560654177	5.40
0-65-418	Pozi	100mm	PZ1	105mm	33mm	205mm	Carded	6	3253560654184	6.03
0-65-419	Pozi	125mm	PZ2	105mm	33mm	230mm	Carded	6	3253560654191	7.22
NEW NEW FMHT0-62648	Phillips Plusminus	100mm/125mm	PH1/PH2	105mm	33mm	205mm/230mm	Carded	6	3253560626488	15.95
FMHT0-62649	Pozi Plusminus	100mm/125mm	PZ1/PZ2	105mm	33mm	205mm/230mm	Carded	6	3253560626495	15.95

FATMAX® 5 PIECE SLIM FIT VDE SET

STANLEY
FATMAX

- Slim insulation allows access without modification and safe working to 1000V
- Tri-material handles with soft grip for torque transmission and control
- Hardened tips for a longer working life
- Individually tested to 10000V



STANLEY	Description				£
XTHT0-62692	5 Piece Slim VDE Set PH	Box	6	3253560626921	32.26
XTHT0-62693	5 Piece Slim VDE Set PZ	Box	6	3253560626938	32.26

XTHT0-62692 set contains:

3.5mm X 75mm, 5.5mm X 150mm, PH1 X 100mm, PH2 X 125mm, Voltage Tester

XTHT0-62693 set contains:

3.5mm X 75mm, 5.5mm X 150mm, PZ1 X 100mm, PZ2 X 125mm, Voltage Tester

NEW

FATMAX® 6 PIECE PARALLEL/PHILLIPS VDE SCREWDRIVER SET



STANLEY
FATMAX

STANLEY	Description				£
0-65-441	6pce Insulated Set Parallel/Phillips	Box	6	3253560654412	27.73

Set contains:

Parallel 2.5mm X 50mm, 3.5mm X 75mm, 5.5mm X 150mm
Phillips PH1 X 100mm, PH2 X 125mm
Voltage Tester

FATMAX® 6 PIECE PARALLEL/POZI VDE SCREWDRIVER SET



STANLEY
FATMAX

STANLEY	Description				£
0-65-443	6pce Insulated Set Parallel/Pozi	Box	6	3253560654436	27.73

Set contains:

Parallel 2.5mm X 50mm, 3.5mm X 75mm, 5.5mm X 150mm
Pozi PZ1 X 100mm, PZ2 X 125mm
Voltage Tester

FATMAX® 10 PIECE PARALLEL/PHILLIPS/POZI VDE SCREWDRIVER SET



STANLEY
FATMAX

STANLEY	Description				£
5-62-573	10pce Insulated Screwdriver Set	Plastic Box	1	3253565625738	42.17

Set contains:

Parallel 2.5mm X 50mm, 3.5mm X 75mm, 5.5mm X 150mm
Phillips PH0 X 75mm, PH1 X 100mm, PH2 X 125mm
Pozi PZ0 X 75mm, PZ1 X 100mm, PZ2 X 125mm
Voltage Tester

FATMAX® 5 PIECE PARALLEL/FLARED/PHILLIPS SCREWDRIVER SET



STANLEY
FATMAX

STANLEY	Description				£
0-65-436	5pce Screwdriver Set	Box	6	3253560654368	24.09

Set contains:

Parallel 3.5mm X 75mm, 5.5mm X 150mm
Flared 8mm X 150mm
Phillips PH1 X 100mm, PH2 X 125mm

FATMAX® 5 PIECE PARALLEL/PHILLIPS SCREWDRIVER SET



STANLEY
FATMAX

STANLEY	Description				£
0-65-440	5pce Screwdriver Set	Box	6	3253560654405	24.09

Set contains:

Parallel 3.5mm X 75mm, 4mm X 100mm, 5.5mm X 125mm
Phillips PH1 X 100mm, PH2 X 125mm

FATMAX® 6 PIECE PARALLEL/FLARED/POZI SCREWDRIVER SET



STANLEY
FATMAX

STANLEY	Description				£
0-65-428	6pce Screwdriver Set	Box	6	3253560654283	26.50

Set contains:

Parallel 3.5mm X 75mm, 5.5mm X 150mm
Flared 5.5mm X 100mm, 8mm X 150mm
Pozi PZ1 X 100mm, PZ2 X 125mm

FATMAX® 6 PIECE TAMPERPROOF TORX



STANLEY
FATMAX

STANLEY	Description				£
0-65-099	6pce Tamperproof Torx Set	Box	6	3253560650995	36.14

Set contains:

TT10 X 75mm, TT15 X 75mm, TT20 X 100mm, TT25 X 100mm,
TT30 X 115mm, TT40 X 130mm

FATMAX® 7 PIECE PARALLEL/FLARED/POZI SCREWDRIVER SET

STANLEY
FATMAX



STANLEY	Description				£
0-65-425	7pce Screwdriver Set	Box	6	3253560654252	27.73

Set contains:

Parallel 3mm X 100mm, 3.5mm X 75mm
Flared 5.5mm X 100mm, 8mm X 150mm
Pozi PZ0 X 75mm, PZ1 X 100mm, PZ2 X 125mm

FATMAX® 7 PIECE PARALLEL/FLARED/PHILLIPS/POZI SCREWDRIVER SET

STANLEY
FATMAX



STANLEY	Description				£
0-65-438	7pce Screwdriver Set	Box	6	3253560654382	31.33

Set contains:

Parallel 3.5mm X 75mm, 5.5mm X 125mm
Flared 6.5mm X 150mm
Phillips PH1 X 100mm, PH2 X 125mm
Pozi PZ1 X 100mm, PZ2 X 125mm

FATMAX® 8 PIECE PARALLEL/FLARED/PHILLIPS SCREWDRIVER SET

STANLEY
FATMAX



- Includes storage rack

STANLEY	Description				£
0-65-437	8pce Screwdriver Set	Box	6	3253560654375	36.14

Set contains:

Parallel 3.5mm X 75mm, 5.5mm X 125mm
Flared 4mm X 100mm, 6.5mm X 150mm, 8mm X 150mm
Phillips PH0 X 75mm, PH1 X 100mm, PH2 X 125mm

FATMAX® 9 PIECE PARALLEL/FLARED/POZI SCREWDRIVER SET

STANLEY
FATMAX

STANLEY	Description				£
0-65-424	9pce Screwdriver Set	Plastic Box	1	3253560654245	38.58



Set contains:

Parallel 3mm X 50mm, 4mm X 100mm, 6.5mm X 30mm
 Flared 5.5mm X 100mm, 6.5mm X 150mm, 8mm X 150mm
 Pozi PZ0 X 75mm, PZ1 X 100mm, PZ2 X 125mm

FATMAX® 10 PIECE PARALLEL/FLARED/POZI SCREWDRIVER SET

STANLEY
FATMAX

STANLEY	Description				£
5-65-427	10pce Screwdriver Set	Plastic Box	1	3253565654271	42.17



Set contains:

Parallel 3mm X 100mm, 4mm X 100mm, 5.5mm X 150mm,
 6.5mm X 30mm
 Flared 4mm X 100mm, 8mm X 150mm
 Pozi PZ0 X 75mm, PZ1 X 100mm, PZ1 X 30mm, PZ2 X 125mm

FATMAX® 10 PIECE PARALLEL/FLARED/PHILLIPS SCREWDRIVER SET

STANLEY
FATMAX

STANLEY	Description				£
0-65-439	10pce Screwdriver Set	Plastic Box	1	3253560654399	42.17



Set contains:

Parallel 3mm X 50mm, 4mm X 100mm
 Flared 5.5mm X 100mm, 6.5mm X 150mm, 8mm X 150mm
 Phillips PH00 X 50mm, PH0 X 75mm, PH1 X 100mm, PH2 X 125mm
 Voltage Tester

FATMAX® 12 PIECE PARALLEL/FLARED/PHILLIPS/POZI SCREWDRIVER SET

STANLEY
FATMAX



STANLEY	Description				£
5-65-426	12pce Screwdriver Set	Plastic Box	1	3253565654264	43.59

Set contains:

Parallel 2.5mm X 50mm, 4mm X 100mm, 5.5mm X 150mm, 6.5mm X 30mm
 Flared 5.5mm X 100mm, 8mm X 150mm
 Phillips PH0 X 75mm, PH1 X 100mm, PH2 X 125mm
 Pozi PZ0 X 75mm, PZ1 X 100mm, PZ2 X 125mm

FATMAX® 20 PIECE PARALLEL/FLARED/PHILLIPS/POZI SCREWDRIVER SET

STANLEY
FATMAX



STANLEY	Description				£
5-62-572	20pce Screwdriver Set	Plastic Organiser	1	3253565625721	84.38

Set contains:

Parallel 2.5mm X 50mm, 3mm X 100mm, 4mm X 100mm, 4mm X 150mm, 5.5mm X 150mm, 6.5mm X 30mm
 Flared 4mm X 100mm, 5.5mm X 100mm, 8mm X 150mm
 Phillips PH00 X 50mm, PH0 X 75mm, PH1 X 30mm, PH1 X 100mm, PH2 X 125mm, PH3 X 150mm
 Pozi PZ0 X 75mm, PZ1 X 100mm, PZ2 X 30mm, PZ2 X 125mm, PZ3 X 150mm

MAINS VOLTAGE TESTER SLOTTED

STANLEY


- Insulating plastic handle for complete safety
- Sheathed chrome vanadium steel blade for safety and long product life



STANLEY	Description				£
0-66-119	Mains Tester Slotted – 3mm X 64mm	Carded	6	3253560661199	2.65

CUSHION GRIP FLARED

STANLEY



STANLEY	Type	Bar Length	Bar Width	Handle Length	Handle Width	Overall Length				£
0-64-915	Flared	75mm	3mm	85mm	18mm	160mm	Carded	6	3253560649159	2.40
0-64-916	Flared	100mm	5mm	105mm	28mm	205mm	Carded	6	3253560649166	3.28
0-64-917	Flared	Stubby 45mm	6.5mm	56mm	30mm	101mm	Carded	6	3253560649173	3.04
0-64-919	Flared	150mm	6.5mm	115mm	34mm	265mm	Carded	6	3253560649197	4.37
0-64-921	Flared	150mm	8mm	125mm	40mm	275mm	Carded	6	3253560649210	4.90
0-64-922	Flared	200mm	10mm	125mm	40mm	325mm	Carded	6	3253560649227	5.47

CUSHION GRIP PARALLEL

STANLEY



STANLEY	Type	Bar Length	Bar Width	Handle Length	Handle Width	Overall Length				£
0-64-923	Parallel	75mm	2.5mm	85mm	18mm	160mm	Carded	6	3253560649234	2.17
0-64-924	Parallel	75mm	3mm	85mm	18mm	160mm	Carded	6	3253560649241	2.28

CUSHION GRIP POZI


STANLEY



STANLEY	Type	Bar Length	Handle Length	Handle Width	Overall Length				£
0-64-952	PZ0	60mm	85mm	18mm	145mm	Carded	6	3253560649524	2.51
0-64-953	PZ1	Stubby 45mm	56mm	30mm	101mm	Carded	6	3253560649531	2.74
0-64-955	PZ1	75mm	105mm	28mm	180mm	Carded	6	3253560649555	3.04
0-64-956	PZ2	Stubby 45mm	56mm	30mm	101mm	Carded	6	3253560649562	3.61
0-64-974	PZ2	100mm	115mm	34mm	215mm	Carded	6	3253560649746	3.83
0-64-976	PZ3	150mm	125mm	40mm	275mm	Carded	6	3253560649760	4.60

CUSHION GRIP PHILLIPS

STANLEY



STANLEY	Type	Bar Length	Handle Length	Handle Width	Overall Length				£
0-64-930	PH0	60mm	85mm	18mm	145mm	Carded	6	3253560649302	2.51
0-64-931	PH1	Stubby 45mm	56mm	30mm	101mm	Carded	6	3253560649319	2.74
0-64-932	PH1	75mm	105mm	28mm	180mm	Carded	6	3253560649326	3.04
0-64-933	PH1	150mm	105mm	28mm	255mm	Carded	6	3253560649333	3.61
0-64-934	PH2	Stubby 45mm	56mm	30mm	101mm	Carded	6	3253560649340	3.61
0-64-940	PH2	100mm	115mm	34mm	215mm	Carded	6	3253560649401	3.83
0-64-941	PH2	150mm	115mm	34mm	265mm	Carded	6	3253560649418	4.03
0-64-949	PH3	150mm	125mm	40mm	275mm	Carded	6	3253560649494	4.60

CUSHION GRIP 3 PIECE FLARED/PHILLIPS/VOLTAGE TESTER SET

STANLEY



STANLEY	Description				£
0-65-012	Cushion Grip 3pce Flared/Phillips/Voltage Tester	Blister	24	3253560650124	8.75

Set contains:

- Flared 5mm x 100mm
- Phillips PH2 x 100mm
- Mains Voltage tester slotted

CUSHION GRIP 4 PIECE PARALLEL/FLARED/PHILLIPS SET

STANLEY



STANLEY	Description				£
0-65-013	4pce Parallel/Flared/Phillips	Blister	24	3253560650131	16.42

Set contains:

- Parallel 6.5mm X 200mm
- Flared 5mm X 100mm
- Phillips PH1 X 75mm, PH2 X 150mm

CUSHION GRIP 6 PIECE FLARED/PHILLIPS SET

STANLEY

- Includes a free voltage tester



STANLEY	Description				£
0-65-009	6pce Flared/Phillips	Blister	12	3253560650094	19.71

Set contains:

- Flared 5mm X 100mm, 6.5mm X 45mm, 6.5mm X 150mm
- Phillips PH1 X 75mm, PH2 X 45mm, PH2 X 100mm
- Voltage Tester

CUSHION GRIP 6 PIECE PARALLEL/POZI/FLARED SET

STANLEY



STANLEY	Description				£
5-98-001	6pce Parallel/Pozi/Flared	Blister	12	3253565980011	20.79

Set contains:

Parallel 6.5mm X 150mm

Pozi PZ1 X 75mm, PZ2 X 100mm

Flared Instrument 3mm X 75mm, 5mm X 100mm, 6.5mm X 150mm

CUSHION GRIP 6 PIECE PARALLEL/FLARED/PHILLIPS SET

STANLEY



STANLEY	Description				£
0-65-007	6pce Parallel/Flared/Phillips	Blister	12	3253560650070	20.79

Set contains:

Parallel 6.5mm X 200mm

Flared Instrument 3mm X 75mm, 5mm X 100mm, 6.5mm X 150mm

Phillips PH1 X 75mm, PH2 X 150mm

CUSHION GRIP 8 PIECE FLARED/PHILLIPS SET

STANLEY



STANLEY	Description				£
0-65-011	8pce Flared/Phillips	Blister	12	3253560650117	25.21

Set contains:

Flared Instrument 3mm X 75mm, 5mm X 100mm, 6.5mm X 45mm, 6.5mm X 150mm

Phillips Instrument PH0 X 60mm, PH1 X 75mm, PH2 X 45mm, PH2 X 150mm

CUSHION GRIP 10 PIECE FLARED/PHILLIPS SET

STANLEY



STANLEY	Description				£
5-64-977	10pce Flared/Phillips	Blister	12	3253565649772	28.47

Set contains:

Flared Instrument 3mm X 75mm, 5mm X 100mm, 6.5mm X 45mm, 6.5mm X 150mm, 8mm X 150mm

Phillips Instrument PH0 X 50mm, PH1 X 100mm, PH2 X 45mm, PH2 X 100mm, PH3 X 150mm

CUSHION GRIP 10 PIECE FLARED/POZI SET

STANLEY



STANLEY	Description				£
2-65-014	10pce Flared/Pozi	Plastic Case	10	3253562650146	30.66

Set contains:

Flared Instrument 3mm X 75mm, 5mm X 100mm, 6.5mm X 45mm, 6.5mm X 150mm, 8mm X 150mm
 Pozi Instrument PZ0 X 60mm, PZ1 X 75mm, PZ2 X 45mm, PZ2 X 100mm, PZ3 X 150mm

STANLEY BASIC SCREWDRIVER SETS

STANLEY



- Tri-lobular handle design for high torque
- Polypropylene handle for strength and durability
- Bar fixed to handle using 112 kg force for safety


- Nickel plated boron steel bar for rust protection
- Heat treated tip for long life
- Colour coded handles makes choosing the "right" screwdriver a quick and easy task



STANLEY	Description				£
0-60-100	10 pieces	Carded	6	3253560601003	Disc

Set contains:

Flared 35mm, 45mm, 75mm, 100mm, 150mm, Stubby
 Parallel 150mm
 Phillips PH1, PH2, PH2 Stubby



STANLEY	Description				£
0-60-220	20 pieces	Carded	4	3253560602208	Disc

Set contains:


Flared 6.5 x 40mm (2 pcs), 5 x 75mm (2 pcs), 6.5 x 100mm, 5 x 150mm, 6.5 x 150mm
 Phillips PH2 x 40mm, PH1 x 100mm (2 pcs), PH2 x 100mm (2 pcs)
 6 Piece Instrument Set
 2 x Hex Keys



STANLEY	Description				£
0-64-458	6 pieces	Carded	6	3253560644581	Disc

Set contains:

Phillips PH1, PH2
 Flared 5 x 150mm, 5 x 75mm, 6.5 x 100mm, 6.5 x 150mm



STANLEY	Description				£
0-64-459	6 pieces	Carded	6	3253560644598	Disc

Set contains:

Pozi PZ1, PZ2
 Phillips PH1, PH2
 Flared 5 x 75mm, 6.5 x 100mm

RATCHET, MULTIBIT & PRECISION SCREWDRIVERS


FATMAX® RATCHET SCREWDRIVER SETS

**STANLEY
FATMAX**

- Fine 45 tooth ratchet offering very high torque (x3 human strength for tightening)
- Large soft grip handle with bit storage for added comfort and convenience
- 3-position ratchet enables clockwise, anti-clockwise and locked ratcheting positions
- Specific models also include:
 - FMHT0-62688: Stubby ratchet for small confined spaces
 - FMHT0-62689: LED lights for easy working in dark areas
 - FMHT0-62690: Full sized standard model
 - FMHT0-62691: Pistol grip design for higher torque



FMHT0-62688



FMHT0-62689

FMHT0-62690



FMHT0-62691



NEW

STANLEY	Description				£
FMHT0-62688	FatMax® Stubby Ratchet Screwdriver with 6 bits	Carded	6	3253560626884	16.36
FMHT0-62689	FatMax® LED Ratchet Screwdriver with 12 bits	Carded	6	3253560626891	21.45
FMHT0-62690	FatMax® Ratchet Screwdriver with 12 bits	Carded	6	3253560626907	19.75
FMHT0-62691	FatMax® Pistol Grip Ratchet Screwdriver with 12 bits	Carded	6	3253560626914	21.13

MULTI-BIT RATCHET SCREWDRIVER



STANLEY

- Magnetic head for efficient holding and rapid changing of the bit
- Bit storage cartridge for easy access
- Tri-lobular bi-material handle for maximum torque comfort
- 3 position ratchet enables clockwise, counter clockwise and locked ratcheting positions
- Supplied with 10 insert bits of popular sizes



STANLEY	Description				£
0-68-010	Multibit Ratchet +10 Bits	Carded	6	3253560680107	15.33

10-WAY FLEXI SCREWDRIVER SET



STANLEY

- 10 Replaceable 1/4" bits and adapter
- Comfortable bi-material handle
- Bit magazine with belt clip

STANLEY	Description				£
0-62-508	10-Way Flexi Screwdriver Set	Carded	4	3253560625085	15.33

Set contains:

- Phillips PH1, PH2, PH3
- Torx T15, T20
- Square 1, 2
- Flared 4mm, 5mm, 6mm

STUBBY RATCHET MULTIBIT SCREWDRIVER



STANLEY

- High quality ratchet mechanism for fast operation
- Bi-material handle gives extra grip
- Magnetic bit retention to prevent lost bits
- Secure handle bit holder
- Accepts standard 1/4" hex screwdriver bits

STANLEY	Description				£
0-66-358	Stubby Ratchet Multibit Screwdriver	Carded	3	3253560663582	6.80

Set contains:

- Flared 5mm, 6.5mm
- Phillips PH1, PH2
- Torx T15, T20

FATMAX® CLIP-N-GRIP™ SCREWDRIVER



STANLEY
FATMAX

- Integral Clip-n-Grip™ holding system allows one handed use
- Grippers can be disengaged to be used as a standard bit holder
- Includes 6 chrome vanadium bits with internal bit storage for easy access
- Large soft grip handle gives comfort and high torque
- Magnetised bit holder for quick tip change
- Hardened and tempered bar for long life

STANLEY	Description				£
9-69-188	FatMax® Clip-n-Grip™ Screwdriver + 6 Bits	Carded in counter top merchandiser	12	3253569691883	14.48

Set contains:

- Phillips PH1, PH2
- Pozi PZ1, PZ2
- Flared 3mm, 6mm

6-WAY RATCHET SCREWDRIVER



STANLEY

- Ratchet screwdriver with rotation control switch for quick operation
- 6 Replaceable 1/4" bits
- Comfortable bi-material handle
- Bit stored in the handle for convenience

STANLEY	Description				£
0-62-509	6-Way Ratchet Screwdriver	Carded	4	3253560625092	12.34

Set contains:

- Flared 5mm, 6.5mm
- Phillips PH1, PH2
- Torx T15, T20

PRECISION SCREWDRIVER SETS



STANLEY

- Multi-blade sets include convenient in-handle blade storage
- Precision engineered clamp for secure holding of the bit
- All precision screwdrivers include new soft grip handles for improved comfort and control
- All sets come with convenient storage cases

STANLEY	Description				£
STHT0-62628	4 Piece Precision Multi-Blade Screwdriver Set Torx - T5, T6, T7, T8	Carded	6	3253560626280	10.60
STHT0-62629	8 Piece Precision Multi-Blade Screwdriver Set 1mm, 1.2mm, 1.5mm, 1.8mm, 2mm, 2.5mm, PH000, PH00	Carded	6	3253560626297	15.90
STHT0-62630	4 Piece Precision Screwdriver Set Torx - T6, T7, T8, T9	Carded	6	3253560626303	17.49
STHT0-62631	6 Piece Small Precision Screwdriver Set 1mm, 1.2mm, 1.5mm, 1.8mm, PH000, PH00	Carded	6	3253560626310	26.51
STHT0-62632	6 Piece Precision Screwdriver Set - SL2-3MM 2mm, 2.5mm, 3mm, PH000, PH00, PH0	Carded	6	3253560626327	26.51
STHT0-62633	16 Piece Precision Multi-Blade Screwdriver Set	Carded	6	3253560626334	37.12
STHT0-62634	37 Piece Precision Screwdriver Set (Hex bits only)	Carded	6	3253560626341	53.03

6 WAY SCREWDRIVER



STANLEY

- All in one screwdriver
- Built in bolster allows additional leverage
- Supplied with Phillips 1 and 2, 2 x slotted, and 2 nut drivers (1/4" and 5/16")
- Tri lobular bi-material handle for torque and comfortable grip

STANLEY	Description				£
0-68-012	6 Way Screwdriver	Carded	6	3253560680121	4.72

Set contains:

Hex drive 6mm, 8mm
Parallel 4.5mm, 6mm
Phillips PH1, PH2

6 PIECE FATMAX® INSTRUMENT SET



**STANLEY
FATMAX**

- Handle moulded to bar virtually unbreakable bond giving long life
- Chrome vanadium steel bar reduces the chance of tip breakage
- Soft grip bi-material handle comfortable and reduces fatigue

STANLEY	Description				£
0-65-492	6pce FatMax® Instrument Set	Plastic Case	12	3253560654924	29.25

Set contains:

Pozi 0 x 75mm
Parallel 2.5mm x 50mm, 3mm x 50mm, 3mm x 100mm
Phillips 00 x 50mm, 0 x 75mm

6 PIECE PRECISION SCREWDRIVER SET



STANLEY

- Soft cushion grip for comfort
- Plastic storage case to easily index the products

STANLEY	Description				£
0-66-052	6 Piece Precision Screwdriver Set	Carded	6	76174660524	7.07

Set contains:

Parallel 1.4mm, 2.0mm, 2.4mm, 3mm
Phillips PH0, PH1

PRECISION INSTRUMENT SCREWDRIVER SET

STANLEY

- Complete set of six screwdrivers with hexagonal handle and revolving head
- Nickel-plated, fluted handles for finger tip control and rust prevention
- Tempered and blued steel for long life



STANLEY	Description				£
1-66-039	Precision Instrument Screwdriver Set	Loose	6	3253561660399	5.46

Set contains:

Parallel 1.4mm, 2mm, 2.4mm, 3mm




Pozi P20, PZ1

4 IN 1 POCKET DRIVER

STANLEY

- Non-slip textured surface won't slip, crack or peel
- Magnetic bits attract and holds small screws
- 2 Double-ended bits (1/8" slotted/Phillips #1, 1/16" slotted/Phillips #00)
- S2 tool steel hardened for maximum durability
- Soft bi-material grip for convenience and comfort



STANLEY	Description				£
66-344M	4 in 1 Pocket Driver	Merchandise of 18	18	76174663440	3.19

BRADAWL

STANLEY

- Hardened, tempered and sharpened blades for efficient performance
- Rust resistant Nickel plating
- Textured handle for improved grip



STANLEY	Description				£
0-69-014	Bradawl 32x2mm	Carded	12	3253560690144	3.45

SCREWDRIVER BITS

1/4" HEX DRIVE PHILLIPS INSERT BIT

STANLEY

- For use in industrial, construction and DIY applications
- Precision machined for perfect fit
- Forged and ground for long life and durability



STANLEY	Description				£
0-68-946	25mm / PH2	Carded x 1	1	3253560689469	3.20
0-68-950	25mm / PH3	Carded x 1	1	3253560689506	3.20
1-68-947	25mm / PH2	Box x 10	1	3253561689475	12.72
1-68-942	25mm / PH1	Box x 25	1	3253561689420	18.45
1-68-946	25mm / PH2	Box x 25	1	3253561689468	18.45
1-68-950	25mm / PH3	Box x 25	1	3253561689505	18.45
3-68-946	25mm / PH2	Box x 100	1	3253563689466	35.79

1/4" HEX DRIVE POZI INSERT BIT

STANLEY

- For use in industrial, construction and DIY applications
- Precision machined for perfect fit
- Forged and ground for long life and durability



STANLEY	Description				£
0-68-949	25mm / PZ2	Carded x 1	1	3253560689490	3.20
0-68-953	25mm / PZ3	Carded x 1	1	3253560689537	3.20
1-68-948	25mm / PZ2	Box x 10	1	3253561689482	12.72
1-68-945	25mm / PZ1	Box x 25	1	3253561689451	18.45
1-68-949	25mm / PZ2	Box x 25	1	3253561689499	18.45
1-68-953	25mm / PZ3	Box x 25	1	3253561689536	18.45

1/4" HEX DRIVE TORX BIT

STANLEY

- For use in industrial, construction and DIY applications
- Precision machined for perfect fit
- Forged and ground for long life and durability



STANLEY	Description				£
0-68-839	25mm / T10	Carded x 1	1	3253560688394	3.78
0-68-841	25mm / T15	Carded x 1	1	3253560688417	3.78
0-68-842	25mm / T20	Carded x 1	1	3253560688424	3.99
1-68-839	25mm / T10	Box x 25	1	3253561688393	25.45
1-68-841	25mm / T15	Box x 25	1	3253561688416	25.45
1-68-842	25mm / T20	Box x 25	1	3253561688423	25.45
1-68-843	25mm / T25	Box x 25	1	3253561688430	25.45
1-68-845	25mm / T30	Box x 25	1	3253561688454	25.45
1-68-846	25mm / T40	Box x 25	1	3253561688461	25.45

1/4" HEX DRIVE PHILLIPS POWER BIT

STANLEY

- For industrial use
- Precision machined for perfect fit
- Forged and ground for long life and durability



STANLEY	Description				£
1-68-991	50mm / PH1	Box x 10	1	3253561689918	16.27
1-68-992	50mm / PH2	Box x 10	1	3253561689925	16.91

1/4" HEX DRIVE POZI POWER BIT

STANLEY

- For industrial use
- Precision machined for perfect fit
- Forged and ground for long life and durability




STANLEY	Description				£
1-68-926	50mm / PZ2	Box x 10	1	3253561689260	16.42
3-68-804	70mm / PZ2	Box x 10	10	3253563688049	22.26
3-68-807	100mm / PZ2	Box x 10	10	3253563688070	27.73
1-68-979	50mm / PZ3	Box x 10	1	3253561689796	16.91

DOUBLE ENDED PHILLIPS INSERT BIT

STANLEY

- For general purpose use
- Precision machined for perfect fit
- Forged and ground for long life and durability



STANLEY	Description				£
1-68-784	60mm / Phillips PH1, PH2	Box x 10	1	3253561687846	18.69

DOUBLE ENDED POZI INSERT BIT

STANLEY



- For general purpose use
- Precision machined for perfect fit
- Forged and ground for long life and durability

STANLEY	Description				£
1-68-786	60mm / Pozi PZ1, PZ2	Box x 10	1	3253561687860	18.69

MAGNETIC BIT HOLDER

STANLEY



- 1/4" hex drive spindle will fit most chuck types
- Magnetic recess holds 1/4" insert bits securely in use
- Precision machined for perfect fit
- Forged and ground for long life and durability

STANLEY	Description				£
0-68-732	60mm	Carded x 1	120	3253560687328	4.47
1-68-732	60mm	Box x 5	48	3253561687327	19.59
3-68-729	75mm	Box x 5	1	3253563687295	43.75

BIT HOLDERS

STANLEY



- Quick release bit holder
- Precision machined for perfect fit
- Forged and ground for long life and durability

STANLEY	Description				£
1-68-733	1/4" Bit Holders	Box x 5	48	3253561687334	24.53

200-PIECE BIT SET

STANLEY



- Selection of 190 insert bits and 10 bit holders
- Precision machined for perfect fit
- Forged and ground for long life and durability

STANLEY	Description				£
1-68-741	200-Piece Bit Set	Box	10	3253561687419	170.61

Set contains:

Pozi 15 x PZ1 25mm, 20 x PZ2 25mm, 10 x PZ3 25mm, 10 x PZ1 50mm, 10 x PZ2 50mm, 10 x PZ1 & PZ2 Double Ended 60mm
 Phillips 10 x PH0 25mm, 15 x PH1 25mm, 20 x PH2 25mm, 10 x PH3 25mm, 10 x PH1 & PH2 Double Ended 60mm
 Parallel 10 x 4mm x 25mm, 10 x 5mm x 25mm, 10 x 6.5mm x 25mm, 10 x 8mm x 25mm, 10 x 10mm x 25mm
 10 x Magnetic Bit Holders

61-PIECE BIT SET

STANLEY



- Precision machined for perfect fit
- Forged and ground for long life and durability

STANLEY	Description				£
1-13-902	61-Piece Bit Set	Box	10	3253561139024	32.78

Set contains:

Slotted 4, 4.5, 5.5, 6, 6.5, 8mm
 Phillips PH0, PH1, 2 X PH2, 2 X PH3, 2 X PH4
 Pozi P20, PZ1, 2 X PZ2, 2 X PZ3, PZ4
 Hex 3 X 2mm, 6 X 3mm, 4, 5, 6mm
 Torx T10, T15, T20, T25, T27, T30
 Tamperproof Torx 3 X T10, 3 X T15, 6 X T20, 3 X T25, 3 X T30, 3 X T40
 Magnetic Bit Holder 60mm

31-PIECE BIT SET

STANLEY



- Precision machined for perfect fit
- Forged and ground for long life and durability

STANLEY	Description				£
1-13-903	31-Piece Bit Set	Box	6	3253561139031	21.21

Set contains:

Slotted 4, 4.5, 5.5mm
 Phillips PH1, PH2, PH3
 Pozi PZ1, PZ2, PZ3
 Torx T10, T15, 2 X T20, 2 X T25, 2 X T27, 2 X T30, 2 X T40
 Tamperproof Torx T10, T15, T20, T25, T30
 Hex 3, 4, 5, 6mm
 Magnetic Bit Holder 60mm

19-PIECE BIT SET

STANLEY



- Precision machined for perfect fit
- Forged and ground for long life and durability

STANLEY	Description				£
1-13-901	19-Piece Bit Set	Box	6	3253561139017	10.60

Set contains:

Slotted 4, 5.5, 6.5mm
 Phillips PH1, PH2
 Pozidriv PZ1, PZ2, PZ3, PZ4
 Hex 3, 4, 5mm
 Torx T10, T15, T20, T25, T30, T40
 Magnetic Bit Holder 60mm

10-PIECE BIT SET

STANLEY

- 9 insert bits and a bit holder in a plastic storage box
- Precision machined for perfect fit
- Forged and ground for long life and durability



STANLEY	Description				£
1-68-734	10-Piece Bit Set	Box	20	3253561687341	11.32

Set contains:

Phillips PH1, PH2, PH3.
Pozi PZ1, PZ2, PZ3.
Parallel 4.5 x 0.6mm, 5.5 x 1.0mm, 6.5 x 1.2mm
Magnetic Bit Holder

STANLEY	Description				£
1-68-724	10-Piece Bit Set	Box	20	3253561687242	22.31

Set contains:

Pozi PZ1, PZ2, PZ3.
Torx T10, T15, T20, T25, T30.
Phillips PH2
Magnetic Bit Holder

7-PIECE BIT SET

STANLEY

- 6 Insert bits and a bit holder in a plastic storage box
- Precision machined for perfect fit
- Forged and ground for long life and durability



STANLEY	Description				£
1-68-738	7-Piece Bit Set	Box	24	3253561687389	8.01

Set contains:

Pozi PZ0, PZ1, PZ2.
Flared 0.6 x 4.5mm, 1.0 x 5.5mm, 1.2 x 6.5mm
Magnetic Bit Holder

STANLEY	Description				£
1-68-739	7-Piece Bit Set	Box	24	3253561687396	8.01

Set contains:

Torx T10, T15, T20, T25, T30, T40
Magnetic Bit Holder

STANLEY	Description				£
1-68-735	7-Piece Bit Set	Box	24	3253561687358	8.01

Set contains:

Phillips PH0, PH1, PH2.
Flared 0.6 x 4.5mm, 1.0 x 5.5mm, 1.2 x 6.5mm
Magnetic Bit Holder

STANLEY	Description				£
1-68-737	7-Piece Bit Set	Box	24	3253561687372	8.01

Set contains:

Phillips PH1, PH2.
Pozi PZ1, PZ2.
Flared 0.8 x 5.0mm, 1.2 x 6.5mm
Magnetic Bit Holder

DRILLS

BIT BRACE: 4 JAW CHUCK RATCHET



- STANLEY**
- Chromium plated for corrosion resistance and therefore longer life
 - Ball bearing mounting head for smooth operation
 - 12-Point, 3 way ratchet for use in confined spaces
 - 13mm diameter chuck size

STANLEY	Description				£
1-02-715	250mm Bit Brace	Box	6	3253561027154	58.64

105 SINGLE PINION HAND DRILL



- STANLEY**
- Precision die cast for strength and durability
 - Aluminium gear wheel both long lasting, strong and lightweight
 - 3 jaw chuck for greater versatility

STANLEY	Description				£
0-03-105	105 Hand Drill 8mm	Carded	6	3253560031053	18.99

SAW

S



THE PRO'S ADVICE



THE RIGHT SAW FOR THE JOB

SIZE AND NUMBER OF TEETH

Choosing a saw is all about selecting the right size and type of saw teeth for a particular job. Tooth size is measured in the number of complete teeth to the inch (tpi). Larger and fewer teeth give a faster cut, whereas a greater number of smaller teeth provide a finer finish.

The table below is a quick guide to show which size of saw teeth best suits different requirements, plus the number of teeth and suggested applications is listed in the features shown with all the saws on the following pages.

TOOTH TYPE

Saws with induction hardened blades – or hard point – have been through a process whereby the teeth of the saw have been hardened, giving a more durable cutting edge, while retaining flexibility.

Saws with triple ground teeth have a different tooth geometry. They are designed to cut on both the push and pull stroke, making them 50% faster than a standard double ground saw.



SAW APPLICATION

SAW TEETH REQUIRED

CONSTRUCTION WORK

Construction carpentry, joists, stud framing, chipboard

LARGE TEETH

7 teeth per inch

FINISH WORK

Architraves and mouldings panelling, flooring, PVC

SMALL TEETH

11 teeth per inch

SPECIALIST WORK

Flooring, PVC pipes and mouldings, plasterboard and drywall panels, cellular concrete

SPECIALLY DESIGNED SAWS

With different numbers and types of teeth to suit specific tasks

SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

SAWS

A great time saving feature of STANLEY® saws is that the handles can be used to mark out both 45° & 90° angles.



FATMAX® HEAVY DUTY AND FINE FINISH SAWS

STANLEY
FATMAX



Bi-material handle screwed and ultrasonically welded for comfort and security

Teeth are precision set to generate clearance of kerf for the blade to cut on both the forward and back stroke, increasing cutting efficiency by 30%

3 sided precision ground teeth offer razor sharp cutting edges at every stage of the stroke

Induction hardened teeth stay sharper twice as long than previous model



“ THIS SAW IS hardcore! I HAVE BEEN USING IT FOR WEEKS NOW AND IT IS STILL GOING LIKE I JUST TOOK THE SLEEVE OFF ”

NIALL MORRIS, BUILDER

STANLEY	Description				£
5-15-288	500mm / 20" FatMax® Heavy Duty Saw 7 teeth per inch	Sleeve	6	3253565152883	15.90
5-15-289	550mm / 22" FatMax® Heavy Duty Saw 7 teeth per inch	Sleeve	6	3253565152890	18.18
5-15-594	380mm / 15" FatMax® Fine Finish Saw 11 teeth per inch	Sleeve	6	3253565155945	12.49
5-15-599	500mm / 20" FatMax® Fine Finish Saw 11 teeth per inch	Sleeve	6	3253565155990	15.90
5-15-244	550mm / 22" FatMax® Fine Finish Saw 11 teeth per inch	Sleeve	6	3253565152449	18.18

HEAVY DUTY AND FINE FINISH SHARPCUT SAWS

STANLEY
SharpCut ▶

- Bi-material handle with finger rest for comfort and accuracy
- 7 and 11 teeth per inch for heavy duty and fine finish applications
- Induction hardened blade for longevity
- Blade bolted to handle for security



“ **REALLY WELL MADE SAW, IDEAL FOR THE BACK OF THE VAN, WELL BALANCED. IDEAL FOR HEAVY WORK AND FAST CUTTING TOO. HANDLE IS VERY SECURE. IDEAL AS AN ALL ROUND SAW. DOES EXACTLY WHAT IT IS MEANT TO** ”

John, Carpenter/Joiner



STANLEY	Description				£
1-20-119	380mm/15" Heavy Duty Saw 7 teeth per inch	Sleeve	6	3253561201196	8.42
1-20-090	500mm/20" Heavy Duty Saw 7 teeth per inch	Sleeve	10	3253561200908	9.48
1-20-091	550mm/22" Heavy Duty Saw 7 teeth per inch	Sleeve	10	3253561200915	10.34
1-20-101	500mm/20" Fine Finish Saw 11 teeth per inch	Sleeve	10	3253561201011	9.48
1-20-095	550mm/22" Fine Finish Saw 11 teeth per inch	Sleeve	10	3253561200953	10.34

HEAVY DUTY AND FINE CUT SAWS

- STANLEY**
- Hardened teeth for durability
 - 3 sided precision ground teeth offer razor sharp cutting edges at every stage of the stroke
 - Screwed handle for security
 - Soft grip handle for improved comfort and control



STANLEY	Description				£
1-20-084	380mm / 15" Heavy Duty Saw 8 teeth per inch	Sleeve	6	3253561200847	10.45
1-20-087	500mm / 20" Heavy Duty Saw 8 teeth per inch	Sleeve	6	3253561200878	11.61
1-20-088	550mm / 22" Heavy Duty Saw 8 teeth per inch	Sleeve	6	3253561200885	12.67
1-20-089	380mm / 15" Fine Finish Saw 11 teeth per inch	Sleeve	6	3253561200892	10.45
1-20-094	500mm / 20" Fine Finish Saw 11 teeth per inch	Sleeve	6	3253561200946	11.61
1-20-096	550mm / 22" Fine Finish Saw 11 teeth per inch	Sleeve	6	3253561200960	12.67

UNIVERSAL SAW

- STANLEY**
- 7 and 15 teeth per inch for heavy duty and fine finish applications
 - Hard point teeth to increase saw life
 - Bimaterial handle welded to blade for security
 - Handle marked with 45° and 90° angles



STANLEY	Description				£
1-20-002	380mm / 15" Universal Saw 15 teeth per inch	Sleeve	6	3253561200021	9.08
1-20-008	500mm / 20" Universal Saw 7 teeth per inch	Sleeve	6	3253561200083	11.35
1-20-009	550mm / 22" Universal Saw 7 teeth per inch	Sleeve	6	3253561200090	12.49

SPECIALIST SAWS

FATMAX® FLOORBOARD SAW

STANLEY
FATMAX



Teeth on curved end of blade helps to start off a cut in floorboards

13 teeth per inch

45° and 90° angle quick reference point for cuts

Finger rest – ergonomic design, useful for extra control when starting a cut



Induction hardened teeth lasting twice as long as previous product

Bi-material handle screwed and ultrasonically welded for comfort and security

STANLEY	Description				£
2-17-204	300mm / 12" FatMax® Floorboard Saw 13 teeth per inch	Sleeve	4	3253562172044	11.61

FATMAX® TENON/BACK SAW

STANLEY
FATMAX



- 11 and 13 teeth per inch for a fine finish
- Reinforced back for extra rigidity, makes a straighter cut
- Induction hardened teeth stay sharper twice as long than previous model
- Finger rest – ergonomic design, useful for extra control when starting a cut
- 3 sided precision ground teeth offer razor sharp cutting edges at every stage of the stroke
- Bi-material handle screwed and ultrasonically welded for comfort and security
- Handle with marked 45° and 90° angles

STANLEY	Description				£
2-17-199	300mm / 12" Tenon / Back Saw 11 teeth per inch	Sleeve	4	3253562171993	10.56
2-17-201	360mm / 14" Tenon / Back Saw 11 teeth per inch	Sleeve	4	3253562172013	11.61
2-17-202	360mm / 14" Tenon / Back Saw 13 teeth per inch	Sleeve	4	3253562172020	11.61

FATMAX® COMPASS SAW

STANLEY
FATMAX

- 11 teeth per inch for a fine finish
- Fine teeth easier to start off cuts and control for detail work
- 3 sided precision ground teeth offer razor sharp cutting edges at every stage of the stroke
- Finger rest, ergonomic design, useful for extra control when starting a cut
- Bi-material handle screwed and ultrasonically welded for comfort and security
- Induction hardened teeth stay sharp twice as long as previous model



STANLEY	Description				£
2-17-205	300mm / 12" Compass Saw 11 teeth per inch	Sleeve	4	3253562172051	9.48

FATMAX® PVC/PLASTIC SAW

STANLEY
FATMAX

- 11 teeth per inch
- Un-set teeth creates less burrs when cutting
- Pull saw teeth easier to start off and control
- 1mm blade thickness for increased accuracy of cut
- Induction hardened teeth for long lasting cutting life
- Bi-material handle screwed and ultrasonically welded for comfort and security
- Finger rest – ergonomic design, useful for extra control when starting a cut
- 30°/90° marking feature at the end of the blade



STANLEY	Description				£
2-17-206	300mm / 12" PVC Saw 11 teeth per inch	Sleeve	4	3253562172068	11.61

FATMAX® CONCRETE SAW

STANLEY
FATMAX

- 1.4 teeth per inch
- Specially designed 26" blade ideal for cutting cellular blocks and soft stone
- Induction hardened teeth stay sharper twice as long than previous model
- Bi-material handle screwed and ultrasonically welded for comfort and security
- Handle with marked 45° and 90° angles



STANLEY	Description				£
1-15-441	650mm / 26" FatMax® Concrete Saw 1.4 teeth per inch	Sleeve	4	3253561154416	20.49

FATMAX® FLOORING SAW



STANLEY
FATMAX

- 7 teeth per inch for a fine finish
- Induction hardened teeth stay sharper twice as long than previous model
- 3 sided precision ground teeth offer razor sharp cutting edges at every stage of the stroke
- Finger rest, ergonomic design, useful for extra control when starting a cut
- Anti-friction coating – ideal for laminated floors, paneling, skirting boards and jointing strips
- Bi-material handle screwed and ultrasonically welded for comfort and security
- Handle with marked 45° and 90° angles

STANLEY	Description				£
1-20-180	450mm / 18" FatMax® Flooring Saw 7 teeth per inch	Sleeve	4	3253561201806	16.23

FATMAX® 22" PLASTERBOARD SAW



STANLEY
FATMAX

- 7 teeth per inch
- Specially designed tooth geometry ideal for plasterboard, plaster tiles, corrugated partitions
- Bi-material handle screwed and ultrasonically welded for comfort and security
- 3 sided precision ground teeth offer razor sharp cutting edges at every stage of the stroke
- Induction hardened teeth stay sharper twice as long than previous model
- Handle with marked 45° and 90° angles

STANLEY	Description				£
2-20-037	550mm / 22" FatMax® Plasterboard Saw 7 teeth per inch	Sleeve	6	3253562200372	18.18

FATMAX® FOLDING JAB SAW



STANLEY
FATMAX

- 8 teeth per inch – ideal to cut through plasterboard
- Triple bevelled tothing for 50% quicker, easier cutting
- Secure locking mechanisms in 3 positions (90°, 135°, 180°) for maximum flexibility and increased leverage for corner and ceiling cuts
- Soft grip handle for added comfort
- Fold away blade storage for safety

Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description				£
FMHT0-20559	FatMax® Folding Jabsaw	Carded	6	3253560205591	15.90

FATMAX® PLASTERBOARD/JAB SAW



STANLEY
FATMAX

- 7 teeth per inch
- Ideal for punching through plasterboard
- Anti-slip ergonomic bi-material handle for optimum user comfort
- Triple bevelled tothing for 50% quicker easier cutting
- Sharp point for piercing board

STANLEY	Description				£
0-20-556	150mm/6" FatMax® Jab Saw 7 teeth per inch	Carded	6	3253560205560	11.35
7-20-556	150mm/6" FatMax® Jab Saw plus Scabbard 7 teeth per inch	Merchandise of 10	10	3253567205563	14.78

PLASTERBOARD/JAB SAW



STANLEY

- 7 teeth per inch ideal for punching through plasterboard
- Soft grip handle for ease of use

STANLEY	Description				£
0-15-556	150mm/6" Plasterboard Saw 7 teeth per inch	Loose	6	3253560155568	6.23

3 IN 1 SAW



STANLEY

- Multi-Purpose 3-in-1 Saw Set offers 3 different blades in one space saving design - universal pull saw blade, metal saw blade and compass saw blade
- Anti-slip ergonomic bi-material handle for optimum user comfort
- The turn knob allows blades to be easily changed and they can be tilted into 6 different positions
- The main blade utilises a pull saw tooth configuration which is less likely to jam or bend while in use
- 250mm / 10" aggressive tooth 11 teeth per inch universal wood saw blade cuts on the "pull" stroke – perfect for general woodworking and pruning
- 200mm / 8" compass saw blade 9 teeth per inch for more detailed work
- 150mm / 6" metal hacksaw blade 24 teeth per inch for cutting metal pipes and rods

STANLEY	Description				£
0-20-092	3 in 1 Saw	Carded	2	3253560200923	15.83

FATMAX® 10" REVERSIBLE FLUSH CUT SAW



STANLEY
FATMAX

- 13 teeth per inch
- Spring-loaded pin allows blade to be reversed to cut from left or right position
- Steel back prevents bending for strong, true, straight cuts
- Wide blade for precise cutting such as dovetails, small joints and cut-offs
- Reversible handle provides improved access in close quarters
- New soft grip handle for comfort and support

Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description				£
0-15-252	10" FatMax® Reversible Flush Cut Saw	Carded	8	3253560152529	13.23

FATMAX® MULTI SAW WITH WOOD AND METAL HACKSAW BLADES



STANLEY
FATMAX

- 24 teeth per inch x 10" flexible metal hacksaw blade
- 11 teeth per inch x 5" woodsaw blade
- Double tension nut allows quick and easy blade change
- Saw blade coating reduces binding making sawing easier
- Designed for precise cutting in confined spaces – such as dovetails, small joints and cut-offs
- New soft grip handle for comfort and support

STANLEY	Description				£
0-20-220	FatMax® Multi Saw with 10" Metal and 5" Wood Blades	Carded	6	3253560202200	8.20
3-20-220	Spare Blades for FatMax® Multi Saw	Carded	4	3253563202207	3.26

FATMAX® COPING SAWS



STANLEY
FATMAX

- Hardened tempered blade for long life
- Steel back prevents bending for strong, true, straight cuts
- New soft grip handle for comfort and support

STANLEY	Description				£
0-15-106	6 ¾" FatMax® Coping Saw Throat Depth	Carded	6	3253560151065	12.49
0-15-061	Coping Saw Spare Blades	Carded	10	3253560150617	2.24

FATMAX® MINI FLUSHCUT PULL SAW



STANLEY
FATMAX

- 23 teeth per inch – cuts quickly and cleanly on the pull stroke
- Double sided blade for convenient cutting from the left or the right
- Flexible blade for flush cutting plugs and dowels
- For precise cutting such as dovetails, small joints and cut-offs
- New soft grip handle for comfort and support

STANLEY	Description				£
0-20-331	5" FatMax® Mini FlushCut Pull Saw	Carded	6	3253560203313	10.24
3-20-331	Spare Blades for FatMax® Mini Flushcut Pull Saw	Carded	4	3253563203310	5.11

RAKER TOOTH BOW SAW WITH GUARD



STANLEY

- Strong lightweight frame for longer life
- Tension lever that allows rapid blade change
- Treated steel blade to maintain 1st cut sharpness longer

STANLEY	Description				£
1-15-368	610mm Raker Tooth Bow Saw with Guard	Loose	12	3253561153686	7.66

BOW SAW/HACKSAW & SPARE BLADE

STANLEY

- Protective handle to avoid injuries to the hands
- Attached by wing screws to allow the blade to be changed easily and quickly
- Adapted arc shape for special large capacity sawing (tree trunks and logs of large diameter)
- Supplied with 1 blade for wood and one blade for metal



STANLEY	Description				£
1-20-447	300mm Bow Saw/ Hacksaw & Spare Blade	Carded	12	3253561204470	9.02
1-20-437	Spare Blades for 300mm Bow Saw	Loose	10	3253561204371	4.02

FLEAM TOOTH BOW SAW BLADE

STANLEY

- Swedish quality steel blade for longer life
- Ideal for cutting hardwoods
- Extra hardened tooting to ensure a rapid cut and long lifetime for ease of use
- The teeth set avoid any vibration to speed up the cut



STANLEY	Description				£
1-15-385	610mm Fleam Tooth Bow Saw Blade	Loose	10	3253561153853	5.09

RAKER TOOTH BOW SAW BLADE

STANLEY

- Swedish quality steel blade for long life
- Raker teeth clear out the waste – ideal for 'green' timber
- Extra hardened tooting to ensure a rapid cut and longer life
- The teeth are arranged to avoid any vibration and a clean cut



STANLEY	Description				£
1-15-446	610mm Raker Tooth Bow Saw Blade	Loose	10	3253561154461	5.09

THE PRO'S ADVICE



MAKE YOUR SAWS WORK HARDER

MARK THE CUT WITH A KNIFE


For a tear free cut use a knife to mark the line all round the wood rather than a pencil.

CUT WITH FINISHED SURFACE UPWARDS

Always use a sharp saw with the finished surface of the work upwards so that any fraying will be on the hidden underside, very important when cutting plywood or veneered boards.


CUT ON THE WASTE SIDE OF THE LINE

For a precise fit it is a good idea to leave a little additional waste that you can plane off afterwards if necessary.



STARTING THE CUT

Start the cut at the edge furthest from you with the saw cutting edge angled at approximately 30° to the work surface. Use the thumbnail of the hand not holding the saw, or a scrap piece of wood, position the cutting edge to the waste side of the line. The first stroke should be a light pull to establish the cutting line (kerf).



SAWING OFF A THIN PIECE OF WOOD

To help prevent the thin piece splitting off you can clamp a piece of scrap to the far edge extending beyond the piece to be cut, which will support the saw blade and ensure a clean cut.

SAWING TECHNIQUE

As a general rule the coarser the teeth the higher the angle you should saw at, for a 7 teeth per inch hand saw start at 30° and raise angle to between 45° and 60°. For an 11 teeth per inch hand saw start the cut at 30° and raise angle to 45°. When using a back or tenon saw start at less than 20° and as the kerf extends to the full width of the wood lower the blade until almost horizontal. To help keep the saw on line hold the handle with three fingers and thumb with the index finger resting on the outside face of the handle to provide alignment. Maintain a firm but relaxed grip on the handle. Keep wrist, elbow and shoulder in line with the saw blade and the marked line. You should also align your head and eye to be in line with the cut. Use the full length of the saw in steady unhurried strokes. The rate of cut can be increased by dropping the handle as the blade is about halfway through the stroke, lift the handle for the draw stroke.

CORRECTING ALIGNMENT

If the saw starts to move off line slow down, make slight changes to your position and progressively steer the cutting edge back into alignment. Make regular checks to ensure that the cut is progressing square to the top surface.



FINISHING THE CUT

As you near the completion of the cut the sound made by the saw will change to indicate that it is time for you to support the piece that is being cut off. If you leave this too long the weight will cause it to break off damaging the work.

SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

MITRE BOXES

MITRE BOX WITH SAW

STANLEY




- Cuts a variety of angles: 90°, 45°, 22-1/2°, and 45° bevel
- Patented cam lock clamping system holds workpiece securely in place and keep boards securely in place while cutting
- Rubber feet help hold unit in place and prevent box slippage
- Foldable legs allow box to sit flat on floor or work table or be butt up against a corner
- Extended flange allows the box to be securely clamped to your work surface
- Saw storage on the side of the box
- Contoured radius side wall improves user grip and comfort

STANLEY	Description				£
1-20-600	Mitre Box with Saw	Loose	6	3253561206009	22.71

MITRE BOX

STANLEY



- One piece injection moulded mitre box for strength and durability
- Patented cam lock clamping system holds workpiece securely in place
- Built in saw stop to prevent damaging the mitre box
- 90°, 45° and 22½° angles and 45° scarf cut guide

STANLEY	Description				£
1-20-112	Mitre Box	Loose	6	3253561201127	14.78

ADJUSTABLE MECHANICAL MITRE BOX

STANLEY



- Precision die cast base
- Specially hardened and tempered replaceable blade with extra fine universal teeth
- Blade tensioning screw for easy blade replacement and to ensure a clean accurate cut
- Smooth action saw support and guide system
- Easily changed to 30°, 45°, 60° or 90° cut angles
- Adjustable length gauge for repeat cuts
- Comfort grip elastomer inserts in handle
- Rapid clamping of workpiece using moveable cam locks

STANLEY	Description				£
1-20-800	Adjustable Mechanical Mitre Box	Loose	2	3253561208003	51.14
1-20-809	Replacement Blade for Adjustable Mechanical Mitre Box	Carded	100	3253561208096	5.11

SAW STORAGE MITRE BOX



STANLEY

- Lightweight, high impact ABS plastic mitre box for strength and durability
- Complete with tenon saw
- Holes in base for fastening to work bench
- 90°, 45° and 22½° angles and 45° scarf cut guide
- Front lip butts up against workbench to prevent slippage in use

STANLEY	Description				£
1-19-800	Saw Storage Mitre box (with Saw)	Loose	8	3253561198007	15.32
1-19-212	Saw Storage Mitre box (without Saw)	Loose	8	3253561192128	6.23

HACKSAWS

FATMAX® 5 IN 1 HACKSAW



STANLEY FATMAX

- 5 positions, uniquely versatile:
 - 45° flush-cut position
 - 90° standard position
 - Long pad saw position
 - Short pad saw position
 - Low profile position
- Lightweight frame with 150kg blade tension
- Integrated storage for replacement blades
- Comfort grip handle



Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description				£
0-20-108	FatMax® 5 In 1 Hacksaw	Carded	4	3253560201081	28.39

FATMAX® HACKSAW



STANLEY
FATMAX

- Thumb grip for accuracy
- 5" cutting capacity
- Supplied with bi-metal blade (24 teeth per inch)
- 90° blade location and 45° flush cut
- Durable die cast aluminium body both lightweight and strong
- Bi-material soft grip for comfort
- Adjustable thumb dial tension mechanism inside handle
- Spring loaded blade tension device gives 150kg blade tension for ease of use

STANLEY	Description				£
1-20-531	430mm FatMax® Hacksaw 24 TPI	Carded	2	3253561205316	24.51

HEAVY DUTY HACKSAW



STANLEY

- 2 blade positions: 90° and 45°
- 136 kg permanent blade tension – faster cutting
- Patented quick blade change and lever to change tension suitable for application
- Bi-material ergonomic frame and handle for superior comfort and grip
- Easy tension memorisation and adjustment using a tightening wheel
- Steel frame for long life
- Locking and unlocking of the blade by a patented lever

STANLEY	Description				£
1-20-110	300mm Heavy Duty Hacksaw 24 TPI	Carded	2	3253561201103	22.71

300MM COMPOSITE HACKSAW



STANLEY

- Soft grip bi-material handle for comfort
- Reduced weight and resistant to shocks
- Quick easy blade changing
- Constant tension of 70kg
- No adjustment required when changing the blade

STANLEY	Description				£
2-15-892	300mm Composite Hacksaw 18 TPI	Carded	6	3253562158925	11.35

ENCLOSED GRIP HACKSAW



STANLEY

- Solid steel frame for strength and long life
- Screwed moulded black handle to ensure virtually unbreakable bond with blade
- Blade tension system allows quick fine adjustment for wider range of applications
- Directable blade 4 positions for a vertical and horizontal cut
- Supplied with HSS blade

STANLEY	Description				£
1-15-122	300mm Enclosed Grip Hacksaw 24 TPI	Carded	5	3253561151224	10.56

JUNIOR HACKSAW – PLASTIC HANDLE



STANLEY

- Square rigid tube mounting for strength
- Moulded handle – lightweight and strong
- Lever incorporated in the handle allowing a rapid change in the blade

STANLEY	Description				£
0-15-218	150mm Junior Hacksaw – Plastic Handle	Sleeve	10	3253560152185	5.10
3-15-905	5 x 150mm Spare Blades for Junior Hacksaw (15-218)	Carded x 5	10	3253563159051	2.04

MINI HACKSAW



STANLEY

- Metal mini saw ideal for small areas with limited access
- Allows the use of truncated sections of blade
- Fine adjustment of the blade length gives greater range of applications

STANLEY	Description				£
0-20-807	300mm Mini Hacksaw	Carded	6	3253560208073	5.09

FATMAX® 300MM HACKSAW BLADES




**STANLEY
FATMAX**

- Bi-metal, snap resistant construction
- Up to 3 times sharper and 15 times longer life compared to standard carbon steel blades
- Available in 300mm/12" (18, 24 & 32 TPI)

STANLEY	Description				£
FMHT0-20194	300mm FatMax® Hacksaw Blades 2pk 18 TPI	Carded x 2	2	3253560201944	4.77
FMHT0-20195	300mm FatMax® Hacksaw Blades 2pk 24 TPI	Carded x 2	2	3253560201951	4.77
FMHT0-20196	300mm FatMax® Hacksaw Blades 2pk 32 TPI	Carded x 2	2	3253560201968	4.77
FMHT2-20199	300mm FatMax® Hacksaw Blades 10pk 18 TPI	Carded x 10	5	3253562201997	21.48
FMHT2-20209	300mm FatMax® Hacksaw Blades 10pk 24 TPI	Carded x 10	5	3253562202093	21.48
FMHT2-20159	300mm FatMax® Hacksaw Blades 100pk 24 TPI	Box of 100	10	3253562201591	191.21

HACKSAW BLADES – LION




STANLEY

- General purpose 300mm carbon steel blade
- Ideal for mild steel, brass, aluminium and copper

STANLEY	Description				£
0-15-842	300mm Lion Hacksaw Blades (24 TPI)	Carded x 1	10	3253560158422	1.23
2-15-842	300mm Lion Hacksaw Blades x 5 (24 TPI)	Carded x 5	5	3253562158420	5.09
0-15-801	300mm Lion Hacksaw Blades (1x18 TPI, 3x24 TPI, 1x32 TPI)	Carded x 5	5	3253560158019	5.09

HACKSAW BLADES – MOLYBDENUM



STANLEY

- High speed steel blade for stainless and tool steels
- Rigid extra long life blade

STANLEY	Description				£
0-15-906	300mm Moly Hacksaw Blades 24 TPI	Carded x 2	5	3253560159061	4.59
1-15-903	300mm Moly Hacksaw Blades 18 TPI	Box of 100	1	3253561159039	123.79
1-15-906	300mm Moly Hacksaw Blades 24 TPI	Box of 100	1	3253561159060	123.79

THE PRO'S ADVICE



MAKE YOUR HACKSAWS WORK HARDER

PREPARATION


Clamp the workpiece securely in an engineer's vice. When cutting existing pipe work, ensure that water or gas has been safely turned off. When cutting thin sheet metal it is a good idea to sandwich it between two pieces of plywood for support. If the blade snaps in the middle of a cut restart the cut at the far edge to prevent the slightly thicker blade from jamming in the cut.

THE RIGHT BLADE AND TENSION

Select a blade with a tooth count that will ensure that at least three teeth are in contact with the metal being cut all the time. Take time to set the blade tension correctly, too soft and the blade may snag and break. Cut at a low angle to help create a smooth free flowing cut. Use a new blade when cutting brass to minimise the risk of blade slip to prevent the slightly thicker blade from jamming in the cut.



CUTTING METAL TUBING

This requires a fine-toothed blade at least 24 TPI. Commence the saw cut until the blade penetrates through the pipe wall. Continue to cut on the nearer wall of the pipe for a smoother vibration free cut, do this by rotating the pipe away from you.



CUTTING THICK ROD

When cutting thick rod or bars mark the cutting line all the way around. Make your first cut to the depth of the blade on the upper surface. Rotate the steel towards you and again cut to the depth of the blade. Continue until the cut is completed.



FINISHING THE CUT

With all types of cut support the waste material as you near the completion of the cut.

SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

CHISELS, AND SURF



PLANES ORM





**RATED BY
REAL PRO'S**
at stanleytools.co.uk

**“ ABSOLUTELY EXCELLENT!
THIS CHISEL IS A BRILLIANT
PRODUCT. VERY HEAVY DUTY
WON'T SPLIT WHEN HIT WITH A
STEEL HAMMER ”**

PIXIESMITH - CARPENTER / JOINER



WOOD CHISELS

FATMAX® WOOD CHISELS

**STANLEY
FATMAX**



- 50% stronger* handle for extra reassurance and durability
- Steel strikecap can be used with a steel hammer for increased cutting force
- Quality chrome alloy (ball bearing grade) steel provides superior edge retention
- Ergonomic soft grip handle for maximum grip and control
- Full length blade guard for added safety



*50% stronger than old DynaGrip Pro Chisel on handle side impact test

STANLEY	Description				£
0-16-251	6mm FatMax® Chisel	Carded	6	3253560162511	11.77
0-16-252	8mm FatMax® Chisel	Carded	6	3253560162528	12.09
0-16-253	10mm FatMax® Chisel	Carded	6	3253560162535	12.09
0-16-254	12mm FatMax® Chisel	Carded	6	3253560162542	12.38
0-16-255	14mm FatMax® Chisel	Carded	6	3253560162559	12.70
0-16-256	15mm FatMax® Chisel	Carded	6	3253560162566	12.78
0-16-257	16mm FatMax® Chisel	Carded	6	3253560162573	12.97
0-16-258	18mm FatMax® Chisel	Carded	6	3253560162580	13.58
0-16-259	20mm FatMax® Chisel	Carded	6	3253560162597	13.86
0-16-260	22mm FatMax® Chisel	Carded	6	3253560162603	15.02
0-16-261	25mm FatMax® Chisel	Carded	6	3253560162610	15.32
0-16-262	30mm FatMax® Chisel	Carded	6	3253560162627	16.49
0-16-263	32mm FatMax® Chisel	Carded	6	3253560162634	16.55
0-16-264	35mm FatMax® Chisel	Carded	6	3253560162641	18.86
0-16-265	38mm FatMax® Chisel	Carded	6	3253560162658	20.04
0-16-266	40mm FatMax® Chisel	Carded	6	3253560162665	21.22
0-16-267	50mm FatMax® Chisel	Carded	6	3253560162672	25.37
2-16-268	3pce (12, 18, 25mm) FatMax® Chisel Set	Case	1	3253562162687	38.90
2-16-269	5pce (6, 12, 18, 25, 32mm) FatMax® Chisel Set	Case	1	3253562162694	63.68

DYNAGRIP® STRIKE CAP WOOD CHISELS

STANLEY



- Steel strike cap can be used with steel hammer for increased cutting force
- Longer, soft grip handle for improved grip and control
- Forged high carbon steel reassurance of strength and durability
- Pre-sharpened blade ready for immediate use
- Full length blade guard for added safety



STANLEY	Description				£
0-16-870	6mm DynaGrip Strike Cap Chisel	Carded	6	3253560168704	8.12
0-16-871	8mm DynaGrip Strike Cap Chisel	Carded	6	3253560168711	8.12
0-16-872	10mm DynaGrip Strike Cap Chisel	Carded	6	3253560168728	8.22
0-16-873	12mm DynaGrip Strike Cap Chisel	Carded	6	3253560168735	8.75
0-16-876	16mm DynaGrip Strike Cap Chisel	Carded	6	3253560168766	8.75
0-16-877	18mm DynaGrip Strike Cap Chisel	Carded	6	3253560168773	9.42
0-16-878	20mm DynaGrip Strike Cap Chisel	Carded	6	3253560168780	9.63
0-16-879	22mm DynaGrip Strike Cap Chisel	Carded	6	3253560168797	9.86
0-16-880	25mm DynaGrip Strike Cap Chisel	Carded	6	3253560168803	10.83
0-16-881	32mm DynaGrip Strike Cap Chisel	Carded	6	3253560168810	13.54
0-16-882	38mm DynaGrip Strike Cap Chisel	Carded	6	3253560168827	16.76
2-16-883	DynaGrip Strike Cap Chisel Set (12,18,25mm)	Carded	6	3253562168832	21.90
2-16-885	DynaGrip Strike Cap Chisel Set (6,12,18,25,32mm)	Carded	6	3253562168856	36.14
5-16-421	DynaGrip Strike Cap Chisel Set (5pce & Accessories)*	Carded	6	3253565164213	49.30

*Imported

5002 WOOD CHISELS

STANLEY



- Fully heat treated forged steel blade for longer life
- Lacquered blade for rust prevention
- Polypropylene handle for a comfortable grip, practically unbreakable

STANLEY	Description				£
0-16-535	6mm/1/4" 5002 Wood Chisels	Carded	6	3253560165352	5.89
0-16-540	12mm/1/2" 5002 Wood Chisels	Carded	6	3253560165406	7.07
0-16-545	18mm/3/4" 5002 Wood Chisels	Carded	6	3253560165451	8.25
0-16-551	25mm/1" 5002 Wood Chisels	Carded	6	3253560165512	9.42
0-16-128	3pce (12, 18, 25mm)	Carded	6	3253560161286	21.22
0-16-129	4 pce (6, 12, 18, 25mm)	Carded	2	3253560161293	25.92
0-16-130	4 pce + case, oil, stone	Case	6	3253560161309	29.48

FATMAX® WRECKING CHISEL

STANLEY FATMAX



- Sharpened side edge for chopping out, cutting, shaving and shaping
- Hardened steel strike cap for durability and use with steel hammers
- Carbon steel blade for a durable cutting edge
- Steel core for a longer working life
- Bi material handle for grip and comfort



STANLEY	Description				£
FMHT0-16067	FatMax® 1"/25mm Side Strike Chisel	Card	4	3253560160678	16.37

FATMAX® FOLDING POCKET CHISEL

STANLEY
FATMAX

- 25m Carbon Steel blade – most popular size – holds a good edge
- Steel strike cap – can be used with a steel hammer
- Folds to fit in the pocket – ideal for job site work, prevents blade damage and trouser cutting



Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description				£
FMHT0-16145	FatMax® Folding Pocket Chisel	Blister	4	3253560161453	15.90

SHARPENING SYSTEM FOR CHISELS AND PLANE IRONS

STANLEY

- Contains honing guide, oilstone and light machine oil
- Guides the user to achieve a precise sharp edge that is square to the blade
- Angle setting gauge with preset markings of 25°, 30° or 35°




STANLEY	Description				£
0-16-050	Sharpening System for Chisels and Plane Irons	Blister	4	3253560160500	17.70

DIAMOND SHARPENING STONE

STANLEY

- Course and smooth grits for precise sharpening
- Suitable for a range of general sharpening tasks including knives, chisels, scissors, shears etc
- Complete with storage case



STANLEY	Description				£
STHT0-16144	Diamond Sharpening Stone	Card	4	3253560161446	13.66

THE PRO'S ADVICE




MAKE YOUR CHISELS WORK HARDER

VERTICAL PARING

STEP 1 Vertical paring is the means of cutting wood, across the grain, with the chisel in an upright position using hand power or light striking with a mallet. This skill is important in cutting parts of most commonly used wood joints and for trimming material back to a cut line. Take particular care when paring with the grain, as there is strong possibility of splitting.

STEP 2 Secure the work to the bench with a C clamp taking care to place a piece of scrap material between the work piece and the bench to avoid damage.


STEP 3 For the right handed user hold the chisel blade in a pen-hold grip, index finger at the front with the back of the blade supported by the third finger and thumb resting on the left hand edge of the blade around 25mm back from the cutting edge, or in a position that also enables the little finger and edge of the hand to rest on the work piece. The left hand grips the handle with the thumb uppermost.



STEP 4 Aim to remove only a very small amount of material at each pass of the chisel; depending on the hardness of the wood and the sharpness of the chisel you should remove no more than 0.5 to 1.0mm at each cut.


STEP 5 If you are cutting back to a knife marked line, ensure that you hold the chisel perfectly vertically and always lever forward away from the marked line to ensure that the defined edge of the cut is not bruised or rounded over. To add a little more power to the cut push down on the end of the handle with the right shoulder.

STEP 6 Finally when there is no more than 0.5mm to remove place the widest chisel available in the knife cut and apply pressure vertically until you reach the bottom of the cut. If you attempt to cut too much at this stage there is a risk that the chisel will be forced back over the line.



HORIZONTAL PARING



STEP 1 Horizontal paring is the technique of removing waste material once the limits of the cut have been defined by either sawing or vertical paring with a chisel. By following this procedure the risk of damaging splits is minimised.



STEP 2 Secure the work in a vice or clamp to the bench.

STEP 3 For the right-handed person grip the handle of the chisel with the end tucked into the palm of the right hand and the thumb and index finger on either side of the handle. The right hand applies the power to the cut. Tuck your elbow into your side to give you more controlled power.

STEP 4 The left hand controls the precision of the cut either by placing the four fingers of the left hand on top of the blade and the thumb underneath, or for very fine work place the thumb on top and index finger of the left hand underneath close up to the cutting edge.



STEP 5 Before making any horizontal cut across or down the grain always ensure that you have sawn down to depth before you start to remove the waste material. To minimise the risk of splitting at the far edge of a through housing it is a good technique to work in from both sides to the middle.

NOTE: Take care when setting out your cutting lines to use a knife cut or a gauged line, this is more accurate than a pencil line.

TIP 1 If you have to strike the chisel it is much better to use a mallet than a hammer, because the larger striking face of the mallet can be brought down on the end of the handle without having to look at it, leaving you to concentrate on what the cutting edge is doing.

TIP 2 With only a few exceptions the chisel should be used with the bevel facing upwards or away from the user.

TIP 3 If you need to use a mallet when making a series of vertical cuts position the work over the leg of the bench to minimise vibration and to work more effectively.

TIP 4 Resist clamping the work in a vice unless you have supported the underside. Do not be tempted to use a hammer or mallet on wood held in the vice.

TOP TIP Drill out waste material from deep mortises before 'cleaning up' with a chisel.

SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK


THE PRO'S ADVICE



THE RIGHT PLANE FOR THE JOB

TRY PLANE, JOINTER/FORE PLANE

Ideal for truing the long edges of timber in readiness to join the edges together to produce a wide board as for a tabletop. The long plane sole bridges all of the high spots on the timber and ensures that these are removed first. The cutter must be absolutely square across its width.



JACK PLANE

The best choice for stock removal and preparation of timber from the sawn condition. To function properly the cutter is honed to a slight convex shape between 0.5 and 1mm at its maximum for rapid stock removal.

NO 4 SMOOTHING PLANE

Perfect for producing a fine finish to the surface, particularly if you are working in a hardwood with interlocking grain, that is when the structure flows in both directions and is roughed up by the plane at the same time as it is being smoothed just a few millimetres to the side. Its compact size also makes it a good general-purpose plane for trimming and fitting on the job site, but it tends to follow the undulations of the timber and so cannot be used to create true long surfaces.

BLOCK PLANES

Designed to accurately plane end grain. In this situation with a bench plane the cutter tends to vibrate or 'chatter', which can mark the surface, whereas with a block plane the vibration is reduced because the cutter works with the bevel uppermost. The range of 5 planes differs mainly in the type of adjustment offered. STANLEY's top two products are fully adjustable for depth of cut, cutter alignment and mouth aperture, an often-overlooked feature but which is critical to controlling the fineness of the cut. Other block planes in the range will work just as efficiently as the fully adjustable models but you will need to take more time to adjust them manually.

THE LOW ANGLE BLOCK PLANE

This is the best specialist end grain plane and it is also perfect for trimming the edges of decorative laminate; although you will need to hone the edge more frequently.

DUPLEX REBATE PLANE

So called because of the two cutter positions (standard and bull nose), it is designed to produce rebates.

MAKE YOUR PLANES WORK HARDER

HOW TO USE A BENCH PLANE

STEP 1 Fix the wood securely either against a bench stop on the bench top or in the bench vice.

STEP 2 For right handed person adopt a firm base with your left foot well forward and your right foot and right hip as close to the line of cut as possible. If you are right handed, hold the front knob in your left hand finger tips and grasp the rear handle with the right hand with the index finger resting on the shoulder of the cutter; this helps maintain consistent direction, particularly important when squaring edges.



STEP 3 Place the toe (the base of the plane in front of the mouth) on the near end of the wood and apply light downward pressure to maintain even contact with the wood. Push the plane forward with your right hand and transfer your body weight from right foot onto the left foot as the plane progresses. When the toe approaches the far end of the wood reduce the downward pressure with the left hand and increase the pressure with the right hand until the mouth and cutter are clear of the wood. This is a very important skill to acquire as the consequence of rocking the plane at the start and finish of the stroke will be a rounded surface.

STEP 4 At the end of each stroke it is better to lift the plane and return to the starting position rather than drawing it back over the wood, which could possibly dull the cutting edge prematurely.

HOW TO USE A BLOCK PLANE

When planing end grain always work to a cut line, which is extended around all four faces to minimise fraying. Remember that if you attempt to plane a full width of end grain you are very likely to split a piece off the far edge of the wood, to eliminate this risk plane in from both ends.

HOW TO USE A DUPLEX REBATE PLANE

STEP 1 Set the width of the rebate and set the depth of the required cut.

STEP 2 Start planing from the far end of the rebate and progressively work back to the near end. As you push the plane forward apply pressure on the heel with the right hand this will reduce the tendency for the cutter to 'dig in'.

TIP 1 It often helps to place the fingers of the left hand on the outer edge of the fence to help keep the plane in a perfectly upright position. For best result aim to produce a thin shaving as the absence of a cap iron to control the shaving demands more care from the user to produce a good result.


TIP 2 If you need to clean up a stopped rebate move the cutter and lever cap to the forward bull nosed position. Depth adjustment will have to be done by hand as the lever function is not available in the forward position.

SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

PLANES

The STANLEY® range of planes covers all your likely needs and they all feature the finest hardened, tempered and precision ground chrome carbon alloy steel cutters. As a general guide the longer and wider the plane the truer the surface along the length of the timber will be.

STANLEY



NO 7 BAILEY BENCH PLANE – JOINTER



STANLEY



- Professional fully adjustable metal plane
- For accurate truing of long edges for jointing wide boards edge to edge
- 60mm blade width

STANLEY	Description				£
1-12-007	560mm No 7 Bailey Bench Plane	Box	1	3253561120077	126.32

NO 62 BAILEY LOW ANGLE JACK PLANE



STANLEY



- One-piece base and frog virtually eliminate chatter and increase accuracy
- Patented lateral adjustment locking feature
- Ductile iron castings for weight and durability
- Iron is made from extra thick 3/16" A2 steel for superior edge retention
- Cherry wood handle and knob for comfort
- Mouth adjustment for different types of wood

STANLEY	Description				£
1-12-137	No 62 Bailey Low Angle Jack Plane	Box	1	3253561121371	142.03

NO 6 BAILEY BENCH PLANE – FORE



STANLEY



- Professional fully adjustable metal plane
- For stock removal and truing up long edges or levelling wide boards
- 60mm blade width

STANLEY	Description				£
1-12-006	460mm No 6 Bailey Bench Plane	Box	1	3253561120060	110.85

NO 5 BAILEY BENCH PLANE – JACK



STANLEY



- Professional fully adjustable metal plane
- General purpose for rapid stock removal prior to commencing assembly work
- 50mm blade width

STANLEY	Description				£
1-12-005	355mm No 5 Bailey Bench Plane	Box	1	5000366120058	72.45

NO 4 PREMIUM BENCH PLANE



STANLEY



- Base and frog cast as one to reduce chatter
- Precision machined base flat to .003" for accuracy
- Thicker blade 3mm to reduce chatter
- Blade made of A2 steel for increased edge retention, stays sharper for longer
- Ductile cast iron withstands drops from workbench
- Heavier body for increased performance
- Cherry wood FSC wooden handle and knob for comfort
- Solid brass adjustments for smooth operation
- Patented lateral adjustment locking feature for easy adjustment
- 50mm blade width

STANLEY	Description				£
1-12-136	No 4 Premium Bench Plane	Box	1	3253561121364	123.02
0-12-141	50mm Replacement Blade	Carded	6	3253560121419	21.26

NO 4 BAILEY BENCH PLANE – SMOOTHING



STANLEY



- Professional fully adjustable metal plane
- General purpose bench plane for workshop, site or fine finishing
- 50mm blade width

STANLEY	Description				£
1-12-004	245mm No 4 Bailey Bench Plane	Box	1	5000366120041	60.85

NO 4½ BAILEY BENCH PLANE – SMOOTHING



STANLEY



- Professional fully adjustable metal plane
- General purpose bench plane for workshop, site or fine finishing
- 60mm blade width

STANLEY	Description				£
1-12-045	260mm No 4½ Bailey Bench Plane	Box	1	76174120455	68.00

NO 3 BAILEY BENCH PLANE – SMOOTHING



STANLEY



- Professional fully adjustable metal plane
- General purpose bench plane for workshop, site or fine finishing
- 45mm blade width

STANLEY	Description				£
1-12-003	240mm No 3 Bailey Bench Plane	Box	1	5000366120034	67.77

HANDYMAN BENCH PLANE



STANLEY

- 1-12-204 for workshop, site or finishing work
- 1-12-205 for rapid stock removal prior to commencing assembly work
- 50mm blade width

STANLEY	Description				£
1-12-204	245mm Handyman Bench Plane	Box	1	5000366122045	42.79
1-12-205	355mm Handyman Bench Plane	Box	1	5000366122052	58.81

SINGLE IRON BENCH PLANE



STANLEY

- Light duty, easy and simple to adjust smoothing plane
- 45mm blade width

STANLEY	Description				£
1-12-033	210mm Single Iron Bench Plane	Box	1	5000366120331	24.49

9½ FULLY ADJUSTABLE BLOCK PLANE



STANLEY

- Small professional fine grey iron
- Fully adjustable for depth of cut, cutter alignment and mouth opening
- For end grain and general purpose fine finishing work
- Comes with pouch for convenient storage
- 40mm blade width

STANLEY	Description				£
5-12-020	160mm Fully Adjustable Block Plane	Clam	1	3253565120202	58.98
0-12-331	Spare Iron for 12-020 and 12-220 Block Planes for original pattern	Loose	6	3253560123314	8.44
0-12-508	Spare Iron for 12-020 and 12-220 Block Planes for current pattern	Loose	6	3253560125080	8.44

60½ BLOCK PLANE LOW ANGLE FULLY ADJUSTABLE



STANLEY

- Fully adjustable fine grey iron
- Comes with pouch for convenient storage
- Low angle cutter
- For end grain and plastic laminates
- 35mm blade width

STANLEY	Description				£
5-12-060	150mm Low Angle Fully Adjustable Block Plane	Clam	1	3253565120608	57.03
0-12-504	Spare Iron for 12-060 Block Plane for current pattern	Loose	6	3253560125042	8.44

220 ADJUSTABLE BLOCK PLANE



STANLEY

- Small professional fine grey iron
- Adjustable for depth of cut and alignment
- 40mm blade width
- Iron needs to be honed before use

STANLEY	Description				£
1-12-220	180mm Adjustable Block Plane	Clam	1	3253561122200	42.30

BLOCK PLANES



STANLEY

- Manually adjustable
- General purpose ideal for model makers, craft and all light duty jobs
- 140mm has 35mm blade width
- 180mm has 40mm blade width

STANLEY	Description				£
1-12-102	140mm/102 Block Plane	Clam	1	3253561121029	19.97
1-12-116	180mm/110 Block Plane	Clam	1	3253561121166	30.39
0-12-330	Spare Iron for 12-116 Block Plane	Loose	6	3253560123307	7.05

RB5 REPLACEABLE BLADE BLOCK PLANES



STANLEY

- Lightweight diecast modelling plane with machined base
- Blade can be positioned for standard use or bull nose for working in corners
- Adjustable for depth of cut
- Spare blades stored safely in handle
- 50mm blade width

STANLEY	Description				£
0-12-105	150mm Block Plane	Clam	2	3253560121051	15.44
0-12-376	50mm Curved Spare Iron for Bench Planes 12-105	Loose	10	3253560123765	3.86
0-12-378	50mm Straight Spare Iron for Bench Planes 12-105	Loose	10	3253560123789	3.56
0-12-379	50mm Special Spare Iron for Bench Planes 12-105	Loose	10	3253560123796	3.70

NO 78 REBATE PLANE DUPLEX



STANLEY

- Two cutter positions for regular and bull nose work
- Cutter adjustable for depth of cut in the rear position
- Supplied with an adjustable fence depth gauge and cutting spur
- 38mm blade width

STANLEY	Description				£
1-12-078	255mm Rebate Plane Duplex	Box	1	3253561120787	71.23
1-12-333	Spare Iron for 12-078 Rebate Plane	Loose	6	3253561123337	8.86

CABINET MAKERS BULL NOSE REBATE PLANE

STANLEY



- Fine adjustment for course or fine work
- Adjustable for depth of cut
- Removable front for working into stopped rebates
- 25mm blade width

STANLEY	Description				£
1-12-090	115mm Cabinet Makers Bull Nose Rebate Plane	Loose	1	3253561120909	105.59

151 SPOKESHAVE

STANLEY



- Fully adjustable for depth of cut and alignment by 2 milled screws
- 12-151 has flat base for flat and convex surfaces
- 12-152 has round base for concave surfaces

STANLEY	Description				£
1-12-151	55mm Flat Spokeshave	Loose	6	5000366121512	21.94
1-12-152	55mm Round Spokeshave	Loose	6	5000366121529	21.94

63 SPOKESHAVE

STANLEY



- Manual adjustment of cutter
- 12-063 – round for concave shapes
- 12-064 – flat for convex shapes

STANLEY	Description				£
1-12-063	45mm Round Spokeshave	Loose	6	3253561120633	16.94
1-12-064	45mm Flat Spokeshave	Loose	6	3253561120640	16.94

SINGLE IRON FOR BENCH PLANES

STANLEY



- Chrome carbon steel for excellent edge retention
- Ground to 25 degrees ready for honing
- Available in sizes 45mm, 50mm, 60mm

STANLEY	Description				£
0-12-313	50mm Spare Iron for Bench Planes 12-004, 12-005	Loose	6	3253560123130	11.03
0-12-315	60mm Spare Iron for Bench Planes 12-045, 12-006, 12-007	Loose	6	3253560123154	12.53
0-12-133	45mm Spare Iron for Bench Planes 12-033	Loose	6	3253560121334	6.08







FILES & RASPS




FILES

STANLEY

- Bi-material handle for comfort and grip
- High carbon steel blade for strength and durability
- Hang handle for convenient storage



Profile	Application
 Flat / Hand	General purpose
 Square	General purpose and filing corners
 3 Square	Filing and finishing sharp angles and corners
 Half Round	Filing rounded corners, holes and curves
 Round	Shaping and smoothing holes and curves
 Chainsaw	Sharpening chainsaw chains

STANLEY	Description				£
0-22-121	8" x 3/16 Chainsaw File	Carded	6	3253560221218	6.76
0-22-122	8" x 7/32 Chainsaw File	Carded	6	3253560221225	6.76
0-22-499	8"/200mm Hand File, Smooth Cut	Plastic Hanger	3	3253560224998	7.90
0-22-451	8"/200mm Hand File, Second Cut	Plastic Hanger	3	3253560224516	7.41
0-22-441	8"/200mm Hand File, Bastard Cut	Plastic Hanger	3	3253560224417	7.16
0-22-462	8"/200mm 3 Square File, Second Cut	Plastic Hanger	3	3253560224622	8.15
0-22-460	8"/200mm 3 Square File, Bastard Cut	Plastic Hanger	3	3253560224608	7.90
0-22-456	8"/200mm Half Round File, Second Cut	Plastic Hanger	3	3253560224561	8.40
0-22-501	8"/200mm Half Round File, Bastard Cut	Plastic Hanger	3	3253560225018	8.40
0-22-444	8"/200mm Round File, Second Cut	Plastic Hanger	3	3253560224448	7.66
0-22-443	8"/200mm Round File, Bastard Cut	Plastic Hanger	3	3253560224431	7.41
0-22-491	8"/200mm Chainsaw File x 4mm	Plastic Hanger	3	3253560224912	5.19
0-22-476	8"/200mm Chainsaw File x 4.5mm	Plastic Hanger	3	3253560224769	5.19
0-22-492	8"/200mm Chainsaw File x 4.8mm	Plastic Hanger	3	3253560224929	5.19
0-22-481	8"/200mm Chainsaw File x 5.5mm	Plastic Hanger	3	3253560224813	5.19

Cut	For
Smooth	Fine finishing
Second Cut	Smoothing, general
Bastard	Fast removal of stock

FILE SETS

STANLEY



STANLEY	Description				£
0-22-464	3pc Set 8": Flat, Half Round, 3 Square File	Plastic Hanger	4	3253560224646	21.56
0-22-500	6pc Needle File Set	Plastic Hanger	10	3253560225001	6.43

RASPS

STANLEY



- Bi-material handle for comfort and grip
- High carbon steel blade for strength and durability
- Hang handle for convenient storage

STANLEY	Description				£
0-22-276	12"/300 mm Half Round Rasp, Second Cut	Carded	3	3253560222765	12.21
0-22-275	12"/300 mm Half Round Rasp, Bastard Cut	Carded	3	3253560222758	11.56
0-22-467	8"/200mm Flat Rasp, Second Cut	Plastic Hanger	3	3253560224677	8.88
0-22-465	8"/200mm Flat Rasp, Bastard Cut	Plastic Hanger	3	3253560224653	8.40
0-22-471	8"/200mm Half Round Rasp, Second Cut	Plastic Hanger	3	3253560224714	9.39
0-22-469	8"/200mm Half Round Rasp, Bastard Cut	Plastic Hanger	3	3253560224691	8.88
0-22-475	8"/200mm Round Rasp, Second Cut	Plastic Hanger	3	3253560224752	6.66
0-22-473	8"/200mm Round Rasp, Bastard Cut	Plastic Hanger	3	3253560224738	6.43
0-22-477	3pc Set 8": Flat, Half Round, Round	Plastic Hanger	4	3253560224776	21.56

LAMINATE EDGE TRIMMER

STANLEY



- Twin blades and spring loaded for trimming both sides of edging strip in one sweep
- Suitable for thin laminates, veneers and edge banding
- Spring loaded for adjustable cuts from 1/2" – 1"



STANLEY	Description				£
STHT0-16139	Double Edge Laminate Trimmer	Card	2	3253560161392	10.91

SURFORM

SURFORM METAL BODY PLANER FILE



STANLEY

- Polypropylene handle and die cast alloy body for strength and durability
- Can be set in two positions to be used as either a plane or a file
- Fitted with replaceable standard cut blade

STANLEY	Description				£
5-21-122	310mm Surform Metal Body Planer File	Carded	2	3253565211221	18.86

SURFORM METAL BODY PLANE



STANLEY

- Polypropylene handle and die cast alloy body for strength and durability
- Fitted with replaceable standard cut blade

STANLEY	Description				£
5-21-296	315mm Surform Metal Body Plane	Carded	2	3253565212969	15.80

SURFORM METAL BODY FLAT FILE



STANLEY

- Strong heavy-duty metal body with rear removable robust handle in yellow polypropylene
- Knurled thumb grip for precision
- Accepts all types of 250 mm blades for versatility
- For use with push or pull action depending on direction of blade installation

STANLEY	Description				£
5-21-295	440mm Surform Metal Body Flat File	Carded	2	3253565212952	14.40

SURFORM ROUND FILE



STANLEY

- For enlarging holes and shaping tightly curved surfaces
- Tough Polypropylene handle for strength and durability
- Fitted with replaceable blade
- Thumb grip for comfort and ease of use

STANLEY	Description				£
5-21-297	400mm Surform Round File	Carded	2	3253565212976	10.45

SURFORM METAL BODY BLOCK PLANE



STANLEY

- Strong heavy-duty metal body for strength and durability
- Fitted with replaceable fine cut blade ideal for edges and confined work spaces
- Thumb screw for quick blade release – no tools required

STANLEY	Description				£
5-21-399	153mm Surform Metal Body Block Plane	Carded	2	3253565213997	10.15

SURFORM MOULDED BODY PLANE



STANLEY

- Lightweight plastic moulded body for strength and durability
- Fitted with replaceable standard cut blade ideal for general purpose use
- Thumb screw for quick blade release – no tools required

STANLEY	Description				£
5-21-103	270mm Surform Moulded Body Plane	Carded	6	3253565211030	11.01

SURFORM MOULDED BODY BLOCK PLANE



STANLEY

- Lightweight plastic moulded body for strength and durability
- Fitted with replaceable fine cut blade ideal for edges and confined work spaces
- Thumb screw for quick blade release – no tools required

STANLEY	Description				£
5-21-104	155mm Surform Moulded Body Block Plane	Carded	6	3253565211047	6.90

SURFORM MOULDED BODY FLAT FILE



STANLEY

- Lightweight plastic moulded body for strength and durability
- Slight curve on blade for increased stock removal
- Thumb screw for quick blade release – no tools required

STANLEY	Description				£
5-21-102	335mm Surform Moulded Body Flat File	Carded	6	3253565211023	6.90

SURFORM MOULDED BODY SHAVER TOOL




STANLEY

- Lightweight plastic moulded body for strength and durability
- Compact tool with curved blade for increased stock removal
- Works on pull stroke
- Simple click on blade replacement – no tools required

STANLEY	Description				£
5-21-115	185mm Surform Moulded Body Shaver Tool	Carded	6	3253565211153	3.25

SURFORM STANDARD CUT BLADE



STANLEY

- For use on wood, vinyl, plaster thermalite, fibreglass and linoleum
- Will fit: 21-122, 21-295, 21-296 and 21-103 (See pages 160-161)

STANLEY	Description				£
5-21-293	255mm Surform Standard Cut Blade	Carded	12	3253565212938	3.50

SURFORM FINE CUT BLADE



STANLEY

- For fine finishes on hard wood, end grain and some soft metals
- 5-21-398 fits 21-399, 21-102 and 21-104 (See page 161-162)
- 5-21-393 fits 21-295, 21-103, 21-122 and 21-296 (See pages 160-161)

STANLEY	Description				£
5-21-398	140mm Surform Fine Cut Blade	Carded	12	3253565213980	3.08
5-21-393	255mm Surform Fine Cut Blade	Carded	12	3253565213935	3.26

SURFORM HALF ROUND BLADE



- STANLEY**
- Will fit 21-122, 21-295 21-296 (See page 160)
 - For fast stock removal and shaping curved surfaces

STANLEY	Description				£
5-21-299	255mm Surform Half Round Blade	Carded	12	3253565212990	4.10


SURFORM METAL AND PLASTICS BLADE



- STANLEY**
- Will fit 21-122, 21-295 21-296 (See page 160)

STANLEY	Description				£
5-21-508	255mm Surform Metal and Plastics Blade	Carded	12	3253565215083	4.37

SURFORM SHAVER TOOL BLADE



- STANLEY**
- For fast stock removal
 - Works on pull stroke
 - Will fit 21-115 (See page 162)

STANLEY	Description				£
5-21-515	60mm Surform Shaver Tool Blade	Carded	12	3253565215151	1.78

SURFORM ROUND BLADE



- STANLEY**
- 250mm round blade for enlarging holes and shaping tight curved surfaces
 - Will fit 21-297 (See page 161)

STANLEY	Description				£
5-21-291	255mm Surform Round Blade	Carded	6	3253565212914	5.47

DEMOLIT HAMMER COLD CHISEL



ION, S & SELS



THE PRO'S ADVICE



THE RIGHT DEMOLITION TOOL FOR THE JOB

WRECKING BARS

Heavy duty demolition tools constructed from spring steel for extreme strength and durability. Precision ground edges provide better access with wider prying edges. They also weigh less than traditional pry bars.



WONDER BARS

Extremely useful prying, nail pulling and levering tools in a wide range of sizes.



DEMOLITION & RIPPING BARS

Forged hook and claw ended bars capable of undertaking the heaviest of demolition jobs.



PRECISION PRY BARS

Shorter bars for close work, including some with extra wide levering surfaces to spread the load, which enable you to carefully lever off existing mouldings and trim with minimal collateral damage. These are perfect tools for the kitchen fitter and interior decorator.



SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

DEMOLITION TOOLS

Demolition or 'refurbishment' is a major part of the construction industry. Ripping out of kitchens and bathrooms etc, is a daily activity, which is why STANLEY® has created a comprehensive range of specialist tools to meet every requirement.

FATMAX® SPRING STEEL WRECKING BARS



STANLEY
FATMAX

- Spring steel for extreme strength and durability
- Precision ground edges for better access
- Wider prying edges
- Flat striking faces
- Reduced weight versus traditional pry bars

STANLEY	Description				£
1-55-503	FatMax® 24" Spring Steel Wrecking Bar	Carded	2	3253561555039	20.14
1-55-513	FatMax® 30" Spring Steel Wrecking Bar	Carded	2	3253561555138	22.67
1-55-504	FatMax® 36" Spring Steel Wrecking Bar	Carded	2	3253561555046	25.19
1-55-521	FatMax® 42" Spring Steel Wrecking Bar	Carded	2	3253561555213	31.65

FATMAX® SPRING STEEL WONDER BAR® PRY BARS



STANLEY
FATMAX

- Spring steel construction for lightweight power and durability
- Wider prying edges for better load spread
- Sharpened pointed prying claws for easy access to sunken nails

STANLEY	Description				£
1-55-516	FatMax® 15" Spring Steel Wonder Bar® Pry Bar	Box	4	3253561555169	10.79

SUPER WONDER BAR® PRY BAR



STANLEY

- Patented, arched centre gives more swing during nail pulling – no need for a wood block
- Heat treated, forged high carbon steel for increased durability
- Powder coated finish
- Contoured bar makes pulling nails, prying and lifting easier
- Polished and bevelled cutting edges for easy lifting and ripping
- Polished tips and bevelled nail slots for high performance

STANLEY	Description				£
1-55-525	380mm / 15" Super Wonder Bar® Pry Bar	Loose	4	3253561555251	10.96

WONDER BAR® PRY BARS



14" Wonder Bar

21" Wonder Bar

STANLEY

- Heat treated, forged high carbon steel for increased durability
- Powder coated finish
- Contoured bar makes pulling nails, prying and lifting easier
- Polished tips and bevelled nail slots excellent for pulling nails, lifting or prying

STANLEY	Description				£
1-55-515	340mm / 14" Wonder Bar® Pry Bar	Loose	4	3253561555152	9.00
1-55-526	530mm / 21" Wonder Bar® Pry Bar	Loose	4	3253561555268	14.24

RIPPING BARS



STANLEY

- Ideal for heavy duty demolition
- Heat treated, forged high carbon steel for increased durability
- Chisel end is bevelled and polished for smooth and easy lifting

STANLEY	Description				£
1-55-155	500mm Ripping Bar	Loose	6	8001140551553	10.96
1-55-156	600mm Ripping Bar	Loose	6	8001140551560	13.13
1-55-157	700mm Ripping Bar	Loose	6	8001140551577	16.42

FATMAX® SPRING STEEL MOULDING BAR



STANLEY FATMAX

- Spring steel for durability
- Non slip grip for extra leverage
- Polished bevelled claws for better access

STANLEY	Description				£
1-55-510	10" FatMax® Spring Steel Molding Bar	Carded	2	3253561555107	16.38

FATMAX® SPRING STEEL CLAW BARS



STANLEY
FATMAX

- Spring steel for durability
- Non slip grip for extra leverage
- Polished bevelled claws for better access

STANLEY	Description				£
1-55-511	10" FatMax® Spring Steel Claw Bar	Carded	2	3253561555114	15.10
1-55-512	12" FatMax® Spring Steel Claw Bar	Carded	2	3253561555121	18.42

PRECISION MOULDING BARS



STANLEY

- Heat treated, forged high carbon steel for increased durability
- Contoured bar makes pulling nails, prying and lifting easier
- Flat surface allows users to cleanly pry molding and trim reducing material damage

STANLEY	Description				£
0-55-116	200mm / 8" Precision Moulding Bar	Loose	2	3253560551162	12.03
0-55-117	250mm / 10" Precision Moulding Bar	Loose	2	3253560551179	14.24

PRECISION CLAW BARS



STANLEY

12" Claw Bar

- Heat treated, forged high carbon steel for increased durability
- Contoured bar makes pulling nails, prying and lifting easier
- Polished bevelled claws allow precision nail pulling and prying

STANLEY	Description				£
0-55-114	10" Precision Claw Bar	Loose	2	3253560551148	13.13
0-55-115	12" Precision Claw Bar	Loose	2	3253560551155	15.34

10" Claw Bar

MASONS' COLD CHISELS

Cold chisels and brick bolsters that are fully hardened and tempered for cutting brickwork and concrete.

FATMAX® MASONS' CHISELS

STANLEY
FATMAX



STANLEY	Description				£
4-18-332	Cold (Long) 25mm X 300mm / 1" X 12"	Loose	3	3253564183321	14.78
4-18-333	Masons' 45mm X 250mm / 1 3/4" X 8 1/2"	Loose	3	3253564183338	12.03
4-18-331	Floor 75mm X 275mm / 3" X 11"	Loose	3	3253564183314	15.88
4-18-327	Brick Set 76mm X 215mm / 3" X 8 1/2"	Loose	3	3253564183277	14.24
4-18-328	Brick Set 100mm X 215mm / 4" X 8 1/2"	Loose	3	3253564183284	16.42
4-18-329	Concrete 19mm X 300mm / 3/4" X 12"	Loose	3	3253564183291	14.24
4-18-330	Electricians' 55mm X 250mm / 2 1/4" X 10"	Loose	3	3253564183307	14.24

MASONS' CHISELS

STANLEY

- Quality chrome vanadium steel
- Quenched & tempered to precise specifications for added safety



STANLEY	Description				£
4-18-294	Masons' Chisel 45mm X 215mm / 1¾" X 8½"	Carded	3	3253564182942	8.75
4-18-297	Brick Set 100mm X 215mm / 4" X 8½"	Carded	3	3253564182973	11.28

THE PRO'S ADVICE



MAKE YOUR MASONS' COLD CHISELS WORK HARDER

CUTTING BRICKS, BLOCKS & NATURAL STONE

For bricks or blocks make a light cut on every face with a brick set and club hammer, then complete the cut with firmer blows on the brick set until the cut is completed cleanly. When cutting natural stone with cold chisels avoid making heavy cuts in the middle of the stone, as the result is likely to be a complete shattering of the stone. Make light cuts carefully at the edges with the chisel angled away from the body of the stone.

REMOVING CERAMIC TILES

Masons' chisels are ideal for removing ceramic tiles from walls and floors. With the chisel edge at a slight angle between the tile and the floor or wall, a sharp blow from a club hammer should be enough to break it free.

SAFETY

- Wear safety glasses and gloves when using any demolition tool or masonry chisel.
- Use a hammer with a striking face twice the diameter of the chisel head.

**SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK**

ENGINEERS' COLD CHISELS & PUNCHES

COLD CHISELS & PUNCHES

STANLEY

3pce Cold Chisel Kit






6pce Punch Kit



12pce Punch & Chisel Kit



STANLEY	Description				£
4-18-298	Kit, 3 pce Cold Chisel 3/8, 1/2, 5/8	Carded	3	3253564182980	8.21
4-18-226	Kit, 6 pce Pin Punch 1/8, 5/32, 3/16, 1/4, 5/16, 1/16	Carded	3	3253564182263	19.71
4-18-299	Kit, 12 pce: 1/4, 5/16, 3/32, Centre Punch, 5/16, 1/4, 3/16, 5/32, 1/8, 1/16 Pin Punch, 3/8, 1/2, 5/8 Cold Chisel	Carded	3	3253564182997	27.38

FATMAX® INTERCHANGEABLE NAIL SET



STANLEY
FATMAX

- Set consists of 1/16" & 1/32" interchangeable tips
- Bi-material grip for comfort and reduced slipping
- 1/4" locking system accepts standard screwdriver bits
- Can be used as a bit driver

STANLEY	Description				£
1-58-501	FatMax® Interchangeable Nail Set	Carded	4	3253561585012	7.71

DYNAGRIP NAIL SETS – SET OF 3



STANLEY

- Tempered steel for long life
- Elastomer handle for a good hand grip
- Longer reach for less accessible places
- Long bevelled point for a better alignment
- Three colour-coded sizes for better identification
- Set consists of – 0.8, 1.6, 2.4mm

STANLEY	Description				£
0-58-911	0.8mm DynaGrip Nail Set	Carded	6	3253560589110	5.07
0-58-912	1.6mm DynaGrip Nail Set	Carded	6	3253560589127	5.07
0-58-913	2.4mm DynaGrip Nail Set	Carded	6	3253560589134	5.07
0-58-930	DynaGrip Nail Sets – Set of 3	Carded	6	3253560589301	12.71

SQUARE HEAD CENTRE PUNCH



STANLEY

- Hardened and tempered alloy steel for durability
- Milled body for accuracy
- Square head with chamfered polished points

STANLEY	Description				£
0-58-120	3.2mm x 101mm Square Head Centre Punch	Carded	6	3253560581206	3.28



I WAS SURPRISED AT JUST HOW MUCH THIS HAMMER ABSORBS THE SHOCK AND VIBRATION. A MUST FOR ANYONE WHO SUFFERS WITH THE EFFECTS OF VIBRATION WHEN USING HAMMERS



KENNY-KEN, CARPENTER

RATED BY REAL PRO'S
at stanleytools.co.uk



THE PRO'S ADVICE



THE RIGHT HAMMER FOR THE JOB

ANTI-VIBRATION HAMMERS

In all cases, especially where it is intended to use a hammer for prolonged periods, you should choose an Anti-Vibration hammer, which virtually eliminates all vibration.

HIGH VELOCITY HAMMERS


By using revolutionary design and manufacturing techniques, STANLEY has created a range of hammers that although light in weight, deliver a blow equal to, or more than their heavier counterparts, leading to less fatigue, reduced risk of RSI's and greater striking accuracy.

CLAW HAMMERS

There are two types of claw hammer, the ripping or straight claw and the joiners or curved claw. The ripping claw is ideal for pulling up floorboards or ripping out unwanted studwork, whilst the curved claw is better for pulling nails.


The striking face should be fully hardened and slightly convex to resist wear, whilst the outer circumference of the head should be 'rim tempered' (slightly less hard) in order to minimise the possibility of small fragments flying off, if struck against an even harder surface.

Look carefully for a claw that is precision ground on the outer facing edges. The claw must be hardened and preferably tempered in oil to create a tougher structure that will bite into the shank of a nail and also resist fracture. The true test of a quality claw hammer is its ability to pull a nail by gripping the shaft, not by hooking under the head of the nail.



MAGNETIC NAIL HOLDER

The magnetic nail holder on the FatMax hammer is invaluable when you want to insert a nail in a hard to reach position where it is just not possible to hold the nail in your hand.



USE THE RIGHT WEIGHT OF HAMMER

Choosing the right weight is important, because there is no benefit in lifting a 22oz hammer to drive nails no longer than 50mm. In the same way a 16oz hammer will make heavy work in driving a 75mm nail. As a reasonable compromise a 20oz claw hammer is a good general-purpose choice.

CROSS PEIN HAMMERS

The Warrington cross pein is a much lighter hammer available in weights from 6oz to 12oz and the cross pein is useful in starting the nail off. For very fine panel pins choose the pin hammer, which has a longer handle and smaller diameter striking face.

BALL PEIN

These hammers are used mainly in engineering and automotive applications. The ball pein end has several functions, but mainly used for swaging rivets.

CLUB & DRILLING HAMMERS


This should be your only choice if you intend to strike a cold chisel. The striking face of the hammer must be larger than the chisel to be struck, otherwise there is a serious risk of injury from flying metal splinters.

**SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK**

HAMMERS

FATMAX® PRO HIGH VELOCITY HAMMERS

STANLEY
FATMAX



Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description				£
XTHT1-51124	FatMax® Pro High Velocity Framing Hammer 15oz/425g – Rip Claw	Labelled – in Cut Case	4	3253561511240	54.62
XTHT1-51123	FatMax® Pro High Velocity Framing Hammer 14oz/397g – Rip Claw	Labelled – in Cut Case	4	3253561511233	52.43
XTHT1-51148	FatMax® Pro High Velocity Framing Hammer 14oz/397g – Curve Claw	Labelled – in Cut Case	4	3253561511486	52.43

FATMAX® VIBRATION DAMPENING HAMMER - 2 PIECE



STANLEY
FATMAX

- Two piece steel hammers – with patent pending vibration absorption that isolates vibration to the hammer head for best in class vibration dampening
- Anti vibration handle – absorbs 2x more shock than AVX system
- High velocity heads – 14oz that nails like a 16oz, 17oz that nails like a 22oz
- Steel overstrike protection – To protect the hammer shaft
- Oversize strike face – For more accurate nailing/less missed hits

Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description				£
FMHT1-51244	17oz Vibration Dampening Hammer	Wrap	2	3253561512445	36.97
FMHT1-51260	14oz Vibration Dampening Hammer (curve claw)	Wrap	2	3253561512605	32.71
FMHT1-51249	14oz Vibration Dampening Hammer (rip claw)	Wrap	2	3253561512490	32.71

FATMAX® ANTIVIBE™ STEEL HAMMER - 1 PIECE



STANLEY
FATMAX

- 1 piece forged steel hammer – with proprietary tuning fork technology
- 25% larger strike face – reduced for balance and feel
- New soft grip design for better grip, comfort and vibration absorption
- Precision balanced heads for more comfortable grip and confidence

STANLEY	Description				£
FMHT1-51275	Antivibe™ Steel Hammer - 1 piece (16oz curve claw)	Wrap	2	3253561512759	29.87
FMHT1-51276	Antivibe™ Steel Hammer - 1 piece (16oz rip claw)	Wrap	2	3253561512766	29.87
FMHT1-51277	Antivibe™ Steel Hammer - 1 piece (20oz curve claw)	Wrap	2	3253561512773	33.71
FMHT1-51278	Antivibe™ Steel Hammer - 1 piece (20oz rip claw)	Wrap	2	3253561512780	33.71

GRAPHITE CURVED CLAW HAMMERS



STANLEY

- 70% larger strike face for improved striking accuracy
- High impact polycarbonate overstrike protection prevents handle damage
- High visibility yellow easier to find on site or in a toolbox
- Solid graphite core with polycarbonate sleeve absorbs shock and vibration

STANLEY	Description				£
1-51-505	454g / 16oz Graphite Hammer	Loose	4	3253561515057	19.00
1-51-507	567g / 20oz Graphite Hammer	Loose	4	3253561515071	21.10

STEELMASTER CURVED CLAW HAMMERS



STANLEY

- Fully heat treated carbon steel head for strength, durability and safety
- Soft grip ergonomic handle for comfort and grip
- 5 tonne force fit head to handle assembly for improved safety
- Seamless, oval, tubular steel shaft for strength and balance

STANLEY	Description				£
1-51-031	454g / 16oz Steelmaster Claw Hammer	Loose	4	5000366510316	14.79
1-51-033	567g / 20oz Steelmaster Claw Hammer	Loose	4	5000366510330	16.36

BLUE STRIKE CLAW HAMMERS

STANLEY



- Fully forged and heat treated head for strength and performance
- Flock filled vinyl grip impervious to oil and most solvents
- Tubular oval shaft combines strength with a lightweight feel

STANLEY	Description				£
1-51-488	454g / 16oz Bluestrike Claw Hammer	Loose	6	3253561514883	11.08
1-51-489	567g / 20oz Bluestrike Claw Hammer	Loose	6	3253561514890	12.13

FIBREGLASS CURVED CLAW HAMMERS

STANLEY



- Heat treated and rim tempered for durability and safety
- Forged high carbon steel head for durability
- Fibreglass handle absorbs shock and vibration
- Textured rubber grip for comfort

STANLEY	Description				£
1-51-529	454g / 16oz Fibreglass Hammer	Loose	4	3253561515293	9.39
1-51-628	567g / 20oz Fibreglass Hammer	Loose	4	3253561516283	10.39

FATMAX® ANTIVIBE™ BRICK HAMMER

STANLEY FATMAX



- Cutting hammer for cutting brick, masonry tile, and concrete block
- Blade has a hardened cutting edge designed to score materials before striking for an even cut
- Patented Antivibe™ technology reduces vibration transmitted to wrist and elbow
- One-piece forged construction for strength and durability – handles don't break like traditional wood

STANLEY	Description				£
1-54-022	567g / 20oz Antivibe™ Brick Hammer	Loose	4	3253561540226	26.38

STEELMASTER BRICK HAMMER



STANLEY

- Fully heat treated carbon steel head for strength, durability and safety
- Soft grip ergonomic handle for comfort and grip
- 5 tonne force fit head to handle assembly for improved safety
- Sharp chisel edge for cutting bricks and slate

STANLEY	Description				£
1-51-039	500g / 18oz Steelmaster Brick Hammer	Loose	6	3253561510397	22.71

FATMAX® DEMOLITION HAMMER



STANLEY FATMAX

- Propriety shock absorption core – best in class shock absorption
- New soft grip design for better grip, comfort and vibration absorption
- Shock absorbing collar – isolates vibration to the head and reduces shock
- World's 1st particle dampened handles – vibration dampening particulate handle dampens vibration better than solid core handles



STANLEY	Description				£
FMHT1-56008	FatMax® Demolition Hammer (4lb)	Wrap	2	3253561560088	26.38

FATMAX® DEMOLITION HAMMERS – BULLET NOSE



STANLEY FATMAX

- Propriety shock absorption core – best in class shock absorption
- Propriety bullet head for more concentrated striking power
- New soft grip design for better grip, comfort and vibration absorption
- Shock absorbing collar – isolates vibration to the head and reduces shock
- World's 1st particle dampened handles – vibration dampening particulate handle dampens vibration better than solid core handles



STANLEY	Description				£
FMHT1-56009	FatMax® Demolition Hammer (4lb) – Bullet Nose	Wrap	2	3253561560095	26.38
FMHT1-56006	FatMax® Demolition Hammer (3lb) – Bullet Nose	Wrap	2	3253561560064	24.26

GRAPHITE HANDLE CLUB HAMMERS



STANLEY

- Full length graphite core shaft for maximum strength and balance
- Fully hardened tempered steel head for long life
- Graphite core in a polycarbonate sleeve provides excellent overstrike protection
- Shock absorbing collar – isolates vibration to the head and reduces shock
- World's 1st particle dampened handles – vibration dampening particulate handle dampens vibration better than solid core handles

STANLEY	Description				£
1-54-921	800g / 28oz Graphite Handle Club Hammer	Loose	6	3253561549212	18.18
1-54-922	1000g / 35oz Graphite Handle Club Hammer	Loose	4	3253561549229	19.31
1-54-923	1250g / 44oz Graphite Handle Club Hammer	Loose	4	3253561549236	20.44
1-54-924	1500g / 52oz Graphite Handle Club Hammer	Loose	4	3253561549243	21.57

FATMAX® SLEDGE HAMMERS



STANLEY

- Proprietary shock absorption core- best in class shock absorption
- Proprietary bullet head- more concentrated striking power
- New soft grip design for better grip, comfort and vibration absorption
- Shock absorbing collar – isolates vibration to the head and reduces shock
- World's 1st particle dampened handles – vibration dampening particulate handle dampens vibration better than solid core handles

STANLEY	Description				£
FMHT1-56010	6lb FatMax® Fibreglass LH Sledge Hammer	Wrap	2	3253561560118	39.00
FMHT1-56011	8lb FatMax® Fibreglass LH Sledge Hammer	Wrap	2	3253561560101	43.17

FATMAX® ANTIVIBE™ DRYWALL HAMMER



STANLEY FATMAX

- Specially designed for the installation of drywall/plasterboard
- Special blade-edge ideal for removing old material and marking cut-outs required for electrical outlets & switches
- Patented Antivibe™ technology reduces vibration transmitted to wrist and elbow
- One-piece forged construction for strength and durability
- Offset striking face to facilitate overhead working
- Checker-face for non-slip nail striking

STANLEY	Description				£
1-54-015	400g / 14oz Antivibe™ Drywall Hammer	Loose	4	3253561540158	26.38

STEELMASTER AXE



STANLEY

- Fully hardened and tempered carbon steel head for long life
- Ergonomic, non-slip, solvent resistant grip
- Heat treated seamless tubular steel shaft for improved safety
- Protective head cover with belt clip
- Head/handle assembly can withstand pulling forces in excess of 3 metric tonnes

STANLEY	Description				£
1-51-030	600g / 21oz Steelmaster Axe	Loose	6	3253561510304	22.71

GRAPHITE BALL PEIN HAMMERS



STANLEY

- Rim tempered poll and ball pein prevents chipping
- Graphite core shaft for maximum strength
- Patented head to handle assembly for improved safety

STANLEY	Description				£
1-54-708	227g / 8oz Ball Pein Hammer	Loose	4	3253561547089	20.44
1-54-712	340g / 12oz Ball Pein Hammer	Loose	4	3253561547126	21.57
1-54-716	454g / 16oz Ball Pein Hammer	Loose	4	3253561547164	23.85
1-54-724	680g / 24oz Ball Pein Hammer	Loose	4	3253561547249	27.28
1-54-732	908g / 32oz Ball Pein Hammer	Loose	4	3253561547324	29.54

THE PRO'S ADVICE



MAKE YOUR HAMMERS WORK HARDER

GRIP AND STANCE

Hold the handle near to the end of the grip so that your little finger rests up against the 'hook' shape at the extremity of the handle; this will enable you to maintain a secure grip without having to use all the strength in your hand to hold on. For best performance a right-handed user should place the left foot forward and the right foot set back a little and at right angles to the left. Move the position of your feet to adjust the height of your shoulders; ideally you need to be striking the head of the nail horizontally. If your right hand is too low you will tend to bend the nail away from you and if too high it will bend towards you.

HOLD THE NAIL UNTIL FIRMLY SET

Position the nail and while still holding it in place tap it a few times to set it firmly into the wood, at least 12mm for a 75mm nail, then raise the hammer a little higher and strike more firmly until the nail is flush.

WITHDRAWING A NAIL


This can be done with a claw hammer in two ways; either by hooking the nail head into the claw of the hammer or by making the claws bite into the shank of the nail. If you are pulling a long nail it is best to engage the nail as near to the point where it enters the wood, place a piece of waste material under the front curve of the head to avoid damaging the wood, then lever toward you gently, avoid jerking on the handle. As the nail emerges either reposition the claw lower down the shaft or insert a thicker piece of scrap to ensure that you continue to pull the nail vertically.

FINISHED TRIM OR BENCH WORK

Take care not to damage the surface by over hitting the nail. Use a STANLEY Nail Set to drive pointed head panel pins flush or even below the surface. The countersunk pin can then be filled for a perfect, invisible fixing.

SMALL PANEL PINS

Small panel pins are hard to hold in place when starting. To make it easier press the pin through a piece of cardboard, hold it in position with your fingers a safe distance away and then tap the pin in place removing the card at the last minute. There are many other devices both commercial and improvised that will serve the same purpose.



SAFETY

- Never strike anything with the cheeks of the hammer head, because they are not hardened
- For hardened masonry nails use a club hammer and never a normal nail hammer
- Only use a club hammer for striking cold chisels and always wear safety goggles and gloves
- When striking cold chisels or punches the hammer head should be at least 10mm larger than the area to be struck
- With a new hammer it's a good idea to remove the protective lacquer on the striking face with medium grit glass paper in order to reduce the risk of the hammer slipping off the nail head

SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

CLAMPS



AND PLIERS



THE PRO'S ADVICE



THE RIGHT CLAMP FOR THE JOB

FATMAX TRIGGER CLAMP

This offers the easiest and fastest adjustment and is ideal for clamping material to the bench, for holding components together during gluing, plus by reversing the jaws it can be used for spreading surfaces apart in a safe and controlled way.



BAND CLAMP

A 4.5m nylon band that can be used to clamp any shape. Two clamps used in combination with rigid bars makes a very powerful, large capacity carcass clamp. No tools are required to tension the clamp.



"G" CLAMPS

Forged from heavy duty malleable iron for extra strength. They are for use in similar situations to 'F' clamps, but where higher clamping loads are needed. The 100mm and 150mm are the most useful sizes.



CORNER CLAMPS

Suitable for one corner to be clamped at a time. They offer the advantage of being able to be clamped to the workbench so that both hands are free to make final adjustments.




SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

CLAMPS & VICES

FATMAX® AUTO TRIGGER CLAMP

STANLEY
FATMAX



Easy adjustment release



Quick and easy clamping operation



Increased clamping pressure

STANLEY	Description	Weight (gms)	Throat Depth	Clamping Capacity	Spreading Capacity	Bar Length	Clamping Force				£
9-83-123	150mm/6" FatMax® Auto Trigger Clamp	875	110mm	150mm	410mm	398mm	140kg	Carded	6	3253569831234	24.09
9-83-124	300mm/12" FatMax® Auto Trigger Clamp	1030	110mm	300mm	560mm	550mm	140kg	Carded	6	3253569831241	26.29

FAST-TRAVEL TRIGGER CLAMP



STANLEY

- Quickly converts from a clamp to a spreader without the use of tools (except 0-83-002 & 0-83-003)
- Reinforced nylon and steel construction provides strength and durability
- Removable jaw pads protects surfaces from marring and damage
- Dual pivot trigger offers fast closing and high clamping force

- Removable bar design integrates longer or shorter bars as needed
- Light and ergonomic design
- Clamping forces of up to 140kg

STANLEY	Description	Weight (gms)	Throat Depth	Clamping Capacity	Spreading Capacity	Bar Length	Clamping Force				£
0-83-002	150mm/6" Medium Trigger Clamp	335	76mm	150mm	300mm	332mm	90kg	Carded	4	3253560830021	10.96
0-83-003	300mm/12" Medium Trigger Clamp	400	76mm	300mm	460mm	485mm	90kg	Carded	4	3253560830038	13.13
0-83-004	150mm/6" Large Trigger Clamp	875	110mm	150mm	390mm	398mm	140kg	Carded	4	3253560830045	19.71
0-83-005	300mm/12" Large Trigger Clamp	1030	110mm	300mm	540mm	550mm	140kg	Carded	4	3253560830052	21.90
0-83-006	450mm/18" Large Trigger Clamp	1160	110mm	455mm	695mm	702mm	140kg	Carded	4	3253560830069	24.09
0-83-007	600mm/24" Large Trigger Clamp	1300	110mm	610mm	850mm	855mm	140kg	Carded	4	3253560830076	26.29
0-83-008	900mm/36" Large Trigger Clamp	1605	110mm	910mm	1150mm	1160mm	140kg	Carded	2	3253560830083	32.87

"G" CLAMPS



STANLEY

- High-visibility, corrosion-resistant finish
- Advanced frame design resists flexing and bending
- Heavy-duty malleable iron and steel construction
- Roll-formed screw threads ensure smooth operation and durability
- Oversized "T" handle for extra torque



STANLEY	Description	Weight (gms)	Throat Depth	Clamping Capacity	Clamping Force				£
0-83-033	75mm/3" "G" Clamp	670	57mm	75mm	680 kg*	Carded	12	3253560830335	6.57
0-83-034	100mm/4" "G" Clamp	980	75mm	100mm	680 kg*	Carded	12	3253560830342	8.75
0-83-035	150mm/6" "G" Clamp	1820	89mm	150mm	680 kg*	Carded	8	3253560830359	13.13
0-83-036	200mm/8" "G" Clamp	2534	100mm	200mm	1000 kg*	Carded	6	3253560830366	15.34

*Defined as 80% of load required to bend handle

BAILEY® BAND CLAMP



STANLEY

- 4.5m band length accommodates large or irregularly shaped objects
- Bi-material, tri-lobular handle is comfortable and improves torque
- Metal and reinforced nylon construction for strength and durability

STANLEY	Description	Weight (gms)	Clamping Capacity				£
0-83-100	Bailey 4.5m/15' Band Clamp	465	4.5m	Carded	4	3253560831004	10.96

BAILEY® LIGHT DUTY CORNER CLAMP

STANLEY

- Independently adjustable jaws can hold material of equal or varying thickness at right angles
- 75mm clamping capacity
- Mounting holes allow clamp to be securely attached to work surface
- Cast-aluminium construction for long lasting durability



STANLEY	Description	Weight (gms)	Throat Depth	Clamping Capacity				£
0-83-121	Bailey Corner Clamp – Light Duty	275	15mm	75mm	Carded	4	3253560831219	7.66

MINI SPRING CLAMPS

STANLEY

- Cold formed spring for long life
- Ergonomically designed handle pads fit securely and won't slip off
- Stamped metal construction provides strength
- Injection-moulded jaw pads won't mark or damage work surface



STANLEY	Description	Weight (gms)	Clamping Capacity				£
9-83-079	Mini Spring Clamp	77	25mm	Carded	50	3253569830794	2.74
9-83-080	Mini Spring Clamp	198	50mm	Carded	30	3253569830800	3.25

BAILEY® HEAVY DUTY CORNER CLAMP

STANLEY

- Articulating design allows for work pieces of equal or varying thickness to be joined at right angles
- 57mm clamping capacity
- Patent-pending reversible head design allows use as a parallel clamp
- Comfort and maximum torque achieved with bi-material, tri-lobular handle
- Mounting holes allow clamp to be securely attached to work surface
- Heavy-duty cast-zinc construction for durability



STANLEY	Description	Weight (gms)	Throat Depth	Clamping Capacity				£
0-83-122	Bailey Corner Clamp – Heavy Duty	1010	30mm	57mm	Carded	2	3253560831226	10.96

LIGHT DUTY BENCH VICE



STANLEY

- Cast-iron construction for strength & durability
- Roll-formed screw threads ensure smooth operation and durability
- Base bolts directly to work bench for stability
- Base swivels and locks for versatility
- Chrome-plated to resist corrosion

STANLEY	Description	Weight (gms)	Throat Depth	Clamping Capacity	Clamping Force				£
1-83-065	115mm/4½" Light Duty Bench Vice	6000	85mm	100mm	110kg*	Box	1	3253561830655	27.38

*Defined as 80% of load required to bend handle

HEAVY DUTY BENCH VICE



STANLEY

- Cast iron construction for strength and durability
- Base bolts directly to work bench for stability
- Base swivels and locks for versatility
- Roll-formed screw threads ensure smooth operation and durability
- Chrome-plated to resist corrosion

STANLEY	Description	Weight (gms)	Throat Depth	Clamping Capacity	Clamping Force				£
1-83-066	100mm/4" Heavy Duty Bench Vice	13000	85mm	100mm	1400 kg*	Box	1	3253561830662	54.77
1-83-067	125mm/5" Heavy Duty Bench Vice	18000	95mm	125mm	1800 kg*	Box	1	3253561830679	65.73
1-83-068	150mm/6" Heavy Duty Bench Vice	27000	105mm	150mm	2200 kg*	Box	1	3253561830686	76.71

*Defined as 80% of load required to bend handle

QUICK VICE



STANLEY

- Soft jaws to prevent damage to the work piece
- Reversible G clamps for left and right hand use
- Lever close – Simple, effective and fast. One hand operation
- Bench clampable – Portable, can be used anywhere. Brings the workbench to the kitchen table

Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description	Weight (gms)	Throat Depth	Clamping Capacity	Clamping Force				£
0-83-179	Quick Vice*	1200	80mm	110mm	160 kg	Carded	2	3253560831790	31.82

MULTI-ANGLE HOBBY VICE



STANLEY

- The patented ball joint allows you to rotate your project a full 360° and lock it at any angle
- Multiple positions for convenience and easier access
- Made of durable cast aluminium: lightweight but very strong
- 3" jaw opening holds a wide range of items
- Removable rubber jaw covers wide range of applications for protecting delicate finishes
- The large C-clamp mount attaches to work surfaces up to 2 3/8" thick – also suitable for heavy duty applications

STANLEY	Description				£
1-83-069	Multi-angle Hobby Vice	Merchandiser	2	3253561830693	21.26

THE PRO'S ADVICE



MAKE YOUR CLAMPS WORK HARDER

DO A DRY RUN

Before 'gluing up' even the simplest of structures it is always good practise to have a 'dry run' to be sure that all the joints fit well and that the clamps are adjusted to require only minimal tightening and adjustment when you have everything glued.

TAKE CARE IN POSITIONING CLAMPS

Ensure that the clamping force is through the line of the joint and that the clamp is square to the material.

SPREAD THE CLAMPING LOAD EVENLY

When clamping up wide carcasses put a rigid piece of wood between the clamping pads. It's even better if the wood is slightly convex, because this will spread the effect of the clamp more evenly across the joint and ensure a better finish. The best way to do this is to hold the two pieces of wood in position with a small 'G' or 'F' clamp leaving both hands free to accurately position the large bar clamps.


TIGHTEN THE CLAMPS PROGRESSIVELY

Depending on the complexity of the job you could be working with four, or even eight bar clamps at the same time, so your aim is to bring all the joints together at the same moment, without any undue stress to the job.

CHECK THE CLAMPED JOB IS SQUARE

Once you have closed up all the joints, the best way to check that the job is square is to measure the diagonals with a steel rule.

Alternatively, use two thin pieces of wood sharpened to an edge and stretched across the diagonals of the frame. Mark a line across the two pieces of wood and then compare the diagonal dimension across the other corners. You should be able to make any minor adjustments required by slightly changing the position of the clamps.



HOW TO JOIN WIDE BOARDS

For gluing together wide boards edge to edge (rubbed joint) adjust the opening to include the protective scrap of wood and lay the clamps on the bench or floor. Place the glued boards on top of the steel bars of the clamps with scraps of paper protecting the steel bars from the glue. You should only need light pressure. If the size of the job requires more than two clamps alternate with one on the upper side. As you apply the pressure check that the boards remain flat on the bars of the clamps; if they don't it probably means that the edges are not square.

USING CLAMPS TO OPEN JOINTS

A very important feature of many clamps in the range is the ability to turn the clamping heads around and use the clamp to push surfaces apart. Often when testing joints on a dry run they may stick too well. To separate them with a hammer could cause damage, but with our clamps you can reverse them, which enables you to open the joints in a controlled way.

SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

THE PRO'S ADVICE




THE RIGHT PLIERS FOR THE JOB

COMPOUND ACTION PLIERS

Compound action pliers use technology similar to that found in bolt croppers and aviation snips. A double pivot gives a massive mechanical advantage meaning user input is multiplied – giving more cutting and gripping force for the same input. These are ideal for cutting thicker wires and cables and can also benefit users with an impaired gripping action.

WIRE CUTTING

Pliers do not cut by shearing, as scissors do, they cut wire by partially cutting and finally 'separating' the wire. The cutting edges should be precision ground, but the actual edge should be filed flat to separate rather than cut.



COMBINATION PLIERS

For gripping and cutting these are indispensable and should be found in every tool box. The 180mm long model is probably the most versatile.

DIAGONAL AND END CUTTERS

For wire cutting only. The FatMax models are made to demanding DIN/ASO/ANSI and are capable of cutting hard steel wire. The end cutter can exert a higher leverage than the diagonal and is easier if you have a lot of repetition cutting of hard wire.

STRAIGHT AND CRANKED LONG NOSE PLIERS

The long gripping nose is rounded and very useful for twisting electrical wire to make good contacts. Long nose pliers also have a cutting edge suitable for copper and fine gauge soft steel. The 160mm model is compact and easy to use.

VDE RANGE

Offers additional safety in electrical applications with 1000v rated handles, safe live line working, with handles tested up to 10,000v.

WATER PUMP PLIERS

Featuring adjustable jaw capacities, they are ideal for plumbing when it comes to working on large size flange nuts. The specially fluted jaw profile also helps grip piping securely.

SLIP JOINT PLIERS

A general purpose gripping tool with smaller adjustable jaw capacities than Water Pump Pliers, but with the added feature of a wire shear built into the jaw. A very useful and adaptable tool for any toolbox.

'MOLE' LOCKING PLIERS

Available with straight and curved jaws suitable for locking onto flat surfaces such as nuts and bolts or metal bars.

SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

COMPOUND PLIERS

FATMAX® COMPOUND ACTION PLIERS – COMBINATION

STANLEY
FATMAX



STANLEY	Description				£
FMHT0-70813	FatMax® Compound Action Pliers- Combination	Carded	6	3253560708139	17.35

FATMAX® COMPOUND ACTION PLIERS – DIAGONAL



STANLEY
FATMAX

- Ideal for cutting copper wire, aluminium and piano wire
- 70% more cutting power

STANLEY	Description				£
FMHT0-70814	FatMax® Compound Action Pliers- Diagonal	Carded	6	3253560708146	20.52

FATMAX® COMPOUND ACTION PLIERS – LONG NOSE



STANLEY
FATMAX

- Ideal for maximising grip and manoeuvring small objects in confined spaces
- 70% more gripping power

STANLEY	Description				£
FMHT0-70812	FatMax® Compound Action Pliers- Long Nose	Carded	6	3253560708122	16.93

FATMAX® COMPOUND ACTION PLIERS – END CUTTERS



STANLEY
FATMAX

- Ideal for very close cropping of wire, nails and fasteners
- 70% more cutting power

STANLEY	Description				£
FMHT0-71851	FatMax® Compound Action Pliers- End Cutters	Carded	6	3253560718510	20.55

FATMAX® COMPOUND ACTION PLIERS – 3 PACK



STANLEY
FATMAX

- Pack contains: Long Nose, Combination and Diagonal pliers

STANLEY	Description				£
FMHT0-72415	FatMax® Compound Action Pliers- 3 pack	Carded	6	3253560724153	49.32

PLIERS

FATMAX® SLIP JOINT PLIERS

STANLEY
FATMAX



STANLEY	Description				£
0-84-645	FatMax® 6" / 150mm Slip Joint Pliers	Carded	4	3253560846459	14.01
0-84-646	FatMax® 8" / 200mm Slip Joint Pliers	Carded	4	3253560846466	15.22

FATMAX® MULTIGRIP/GROOVE JOINT PLIERS

STANLEY
FATMAX




- PushLock™ adjustment button
- Ergonomic bi-material handles provide a comfortable and controlled grip
- Drop forged construction for added strength
- Induction hardened jaws for increased durability
- 17 button locked positions for precision
- Optimised jaw geometry for multiple gripping applications

STANLEY	Description				£
0-84-647	FatMax® 8" / 200mm Groove Joint Pliers	Carded	4	3253560846473	16.38
0-84-648	FatMax® 10" / 250mm Groove Joint Pliers	Carded	4	3253560846480	18.83
0-84-649	FatMax® 12" / 300mm Groove Joint Pliers	Carded	4	3253560846497	21.65

FATMAX® VDE PLIERS

STANLEY
FATMAX



- Safe live line working to 1,000v
- Individually tested to 10,000v
- Compliant to EN60900, IEC/CEI900, VDE0680
- DIN / ASO / ANSI compliant

FATMAX® VDE COMBINATION PLIERS



STANLEY
FATMAX

- Ideal for gripping & cutting

STANLEY	Description				£
0-84-000	165mm FatMax® VDE Combination Pliers	Carded	4	3253560840006	14.93
0-84-001	185mm FatMax® VDE Combination Pliers	Carded	4	3253560840013	16.78
0-84-002	200mm FatMax® VDE Combination Pliers	Carded	4	3253560840020	18.66

FATMAX® VDE DIAGONAL CUTTING PLIERS



STANLEY
FATMAX

- Ideal for cutting copper wire, aluminium and piano wire

STANLEY	Description				£
0-84-003	175mm FatMax® VDE Diagonal Cutting Pliers	Carded	4	3253560840037	19.21
0-84-004	195mm FatMax® VDE Diagonal Cutting Pliers	Carded	4	3253560840044	20.53

FATMAX® VDE LONG NOSE PLIERS



STANLEY
FATMAX

- Ideal for maximising grip & manoeuvring small objects in confined spaces

STANLEY	Description				£
0-84-006	160mm FatMax® VDE Long Nose Pliers	Carded	4	3253560840068	16.78
0-84-007	210mm FatMax® VDE Long Nose Pliers	Carded	4	3253560840075	18.67

FATMAX® VDE BENT LONG NOSE PLIERS



STANLEY
FATMAX

- Long half round section gripping jaws for forming loops with wire or thin strips of metal

STANLEY	Description				£
0-84-008	200mm FatMax® VDE Bent Long Nose Pliers	Carded	4	3253560840082	20.53

FATMAX® VDE NARROW DIAGONAL PLIERS



STANLEY
FATMAX

- Ideal for cutting copper wire, aluminium and piano wire

STANLEY	Description				£
0-84-009	160mm FatMax® VDE Narrow Diagonal Pliers	Carded	4	3253560840099	18.67

FATMAX® VDE WIRE STRIPPERS



STANLEY
FATMAX

- Ideal for stripping different size wire

STANLEY	Description				£
0-84-010	170mm FatMax® VDE Wire Stripper	Carded	4	3253560840105	22.38

FATMAX® VDE END CUTTERS



STANLEY
FATMAX

- Ideal for very close cropping of wire

STANLEY	Description				£
0-84-016	165mm FatMax® VDE End Cutters 1000V	Carded	4	3253560840167	20.53

FATMAX® VDE WATERPUMP PLIERS



STANLEY
FATMAX

- Ideal for plumbing fitting with serrated jaws to grip around object

STANLEY	Description				£
0-84-294	225mm FatMax® VDE Waterpump Pliers	Carded	4	3253560842949	25.26

FATMAX® VDE 4-PIECE SET



STANLEY
FATMAX

- Set contains: 165mm Combination Pliers, 175mm Diagonal Cutting Pliers, 160mm Half Round Nose Pliers, 170mm Wire Stripping Pliers

STANLEY	Description				£
4-84-489	4-Piece FatMax® VDE Set	Box	6	3253564844895	72.33

FATMAX® AUTOMATIC WIRE STRIPPER



STANLEY
FATMAX

- Strips 10-22 AWG wire
- Adjustable wire stop
- Spring loaded handles
- Comfortable grip

Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description				£
FMHT0-96230	FatMax® Automatic Wire Stripper	Carded	6	3253560962302	22.26

FATMAX® PLIERS

STANLEY
FATMAX

Hand ground, induction hardened blade for long life and accuracy

Heat treated high chrome steel forging for long life and durability

Interlocking joint assembly for smooth cutting

Bi-material handle with secure grip grooving and resistant to most common chemicals






- DIN / ASO / ANSI compliant

FATMAX® DIAGONAL CUTTING PLIERS

STANLEY
FATMAX

- Ideal for cutting piano wire, copper wire and aluminium






STANLEY	Description				£
0-89-858	150mm FatMax® Diagonal Cutting Pliers	Carded	4	3253560898588	15.66
0-89-859	190mm FatMax® Diagonal Cutting Pliers	Carded	4	3253560898595	16.87

FATMAX® ANGLED DIAGONAL CUTTING PLIERS

STANLEY
FATMAX

- High leverage ideal for heavy duty cutting of piano wire, copper wire and aluminium
- Angled for flush cuts



STANLEY	Description				£
0-89-860	175mm FatMax® Angled Diagonal Cutting Pliers	Carded	4	3253560898601	16.14
0-89-861	200mm FatMax® Angled Diagonal Cutting Pliers	Carded	4	3253560898618	17.10
0-89-862	255mm FatMax® Angled Diagonal Cutting Pliers	Carded	4	3253560898625	19.64

FATMAX® COMBINATION PLIERS



STANLEY
FATMAX

- Ideal for gripping & cutting

STANLEY	Description				£
0-89-866	165mm FatMax® Combination Pliers	Carded	4	3253560898663	12.40
0-89-867	185mm FatMax® Combination Pliers	Carded	4	3253560898670	14.46
0-89-868	210mm FatMax® Combination Pliers	Carded	4	3253560898687	15.66

FATMAX® LONG NOSE PLIERS



STANLEY
FATMAX

- Ideal for maximising grip & manoeuvring small objects in confined spaces

STANLEY	Description				£
0-89-869	150mm FatMax® Long Nose Pliers	Carded	4	3253560898694	14.11
0-89-870	200mm FatMax® Long Nose Pliers	Carded	4	3253560898700	15.66

FATMAX® BENT LONG NOSE PLIERS



STANLEY
FATMAX

- Long half round section gripping jaws for forming loops with wire or thin strips of metal

STANLEY	Description				£
0-89-871	160mm FatMax® Bent Long Nose Pliers	Carded	4	3253560898717	15.29
0-89-872	200mm FatMax® Bent Long Nose Pliers	Carded	4	3253560898724	17.10

FATMAX® FLAT NOSE PLIERS



STANLEY
FATMAX

- Ideal for gripping and manipulating small objects in confined spaces

STANLEY	Description				£
0-84-495	150mm FatMax® Flat Nose Pliers	Carded	4	3253560844950	15.31

FATMAX® ROUND NOSE PLIERS



STANLEY
FATMAX

- Ideal for wire forming and bending

STANLEY	Description				£
0-84-496	160mm FatMax® Round Nose Pliers	Carded	4	3253560844967	16.85

FATMAX® CABLE CUTTER



STANLEY
FATMAX

- Ideal for cutting cables

STANLEY	Description				£
0-89-874	215mm FatMax® Cable Cutter	Carded	4	3253560898748	17.10

FATMAX® END CUTTERS



STANLEY
FATMAX

- Ideal for very close cropping of wire

STANLEY	Description				£
0-89-875	150mm FatMax® End Cutters	Carded	4	3253560898755	17.12

FATMAX® 3-PIECE SET




STANLEY
FATMAX

- Set contains: 155mm Long Nose Pliers, 165mm Diagonal Cutting Pliers, 165mm Combination Pliers

STANLEY	Description				£
4-84-488	3 Piece FatMax® Set	Box	6	3253564844888	42.17

DYNAGRIP® PLIERS

STANLEY



DYNAGRIP® LONG-NOSED HALF ROUND PLIERS

STANLEY • Ideal for cutting & bending wire



STANLEY	Description				£
0-84-053	150mm DynaGrip® Long-Nosed Half Round Pliers	Carded	12	3253560840532	Disc
0-84-625	200mm DynaGrip® Long-Nosed Half Round Pliers	Carded	12	3253560846251	Disc

DYNAGRIP® LONG-NOSED FLAT PLIERS

STANLEY • Ideal for maximising grip & manoeuvring small objects in confined spaces



STANLEY	Description				£
0-84-073	150mm DynaGrip® Long-Nosed Flat Pliers	Carded	12	3253560840730	Disc

DYNAGRIP® LONG-NOSED ROUND PLIERS

STANLEY • Ideal for wire bending and forming



STANLEY	Description				£
0-84-074	150mm DynaGrip® Long-Nosed Round Pliers	Carded	12	3253560840747	Disc

DYNAGRIP® DIAGONAL CUTTING PLIERS

STANLEY • Ideal for cutting piano wire, copper wire and aluminium



STANLEY	Description				£
0-84-054	150mm DynaGrip® Diagonal Cutting Pliers	Carded	12	3253560840549	Disc
0-84-622	180mm DynaGrip® Diagonal Cutting Pliers	Carded	12	3253560846220	Disc

DYNAGRIP® COMBINATION PLIERS

STANLEY • Ideal for gripping & cutting



STANLEY	Description				£
0-84-623	150mm DynaGrip® Combination Pliers	Carded	12	3253560846237	Disc
0-84-055	180mm DynaGrip® Combination Pliers	Carded	12	3253560840556	Disc
0-84-056	200mm DynaGrip® Combination Pliers	Carded	12	3253560840563	Disc

DYNAGRIP® BENT-NOSED PLIERS



- STANLEY**
- Long half round section gripping jaws for forming loops with wire or thin strips of metal

STANLEY	Description				£
0-84-071	150mm DynaGrip® Bent-Nosed Pliers	Carded	12	3253560840716	Disc
0-84-072	200mm DynaGrip® Bent-Nosed Pliers	Carded	12	3253560840723	Disc

DYNAGRIP® WIRE STRIPPER



- STANLEY**
- Ideal for stripping different size wire

STANLEY	Description				£
0-84-075	150mm DynaGrip® Wire Stripper	Carded	12	3253560840754	Disc

DYNAGRIP® WATER PUMP PLIERS



- STANLEY**
- Ideal for plumbing fitting with serrated jaws to grip around object

STANLEY	Description				£
0-84-076	240mm DynaGrip® Water Pump Pliers	Carded	6	3253560840761	Disc

DYNAGRIP® END CUTTING PLIERS



STANLEY • Ideal for very close cropping of wire

STANLEY	Description				£
0-84-077	150mm DynaGrip® End Cutting Pliers	Carded	12	3253560840778	Disc

DYNAGRIP® 3-PIECE SET

STANLEY • Set contains: 150mm Combination Pliers, 150mm Diagonal Cutting Pliers, 150mm Half Round Nose Pliers



STANLEY	Description				£
4-84-485	3pce DynaGrip® Pliers Set	Box	6	3253564844857	Disc

DYNAGRIP® 3-PIECE SET


STANLEY • Set contains: 240mm Water Pump Pliers, 180mm Combination Pliers, 150mm Diagonal Cutting Pliers



STANLEY	Description				£
6-97-043	3pce DynaGrip® Pliers Set	Box	6	3253566970431	Disc

STANLEY® PLIERS

STANLEY



STANLEY® LONG NOSE PLIERS



STANLEY • Ideal for cutting & wire bending

STANLEY	Description				£
0-84-102	203mm STANLEY® Long Nose Pliers	Carded	4	3253560841027	9.86

STANLEY® DIAGONAL CUTTING PLIERS



STANLEY • Ideal for cutting piano wire, copper wire and aluminium

STANLEY	Description				£
0-84-104	127mm STANLEY® Diagonal Cutting Pliers	Carded	4	3253560841041	7.12
0-84-105	152mm STANLEY® Diagonal Cutting Pliers	Carded	4	3253560841058	9.86
0-84-108	177mm STANLEY® Diagonal Cutting Pliers	Carded	4	3253560841089	10.96

STANLEY® WATERPUMP PLIERS



- STANLEY** • Ideal for plumbing fitting with serrated jaws to grip around object

STANLEY	Description				£
0-84-018	127mm STANLEY® Waterpump Pliers	Carded	4	3253560840181	8.99
0-84-019	150mm STANLEY® Waterpump Pliers	Carded	4	3253560840198	9.96
0-84-110	254mm STANLEY® Waterpump Pliers	Carded	4	3253560841102	12.26
0-84-111	305mm STANLEY® Waterpump Pliers	Carded	4	3253560841119	13.46

STANLEY® COMBINATION PLIERS



- STANLEY** • Ideal for gripping & cutting

STANLEY	Description				£
0-84-112	178mm STANLEY® Combination Pliers	Carded	4	3253560841126	8.75

STANLEY® 3-PIECE SET



- STANLEY** • Set contains: 152mm Slip Joint Pliers, 152mm Long Nose Pliers & 152mm Diagonal Cutting Pliers

STANLEY	Description				£
0-84-114	3 Piece Pliers Set	Carded	4	3253560841140	13.57

STANLEY® 3-PIECE SET



- STANLEY** • Set contains: 152mm Slip Joint Pliers, 152mm Long Nose Pliers & 254mm Waterpump Pliers

STANLEY	Description				£
0-84-892	3-Piece Pliers Set	Carded	4	3253560848927	15.33

BOLT CROPPERS, NIPPERS & PINCERS

BOLT CROPPERS



STANLEY

- Drop forged chrome molybdenum steel jaws for durability and strength
- Performance & efficiency: will cut 10mm thick steel
- Machined cutting edges gives clean and fast cut
- Forged handles lightweight but very strong
- Soft grip handle for comfort
- Quick adjusting screws for precise work

STANLEY	Description				£
1-95-563	350mm/14" Bolt Croppers	Loose	1	3253561955631	54.34
1-95-564	450mm/18" Bolt Croppers	Loose	1	3253561955648	69.16
1-95-565	600mm/24" Bolt Croppers	Loose	1	3253561955655	83.99
1-95-566	750mm/30" Bolt Croppers	Loose	1	3253561955662	98.81

SPARE HEADS FOR BOLT CROPPERS



STANLEY

- Drop forged chrome molybdenum for durability and strength
- Performance & efficiency will cut 10mm thick steel
- Machined cutting edges gives clean and fast cut

STANLEY	Description				£
1-17-756	Spare Head for 350mm 14" Bolt Croppers (1-95-563)	Loose	1	3253561177569	29.63
1-17-757	Spare Head for 450mm 18" Bolt Croppers (1-95-564)	Loose	1	3253561177576	34.59
1-17-758	Spare Head for 600mm 24" Bolt Croppers (1-95-565)	Loose	1	3253561177583	39.51
1-17-759	Spare Head for 750mm 30" Bolt Croppers (1-95-566)	Loose	1	3253561177590	44.45

FATMAX® PRO END NIPPERS



STANLEY
FATMAX

- Long lever arm and pivot pin closer to jaws maximises cutting power
- Machined cutting edges gives clean and fast cut
- Convex shaped handle allows quick rotations for faster repetitive cuts
- Double heat treatment (60-62 HRC) for long life and sharpness
- Will cut 4.5 mm soft wire and 1.6 mm of hard wire

STANLEY	Description				£
9-95-097	220mm FatMax® Pro End Nippers	Counter Top	12	3253569950973	29.63

END NIPPERS



STANLEY

- High grade alloy steel for long life
- Induction hardened cutting edges to maintain 1st cut sharpness
- Conforms to ISO 9242 and DIN 5242 standards

STANLEY	Description				£
2-84-302	220mm End Nippers	Carded	6	3253562843029	11.72

CARPENTER'S PINCERS



STANLEY

- Black lacquered polished head for long life
- Heat treated carbon steel forging for long life
- Precision ground heat treated carbon steel forging for long life

STANLEY	Description				£
2-84-183	180mm Carpenter's Pincers	Carded	6	3253562841834	14.23
2-84-184	225mm Carpenter's Pincers	Carded	6	3253562841841	14.86
2-84-185	250mm Carpenter's Pincers	Carded	6	3253562841858	16.16

SNIPS

FATMAX® PRO AVIATION SNIPS

STANLEY

- Chrome molybdenum alloy blades with titanium nitrate coat for a longer working life
- Serrated jaws to prevent slipping
- Will cut to 18 gauge mild steel 0.7 to 1.2 mm thick
- Tested through 47k cycles



STANLEY	Description				£
0-14-206	250mm FatMax® Pro Straight Cut Snips	Carded	4	3253560142063	18.41
0-14-207	250mm FatMax® Pro Left Cut Snips	Carded	4	3253560142070	18.41
0-14-208	250mm FatMax® Pro Right Cut Snips	Carded	4	3253560142087	18.41

FATMAX® STRAIGHT PATTERN TIN SNIPS



STANLEY
FATMAX

- Cuts up to 18 gauge mild steel 0.7 to 1.2mm
- Serrated cutting edges to prevent slippage when cutting
- Forged alloy steel for long life
- Single pivot action
- Soft grip for comfort
- Also suitable for cutting aluminium, sheet UPVC, wire mesh, leather, copper and plastic

STANLEY	Description				£
2-14-556	250mm FatMax® Straight Pattern Tin Snips	Carded	6	3253562145567	17.70

FATMAX® AVIATION SNIPS



STANLEY
FATMAX

- Suitable for cutting aluminium, sheet UPVC, wire mesh, leather, copper and plastic
- Cuts up to 18 gauge mild steel 0.7 to 1.2mm
- Serrated cutting edges prevent slippage when cutting
- Made from forged alloy steel for strength and durability
- Double pivot action for high cutting power
- One handed automatic latch release
- Bi-material easy grip handles

STANLEY	Description				£
2-14-562	250mm FatMax® Aviation Snips Left Cut	Carded	6	3253562145628	15.33
2-14-564	250mm FatMax® Aviation Snips Right Cut	Carded	6	3253562145642	15.33
2-14-563	250mm FatMax® Aviation Snips Straight Cut	Carded	6	3253562145635	15.33
2-14-566	300mm FatMax® Aviation Snips Long Cut	Carded	6	3253562145666	17.70

2-14-563
(Long Cut also available)

FATMAX® OFFSET AVIATION SNIPS



STANLEY	Description				£
2-14-567	FatMax® Aviation Snips Offset – Left Cut	Carded	6	3253562145673	17.70
2-14-568	FatMax® Aviation Snips Offset – Right Cut	Carded	6	3253562145680	17.70

SHEARS



STANLEY

- Titanium coated blade for long life
- Bi-material handle for user comfort
- Full tang one-piece design for improved durability
- Spring automatic opening


STANLEY	Description				£
STHT0-14103	Shears	Carded	6	3253560141035	11.49

MOLE GRIPS

CURVED JAW LOCKING PLIERS

STANLEY

- General purpose pliers with curved jaw ideal for pipes or hexagonal nuts



STANLEY	Description				£
0-84-807	145mm/6" Locking Pliers Curved Jaw	Carded	4	3253560848071	10.96
0-84-808	185mm/7½" Locking Pliers Curved Jaw	Carded	4	3253560848088	14.24
0-84-809	225mm/9" Locking Pliers Curved Jaw	Carded	4	3253560848095	16.42

STRAIGHT JAW LOCKING PLIERS

STANLEY

- General purpose pliers ideal for a wide range of applications



STANLEY	Description				£
0-84-810	190mm/7½" Locking Pliers Straight Jaw	Carded	4	3253560848101	13.13
0-84-811	225mm/9" Locking Pliers Straight Jaw	Carded	4	3253560848118	15.34

LONG NOSE LOCKING PLIERS



- STANLEY**
- Long nose gives better access and is also ideal for more delicate work

STANLEY	Description				£
0-84-812	170mm/7" Locking Pliers Long Nose	Carded	4	3253560848125	16.42
0-84-813	215mm/8½" Locking Pliers Long Nose	Carded	4	3253560848132	17.53

"V" JAW LOCKING PLIERS



- STANLEY**
- General purpose pliers ideal for a wide range of applications
 - "V" jaws ideal for pipes and bars

STANLEY	Description				£
0-84-814	225mm/9" Locking Pliers "V" Jaw	Carded	4	3253560848149	17.53

"C" CLAMP LOCKING PLIERS



- STANLEY**
- Deep throat "C" clamp ideal for large, bulkier items where more clamping capacity is needed

STANLEY	Description				£
0-84-815	170mm/7" Locking Pliers "C" Clamp	Carded	4	3253560848156	16.42
0-84-816	285mm/11½" Locking Pliers "C" Clamp	Carded	4	3253560848163	27.38

SOCKETS, SPANNER AND WREN



S CHES




THE PRO'S ADVICE




THE RIGHT SOCKETRY FOR THE JOB

SOCKETS

Sockets are available in either hex (6 points) or bi-hex (12 points). The bi-hex socket provides greater access when the nut is in a hard to reach position. The hex socket, although with reduced angular accessibility, tends to be able to withstand heavier duty use.




Maxi Drive profile sockets are the most efficient and offer protection to both the fastener and the socket wall by taking the driving force away from the extreme corners of the nut where there is the greatest risk of damage.



Sockets are available in standard length, for most general-purpose applications and deep drive, which come into their own if you need to tighten a nut on longer screw studs.

RATCHETS

The turning force on the socket is imparted by the drive handle through a square recess forged into the end of the socket. The size of this recess varies depending on the size of the socket – 1/4" 3/8" or 1/2" square drive. Specific sets for each drive size are available, together with sets that combine drive sizes, which enable you to deal with fastenings from 4mm up to 32mm.



FatMax® and MicroTough™ ratchets offer the smoothest operation and allow access to fasteners in restricted areas. The smaller head is 20% – 30% smaller than standard ratchet heads and the fine tooth mechanism offers a 5° angle of engagement.

When working with oily hands it is important that the ratchet handle incorporates a quick socket release facility.

**SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK**

SOCKET SETS & ACCESSORIES

FATMAX® 1/2", 3/8" & 1/4" RATCHET – SEE SETS STARTING ON PAGE 216

STANLEY
FATMAX

72 tooth ratchet mechanism gives 5 degree minimum working arc for use in confined areas

Professional ratchet with small head size for ease of access


Laser etched markings for easy identification

Maxi Drive socket profile for improved grip and longer fastener life

Premium black chrome finish gives double the corrosion protection

Bi-material handle for comfort and grip

Fully ISO compliant for proven performance



MICROTOUGH™ 1/2", 3/8" & 1/4" RATCHET

STANLEY

- MicroTough™ professional ratchet features a quick release two way ratchet with a 20-30% smaller pear shaped head, smaller than conventional ratchets for easy access in tight spaces
- Fine tooth ratchet gives 5° angle of engagement smoother operation and continues to function even where access to fastener is very restricted
- Fully polished chrome plated finish for durability and rust resistance
- Hex sockets feature Maxi Drive wall profile for improved grip on fastener
- DynaGrip bi-material handle for comfortable grip



STANLEY	Description				£
4-85-578	1/2" MicroTough™ Ratchet	Carded	5	3253564855785	26.65
4-85-577	3/8" MicroTough™ Ratchet	Carded	10	3253564855778	21.80
4-85-576	1/4" MicroTough™ Ratchet	Carded	10	3253564855761	18.16

MICROTOUGH™ 1/2", 3/8" & 1/4" RATCHET

STANLEY

- Two way quick release ratchet handle rotates left or right for direction
- Fully polished chrome plated finish for durability and rust resistance
- Comfortable and durable moulded handle withstands most industrial solvents
- Light pressure automatically releases socket



STANLEY	Description				£
4-86-397	1/2" Quick Release Ratchet	Carded	5	3253564863971	18.80
4-86-396	3/8" Quick Release Ratchet	Carded	10	3253564863964	15.44
4-86-395	1/4" Quick Release Ratchet	Carded	10	3253564863957	12.75

1/2" SD FATMAX® SOCKET SET – 40 PIECE

STANLEY
FATMAX



- Ratchet: 1/2" SD FatMax® pear head ratchet
- Sockets: Hex – 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32mm
- Wrenches: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- Extension Bar: 125mm & 250mm
- Breaker Bar
- Universal Joint

STANLEY	Description				£
1-99-056	1/2" SD FatMax® Socket Set – 40pce	Outer Sleeve	3	3253561990564	138.83

1/2" SD FATMAX® SOCKET SET – 30 PIECE

STANLEY
FATMAX



- Ratchet: 1/2" SD FatMax® Black Chrome pear head ratchet
- Sockets: Hex – 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 28, 29, 30, 32mm
- Extension Bar: 75mm & 250mm
- Sliding T-Bar: 250mm
- Universal Joint
- Spark Plug socket: 16 & 21mm

STANLEY	Description				£
1-94-662	1/2" SD FatMax® Socket Set – 30pce	Outer Sleeve	4	3253561946622	105.88

1/2" SD MICROTOUGH™ SOCKET SET – 29 PIECE

STANLEY



- Ratchet: 1/2" SD MicroTough™ ratchet
- Sockets: Bi-Hex – 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 28, 29, 30, 32mm
- Extension Bar: 75, 150 & 250mm
- Sliding T-Bar
- Universal Joint
- Drive Adaptor: 1/2" to 3/8"

STANLEY	Description				£
2-85-584	1/2" SD MicroTough™ Socket Set – 29pce	Boxed	4	3253562855848	84.81

1/2" SD SOCKET SET – 23 PIECE

STANLEY

- Ratchet: 1/2" SD pear head ratchet
- Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 23, 24, 27, 30, 32mm
- Extension Bar: 75mm, 125mm & 250mm
- Sliding T-Bar: 250mm
- Universal Joint



STANLEY	Description				£
1-94-671	1/2" SD Socket Set – 23 Piece	Boxed	4	3253561946714	74.24

1/2" SD SOCKET SET – 30 PIECE

STANLEY

- Ratchet: 1/2" SD quick-release ratchet
- Sockets: Hex – 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32mm
- Male Sockets: Hex – 4, 5, 6, 8, 10mm
- Extension Bar: 125 & 250mm
- Sliding T-Bar: 250mm
- Universal Joint
- Spark Plug socket: 21mm
- Screwdriver Bits



STANLEY	Description				£
1-94-653	1/2" SD Socket Set – 30pce	Outer Sleeve	3	3253561946530	70.57

1/2" SD SOCKET SET – 20 PIECE

STANLEY

- Ratchet: 1/2" SD quick-release ratchet
- Sockets: Hex – 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27mm
- Extension Bar: 125mm
- Sliding T-Bar: 250mm
- Universal Joint
- Spark Plug socket: 16 & 21mm



STANLEY	Description				£
1-94-650	1/2" SD Socket Set – 20pce	Open Blister	4	3253561946509	52.93

3/8" SD MICROTUGH™ SOCKET SET – 21 PIECE



STANLEY

- Ratchet: 3/8" SD MicroTough™ ratchet
- Sockets: Bi-Hex – 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm
- Extension Bar: 75, 150 & 250mm
- Universal Joint
- Drive Adaptor: 3/8" to 1/2"

STANLEY	Description				£
2-85-583	3/8" SD MicroTough™ Socket Set – 21pce	Boxed	1	3253562855831	54.42

3/8" SD SOCKET SET – 30 PIECE



STANLEY

- Ratchet: 3/8" SD quick-release ratchet
- Sockets: Hex – 8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22mm
- Deep Sockets: Hex – 10, 12, 13, 14, 17mm
- Extension Bar: 75mm
- Universal Joint
- Spark Plug socket: 18 & 21mm
- Bit Adaptor
- Screwdriver Bits

STANLEY	Description				£
1-94-652	3/8" SD Socket Set – 30pce	Open Blister	4	3253561946523	41.16

3/8" SD FATMAX® ROTATOR RATCHET WITH SOCKETS

**STANLEY
FATMAX**



- Rotator system for difficult access situations
- Can be used as a normal ratchet
- Ratchet: 3/8" SD FatMax® Black Chrome Rotator ratchet
- Sockets: 10, 11, 12, 13, 14, 15, 17, 19mm

STANLEY	Description				£
0-94-606	3/8" SD FatMax® Rotator Ratchet with Sockets – 9pce	Blister Pack	3	3253560946067	41.16

3/8" SD MicroTough™ RATCHET WITH SOCKETS

STANLEY



- Ratchet: 3/8" SD MicroTough™ ratchet
- Sockets: Hex – 8, 10, 11, 12, 13, 15, 17, 19mm

STANLEY	Description				£
0-94-611	3/8" SD MicroTough™ Ratchet with Sockets – 9pce	Blister Pack	3	3253560946111	35.29

3/8" SD EXTENDABLE RATCHET WITH SOCKETS

STANLEY



- Handle design extends to 350mm
- Locks into five different lengths
- Locking 180° Flex Head – 7 settings
- Ratchet: 3/8" SD Extendable ratchet
- Sockets: Hex – 8, 10, 11, 12, 13, 15, 17, 19mm

STANLEY	Description				£
0-94-609	3/8" SD Extendable Ratchet with Sockets – 9pce	Blister Pack	3	3253560946098	41.16

1/4" SD FATMAX® SOCKET SET – 30 PIECE

**STANLEY
FATMAX**



- Ratchet: 1/4" SD FatMax® ratchet
- Sockets: Hex – 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- Extension Bar: 75 & 150mm
- Sliding T-Bar: 125mm
- Spinner Handle
- Bit Adaptor
- Screwdriver Bits

STANLEY	Description				£
1-94-661	1/4" SD FatMax® Socket Set – 30pce	Outer Sleeve	4	3253561946615	70.57

1/4" SD MICROTOUGH™ SOCKET SET – 17 PIECE



STANLEY

- Ratchet: 1/4" SD MicroTough™ ratchet
- Sockets: Hex – 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
- Extension Bar: 75 & 150mm
- Universal Joint
- Spinner Handle
- Drive Adaptor: 1/4" to 3/8"

STANLEY	Description				£
2-85-582	1/4" SD MicroTough™ Socket Set – 17pce	Boxed	1	3253562855824	31.49

1/4" SD SOCKET SET – 35 PIECE



STANLEY

- Ratchet: 1/4" SD pear head ratchet
- Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- Extension Bar: 50 & 100mm
- Spinner Handle
- Bit Adapter
- Universal Joint
- Screwdriver Bits

STANLEY	Description				£
1-94-672	1/4" SD Socket Set – 35pce	Box	4	3253561946721	63.82

1/4" SD SOCKET SET – 40 PIECE



STANLEY

- Ratchet: 1/4" SD quick-release ratchet
- Sockets: Hex – 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
- Male sockets:
 - Hex – 4, 5, 6; Slotted – 4, 5.5
 - Phillips – 1, 2, 3
 - Pozidriv – 1, 2, 3
- Extension Bar: 75 & 150mm
- Flex extension bar: 150mm
- Spinner Handle
- Bit Adaptor
- Screwdriver Bits
- Hex Key Set

STANLEY	Description				£
1-94-655	1/4" SD Socket Set – 40pce	Outer Sleeve	4	3253561946554	41.16

1/4" SD SOCKET SET – 30 PIECE

STANLEY



- Ratchet: 1/4" SD quick-release ratchet
- Sockets: Hex – 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- Deep Sockets: Hex – 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- Extension Bar: 75mm
- Universal Joint
- Spinner Handle
- Bit Adaptor
- Screwdriver Bits

STANLEY	Description				£
1-94-651	1/4" SD Socket Set – 30pce	Open Blister	4	3253561946516	35.29

1/4" SD SOCKET SET – 20 PIECE

STANLEY



- Ratchet: 1/4" SD quick-release ratchet
- Sockets: Hex – 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- Extension Bar: 75mm
- Spinner Handle
- Bit Adaptor
- Screwdriver Bits

STANLEY	Description				£
1-94-649	1/4" SD Socket Set – 20pce	Open Blister	4	3253561946493	27.04

1/4" SD FATMAX® ROTATOR RATCHET WITH SOCKETS

STANLEY FATMAX



- Rotator system for difficult access situations
- Can be used as a normal ratchet
- Ratchet: 1/4" SD FatMax® Black Chrome Rotator ratchet
- Sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 13mm

STANLEY	Description				£
0-94-607	1/4" SD FatMax® Rotator Ratchet with Sockets – 11pce	Blister Pack	3	3253560946074	38.81

1/4" SD MICROTUGH™ RATCHET WITH SOCKETS

STANLEY



- Ratchet: 1/4" SD MicroTough™ ratchet
- Sockets: Hex – 4, 5, 5.5, 6, 7, 8, 10, 11, 13mm

STANLEY	Description				£
0-94-610	1/4" SD MicroTough™ Ratchet with Sockets – 10pce	Blister Pack	3	3253560946104	29.40

1/4" & 1/2" SD FATMAX® SOCKET SET – 60 PIECE

STANLEY FATMAX



- Ratchet: 1/4" & 1/2" SD FatMax® ratchets
- Sockets: 1/2" Hex – 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27, 30, 32mm
1/4" Hex – 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- Extension Bar: 1/2" – 125 & 250mm
1/4" – 75mm
- Breaker Bar: 250mm
- Sliding T-Bar: 125mm
- Universal Joint: 1/4" & 1/2"
- Spark Plug sockets: 16 & 21mm
- Spinner Handle
- Bit Adaptor
- Screwdriver Bits
- Hex Key Set

STANLEY	Description				£
1-94-663	1/4" & 1/2" SD FatMax® Socket Set – 60pce	Outer Sleeve	3	3253561946639	141.16

1/4" & 1/2" SD SOCKET SET – 96 PIECE

STANLEY



- Ratchet: 1/4" & 1/2"
- Sockets: 1/4" Hex – 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
1/2" Hex – 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
- Deep Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19mm
- Extension Bar: 1/2"
- Universal Joint 1/2"
- Sliding T Bar: 1/4"
- Spark Plug: 16 & 21mm
- 5/16" Bit Holder with 1/2" Square drive
- 1/4" Bit Holder with 1/4" Square drive
- 1/4" Bit Driver
- 1/4" Adapter
- Screwdriver Bits

STANLEY	Description				£
1-94-668	1/4" & 1/2" SD Socket Set – 96pce	Outer Sleeve	3	3253561946684	190.94

1/4" & 1/2" SD MICROTUGH™ SOCKET SET – 75 PIECE

STANLEY



- Ratchet: 1/4" & 1/2" SD MicroTough™ ratchets
- Sockets: 1/2" Hex – 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 34mm
- 1/4" Hex – 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- Wrenches: 8, 9, 10, 11, 12, 13, 14, 17, 19, 21mm
- Extension Bar: 1/2" – 75 & 125mm
- 1/4" – 75mm
- Sliding T-Bar: 1/2" – 250mm
- 1/4" – 125mm
- Universal Joint: 1/4" & 1/2"
- Spark Plug socket: 1/2" – 16 & 21mm
- Spinner Handle
- Bit Adaptor
- Screwdriver Bits
- Hex Key Set

STANLEY	Description				£
1-94-660	1/4" & 1/2" SD MicroTough™ Socket Set – 75pce	Outer Sleeve	3	3253561946608	152.92

1/4" & 1/2" SD MICROTUGH™ SOCKET SET – 65 PIECE

STANLEY



- Ratchet: 1/4" & 1/2" SD MicroTough™ ratchets
- Sockets: 1/2" Hex – 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 34mm
- 1/4" Hex – 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- Extension Bar: 1/2" – 75 & 125mm
- 1/4" – 75 & 150mm
- Sliding T-Bar: 250mm
- Universal Joint: 1/4" & 1/2"
- Spark Plug socket: 16 & 21mm
- Spinner Handle
- Bit Adaptor
- Screwdriver Bits
- Hex Key Set

STANLEY	Description				£
1-94-659	1/4" & 1/2" SD MicroTough™ Socket Set – 65pce	Outer Sleeve	3	3253561946592	117.63

1/4" & 1/2" SD MICROTUGH™ SOCKET SET – 50 PIECE

STANLEY



- Ratchet: 1/4" & 1/2" SD MicroTough™ ratchets
- Sockets: 1/2" Hex – 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30mm
- 1/4" Hex – 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- Extension Bar: 1/2" – 125 & 250mm
- 1/4" – 75mm
- Sliding T-Bar: 125mm
- Universal Joint: 1/4" & 1/2"
- Spark Plug socket: 21mm
- Spinner Handle
- Bit Adaptor
- Screwdriver Bits
- Hex Key Set

STANLEY	Description				£
1-94-658	1/4" & 1/2" SD MicroTough™ Socket Set – 50pce	Outer Sleeve	4	3253561946585	94.09

1/4", 3/8" & 1/2" SD SOCKET SET – 60 PIECE

STANLEY



- Ratchet: 3/8", 1/4" & 1/2" quick release ratchets
- Sockets: 3/8" Hex – 10, 11, 12, 13, 14, 15, 16, 17, 18mm
1/4" Hex – 4, 5, 6, 7, 8, 9, 10mm
1/2" Hex – 13, 14, 16, 17, 18, 19, 21, 22, 24, 27, 28, 29, 32mm
- Extension Bar: 3/8" – 75, 125 & 250mm
1/4" – 75, 125 & 250mm
1/2" – 75, 125 & 250mm
- Sliding T-Bar: 250mm
- Universal Joint: 3/8", 1/4" & 1/2"
- Spark Plug socket: 16 & 21mm
- Spinner Handle
- Bit Adaptor
- Screwdriver Bits
- Hex Key Set

STANLEY	Description				£
1-94-657	1/4", 3/8" & 1/2" SD Socket Set – 60pce	Outer Sleeve	3	3253561946578	88.21

1/4" & 1/2" SD SOCKET SET – 50 PIECE

STANLEY



- Ratchet: 1/4" & 1/2" quick release ratchets
- Sockets: 1/4" Hex – 4, 5, 6, 7, 8, 9, 10, 11, 13mm
1/2" Hex – 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27mm
- Extension Bar: 1/4" – 75mm
1/2" – 125mm
- Sliding T-Bar: 1/4" – 125mm
1/2" – 250mm
- Universal Joint
- Spark Plug socket: 21mm
- Spinner Handle
- Bit Adaptor
- Screwdriver Bits
- Hex Key Set

STANLEY	Description				£
1-94-656	1/4" & 1/2" SD Socket Set – 50pce	Outer Sleeve	4	3253561946561	70.57

FATMAX® BIT & 1/4" SD SOCKET SET & RATCHET – 39 PIECE

STANLEY
FATMAX



- Slotted: 4, 5.5, 6.5, 8mm
- Phillips: PH1-PH2-PH3
- Pozidriv: PZ1-PZ2-PZ3
- Hex: 3, 4, 5, 6mm.
- Torx: T8, T10, T15, T20, T25, T27, T30, T40
- Tamperproof Torx: T10, T15, T20, T25, T27, T30, T40
- Sockets: 6, 7, 8, 10, 11, 12, 13mm
- Magnetic Bit Holder: 60mm
- 1/4" Mini Ratchet
- 1/4" Adaptor

STANLEY	Description				£
1-13-906	FatMax® Bit & 1/4" SD Socket Set – 39 Piece with Ratchet	Box	10	3253561139062	40.29

FATMAX® BIT SET WITH RATCHET WRENCH – 39 PIECE

STANLEY
FATMAX



- Slotted: 4, 5.5, 6.5, 8mm
- Phillips: PH1-PH2-PH3
- Pozidriv: PZ1-PZ2-PZ3
- Hex: 3, 4, 5, 6mm.
- Torx: T8, T10, T15, T20, T25, T27, T30, T40
- Tamperproof Torx: T10, T15, T20, T25, T27, T30, T40
- 1/4" Bits: 6, 7, 8, 10, 11, 12, 13mm
- Magnetic Bit Holder: 60mm
- 1/4" Adaptor
- 1/4" Mini Ratchet Wrench

STANLEY	Description				£
1-13-907	FatMax® Bit & 1/4" SD Socket Set – 39 Piece with Ratchet Wrench	Box	10	3253561139079	38.17

FATMAX® BIT SET WITH RATCHET – 32 PIECE

STANLEY
FATMAX



- Slotted: 4, 5.5, 6.5, 8mm
- Philips: PH1, PH2, PH3
- Pozi: PZ1, PZ2, PZ3
- Hex: 3, 4, 5, 6mm.
- Torx: T8, T10, T15, T20, T25, T27, T30, T40
- Tamperproof Torx: T10, T15, T20, T25, T27, T30, T40
- Magnetic Bit Holder: 60mm
- 1/4" Mini Ratchet

STANLEY	Description				£
1-13-904	FatMax® Bit Set with Ratchet – 32pce	Box	10	3253561139048	36.05

FATMAX® BIT SET WITH RATCHET WRENCH – 32 PIECE

STANLEY
FATMAX



- Slotted: 4, 5.5, 6.5, 8mm
- Philips: PH1, PH2, PH3
- Pozi: PZ1, PZ2, PZ3
- Hex: 3, 4, 5, 6mm.
- Torx: T8, T10, T15, T20, T25, T27, T30, T40
- Tamperproof Torx: T10, T15, T20, T25, T27, T30, T40
- Magnetic Bit Holder: 60mm
- 1/4" Square Drive Socket
- 1/4" Adaptor
- 1/4" Mini Ratchet Wrench

STANLEY	Description				£
1-13-905	FatMax® Bit Set with Ratchet Wrench – 32pce	Box	10	3253561139055	33.93

THE PRO'S ADVICE



MAKE YOUR SOCKET SETS WORK HARDER

NUTS SHOULD TURN SMOOTHLY

To effectively use sockets you need to be sensitive to the way in which the nut turns on the bolt or screw stud. If the nut does not rotate smoothly check to see that the thread is not 'crossed' or if the thread size or type differs from the bolt.

TAKE CARE NOT TO OVER TIGHTEN

Run the nut up until finger tight and then apply the socket to finally tighten the nut. Under normal conditions do not be tempted to over tighten fastenings.

USE A TORQUE WRENCH FOR EXACT SPECIFICATIONS

If the torque required to complete the fastening needs to be specific for functional or safety reasons you should use a torque wrench.

USE THE RIGHT SIZE SOCKET

Even though the socket may locate on a nut that is slightly smaller, the result may be that the corners of the fastener will be deformed and make future removal difficult. The size of the ratchet handle is also carefully matched to a given set of socket sizes so that damage to the fastening is minimised. Whenever possible pull the ratchet handle towards you for better control.

LOCKING EXTENSION BAR

If you need to work on a fastener beyond your normal reach a locking extension bar will enable you to reach the nut without the risk of leaving the socket embedded in the machinery or engine compartment.

SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

THE PRO'S ADVICE



CHOOSE THE RIGHT WRENCH FOR THE JOB

COMBINATION SPANNERS

These combine in a single tool an open-ended jaw and a ring, both have the same dimension. The open-ended jaw is offset by 15° which enables the operator to turn any nut provided there is even a very small amount of access. The Bi-Hex (12 point) Ring-end is also cranked at 15° from the horizontal, which enables you to grip the handle without risking injury to the knuckles.

COMBINATION SPANNER WITH RATCHETING RING END

A very useful specialist set of 6 spanners, with the benefit of a ring end which ratchets with a 5° angle of engagement, so that you can work in very restricted spaces and have the added advantage of an open ended end profile to work on fastenings that do not have 360° access, as occurs on pipe work.

OPEN-ENDED SPANNERS



Both ends of these spanners are open with the heads set at 15°. The open-ended format is ideal for working on pipelines where only side access is possible. Select slim open-ended jaws to give greater accessibility within the thickness of the fastener.

ACCELERATOR COMBINATION SPANNER

The open-end part of the tool incorporates an innovative jaw form which enables the user to engage and disengage without removing the spanner from the nut.

ADJUSTABLE WRENCH

This must be used carefully and sparingly if damage to the fastener is to be avoided, but it is still a very useful item for any toolkit.



SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

WRENCHES & SPANNERS

COMBINATION WRENCH SETS

- STANLEY**
- Re-usable plastic rack for easy storage
 - Nickel chrome plated for corrosion protection
 - Maxi Drive ring ends for increased grip and reduced fastener damage
 - Forged from chrome vanadium steel to ISO 3318 and DIN 3113 for proven performance



STANLEY	Description				£
4-94-646	6 Piece Combination Wrench Set	Plastic Clip	2	3253564946469	27.04

Set contains:

Chrome combination wrench: 10, 11, 12, 13, 14, 15mm

STANLEY	Description				£
4-94-647	11 Piece Combination Wrench Set	Plastic Clip	2	3253564946476	44.71

Set contains:

Chrome combination wrench: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17mm

STANLEY	Description				£
4-94-648	13 Piece Combination Wrench Set	Plastic Clip	2	3253564946483	56.46

Set contains:

Chrome combination wrench: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm

SET OF MAXI DRIVE™ PLUS COMBINATION WRENCHES



STANLEY

- Fully forged from chrome vanadium steel to ISO 3318 and DIN 3113 standards of accuracy and performance
- Nickel chrome plating protects against corrosion
- Slim pattern combines maximum strength with optimum accessibility
- Maxi Drive open ended jaw shape maintains grip on fastener with only slight rotational pressure
- Bi-hex 12 point ring with precisely broached Maxi Drive profile to increase the grip by up to four times
- Improved grip even on damaged nuts
- Polished head with satin finish to the handle
- Both the open ended head and the ring are angled at 15° for optimum accessibility

STANLEY	Description				£
4-87-053	6pce 10,11,13,14,15,17mm	Boxed	15	3253564870535	24.72
4-87-054	8pce 8,10,11,13,14,15,17,22mm	Boxed	15	3253564870542	33.99

SET OF 8 COMBINATION ACCELERATOR WRENCHES



STANLEY

- Specially shaped open end engages and disengages without the need to remove the spanner from the nut
- Enables operator to work much faster
- Nickel chrome plating protects against corrosion
- Plastic storage rack






STANLEY	Description				£
4-89-932	8pce 8,10,12,13,16,17,18,19mm	Carded	2	3253564899321	36.93
4-89-997	8pce 8,10,11,12,13,14,15,16mm	Carded	2	3253564899970	33.59

SET OF 6 MAXI DRIVE™ PLUS COMBINATION RATCHET WRENCHES

STANLEY

- Ratcheting ring end eliminates the need to disengage the wrench from the fastener
- Open jaw features Maxi Drive Plus face profile to increase grip on nut by up to four times
- 5° angle of engagement of ratchet mechanism effective in the most restrictive of spaces
- Satin finished nickel chrome plating protects against corrosion
- Plastic storage rack with point of sale test facility






STANLEY	Description				£
4-89-907	6pce 10,12,13,16,17,19mm	Carded	2	3253564899079	59.11

SET OF 8 MAXI DRIVE™ OPEN END SPANNERS

STANLEY

- Fully forged from chrome vanadium steel to ISO 3318 and DIN 3113 standards of accuracy and performance
- Nickel chrome plating protects against corrosion
- Slim pattern combines maximum strength with optimum accessibility
- Maxi Drive open ended jaw shape maintains grip on fastener with only slight rotational pressure
- Improved grip even on damaged nuts
- Polished head with satin finish to the handle
- Both open ended heads are angled at 15° for optimum accessibility





STANLEY	Description				£
4-87-052	8pce 6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21mm	Boxed	15	3253564870528	28.37

MAXI DRIVE™ PLUS COMBINATION WRENCHES

STANLEY



- Fully forged from chrome vanadium steel to ISO 3318 and DIN 3113 standards of accuracy and performance
- Nickel chrome plating protects against corrosion
- Slim pattern combines maximum strength with optimum accessibility
- Maxi Drive open ended jaw shape maintains grip on fastener with only slight rotational pressure
- Bi-hex 12 point ring with precisely broached Maxi Drive profile to increase the grip by up to four times
- Improved grip even on damaged nuts
- Polished head with satin finish to the handle
- Both the open ended head and the ring are angled at 15° for optimum accessibility



- 1) The unique shape of the jaws locks the spanner onto the nut
- 2) With this locking, the risk of ill-timed loosening is almost completely removed
- 3) Locking is applied to the faces of the nut, preventing the risk of slipping

STANLEY	Description				£
4-87-066	6mm Combination Wrench	Carded	6	3253564870665	3.97
4-87-057	7mm Combination Wrench	Carded	6	3253564870573	3.97
4-87-058	8mm Combination Wrench	Carded	6	3253564870580	4.02
4-87-069	9mm Combination Wrench	Carded	6	3253564870696	4.24
4-87-070	10mm Combination Wrench	Carded	6	3253564870702	4.42
4-87-071	11mm Combination Wrench	Carded	6	3253564870719	4.52
4-87-072	12mm Combination Wrench	Carded	6	3253564870726	4.83
4-87-073	13mm Combination Wrench	Carded	6	3253564870733	4.97
4-87-074	14mm Combination Wrench	Carded	6	3253564870740	5.11
4-87-075	15mm Combination Wrench	Carded	6	3253564870757	5.19
4-87-076	16mm Combination Wrench	Carded	6	3253564870764	5.58
4-87-077	17mm Combination Wrench	Carded	6	3253564870771	5.70
4-87-078	18mm Combination Wrench	Carded	6	3253564870788	6.45
4-87-079	19mm Combination Wrench	Carded	6	3253564870795	6.72
4-87-080	20mm Combination Wrench	Carded	6	3253564870801	7.39
4-87-081	21mm Combination Wrench	Carded	6	3253564870818	8.04
4-87-082	22mm Combination Wrench	Carded	6	3253564870825	8.53
4-87-083	23mm Combination Wrench	Carded	6	3253564870832	8.60
4-87-084	24mm Combination Wrench	Carded	4	3253564870849	8.66
4-87-085	25mm Combination Wrench	Carded	4	3253564870856	10.20
4-87-086	26mm Combination Wrench	Carded	4	3253564870863	10.23
4-87-087	27mm Combination Wrench	Carded	4	3253564870870	11.22
4-87-090	30mm Combination Wrench	Carded	4	3253564870900	13.64
4-87-092	32mm Combination Wrench	Carded	4	3253564870924	14.23

FATMAX® RATCHETING ADJUSTABLE WRENCH



STANLEY
FATMAX

- Ratchet action with no need to disengage from the fastener
- Operates in lock or ratchet action for high torque
- Wide capacity jaws with laser etched graduations
- Rubber grip for comfort under load

Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description	Max Jaw Capacity				£
FMHT0-72184	FatMax® Ratcheting Adjustable Wrench 200mm*	32mm	Carded	2	3253560721848	23.36
FMHT0-72185	FatMax® Ratcheting Adjustable Wrench 250mm*	35mm	Carded	2	3253560721855	25.63

FATMAX® ADJUSTABLE WRENCHES



STANLEY
FATMAX

- Chrome vanadium steel for strength and durability
- Wider handle for increased comfort
- Chrome finish for corrosion protection

STANLEY	Description	Max Jaw Capacity				£
0-95-872	FatMax® Adjustable Wrench – 150 mm/6"	26mm	Carded	4	3253560958725	9.10
0-95-873	FatMax® Adjustable Wrench – 200 mm/8"	31mm	Carded	4	3253560958732	11.39
0-95-874	FatMax® Adjustable Wrench – 250 mm/10"	37mm	Carded	4	3253560958749	13.66
0-84-540	FatMax® Adjustable Wrench – 300 mm/12"	43mm	Carded	4	3253560845407	17.08
0-95-876	FatMax® Adjustable Wrench – 375 mm/15"	48mm	Carded	4	3253560958763	28.39

STANLEY ADJUSTABLE WRENCHES



STANLEY

- Phosphate finish with wider jaw opening
- Comfort grip

STANLEY	Description	Max Jaw Capacity				£
0-90-947	150mm/6" Adjustustable Wrench	24mm	Carded	2	3253560909475	8.75
0-90-948	200mm/8" Adjustustable Wrench	29mm	Carded	2	3253560909482	10.96
0-90-949	250mm/10" Adjustustable Wrench	33mm	Carded	2	3253560909499	13.13
0-90-950	300mm/12" Adjustustable Wrench	39mm	Carded	2	3253560909505	16.42

ADJUSTABLE WRENCHES



STANLEY

- Fully forged from chrome vanadium steel for optimum performance
- Knurled jaw adjustment screw
- Polished head, nickel chrome plated for protection against corrosion

STANLEY	Description	Max Jaw Capacity		<input checked="" type="checkbox"/>		£
0-87-366	150mm/6" Adjustustable Wrench	19mm	Carded	6	3253560873660	7.73
0-87-368	200mm/8" Adjustustable Wrench	24mm	Carded	6	3253560873684	9.70
0-87-470	250mm/10" Adjustustable Wrench	29mm	Carded	6	3253560874704	11.63
0-87-472	300mm/12" Adjustustable Wrench	34mm	Carded	6	3253560874728	14.52

LOCKING ADJUSTABLE WRENCHES



STANLEY

- Fully forged from chrome vanadium steel for optimum performance
- Knurled jaw adjustment screw
- Polished head, nickel chrome plated for protection against corrosion
- When jaw has been adjusted to size of nut it can be locked
- Ideal for the removal of overtight fasteners
- Prevents wrench from slipping off fastener

STANLEY	Description	Max Jaw Capacity		<input checked="" type="checkbox"/>		£
0-85-610	250mm Locking Adjustable Wrench	31mm	Carded	6	3253560856106	24.21

THE PRO'S ADVICE



MAKE YOUR WRENCH WORK HARDER

COMBINATION WRENCHES

The open-ended jaws of a spanner are for use where access is restricted or when fasteners are in line as in pipework. Use the ring-end of a spanner for initial loosening and final tightening, where access is available, because it offers maximum strength and grip to reduce the risk of damage to the nut.

NEVER USE EXCESSIVE FORCE

When freeing a 'frozen' or 'rusted on' nut never use a hammer or extend the length of the spanner by using a piece of pipe; you will damage both the spanner and the fastener, instead use a lubricating oil.

PULL TOWARDS YOU WHEREVER POSSIBLE

Whether tightening or freeing off a fastening you can apply more power and control by pulling the spanner toward you and if it accidentally slipped off the nut there is less risk of injury.


ADJUSTABLE WRENCHES

For best performance from an adjustable wrench avoid selecting an oversized wrench for the fastener. Close the jaws of the wrench onto the flats of the nut and then gently move the wrench forward and back at the same time further tightening the adjusting knurled wheel until the fit to the nut is without movement; this will minimise damage to the fastener. Always rotate so that the force is directed toward the fixed jaw.

SAFETY

- Never use a hammer for additional leverage.
- Don't use open-ended spanners or adjustable wrenches to free off a 'frozen' nut or to finally tighten a nut; use a ring spanner instead.
- Keep spanners free from oil to prevent slippage.

SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK



LOCATING & GAINING A GOOD GRIP TO TURN HEX KEYS CAN BE A PROBLEM FOR PRO'S, ESPECIALLY IN TIGHT ACCESS SPACES. TO MAKE IT EASIER OUR LATEST DEVELOPMENT HAS LONGER KEYS WITH A UNIQUE 3 POSITION LOCK - 90°, 135°, AND 180°. THIS COMBINATION OF FEATURES PROVIDES BETTER REACH AND THE EASY GRIP HANDLE ALLOWS YOU TO APPLY GREATER TORQUE

KEY SETS

FATMAX® LOCKING KEY SETS

STANLEY
FATMAX



- Industry first lockable keys that lock in 90°, 135° and 180° for easy access and to prevent unwanted movement
- Button lock release for quick and easy locking/unlocking
- Long keys for better access to countersunk or recessed fasteners
- Bi-material handle for better grip and feel
- In Metric, Imperial and Torx® patterns for all applications



STANLEY	Description				£
0-97-552	FatMax® Locking Key Set – Hex Metric = 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm	Counter Top	12	323560975524	12.44
0-97-553	FatMax® Locking Key Set – Torx = T9, T10, T15, T20, T25, T27, T30, T40	Counter Top	12	323560975531	12.44

FATMAX® RATCHETING POWER KEY SET

STANLEY
FATMAX



- Powerful professional ratchet handle for the rapid tightening and loosening of all fastener types
- T profile for extra torque load ideal for stubborn fasteners
- Two position bit lock system for access and power
- 1/4" hex bit retainer for use with all 1/4" long male screwdriver bits
- Complete with a selection of extra long, slim bits for all pattern fasteners in all situations and applications
- Drop proof case included for organisation and transport. Fits neatly into a toolbox drawer

STANLEY	Description				£
0-79-153	FatMax® 27 Piece Ratcheting Power Key Set	Counter Top	4	323560791537	34.03
0-96-222	FatMax® 43 Piece Ratcheting Power Key Set	Counter Top	4	323560962227	48.81

FOLDING HEX KEY SETS

STANLEY



- Bi-material grip for increased comfort
- Chamfered tip to aid location
- Phosphate finish for corrosion protection



STANLEY	Description				£
2-69-264	8 Piece Metric Folding Hex Key Set 1.5, 2, 2.5, 3, 4, 5, 6, 8mm	Carded	12	3253562692641	7.38
2-69-266	8 Piece Torx Folding Key Set T9, 10, 15, 20, 25, 27, 30, 40	Carded	12	3253562692665	11.31
2-69-265	9 Piece Imperial Folding Hex Key Set 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	Carded	12	3253562692658	7.90
2-69-267	8 Piece Metric and 9 Piece Imperial Folding Hex Key Sets 1.5, 2, 2.5, 3, 4, 5, 6, 8 mm 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	Carded	6	3253562692672	14.71
2-69-268	25 Piece Metric / Imperial / Torx Folding Hex Key Set 1.5, 2, 2.5, 3, 4, 5, 6, 8mm 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" T9, 10, 15, 20, 25, 27, 30, 40	Carded	6	3253562692689	25.57

BALL END HEXAGON KEY SET

STANLEY



- Ball hex configuration on the long arm to allow offset driving of hard to reach set screws
- Straight hex on short arm for maximum leverage
- All keys stored in a size marked plastic holder for easy selection
- Additional multi position handle for use in line or as a T or L handle for improved comfort and to generate more leverage



STANLEY	Description				£
0-89-904	9pce Hex Key Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	Carded	10	3253560899042	21.47

BALL END HEXAGON KEY SET

STANLEY

- High strength tensile steel for durability and long-life
- All keys stored in size marked order for ease of access
- Colour coded plastic holder aids self selection (Red = Metric), (Yellow = Imperial)




STANLEY	Description				£
0-69-256	9pce Ball Hex Key Set 1.5 – 10mm	Carded	6	3253560692568	14.65
0-69-257	12pce Ball Hex Key Set 1/16 – 3/8"	Carded	6	3253560692575	15.99

HEXAGON KEY SET

STANLEY

- Sets of standard hex keys in high tensile steel
- All keys stored in a size marked and colour coded plastic holder for easy selection (Red=Metric), (Yellow=Imperial)



STANLEY	Description				£
0-69-251	8pce Hex Key Set 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm	Carded	12	3253560692513	3.09
0-69-252	8pce Hex Key Set 1/16 – 1/4"	Carded	12	3253560692520	3.09
0-69-253	10pce Hex Key Set 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm	Carded	12	3253560692537	5.37

STAPLING,



RIVETING AND GLUING












“ LIGHTWEIGHT AND GOOD TO HANDLE- REALLY COMFORTABLE. REALLY HARD WEARING ”

ANDYSTONE1 – BUILDER



STAPLES RANGE GUIDE

																										
		69-701	TR45	TR40	TR55	TR75	TR120	TR400	TR150L	TR151YL	TR60	TR110	TR100	TR150HL	TR151Y	TR200	TR250	TR350	TRE540	TRE500	TRE550	TRE650	PHT150	PHT250	PHT350	CT10X
 3 53 530	0-TRA202T 4mm	●			●		●																			
	0-TRA204T 6mm	●	●	●	●	●	●	●	●										●							
	0-TRA205T 8mm	●	●	●	●	●	●	●	●										●							
	0-TRA206T 10mm		●	●	●	●	●	●	●										●							
	0-TRA208T 12mm				●	●			●	●									●							
	0-TRA209T 14mm				●	●			●	●									●							
 4 11 140	1-TRA704T 6mm					●				●	●	●	●	●	●	●			●	●		●				
	1-TRA705T 8mm					●				●	●	●	●	●	●	●	●			●	●		●	●	●	
	1-TRA706T 10mm					●				●	●	●	●	●	●	●	●			●	●		●	●	●	
	1-TRA708T 12mm					●				●	●	●	●	●	●	●	●			●	●			●	●	
	1-TRA709T 14mm					●				●	●	●	●	●	●	●	●			●	●					
 CT 300	1-CT305T 8mm																								●	
	1-CT306T 10mm																									●
	1-CT308T 12mm								●																	●
 CT100	1-CT106T 10mm 3/8"																								●	
	1-CT107T 10mm 7/16"																									●
	1-CT108T 12mm 1/2"					●		●																		●
	1-CT109T 14mm 9/16"					●		●																		●
 8 300	0-SWK-BN050 12mm															●	●	●		●						
	0-SWKBN0625 15mm					●		●								●	●	●		●	●					
	0-SWKBN075 20mm																					●				
	0-SWKBN100 25mm																					●				
	0-SWKBN1187 30mm																						●			
	0-SWKBN1375 35mm																									

STAPLE GUNS

HEAVY DUTY TRE550 ELECTRIC STAPLE/NAIL GUN



STANLEY
TOOLS
2IN1

- Ergonomic soft grip handle for comfort
- Accepts heavy duty staples and brads
- Easy access staple & brad insertion for quick loading
- Hi/Lo adjustment for wide range of applications
- Extra long cord for ease of use
- Can be used on plywood and MDF
- Anti-jam function

STANLEY	Description				£
0-TRE550	Heavy Duty TRE550 Electric Staple/Nail Gun	Carded	2	3253560058586	31.67

FATMAX® HEAVY DUTY TR350 2 IN 1 STAPLER

TOOLS
2IN1

STANLEY
FATMAX



- Robust steel construction for a longer working life
- Easy squeeze for easy actuation
- Fires Heavy Duty Type G staples
- Fires 1-SWKBN 18 gauge brads
- Anti-jam function



STANLEY	Description				£
6-TR350	FatMax® Heavy Duty TR350 Stapler / Nailer	Try Me Blister + Staples	6	3253566704135	30.58

HEAVY DUTY TR250 STAPLE GUN/BRAD NAILER

SharpShooter PLUS

STANLEY
TOOLS
2IN1



- Pinch point free design for added safety
- Easy push handle easier to use
- Aluminium cast housing for greater durability
- Easy access staple & brad insertion for faster loading
- Lock down handle for easier storage
- Accepts heavy duty staples and brads for multiple applications
- Internal wire guide for greater accuracy
- Hi/Lo adjustment to match density of materials
- Can be used on plywood and MDF
- Anti-jam function

STANLEY	Description				£
0-TR250	Heavy Duty TR250 Staple Gun/Brad Nailer	Carded	6	3253560050078	26.38

HEAVY DUTY TR150HL STAPLE GUN

SharpShooter^{PLUS}

STANLEY



- Pinch point free design for added safety
- Easy push handle easier to use
- Aluminium cast housing for greater durability
- Lock down handle for easier storage
- Takes heavy duty staples
- Easy access staple insertion for faster loading
- Hi/Lo adjustment application specific
- Can be used on plywood and MDF
- Suitable for carpet fitters, carpenters, decorators and gardeners
- Anti-jam function

STANLEY	Description				£
0-TR150HL	Heavy Duty TR150HL Staple Gun	Carded	6	3253560058425	21.10

FATMAX® TR75 6 IN 1 STAPLER/BRAD NAILER

6^{TOOLS} IN 1

STANLEY
FATMAX



- Fires 6 different brads and staple types from 6-14mm for maximum flexibility
- Bottom loading magazine for quick and easy reloading
- Anti-jam design for reliable, consistent operation
- Fastener indicator shows when you need to reload
- Hi/low depth adjustment for precise fastening of different materials
- Comes complete with a selection of 6 staples and brad types for use straight off the shelf

STANLEY	Description				£
FMHT0-70868	FatMax® TR75 6 in 1 Stapler/Brad Nailer	Carded	5	3253560708689	34.96

FATMAX® LIGHT DUTY TR400 4 IN 1 STAPLER

4^{TOOLS} IN 1

STANLEY
FATMAX



- Light duty 4 in 1 stapler fires cable tacks, light duty staples and both headless and standard brads
- Easy squeeze for easy actuation
- Fires 1-TRA200 series light duty staples 4-14mm
- Fires 1-CT100 series round staples
- Fires 1-SWKBN 18 gauge brads 12-15mm
- Anti-jam function



STANLEY	Description				£
FMHT0-70411	FatMax® 4in1 Light Duty TR400 Stapler / Nailer / Cable Tacker	Try Me Blister + Staples	5	3253560704117	27.30

2 IN 1 LIGHT DUTY TR120 STAPLER

2^{TOOLS} IN 1

STANLEY



- Robust steel construction for a longer working life
- Easy squeeze for easy actuation
- Fires 1-TRA200 series light duty staples 4-14mm
- Fires 1-SWKBN 18 gauge brads 12-15mm
- Anti-jam function



STANLEY	Description				£
STHT0-70410	2in1 Light Duty TR120 Stapler / Nailer	Try Me Blister + Staples	5	3253560704100	22.93

LIGHT DUTY TR45 STAPLE GUN



STANLEY

- Lock down handle for easier storage
- Takes light duty staples
- Anti-jam function



STANLEY	Description				£
0-TR45	Light Duty TR45 Staple Gun	Carded	4	3253560050450	15.83

LIGHT DUTY TR40 STAPLE GUN

STANLEY

- Easy push handle easier to use
- Staple re-load window allows you to re-load staples when needed
- Easy access staple insertion for faster loading
- Built in staple remover allows you to quickly & safely remove unwanted light duty staples
- Takes 6, 8 and 10mm light duty staples
- Anti-jam function



STANLEY	Description				£
0-TR40	Light Duty TR40 Staple Gun	Carded	6	3253560056537	11.61

2 IN 1 CT10X CABLE TACKER

STANLEY
2 IN 1
TOOLS

- 2 in 1 CT10X Cable Tacker fires round and flat staples for wire and general tacking
- Wire guide for safety prevents stapling into wire
- Hi/Lo adjustment for use on different surfaces
- Captive reload no loose parts, easy to reload
- Patented anti-jam for less down time and product failure
- Easy squeeze less force in more power out
- Compatible staple types shown below
- Anti-jam function



STANLEY	Description				£
6-CT-10X	2 in 1 CT10X Cable Tacker	Clam pack	6	3253566051109	31.67
1-CT106T	1000 x 10mm Round Staples	Plastic box	6	3253561058479	2.52
1-CT107T	1000 x 11mm Round Staples	Plastic box	6	3253561058486	2.52
1-CT108T	1000 x 12mm Round Staples	Plastic box	4	3253561058493	2.75
1-CT109T	1000 x 14mm Round Staples	Plastic box	4	3253561051692	2.75
1-CT305T	1000 x 8mm Flat Narrow Crown Staples	Plastic box	6	3253561058561	2.47
1-CT306T	1000 x 10mm Flat Narrow Crown Staples	Plastic box	5	3253561058592	2.66
1-CT308T	1000 x 12mm Flat Narrow Crown Staples	Plastic box	4	3253561058608	2.86

BRAD NAILS

STANLEY • Only suitable for 0-TRE550 and 0-TR250



STANLEY	Description				£
0-SWK-BN050	12mm x 1000	Carded	10	3253560051747	2.52
0-SWK-BN0625	15mm x 1000	Carded	10	3253560051754	2.62
0-SWKBN075	20mm x 1000	Carded	10	3253560051761	2.84
0-SWKBN100	25mm x 1000	Carded	10	3253560058395	3.04
0-SWKBN1187	30mm x 1000	Carded	10	3253560051778	3.26
0-SWKBN1375	35mm x 1000	Carded	10	3253560058821	3.36

LIGHT DUTY STAPLE PACKS

STANLEY • Only suitable for light duty staplers
• TR45 takes all sizes and 0-TR40 takes 6,8 and 10mm



STANLEY	Description				£
0-TRA204T	6mm x 1000	Carded	7	3253560053888	1.89
0-TRA205T	8mm x 1000	Carded	6	3253560053895	2.09
0-TRA206T	10mm x 1000	Carded	5	3253560054106	2.31
0-TRA204-5T	6mm x 5000	Carded	6	3253560058722	8.43
0-TRA205-5T	8mm x 5000	Carded	6	3253560058739	9.48
0-TRA206-5T	10mm x 5000	Carded	6	3253560058746	10.04
0-TRA208-5T	12mm x 5000	Carded	6	3253560058753	11.09
0-TRA209-5T	14mm x 5000	Carded	6	3253560058760	12.14

HEAVY DUTY STAPLE PACKS

STANLEY • Only suitable for heavy duty staplers and hammer tackers
• Staplers take all sizes and hammer tackers take 8,10 and 12mm



STANLEY	Description				£
1-TRA704T	6mm x 1000	Carded	7	3253561054198	2.09
1-TRA705T	8mm x 1000	Carded	6	3253561054273	2.31
1-TRA706T	10mm x 1000	Carded	5	3253561054280	2.52
1-TRA708T	12mm x 1000	Carded	4	3253561054297	2.75
1-TRA709T	14mm x 1000	Carded	4	3253561054303	3.16
1-TRA704-5T	6mm x 5000	Carded	6	3253561052675	9.12
1-TRA705-5T	8mm x 5000	Carded	6	3253561058264	6.76
1-TRA706-5T	10mm x 5000	Carded	6	3253561050657	10.56
1-TRA708-5T	12mm x 5000	Carded	6	3253561050855	11.61
1-TRA709-5T	14mm x 5000	Carded	6	3253561058271	13.20

HAMMER TACKERS

FATMAX® PRO HAMMER TACKER

STANLEY
FATMAX

- 1st ever hammer tacker & knife multi-use tool
- Designed specifically for roofing/insulation/ underlay/felting etc
- Takes heavy duty G type staples 8mm, 10mm, 12mm
- Unique retractable blade can take 11-921, 11-937, 11-987 blades
- Bottom staple loading for quick easy loading
- Fits 2 sticks of staples to reduce re-load times
- Captive staple pusher



STANLEY	Description		<input checked="" type="checkbox"/>		£
0-PHT350	FatMax® Pro Hammer Tacker	Carded	4	3253560055561	52.79

HAMMER TACKER

SharpShooter PLUS

STANLEY

- For fast installation of carpeting, roofing materials or insulation
- Fits 2 sticks of staples to reduce re-load times
- Takes heavy duty G type staples 8mm, 10mm, 12mm
- Full rubber grip absorbs shock and protects hand
- Heavy-duty steel construction for added durability



STANLEY	Description		<input checked="" type="checkbox"/>		£
0-PHT150	Hammer Tacker	Carded	6	3253560051501	31.67

RIVETERS

ALL STEEL RIVETER CONTRACTOR GRADE



STANLEY

- Contract grade – heavy duty, long lasting
- Accepts aluminium, steel & stainless steel rivets for wide range of applications
- 4 nose pieces & wrench store in handle for versatility and convenient storage

STANLEY	Description				£
6-MR100	All Steel Riveter Contractor Grade	Carded	5	3253566053004	26.38

ALL STEEL RIVETER



STANLEY

- 360° rotating head for use at any angle
- Accepts aluminium & steel rivets for a wide range of applications
- 4 nose pieces & wrench store in handle for versatility and convenient storage

STANLEY	Description				£
6-MR77	All Steel Riveter	Carded	5	3253566052427	26.38

ALL STEEL RIVETER



STANLEY

- Easy use spring loaded handle ejects rivet stem
- 4 nose pieces & wrench store in handle for versatility and convenient storage
- Accepts aluminium and steel rivets for wide range of applications
- Rugged steel construction for long lasting durability

STANLEY	Description				£
6-MR55	All Steel Riveter	Carded	5	3253566051550	21.10

ALUMINIUM RIVETS AND WASHERS

STANLEY



- Length of rivets:
Short rivet – grip range 3mm
Medium rivet – grip range 7mm
Long rivet – grip range 12mm

STANLEY	Description				£
1-PAA44T	3mm Medium Rivets (20)	Carded	10	3253561052446	2.09
1-PAA48T	3mm Long Rivets (15)	Carded	10	3253561051487	2.09
1-PAA52T	4mm Short Rivets (20)	Carded	10	3253561050527	2.43
1-PAA54T	4mm Medium Rivets (20)	Carded	10	3253561051548	2.43
1-PAA58T	4mm Long Rivets (15)	Carded	10	3253561052583	2.43
1-PAA62T	5mm Short Rivets	Carded	10	3253561052620	2.62
1-PAA64T	5mm Medium Rivets (15)	Carded	10	3253561052644	2.62
1-PAA66T	5mm Long Rivets	Carded	10	3253561051661	2.62

GLUE GUNS

FATMAX® HIGH OUTPUT PRO GLUE GUN

STANLEY FATMAX



- Fast warm up – ready to use in just 60 secs
- Ceramic element – heats up quicker and holds heat longer
- 2.5lbs per hour output
- Stand by mode: Takes 30 secs to get back to working temperature
- Hibernate mode: Stores heat after 30 minutes of non use
- Dual colour LED red when below 170° C and green when ready to use



STANLEY	Description				£
FMHT0-70418	FatMax® High Output Pro Glue Gun	Blister	5	3253560704186	39.32

HEAVY DUTY GLUE GUN

STANLEY



- Convenient fold down stand for use between applications
- 40 watt
- Takes dual melt 11.3mm glue sticks for a full range of materials
- Hi-Low melt switch
- 1.5m cable

STANLEY	Description				£
0-GR25	Heavy Duty Glue Gun	Carded	4	3253560050252	10.56

CORD FREE GLUE GUN

STANLEY



- Cord free working for up to 12 minutes ideal for outdoor jobs
- 1.8lbs per hour output
- 40 watts
- Interchangeable nozzles



STANLEY	Description				£
STHT0-70416	Cord Free Glue Gun	Blister	5	3253560704162	18.56

MINI TRIGGER GLUE GUN

STANLEY



- Convenient fold down stand for use between applications
- 15 watt
- Takes dual melt 7mm glue sticks for a full range of materials
- Hi-Low melt switch

STANLEY	Description				£
0-GR15	Mini Trigger Glue Gun	Carded	4	3253560050153	8.43

DUAL TEMP GLUE STICKS

STANLEY



- Hi-Low melt
- Low setting for bonding paper and heat sensitive products
- High setting for china, leather etc. (non porous)

STANLEY	Description				£
1-GS10DT	Glue Mini 4"/24 pk. 7mm	Carded	5	3253560051402	Disc
1-GS15DT	Glue 4"/6 pk. 11.3mm	Carded	5	3253560051495	Disc
1-GS20DT	Glue 4"/24 pk. 11.3mm	Carded	5	3253560051419	Disc
1-GS25DT	Glue 10"/12 pk. 11.3mm	Carded	5	3253561052125	Disc

GLUE STICKS

STANLEY



Glitter Hobby Glue
[Silver/Gold]



Glitter Hobby Glue
[Red/Green/Blue]



Hot Melt Glue Sticks
- Clear



STANLEY	Description	Pack Qty	Diameter	Length			£
STHT1-70428	Hot Melt Glue Sticks – Clear	6	11.3mm	101mm	30	3253561704284	2.09
STHT1-70429	Hot Melt Glue Sticks – Clear	24	11.3mm	101mm	5	3253561704291	6.32
STHT1-70430	Hot Melt Glue Sticks – Clear – 1kg Bag	100	11.3mm	101mm	1	3253561704307	21.84
STHT1-70431	Hot Melt Glue Sticks – Standard – 1kg Bag	100	11.3mm	254mm	1	3253561704314	21.84
STHT1-70432	All Purpose Clear Glue Sticks	24	11.3mm	254mm	5	3253561704321	10.92
STHT1-70433	All Purpose Clear Glue Sticks	24	11.3mm	101mm	5	3253561704338	12.00
STHT1-70434	Woodwork Glue Sticks	6	11.3mm	101mm	5	3253561704345	2.72
STHT1-70435	Woodwork Glue Sticks	30	11.3mm	101mm	5	3253561704352	10.92
STHT1-70436	Glitter Hobby Glue [Red/Green/Blue]	12	11.3mm	101mm	5	3253561704369	5.44
STHT1-70437	Glitter Hobby Glue [Silver/Gold]	12	11.3mm	101mm	5	3253561704376	5.44
STHT1-70438	Super Glue Formula – Extra Strength	6	11.3mm	101mm	5	3253561704383	5.44

THE PRO'S ADVICE



MAKE YOUR FASTENING TOOLS WORK HARDER

STAPLERS AND TACKER

TIP 1 Choose the best staple type for the job. If you want to remove it later select the shortest that is suitable, if it is to be permanent select a longer staple. Set the power to hi or lo setting and test on a scrap piece.

TIP 2 If the staples are to be visible it is good practice to try to keep them in alignment and an equal distance apart – for accurate spacing it's a good idea to make a gauge.

TIP 3 If you are stapling fragile materials that have a distinct structure like wood veneer, always position the staple across the grain for greater strength. With some thin materials, even on low power, the staple may tend to cut through and become ineffective. Change to a broad crown staple or add a piece of stronger material between the staple crown and the work piece.

TIP 4 When work is completed fire off one final staple and hold the handle in the closed position and place the wire loop over the plastic hook on the handle to hold the handle in the closed position for storage.

DUAL MELT GLUE GUNS

TIP 1 Be sure to select the best heat setting for the job. Wood, plastics and metals respond best to a high temperature setting while more delicate materials such as card, paper and fabric bond better on low heat. If the materials have a tendency to absorb heat rapidly, a higher setting ensures that the glue stays fluid long enough for the parts to be positioned accurately.

TIP 2 When in use always stand the gun on a piece of scrap material – even with great care the hot glue will drip.

TIP 3 Test the glue by squeezing gently, aim to produce a fine and consistent line of glue – squeeze too hard and it will all appear in a single blob.

TIP 4 Do not attempt to apply glue to a very large area as it will cease to be workable after about 30 seconds.

TIP 5 Once glue has been applied hold the two pieces for about 30 seconds, by which time a strong bond will have formed.

TIP 6 As soon as the glue stick disappears into the heating chamber insert another to maintain a continuous flow of glue.


HAND RIVETERS

TIP 1 Assess the length, diameter and type of rivet required dependent on material type, thickness and final application (visual or functional). As a rule of thumb the rivet should be one and a half times longer than the combined thickness of the materials being joined.

TIP 2 Clamp the two sheets together and drill through both at the same time, removing any burrs with a fine file. Test suitability before starting on the finished material.

TIP 3 Insert the rivet and ensure that it is seated firmly onto the outer surface. If the materials to be joined may be damaged by the force of the rivet closing, place a suitably sized washer over the rivet shank to spread the pressure and create a stronger joint.

TIP 4 Fit the correct size of nosepiece to the riveter and place over the rivet mandrel, pushing it up to the head of the rivet. Squeeze the handles together for the first pull, maintaining pressure on the nose of the riveter at all times. Open the handles and press the nose down to the rivet a second time, squeezing the handles together again, until the steel mandrel snaps just below the finished rivet.



SEE ALL THE PRO'S ADVICE AT
STANLEYTOOLS.CO.UK

PLUMBI DRYWAL



NG AND L TOOLS



PLUMBING TOOLS

PIPE SLICES



STANLEY

- Durable cast metal body for a longer working life
- Ridged profile for additional grip
- Automatic wheel tension for fast, clean cuts on 15 & 22mm pipe
- No adjustment needed





STANLEY	Description				£
0-70-445	Pipe Slice 15mm	Card	6	3253560704452	13.97
0-70-446	Pipe Slice 22mm	Card	6	3253560704469	16.38

ADJUSTABLE PIPE CUTTERS



STANLEY

- Adjustable to cover a range of pipe sizes
- Durable metal construction
- Steel guide rollers for accuracy
- Built in deburring tool (70-448 only) for a clean cut edge
- Replacement cutter wheel in handle



STANLEY	Description				£
0-70-447	Adjustable Pipe Cutter 3-22mm	Card	6	3253560704476	9.82
0-70-448	Adjustable Pipe Cutter 3-30mm	Card	6	3253560704483	13.10

PLASTIC PIPE CUTTERS

STANLEY



- Cuts up to 28mm plastic pipe – can also be used for hose, conduit and edge trim
- Precision stainless steel blade
- Durable moulded resin body



STANLEY	Description				£
0-70-450	Plastic Pipe Cutter	Card	6	3253560704506	14.18

BASIN WRENCH

STANLEY




- For tightening back / tap nuts on basins and other hard to reach fasteners
- Forged steel body for durability
- Fixed wrench with 1/2" BSP and 3/4" BSP ends
- Adjustable wrench with reversible direction and swivel knurled hook for positive grip



STANLEY	Description				£
0-70-454	Basin Wrench – Fixed	Card	6	3253560704544	10.91
0-70-453	Basin Wrench – Adjustable	Card	6	3253560704537	14.18

SMALL DIAMETER PIPE BENDER

STANLEY



- For precise bends on 6, 8 & 10mm copper pipe
- Die cast body for strength and durability
- Knurled non-slip grips
- Clear graduations for accurate bends



STANLEY	Description				£
0-70-451	Pipe Bender – 6 – 8 – 10mm	Card	6	3253560704513	21.83

PIPE BENDER

STANLEY



- For precise crease free bends on 15 & 22mm copper pipe
- Durable steel arms and hardened rollers
- Long arms for high leverage
- Can be gripped in a vice for bench use



STANLEY	Description				£
0-70-452	Pipe Bender – 15 & 22mm	Box	1	3253560704520	76.47

DRYWALL TOOLS

STAINLESS STEEL TAPING KNIVES

STANLEY

- Stainless steel blade prevents rusting and provides durability
- Smooth zinc alloy cap
- Blade tapered from handle to tip provides flexibility
- Bi-material handle for comfort
- Hang hole for easy storage



STANLEY	Description				£
STHT0-05895	Stainless Steel Taping Knife 8"/203mm	Card	4	3253560058951	8.72
STHT0-05771	Stainless Steel Taping Knife 10"/254mm	Card	4	3253560057718	9.81
STHT0-05776	Stainless Steel Taping Knife 12"/305mm	Card	4	3253560057763	10.91

STAINLESS STEEL CORNER TOOLS

STANLEY

- Stainless steel blade prevents rusting and provides durability
- Blade tapered along top to create a smooth even finish
- Bi-material handle for comfort
- Hang hole for easy storage




STANLEY	Description				£
STHT0-05777	Stainless Steel Inside Corner Tool	Card	4	3253560057770	8.73
STHT0-05622	Stainless Steel Outside Corner Tool	Card	4	3253560056223	8.73

STAINLESS STEEL MARGIN TROWELS

STANLEY

- Stainless steel blade prevents rusting and provides durability
- Bi-material handle for comfort



STANLEY	Description				£
STHT0-05897	Margin/Window Trowel – 3-1/4"x4" (82mmx101mm)	Card	6	3253560058975	12.01
STHT0-05896	Margin/Edging Trowel 3pc Set -2"x5" (51mmx127mm) 1-1/2"x5" (38mmx127mm) 3-1/4"x4-1/4" (82mmx108mm)	Box	4	3253560058968	43.70

STAINLESS STEEL JOINTING KNIVES

STANLEY

- Stainless steel blade prevents rusting and provides durability
- Smooth zinc alloy cap
- Blade tapered from handle to tip provide flexibility
- Bi-material handle for comfort
- Hang hole for easy storage



STANLEY	Description				£
STHT0-05786	Stainless Steel Joint Knife 4"/101mm	Card	6	3253560057862	7.64
STHT0-05799	Stainless Steel Joint Knife 5"/127mm	Card	6	3253560057992	8.17
STHT0-05864	Stainless Steel Joint Knife 6"/152mm	Card	6	3253560058647	8.72
STHT0-28000	Stainless Steel Joint Knife 4"/101mm w/#2 Phillips Bit	Card	6	3253560280000	8.17
STHT0-28034	Stainless Steel Joint Knife 5"/127mm w/#2 Phillips Bit	Card	6	3253560280345	8.72
STHT0-28041	Stainless Steel Joint Knife 6"/152mm w/#2 Phillips Bit	Card	6	3253560280413	9.27

STAINLESS STEEL TROWELS

STANLEY

- Stainless steel blade prevents rusting and provides durability
- Slight bow in blade allows users to make perfect drywall joints
- Bi-material handle for comfort



STANLEY	Description				£
STHT0-05898	Trowel 280mm x 130mm Curved Corners	Card	6	3253560058982	18.57
STHT0-05899	Trowel 320mm x 130mm Curved Corners	Card	6	3253560058999	19.66
STHT0-05900	Finishing Trowel 320mmx130mm	Card	6	3253560059002	21.84

COMPOUND MIXERS

STANLEY

- Chuckable hexagonal bar profile
- Perfect for mixing compound, paint and other materials
- Mixer has wings and a protective extension to avoid contact with the bucket



STANLEY	Description				£
STHT2-28042	Jointing Compound Mix 80mm Ø	Card	12	3253562280428	6.54
STHT2-28043	Jointing Compound Mix 100mm Ø	Card	6	3253562280435	8.18
STHT2-28044	Jointing Compound Mix 120mm Ø	Card	6	3253562280442	9.27

MUD PANS

STANLEY

- Plastic – flexible for easy cleaning
- Stainless steel – for durability



STANLEY	Description				£
STHT0-05866	Mud Pan 10"/254mm – Plastic	Box	6	3253560058661	4.35
STHT0-05867	Mud Pan 12"/305mm – Stainless Steel	Box	6	3253560058678	14.19

HAND SANDER

STANLEY

- Heavy duty ribbed aluminium body stays flat and rigid
- Strong clamps to hold paper or screens
- Bi-material handle for comfort
- Accepts most sandpaper and sanding screens



STANLEY	Description				£
STHT0-05927	Hand Sander	Card	4	3253560059279	10.92

POLE SANDER

STANLEY

- Heavy duty ribbed aluminium body stays flat and rigid
- Strong clamps to hold paper or screens
- Bi-material handle for comfort
- Accepts most sandpaper and sanding screens



STANLEY	Description				£
STHT0-05928	Aluminum Pole Utility Sander	Box	2	3253560059286	25.11

SANDING SCREENS

STANLEY

- Available in K80 and K120



STANLEY	Description				£
STHT0-05929	Sanding Screen K 80 10PK	Bag	12	3253560059293	3.81
STHT0-05930	Sanding Screen K 120 10PK	Bag	12	3253560059309	4.90
STHT0-05931	Sanding Screen K 120 100PK	Bag	3	3253560059316	41.51

DRYWALL EDGE STRIPPER

STANLEY



- Twin cutting blades to cut both sides of the drywall
- Bi-material handle for comfort
- Adjustable cutting depth
- Replacement blades available



STANLEY	Description				£
STHT1-16069	Drywall Edge Stripper	Box	4	3253561160691	27.20
STHT0-16131	Replacement Wheel for 16-069	Bag	12	3253560161316	4.36

DRYWALL CIRCLE CUTTER

STANLEY



- For cutting perfect holes in drywall up to 16" in diameter
- Precision calibrated
- Easy to read graduations




STANLEY	Description				£
STHT1-05878	Circle Cutter	Card	4	3253561058783	8.18

DRYWALL PANEL CARRY

STANLEY



- Synthetic light resistant body that does not damage the board
- Aids balance and control when carrying large boards
- 14" handle for extra reach
- Hi-visibility yellow makes it easy to locate



STANLEY	Description				£
1-93-301	Drywall Panel Carrier	Card	6	3253561933011	10.91

WALL BOARD CARRY HANDLES

STANLEY

- Sold in pairs
- Helps when carrying large boards and sheet materials
- Bi-material handle for comfort



STANLEY	Description				£
STHT1-05868	Wall Board Carry Handles	Box	4	3253561058684	21.84

DRYWALL SUPPORT

STANLEY

- Heavy duty telescopic aluminium support to keep ceiling boards in place
- Adjustable pole for easier lifting of boards and holding
- Strong clamps to hold the board firmly
- Sold in singles



STANLEY	Description				£
STHT1-05932	Telescopic Drywall Support	Box	2	3253561059322	32.77

DRYWALL SCREW ADAPTORS


STANLEY

- For quick fixing of drywall screws
- Sinks #2 fasteners to the correct depth setting



STANLEY	Description				£
STHT0-16137	Drywall Screw Adapter	Card	12	3253560161378	5.45
STHT0-05926	Drywall Screw Adapter – Magnetic	Card	6	3253560059262	6.54

DRYWALL T SQUARE – METRIC



STANLEY

- Easy to read black markings
- Notched head for cutting a 4' board in 1 sweep

STANLEY	Description				£
STHT1-05894	Drywall T Square – Metric	Box	2	3253561058943	21.83

DRYWALL T-SQUARE +



STANLEY

- Aluminium design – jobsite tough but lightweight
- Metric/imperial measurements
- Foldable – for easier van storage and transport
- Blade guide, no need to mark and cut
- Cutting guide for simple straight plasterboard cuts



STANLEY	Description				£
STHT1- 05933	Drywall T-Square +*	Box	1	3253561059339	29.69

DRYWALL FOOT LIFTER



STANLEY

- Steel construction for versatility and durability
- Adjustable design which extends for greater lift
- Carry handle for easy moving



STANLEY	Description				£
STHT0-05939	Drywall Foot Lifter*	Box	1	3253560059392	21.21

INDEX BY PAGE NUMBER

SHORT TAPES		Page
XTHT0-33671	5m (Metric Only) FatMax® Autolock Tape	10
XTHT0-33503	5m/16' FatMax® Autolock Tape	10
XTHT0-33501	8m (Metric Only) FatMax® Autolock Tape	10
XTHT0-33504	8m/26' FatMax® Autolock Tape	10
5-33-886	5m/16' FatMax® Pro Tape	10
5-33-891	8m/26' FatMax® Pro Tape	10
5-33-896	10m/30' FatMax® Pro Tape	10
0-33-887	5m FatMax® Pro Tape	10
0-33-892	8m FatMax® Pro Tape	10
0-33-897	10m FatMax® Pro Tape	10
FMHT0-33864	FatMax® Magnetic Tape 5m	11
FMHT0-33868	FatMax® Magnetic Tape 8m	11
0-33-719	5m/16' FatMax® Blade Armor Tape	11
0-33-726	8m/26' FatMax® Blade Armor Tape	11
0-33-805	10m/30' FatMax® Blade Armor Tape	11
0-33-720	5m FatMax® Blade Armor Tape	11
0-33-728	8m FatMax® Blade Armor Tape	11
0-33-811	10m FatMax® Blade Armor Tape	11
STHT0-33567	3m/10' Grip Tape	11
STHT0-33568	5m/16' Grip Tape	11
STHT0-33569	8m/26' Grip Tape	11
FMHT1-33856	2m Keychain Tape	12
0-33-299	5m Stainless Steel Powerlock Tape	12
0-33-301	8m Stainless Steel Powerlock Tape	12
0-33-523	3m/10' Powerlock Tape	12
0-33-553	5m/16' Powerlock Tape	12
0-33-515	5m/16' Powerlock Tape Blade Armor	12
0-33-526	8m/26' Powerlock Tape Blade Armor	12
0-33-531	10m/30' Powerlock Tape Blade Armor	12
0-33-522	3m Powerlock Tape	12
0-33-552	5m Powerlock Tape	12
0-33-527	8m Powerlock Tape Blade Armor	12
0-33-532	10m Powerlock Tape Blade Armor	12
0-33-932	5m Powerlock Top Reader Tape	12
0-30-686	3m/10' Tylon Tape	13
1-30-686	3m/10' Tylon Tape	13
0-30-696	5m/16' Tylon Tape	13
1-30-696	5m/16' Tylon Tape	13
0-30-656	8m/26' Tylon Tape	13
1-30-656	8m/26' Tylon Tape	13
LONG TAPES		Page
0-34-203	30m FatMax® Pro Self Retracting Long Tape	15
0-34-132	30m/100' FatMax® Steel Blade Long Tape	15
0-34-107	30m/100' Steel Blade Long Tape	16
0-34-296	20m Fibreglass Long Tape	16
0-34-297	30m Fibreglass Long Tape	16
0-34-262	30m/100' Fibreglass Long Tape	16
2-34-772	30m Powerwinder Fibreglass Long Tape	16
2-34-775	60m Powerwinder Fibreglass Long Tape	16
2-34-777	100m Powerwinder Fibreglass Long Tape	16
2-34-791	30m/100' Fibreglass Open Frame Long Tape	17
2-34-794	60m/200' Fibreglass Open Frame Long Tape	17
RULES		Page
0-35-400	150mm/6" Rustless Steel Rule - Metric Imperial	18
0-35-401	300mm/12" Rustless Steel Rule - Metric Imperial	18
1-35-331	600mm/24" Rustless Folding Steel Rule	18
1-35-333	600mm/24" Line Of Chords Scale	19
0-35-445	1m/39" Plastic Folding Rule	19
0-35-229	2m Fibreglass Folding Rule	19
LASER MEASURERS		Page
1-77-116	TLM220i Laser Measurer	22
STHT1-77140	TLM330 Laser Measurer	22
STHT1-77139	TLM165 Laser Measurer	23
STHT1-77343	TLM99S Laser Measurer	23

STHT1-77361	TLM99Si Laser Measurer	23
STHT1-77138	TLM99 Laser Measurer	23
STHT1-77032	TLM65 Laser Measurer	23
0-77-018	Intellimeasure Ultrasonic Measurer	23
LEVELS		Page
XTHT1-42131	600mm/24" FatMax® I-Beam Site Level	26
XTHT1-42134	1200mm/48" FatMax® I-Beam Site Level	26
XTHT1-42138	1800mm/72" FatMax® I-Beam Site Level	26
XTHT1-42132	600mm/24" FatMax® I-Beam Magnetic Site Level"	26
XTHT1-42135	1200mm/48" FatMax® I-Beam Magnetic Site Level	26
XTHT1-42140	1800mm/72" FatMax® I-Beam Magnetic Site Level	26
XTHT1-42139	2000mm/78" FatMax® I-Beam Magnetic Site Level	26
0-43-616	400mm/16" FatMax® Level	27
0-43-624	600mm/24" FatMax® Level	27
0-43-636	900mm/36" FatMax® Level	27
0-43-648	1200mm/48" FatMax® Level	27
0-43-672	1800mm/72" FatMax® Level	27
0-43-681	2000mm/80" FatMax® Level	27
0-43-625	600mm/24" FatMax® Magnetic Level	27
0-43-649	1200mm/48" FatMax® Magnetic Level	27
1-43-524	600mm/24" FatMax® Level	28
1-43-536	900mm/36" FatMax® Level	28
1-43-548	1200mm/48" FatMax® Level	28
1-43-572	1800mm/72" FatMax® Level	28
1-43-525	600mm/24" FatMax® Magnetic Level	28
1-43-537	900mm/36" FatMax® Magnetic Level	28
1-43-549	1200mm/48" FatMax® Magnetic Level	28
STHT1-43102	400mm STANLEY Classic Box Level	28
STHT1-43103	600mm STANLEY Classic Box Level	28
STHT1-43104	800mm STANLEY Classic Box Level	28
STHT1-43105	1000mm STANLEY Classic Box Level	28
STHT1-43106	1200mm STANLEY Classic Box Level	28
STHT1-43107	1500mm STANLEY Classic Box Level	28
STHT1-43108	1800mm STANLEY Classic Box Level	28
STHT1-43109	2000mm STANLEY Classic Box Level	28
1-43-553	600mm/24" FatMax® I-Beam Level	28
1-43-555	1200mm/48" FatMax® I-Beam Level	28
1-43-557	1800mm/72" FatMax® I-Beam Level	28
1-43-554	600mm/24" FatMax® I-Beam Magnetic Level	28
1-43-556	1200mm/48" FatMax® I-Beam Magnetic Level	28
1-43-558	2000mm/72" FatMax® I-Beam Magnetic Level	28
1-42-919	400mm/16" Pro 180 Level	29
1-42-920	600mm/24" Pro 180 Level	29
1-42-921	800mm/32" Pro 180 Level	29
1-42-922	1000mm/40" Pro 180 Level	29
1-42-923	1200mm/48" Pro 180 Level	29
1-42-474	300mm/12" Foamcast Level	29
1-42-475	450mm/18" Foamcast Level	29
1-42-476	600mm/24" Foamcast Level	29
1-42-471	1200mm/48" Foamcast Level	29
0-42-063	400mm/16" FatMax® Digital Level	29
0-42-065	600mm/24" FatMax® Digital Level	29
0-42-086	1200mm/48" FatMax® Digital Level	29
0-42-087	400mm/16" Digital Angle Level	29
TORPEDO & LINE LEVELS		Page
0-43-609	250mm/10" FatMax® Pro Torpedo Level	30
0-43-603	250mm/10" FatMax® Torpedo Level	30
0-43-511	230mm/9" Shockproof Torpedo Level	31
0-42-465	230mm/9" Aluminium Magnetic Torpedo Level	31
0-42-294	200mm/8" Torpedo Level	31
0-42-287	80mm/3" Line Level	31
0-42-130	Pocket Level	31
MARKING OUT TOOLS		Page
1-45-013	1720mm X 1200mm Folding Builders' Square	33
STHT46010	7" Bi- Colour Quick Square	33

STHT46011	12" Bi- Colour Quick Square	33
46-053	Adjustable Quick Square	33
0-46-151	300mm/12" Combination Square	34
2-46-028	300mm/12" Die Cast Combination Square	34
2-46-222	300mm/12" Combination Square	34
1-45-530	600mm/400mm Carpenters Steel Squares	34
0-46-702	225mm Rosewood Joiners Bevel	35
0-46-825	200mm Plastic Joiners Bevel	35
0-46-529	228mm Plastic Joiners Bevel	35
2-47-064	215mm Marking Gauge	35
0-47-314	2pk FatMax® Black Chisel Tip Marker	36
0-47-312	2pk FatMax® Black Fine Tip Marker	36
0-47-316	2pk Black Fine Tip Marker	36
1-47-329	Mini Multi Fine Tip Marker	36
1-03-850	Red Carpenter Pencil	36
1-03-851	Green Mason Pencil	36
CHALK LINES		Page
0-47-480	FatMax® Pro 30m Chalk Line	37
0-47-488	FatMax® Pro 30m Chalk Line & 225g Black Chalk	37
9-47-486	FatMax® Pro 30m Chalk Line & FatMax® Pro Quick Spike	37
0-47-681	30m FatMax® Chalk Line Set - 113g Blue Chalk & Fine Tip Black Marker	38
STHT0-47347	Large Chalk Reel	38
0-47-465	30m Powerwinder Chalk Line Set - 113g Blue Chalk & Level	38
0-47-100	30m Metal Chalk Line Set	39
0-47-443	30m Chalk Line Set - 113g Blue Chalk & Level	39
STHT0-47147	Compact 9m Chalk Line	39
1-47-403	113g Blue Chalk	39
1-47-404	113g Red Chalk	39
1-47-405	113g White Chalk	39
1-47-803	225g Blue Chalk	39
1-47-804	225g Red Chalk	39
OPTICAL LEVEL		Page
1-77-159	AL24 Auto Level Kit	46
ROTARY LASERS		Page
1-77-439	RL HGW FatMax® Exterior Rotary Laser	47
1-77-427	FatMax® RLHVPW Interior Rotary Laser	48
1-77-429	FatMax® RLHW+ Rotary Laser	48
1-77-496	FatMax® RLHW Exterior Rotary Laser	49
LINE LASERS		Page
1-77-322	FatMax® Multiline Laser	49
FMHT1-77348	FatMax® Green Beam X Line Laser	50
1-77-321	FatMax® Cross Line Laser - SCL-D	50
1-77-320	FatMax® Cross Line Laser - SCL	51
STHT1-77137	Line Laser 360 - SLL360	51
1-77-123	FatMax® CLLI Cross Line Laser Kit	52
STHT1-77340	Cubix™ Cross Line Laser	52
STHT1-77148	Manual Wall Line Laser	53
STHT1-77149	Self Levelling Wall Laser	53
SPOT LASERS		Page
1-77-319	FatMax® Spot Line Laser - SLP5	54
1-77-318	FatMax® Spot Line Laser - SLP3	54
STHT1-77342	3 Spot Laser - SPL3	55
ACCESSORIES		Page
1-77-192	Mini Tripod	55
1-77-128	Multi Line Laser Adapter	55
1-77-201	Camera Tripod	55
1-77-131	Aluminium Tripod	56
1-77-163	Aluminium Tripod	56
1-77-164	Aluminium Tripod	56
1-77-024	Multi Line Laser Adapter	56
1-77-022	3.6m Extension Pole	56
1-77-168	Grading Adapter	56

1-77-172	Wall Mounting Bracket	57
1-77-162	Measuring Staff	57
1-77-171	Laser Glasses	57
1-77-170	Laser Grid Target	57
1-77-023	Detector for Line Lasers	58
1-77-132	Detector for Line Lasers	58
1-77-133	Detector for Rotating Lasers	58
FMHT1-74267	Green Beam Detector	58
1-77-134	Remote Control	58
1-77-127	Mains Charger	58
SENSORS		Page
0-77-030	Moisture Detector	59
0-77-500	Intellisensor™ Pro Stud Sensor	60
STHT0-77403	S100 Sensor	60
STHT0-77404	S150 Sensor	60
STHT0-77406	S200 Sensor	61
FMHT0-77407	S300 Sensor	61
HEADLAMP TORCHES		Page
FMHT0-70767	FatMax® Headlamp	64
TRIPOD TORCHES		Page
0-95-112	LED Tripod Torch	65
0-95-113	Mini Tripod Keyring Torch	65
HAND TORCHES		Page
1-95-891	Heavy Duty Clamping Floodlight	66
1-95-153	FatMax® 3D Aluminium Torch	66
1-95-152	FatMax® 3AAA Aluminium Torch	67
1-95-151	FatMax® 2AA Aluminium Torch	67
FIXED BLADE KNIVES		Page
0-10-818	FatMax® Pro Fixed Blade Knife	73
0-10-780	FatMax® Fixed Blade Knife	73
1-10-550	Titan Fixed Blade Knife with Scabbard	74
2-10-550	Titan Fixed Blade Knife	74
FMHT0-10827	FatMax® Fixed Blade Folding Knife	74
0-10-855	Folding Utility Knife	74
0-10-705	Fixed Blade Utility Knife	75
2-10-199	Classic 199® Fixed Blade Knife	75
0-10-299	Fixed Blade Utility Knife	75
0-10-129	Saw Knife Set	75
RETRACTABLE BLADE KNIVES		Page
0-10-789	FatMax® Pro Twin Blade Knife	76
XTHT0-10502	FatMax® Twin Blade Folding Knife	76
0-10-819	FatMax® Pro Retractable Blade Knife	77
0-10-825	FatMax® Retractable Folding Knife	77
0-10-778	FatMax® Retractable Blade Knife	77
2-10-122	Titan Retractable Knife	78
0-10-788	Instant Change™ Retractable Blade Knife	78
0-10-499	499 Retractable Blade Knife	78
0-10-237	FatMax® Retractable Blade Knife Autoload	78
0-10-707	Retractable Blade Utility Knife	79
9-10-810	1Quickslide Pocket Knife	79
0-10-810	Quickslide Pocket Knife	79
02/10/1999	155mm 99E Original STANLEY Retractable Blade Knife	79
4-98-006	155mm 99E Original STANLEY Retractable Blade Knife	79
0-10-088	150mm Retractable Blade Utility Knife	79
06/10/1988	150mm Retractable Blade Utility Knife	79
SAFETY KNIVES		Page
0-10-242	FatMax® Safety Knife	80
0-10-245	Replacement Blades	80
0-10-189	155mm Springback Knife	80
1-10-189	155mm Springback Knife	80
0-10-243	Pocket Folding Safety Knife	81
0-10-244	Safety Wrap Cutter	81

INDEX BY PAGE NUMBER

0-10-245	Replacement Blades	81
0-10-475	9mm FatMax® Snap-Off Knife	82
0-10-481	18mm FatMax® Snap-Off Knife	82
0-10-486	25mm FatMax® Snap-Off Knife	82
0-10-409	9mm Dynagrip® Snap-Off Knife	83
0-10-418	18mm Dynagrip® Snap-Off Knife	83
0-10-095	9mm Interlock Snap-Off Knife	83
0-10-018	18mm Interlock Snap-Off Knife	83
0-10-280	18mm Snap-Off Knife - Self Locking	83
0-10-150	9mm SM Snap-Off Knife	83
0-10-151	18mm SM Snap-Off Knife	83
CRAFT & POCKET KNIVES		Page
0-10-813	Sports Utility QuickSlide™ Knife	84
8-10-813	Sports Utility QuickSlide™ Knife with 10 blades	84
0-10-254	Liner Lock Knife with Carabiner	84
0-10-253	Skeleton Liner Lock Knife	85
0-10-598	110mm Folding Pocket Knife	85
0-10-590	Interlock Craft Knife	85
0-10-601	3 X 140mm Disposable Craft Knife	85
1-10-601	140mm Disposable Craft Knife	85
0-28-590	170mm Window Scraper	86
0-28-500	Scraper	86
0-28-510	Replacement blades - 10 Pack	86
KNIFE BLADES		Page
0-11-800U	Tungsten Carbide Blades - 5 Pack	87
2-11-800U	Tungsten Carbide Blades - 10 Pack	87
8-11-800U	Tungsten Carbide Blades - 50 Pack	87
5-11-700	FatMax® Blade - 5 Pack	88
6-11-700	FatMax® Blade - 10 Pack	88
8-11-700	FatMax® Blade - 100 Pack	88
0-11-921	1992 Trimming Knife Blade	88
2-11-921	1992 Trimming Knife Blade	88
8-11-921	1992 Trimming Knife Blade	88
3-11-921	1992 Trimming Knife Blade	88
1-11-921	1992 Trimming Knife Blade	88
4-11-921	1992 Trimming Knife Blade	88
0-11-921	1992 Trimming Knife Blade	88
2-11-921	1991 Trimming Knife Blade - 10 Pack Dispenser	88
1-11-911	1991 Trimming Knife Blade - 100	88
2-11-987	1992 Round Nose Tip Safety Blade - 10 Pack Dispenser	89
0-11-983	1996 Hooked Trimming Knife Blade - 5 Pack	89
1-11-983	1996 Hooked Trimming Knife Blade - 100	89
0-11-952	5192 Concave Trimming Knife Blade - 5 Pack	89
1-11-952	5192 Concave Trimming Knife Blade - 100	89
0-15-276	Saw Blades for Wood	89
0-15-277	Saw Blades for Metal	89
STHT0-11818U	Tungsten Carbide™ 18mm Snap-Off Blades - 5 Pack	90
STHT2-11818U	Tungsten Carbide™ 18mm Snap-Off Blades - 10 Pack	90
STHT8-11818U	Tungsten Carbide™ 18mm Snap-Off Blades - 50 Pack	90
STHT0-11825U	Tungsten Carbide™ 25mm Snap-Off Blades - 5 Pack	90
STHT3-11825U	Tungsten Carbide™ 25mm Snap-Off Blades - 20 Pack	90
0-11-718	FatMax® 18mm Snap-Off Blades - 5 Pack	90
2-11-718	FatMax® 18mm Snap-Off Blades - 10 Pack	90
0-11-725	FatMax® 25mm Snap-Off Blades - 5 Pack	90
6-11-725	FatMax® 25mm Snap-Off Blades - 10 Pack	90
0-11-300	9mm Snap-Off Knife Blades	90
1-11-300	9mm Snap-Off Knife Blades	90
2-11-301	18mm Snap-Off Knife Blades	91
0-11-301	18mm Snap-Off Knife Blades	91
1-11-301	18mm Snap-Off Knife Blades	91
0-11-325	25mm Snap-Off Knife Blades	91
0-11-221	5901 Slimknife Blade	91
1-11-221	5901 Slimknife Blade	91
1-11-115	5905 Slimknife Blade	91
MULTI-TOOLS		Page
0-84-519	12 in 1 Multi-Tool with a pouch	94

STHT0-70695	14 in 1 Multi-Tool	95
SCREWDRIVERS		Page
0-65-479	Flared 3mm X 75mm	100
0-65-016	Flared 4mm X 100mm	100
0-65-481	Flared 4mm X 125mm	100
0-65-098	Flared 5.5mm X 100mm	100
0-65-482	Flared 5.5mm X 125mm	100
0-65-483	Flared 5.5mm X 150mm	100
0-65-141	Flared 6.5mm X 150mm	100
0-65-137	Flared 8mm X 150mm	100
0-65-138	Flared 8mm X 175mm	100
0-65-139	Flared 10mm X 200mm	100
0-65-143	Flared 12mm X 250mm	100
0-65-006	Parallel 2.5mm X 50mm	100
0-64-978	Parallel 3mm X 50mm	100
0-65-008	Parallel 3mm X 100mm	100
0-64-979	Parallel 3mm X 150mm	100
0-64-983	Parallel 3.5mm X 75mm	100
0-64-984	Parallel 3.5mm X 100mm	100
0-65-017	Parallel 4mm X 100mm	100
0-65-093	Parallel 4mm X 150mm	100
0-65-400	Parallel 5.5mm X 30mm	100
0-65-094	Parallel 5.5mm X 150mm	100
0-65-404	Parallel 6.5mm X 30mm	100
0-65-096	Parallel 6.5mm X 150mm	100
0-65-319	Pozi PZ0 X 75mm	101
0-65-335	Pozi PZ1 X 100mm	101
0-65-336	Pozi PZ1 X 250mm	101
0-65-337	Pozi PZ2 X 125mm	101
0-62-571	Pozi PZ2 X 250mm	101
0-65-338	Pozi PZ3 X 150mm	101
0-65-339	Pozi PZ4 X 200mm	101
0-65-408	Pozi PZ1 X 30mm	101
0-65-409	Pozi PZ2 X 30mm	101
0-65-204	Phillips PH00 X 50mm	101
0-65-206	Phillips PH0 X 75mm	101
0-65-207	Phillips PH1 X 100mm	101
0-65-209	Phillips PH2 X 125mm	101
0-65-224	Phillips PH2 X 250mm	101
0-65-316	Phillips PH3 X 150mm	101
0-65-317	Phillips PH4 X 200mm	101
0-65-406	Phillips PH1 X 30mm	101
0-65-407	Phillips PH2 X 30mm	101
0-65-340	Torx TT10 X 75mm	101
0-65-395	Torx TT15 X 75mm	101
0-65-396	Torx TT20 X 100mm	101
0-65-397	Torx TT25 X 100mm	101
0-65-398	Torx TT30 X 125mm	101
0-65-399	Torx TT40 X 125mm	101
FMHT0-62619	150mm FatMax® Flared Bolster Screwdriver	102
FMHT0-62620	175mm FatMax® Flared Bolster Screwdriver	102
FMHT0-62621	200mm FatMax® Flared Bolster Screwdriver	102
FMHT0-62624	125mm FatMax® PZ2 + Bolster Screwdriver	102
FMHT0-62625	150mm FatMax® PZ3 + Bolster Screwdriver	102
FMHT0-62622	125mm FatMax® PH2 + Bolster Screwdriver	102
FMHT0-62623	150mm FatMax® PH2 + Bolster Screwdriver	102
FMHT0-62640	100mm FatMax® Parallel Stainless Steel Screwdriver	102
FMHT0-62641	10mm FatMax® Parallel Stainless Steel Screwdriver	102
FMHT0-62642	150mm FatMax® Flared Stainless Steel Screwdriver	102
FMHT0-62643	175mm FatMax® Flared Stainless Steel Screwdriver	102
FMHT0-62644	100mm FatMax® Phillips Stainless Steel Screwdriver	102
FMHT0-62645	125mm FatMax® Phillips Stainless Steel Screwdriver	102
FMHT0-62646	100mm FatMax® Pozi Stainless Steel Screwdriver	102
FMHT0-62647	125mm FatMax® Pozi Stainless Steel Screwdriver	102
0-65-490	1/4" X 125mm Bit Adaptor	102
1-65-490	1/4" X 125mm Bit Adaptor	102

0-65-410	Parallel 2.5 X 50mm VDE	103
0-65-411	Parallel 3.5 X 75mm VDE	103
0-65-412	Parallel 4 X 100mm VDE	103
0-65-413	Parallel 5.5 X 150mm VDE	103
0-65-414	Phillips PH0 X 75m VDE	103
0-65-415	Phillips PH1 X 100mm VDE	103
0-65-416	Phillips PH2 X 125mm VDE	103
0-65-417	Pozi PZ0 X 75mm VDE	103
0-65-418	Pozi PZ1 X 100mmVDE	103
0-65-419	Pozi PZ2 X 125mm VDE	103
FMHT0-62648	Phillips PH1/PH2 X100m/125mm VDE	103
FMHT0-62649	Pozi PZ1/PZ1 X (checking)	103
XTHT0-62692	5 Piece Slim VDE PH	103
XTHT0-62693	5 Piece Slim VDE PZ	103
0-65-441	6 Pce VDE Screwdriver Set - Paralle/Phillips	104
0-65-443	6 Pce VDE Screwdriver Set - Paralle/Pozi	104
5-62-573	10 Pce VDE Screwdriver Set - Paralle/Phillips/Pozi	104
0-65-436	5 Piece Screwdriver Set	105
0-65-440	5 Pce Screwdriver Set - Paralle/Phillips	105
0-65-428	6 Pce Screwdriver Set - Paralle/Flared/Pozi	105
0-65-099	6 Pce Screwdriver Set - Tamperproof Torx	105
0-65-425	7 Pce Screwdriver Set - Paralle/Flared/Pozi	106
0-65-438	7 Pce Screwdriver Set - Paralle/Flared/Phillips/Pozi	106
0-65-437	8 Pce Screwdriver Set - Paralle/Flared/Phillips	106
0-65-424	9 Pce Screwdriver Set - Paralle/Flared/Pozi	107
5-65-427	10 Pce Screwdriver Set - Paralle/Flared/Pozi	107
0-65-439	10 Pce Screwdriver Set - Paralle/Flared/Phillips	107
5-65-426	12 Pce Screwdriver Set - Paralle/Flared/Phillips/Pozi	108
5-62-572	20 Pce Screwdriver Set - Paralle/Flared/Phillips/Pozi	108
0-66-119	Mains Voltage Tester Slotted	108
CUSHION GRIP SCREWDRIVERS		Page
0-64-915	Flared 3 X 75mm	109
0-64-916	Flared 5 X 100mm	109
0-64-917	Flared 6.5 X 45mm	109
0-64-919	Flared 6.5 X 150mm	109
0-64-921	Flared 8 X 150mm	109
0-64-922	Flared 10 X 200mm	109
0-64-923	Parallel 2.5 X 75mm	109
0-64-924	Parallel 3 X 75mm	109
0-64-952	Pozi PZ0 X 60mm	109
0-64-953	Pozi PZ1 X 45mm	109
0-64-955	Pozi PZ1 X 75mm	109
0-64-956	Pozi PZ2 X 45mm	109
0-64-974	Pozi PZ2 X 100mm	109
0-64-976	Pozi PZ3 X 150mm	109
0-64-930	Phillips PH0 X 60mm	110
0-64-931	Phillips PH1 X 45mm	110
0-64-932	Phillips PH1 X 75mm	110
0-64-933	Phillips PH1 X 150mm	110
0-64-934	Phillips PH2 X 45mm	110
0-64-940	Phillips PH2 X 100mm	110
0-64-941	Phillips PH2 X 150mm	110
0-64-949	Phillips PH3 X 150mm	110
0-65-012	3 Pce Screwdriver Set - Flared/Phillips Voltage Tester Set	110
0-65-013	4 Pce Screwdriver Set - Paralle/Flared/Phillips	110
0-65-009	6 Pce Screwdriver Set - Flared/Phillips	110
5-98-001	6 Pce Screwdriver Set - Paralle/Pozi/Flared	110
0-65-007	6 Pce Screwdriver Set - Paralle/Flared/Phillips	111
0-65-011	8 Pce Screwdriver Set - Flared/Phillips	111
5-64-977	10 Pce Screwdriver Set - Flared/Phillips	111
BASIC SCREWDRIVER SETS		Page
2-65-014	10 Pce Flared/Pozi	112
0-60-100	10 Pce Screwdriver Set - Flared/Paralle/Phillips	112
0-60-220	20 Pce Screwdriver Set - Flared/Phillips	112
0-64-458	6 Pce Screwdriver Set - Flared/Phillips	112

0-64-459	6 Pce Screwdriver Set - Flared/Pozi	112
RATCHET, MULTIBIT & PRECISION		Page
FMHT0-62688	FatMax® Stubby Ratchet Screwdriver with 6 Bits	113
FMHT0-62689	FatMax® LED Ratchet Screwdriver with 12 Bits	113
FMHTH0-62690	FatMax® Ratchet Screwdriver with 12 Bits	113
FHMT0-62691	FatMax® Pistol Grip Ratchet Screwdriver with 12 Bits	113
0-68-010	Multibit Ratchet Screwdriver + 10 Bits	114
0-62-508	10 Way Flexi Screwdriver	114
0-66-358	Stubby Ratchet Multibit Screwdriver	114
9-69-188	FatMax® Clip-N-Grip Screwdriver	115
0-62-509	6-Way Ratchet Screwdriver	115
STHT0-62628	4 Pce Precision Multi-blade Screwdriver Set	115
STHT0-62629	8 Pce Precision Multi-blade Screwdriver Set	115
STHT0-62630	4 Pce Precision Screwdriver Set	115
STHT0-62631	6 Pce Small Precision Screwdriver Set	115
STHT0-62632	6 Pce Precision Screwdriver Set - SL2-3mm	115
STHT0-62633	16 Pce Precision Multi-blade Screwdriver Set	115
STHT0-62634	37 Pce Precision Screwdriver Set (Hex Bits Only)	115
0-68-012	6-Way Screwdriver	116
0-65-492	6 Pce FatMax® Instrument Set	116
0-66-052	6 Pce Precision Screwdriver Set	116
1-66-039	Precision Instrument Screwdriver Set	117
66-344M	4 In 1 Pocket Driver	117
0-69-014	Bradawl	117
SCREWDRIVER BITS		Page
0-68-946	25mm/PH2	118
0-68-950	25mm/PH3	118
1-68-947	25mm/PH2	118
1-68-942	25mm/PH1	118
1-68-946	25mm/PH2	118
1-68-950	25mm/PH3	118
3-68-946	25mm/PH2	118
0-68-949	25mm/PZ2	118
0-68-953	25mm/PZ3	118
1-68-948	25mm/PZ2	118
1-68-945	25mm/PZ1	118
1-68-949	25mm/PZ2	118
1-68-953	25mm/PZ3	118
0-68-839	25mm/T10	119
0-68-841	25mm/T15	119
0-68-842	25mm/T20	119
1-68-839	25mm/T10	119
1-68-841	25mm/T15	119
1-68-842	25mm/T20	119
1-68-843	25mm/T25	119
1-68-845	25mm/T30	119
1-68-846	25mm/T40	119
1-68-991	50mm/PH1	119
1-68-992	50mm/PH2	119
1-68-926	50mm/PZ2	119
3-68-804	70mm/PZ2	119
3-68-807	100mm/PZ2	119
1-68-979	50mm/PZ3	119
1-68-784	60mm/PH1 PH2	119
1-68-786	60mm/PZ1 PZ2	120
0-68-732	60mm Magnetic Bit Holder	120
1-68-732	60mm Magnetic Bit Holder	120
3-68-729	75mm Magnetic Bit Holder	120
1-68-733	1/4" Bit Holders	120
1-68-741	200 Pce Bit Set	120
1-13-902	61 Pce Bit Set	121
1-13-903	31 Pce Bit Set	121
1-13-901	19 Pce Bit Set	121
1-68-734	10 Pce Bit Set - Phillips/Pozi/Paralle	122
1-68-724	10 Pce Bit Set - Pozi/Torx/Phillips	122
1-68-738	7 Pce Bit Set - Pozi/Flared	122

INDEX BY PAGE NUMBER

1-68-739	7 Pce Bit Set - Torx	122
1-68-735	7 Pce Bit Set - Phillips/Flared	122
1-68-737	7 Pce Bit Set - Phillips/Pozi/Flared	122
DRILLS		Page
1-02-715	250mm Bit Brace	123
0-03-105	105 Hand Drill	123
SAWS		Page
5-15-288	500mm/20" FatMax® Heavy Duty Saw - 7TPI	127
5-15-289	550mm/22" FatMax® Heavy Duty Saw - 7TPI	127
5-15-594	380mm/15" FatMax® Fine Finish Saw - 11TPI	127
5-15-599	500mm/20" FatMax® Fine Finish Saw - 11TPI	127
5-15-244	550mm/22" FatMax® Fine Finish Saw - 11TPI	127
1-20-119	380mm/15" Heavy Duty Saw - 7TPI	128
1-20-090	500mm/20" Heavy Duty Saw - 7TPI	128
1-20-091	550mm/22" Heavy Duty Saw - 7TPI	128
1-20-101	500mm/20" Fine Finish Saw - 11TPI	128
1-20-095	550mm/22" Fine Finish Saw - 11TPI	128
1-20-084	380mm/15" Heavy Duty Saw - 8TPI	129
1-20-087	500mm/20" Heavy Duty Saw - 8TPI	129
1-20-088	550mm/22" Heavy Duty Saw - 8TPI	129
1-20-089	380mm/15" Fine Finish Saw - 11TPI	129
1-20-094	500mm/20" Fine Finish Saw - 11TPI	129
1-20-096	550mm/22" Fine Finish Saw - 11TPI	129
1-20-002	380mm/15" Universal Saw - 11TPI	129
1-20-008	500mm/20" Universal Saw - 7TPI	129
1-20-009	550mm/22" Universal Saw - 7TPI	129
SPECIALIST SAWS		Page
2-17-204	300mm/12" FatMax® Floorboard Saw - 13TPI	130
2-17-199	300mm/12" Tenon/Back Saw - 11TPI	130
2-17-201	360mm/14" Tenon/Back Saw - 11TPI	130
2-17-202	360mm/14" Tenon/Back Saw - 13TPI	130
2-17-205	300mm/12" Compass Saw - 11TPI	131
2-17-206	300mm/12" PVC Saw - 11TPI	131
1-15-441	650mm/26" FatMax® Concrete Saw - 1.4TPI	131
1-20-180	450mm/18" FatMax® Flooring Saw - 7TPI	132
2-20-037	550mm/22" FatMax® Plasterboard Saw - 7TPI	132
FMHT0-20559	FatMax® Folding Jabsaw	132
0-20-556	150mm/6" FatMax® Jab Saw - 7TPI	133
7-20-556	150mm/6" FatMax® Jab Saw + Scabbard - 7TPI	133
0-15-556	150mm/6" Plasterboard Saw - 7TPI	133
0-20-092	3 in 1 Saw	133
0-15-252	10" FatMax® Reversible Flush Cut Saw	133
0-20-220	FatMax® Multi Saw with 10" Metal and 5" Wood Blades	134
3-20-220	Spare Blades for FatMax® Multi Saw	134
0-15-106	6 3/4" FatMax® Coping Saw Throat Depth	134
0-15-061	Coping Saw Spare Blades	134
0-20-331	5" FatMax® Mini FlushCut Pull Saw	134
3-20-331	Spare Blades for FatMax® Mini FlushCut Pull Saw	134
1-15-368	610mm Raker Tooth Bow Saw	134
1-20-447	300mm Bow Saw & Spare Blade	135
1-20-437	Spare Blades for 300m Bow Saw	135
1-15-385	610mm Fleam Tooth Bow Saw Blade	135
1-15-446	610mm Raker Tooth Bow Saw Blade	135
MITRE BOXES		Page
1-20-600	Mitre Box With Saw	137
1-20-112	Mitre Box	137
1-20-800	Adjustable Mechanical Mitre Box	137
1-20-809	Replacement Blade for Adjustable Mechanical Mitre Box	137
1-19-800	Saw Storage Mitre Box with Saw	138
1-19-212	Saw Storage Mitre Box	138
HACKSAWS		Page
0-20-108	FatMax® 5 In 1 Hacksaw	138
1-20-531	FatMax® Hacksaw	139
1-20-110	300mm Heavy Duty Hacksaw - 24TPI	139

2-15-892	300mm Composite Hacksaw	139
1-15-122	Enclosed Grip Hacksaw	139
0-15-218	Junior Hacksaw	140
3-15-905	Spare Blades for Junior Hacksaw	140
0-20-807	300mm Mini Hacksaw	140
FMHT0-20194	FatMax® 300mm Hacksaw Blades 2pk 18 TPI	140
FMHT0-20195	FatMax® 300mm Hacksaw Blades 2pk 24 TPI	140
FMHT0- 20196	FatMax® 300mm Hacksaw Blades 2pk 32 TPI	140
FMHT2- 20199	FatMax® 300mm Hacksaw Blades 10pk 18 TPI	140
FMHT2-20209	FatMax® 300mm Hacksaw Blades 10pk 24 TPI	140
FMHT2- 20159	FatMax® 300mm Hacksaw Blades 100pk 24 TPI	140
0-15-842	300mm Lion Hacksaw Blades - 24TPI	140
2-15-842	300mm Lion Hacksaw Blades - 24TPI	140
0-15-801	300mm Lion Hacksaw Blades - 18TPI/24TPI/32TPI	140
0-15-906	300mm Moly Hacksaw Blades - 24TPI	140
1-15-903	300mm Moly Hacksaw Blades - 18TPI	140
1-15-906	300mm Moly Hacksaw Blades - 24TPI	140
WOOD CHISELS		Page
0-16-251	6mm FatMax® Chisel	145
0-16-252	8mm FatMax® Chisel	145
0-16-253	10mm FatMax® Chisel	145
0-16-254	12mm FatMax® Chisel	145
0-16-255	14mm FatMax® Chisel	145
0-16-256	15mm FatMax® Chisel	145
0-16-257	16mm FatMax® Chisel	145
0-16-258	18mm FatMax® Chisel	145
0-16-259	20mm FatMax® Chisel	145
0-16-260	22mm FatMax® Chisel	145
0-16-261	25mm FatMax® Chisel	145
0-16-262	30mm FatMax® Chisel	145
0-16-263	32mm FatMax® Chisel	145
0-16-264	35mm FatMax® Chisel	145
0-16-265	38mm FatMax® Chisel	145
0-16-266	40mm FatMax® Chisel	145
0-16-267	50mm FatMax® Chisel	145
2-16-268	3 Pce FatMax® Chisel Set	145
2-16-269	5 Pce FatMax® Chisel Set	145
0-16-870	6mm Dynagrip Strike Cap Chisel	146
0-16-871	8mm Dynagrip Strike Cap Chisel	146
0-16-872	10mm Dynagrip Strike Cap Chisel	146
0-16-873	12mm Dynagrip Strike Cap Chisel	146
0-16-876	16mm Dynagrip Strike Cap Chisel	146
0-16-877	18mm Dynagrip Strike Cap Chisel	146
0-16-878	20mm Dynagrip Strike Cap Chisel	146
0-16-879	22mm Dynagrip Strike Cap Chisel	146
0-16-880	25mm Dynagrip Strike Cap Chisel	146
0-16-881	32mm Dynagrip Strike Cap Chisel	146
0-16-882	38mm Dynagrip Strike Cap Chisel	146
2-16-883	3 Pce Dynagrip Strike Cap Chisel Set	146
2-16-885	5 Pce Dynagrip Strike Cap Chisel Set	146
5-16-421	5 Pce Dynagrip Strike Cap Chisel Set + Accessories	146
0-16-535	6mm 5002 Wood Chisel	146
0-16-540	12mm 5002 Wood Chisel	146
0-16-545	18mm 5002 Wood Chisel	146
0-16-551	25mm 5002 Wood Chisel	146
0-16-128	3 Pce 5002 Wood Chisel Set	146
0-16-129	4 Pce 5002 Wood Chisel Set	146
0-16-130	4 Pce 5002 Wood Chisel Set + Case, Oil + Stone	146
FMHT0-16067	FatMax® 25mm/1" Side Strike Chisel	146
FMHT0-16145	Folding Chisel	147
0-16-050	Sharpening System for Chisels and Planes	147
STHT0-16144	Diamond Sharpening Stone	147
PLANES		Page
01/12/2007	560mm No 7 Bailey Bench Plane	153
1-12-137	No 62 Bailey Low Angle Jack Plane	153
1-12-006	460mm No 6 Bailey Bench Plane	153

1-12-005	355mm No 5 Bailey Bench Plane	153
1-12-136	No 4 Premium Bench Plane	154
0-12-141	50mm Replacement Blade	154
1-12-004	245mm No 4 Bailey Bench Plane	154
01/12/1945	260mm No 4 1/2 Bailey Bench Plane	154
1-12-003	240mm No 3 Bailey Bench Plane	154
1-12-204	245mm Handyman Bench Plane	155
1-12-205	355mm Handyman Bench Plane	155
1-12-033	210mm Single Iron Bench Plane	155
5-12-020	160mm Fully Adjustable Block Plane	155
0-12-331	Spare Iron For 12-020 and 12-220 Block Planes	155
0-12-508	Spare Iron For 12-020 and 12-220 Block Planes	155
5-12-060	150mm Low Angle Fully Adjustable Block Plane	155
0-12-504	Spare Iron for 12-060 Block Plane	155
1-12-220	180mm Adjustable Block Plane	156
1-12-102	140mm/102 Block Plane	156
1-12-116	180mm/110 Block Plane	156
0-12-330	Spare Iron for 12-116 Block Plane	156
0-12-105	150mm Block Plane	156
0-12-376	50mm Curved Spare Iron for Bench Plane 12-105	156
0-12-378	50mm Straight Spare Iron for Bench Plane 12-105	156
0-12-379	50mm Special Spare Iron for Bench Plane 12-105	156
1-12-333	255mm Rebate Plane Duplex	156
1-12-333	Spare Iron for 12-078 Rebate Plane	156
01/12/1990	115mm Cabinet Makers Bull Nose Rebate Plane	157
1-12-151	55mm Flat Spokeshave	157
1-12-152	55mm Round Spokeshave	157
01/12/1963	45mm Round Spokeshave	157
01/12/1964	45mm Flat Spokeshave	157
0-12-313	50mm Spare Iron for Bench Planes 12-004, 12-005"	157
0-12-315	60mm Spare Iron for Bench Planes 12-045, 12-006, 12-007"	157
0-12-133	45mm Spare Iron for Bench Planes 12-033	157
FILES AND RASPS		Page
0-22-121	8" x 3/16 Chainsaw File	158
0-22-122	8" x 7/32 Chainsaw File	158
0-22-499	8"/200mm Hand File, Smooth Cut	158
0-22-451	8"/200mm Hand File, Second Cut	158
0-22-441	8"/200mm Hand File, Bastard Cut	158
0-22-462	8"/200mm 3 Square File, Second Cut	158
0-22-460	8"/200mm 3 Square File, Bastard Cut	158
0-22-456	8"/200mm Half Round File, Second Cut	158
0-22-501	8"/200mm Half Round File, Bastard Cut	158
0-22-444	8"/200mm Round File, Second Cut	158
0-22-443	8"/200mm Round File, Bastard Cut	158
0-22-491	8"/200mm Chainsaw File x 4mm	158
0-22-476	8"/200mm Chainsaw File x 4.5mm	158
0-22-492	8"/200mm Chainsaw File x 4.8mm	158
0-22-481	8"/200mm Chainsaw File x 5.5mm	158
0-22-464	3 Pce 8" Flat, Half Round, 3 Square File	159
0-22-500	6 Pce Needle File Set	159
0-22-276	12"/300mm Half Round Rasp, Second Cut	159
0-22-275	12"/300mm Half Round Rasp, Bastard Cut	159
0-22-467	8"/200mm Flat Rasp, Second Cut	159
0-22-465	8"/200mm Flat Rasp, Bastard Cut	159
0-22-471	8"/200mm Half Round Rasp, Second Cut	159
0-22-469	8"/200mm Half Round Rasp, Bastard Cut	159
0-22-475	8"/200mm Round Rasp, Second Cut	159
0-22-473	8"/200mm Round Rasp, Bastard Cut	159
0-22-477	3 Pce Set 8" Flat, Half Round, Round	159
STHT0-16139	Double Edge Laminate Edge Trimmer	159
SURFORM		Page
5-21-122	Surform Metal Body Planer File	160
5-21-296	Surform Metal Body Plane	160
5-21-295	Surform Metal Body Flat File	160
5-21-297	Surform Round File	161

5-21-399	Surform Metal Body Block Plane	161
5-21-103	Surform Moulded Body Plane	161
5-21-104	Surform Moulded Body Block Plane	161
5-21-102	Surform Moulded Body Flat File	162
5-21-115	Surform Moulded Body Shaver Tool	162
5-21-293	Surform Standard Cut Blade	162
5-21-398	140mm Surform Fine Cut Blade	162
5-21-393	255mm Surform Fine Cut Blade	162
5-21-299	Surform Half Round Blade	163
5-21-508	Surform Metal and Plastics Blade	163
5-21-515	Surform Shaver Tool Blade	163
5-21-291	Surform Round Blade	163
DEMOLITION TOOLS		Page
1-55-503	FatMax® 24" Spring Steel Wrecking Bar	167
1-55-513	FatMax® 30" Spring Steel Wrecking Bar	167
1-55-504	FatMax® 36" Spring Steel Wrecking Bar	167
1-55-521	FatMax® 42" Spring Steel Wrecking Bar	167
1-55-516	FatMax® 15" Spring Steel Wonder Bar	167
1-55-525	380mm/15" Super Wonder Bar	167
1-55-515	340mm/14" Wonder Bar	168
1-55-526	530mm/ 21" Wonder Bar	168
1-55-155	500mm Ripping Bar	168
1-55-156	600mm Ripping Bar	168
1-55-157	700mm Ripping Bar	168
1-55-510	10" FatMax® Spring Steel Molding Bar	168
1-55-511	10" FatMax® Spring Steel Claw Bar	169
1-55-512	12" FatMax® Spring Steel Claw Bar	169
0-55-116	200mm/8" Precision Moulding Bar	169
0-55-117	250mm/10" Precision Moulding Bar	169
0-55-114	10" Precision Claw Bar	169
0-55-115	12" Precision Claw Bar	169
MASONS' COLD CHISELS		Page
4-18-332	Cold (long)25mm X 300mm	170
4-18-333	Masons' 45mm X 250mm	170
4-18-331	Floor 75mm X 275mm	170
4-18-327	Brick Set 76mm X 215mm	170
4-18-328	Brick Set 100mm X 215mm	170
4-18-329	Concrete 19mm X 300mm	170
4-18-330	Electricians' 55mm X 250mm	170
4-18-294	Masons' Chisel 45mm X 215mm	171
4-18-297	Brick Set 100mm X 215mm	171
ENGINEERS' COLD CHISELS & PUNCHES		Page
4-18-298	3 Pce Cold Chisel Set	172
4-18-226	6 Pce Pin Punch Set	172
4-18-299	12 Pce Pin Punch & Cold Chisel Set	172
1-58-501	FatMax® Interchangeable Nail Set	173
0-58-911	0.8mm Dynagrip Nail Set	173
0-58-912	1.6mm Dynagrip Nail Set	173
0-58-913	2.4mm Dynagrip Nail Set	173
0-58-930	3 Pce Dynagrip Nail Set	173
0-58-120	3.2mm X 101mm Square Head Centre Punch	173
HAMMERS		Page
XTHT1-51124	FatMax® Pro High Velocity Framing Hammer - 15oz - Rip Claw"	176
XTHT1-51123	FatMax® Pro High Velocity Framing Hammer - 14oz - Rip Claw"	176
XTHT1-51148	FatMax® High Velocity Framing Hammer - 14oz - Curve Claw"	176
FMHT1-51144	17oz Vibration Dampening Hammer	176
FMHT1-51260	14oz Vibration Dampening Hammer (curve claw)	176
FMHT1-51149	14oz Vibration Dampening Hammer (rip claw)	176
FMHT1-51275	Next Gen Steel Hammer (16oz curve claw)	177
FMHT1-51276	Next Gen Steel Hammer (16oz rip claw)	177
FMHT1-51277	Next Gen Steel Hammer (20oz curve claw)	177
1-51-505	Graphite Hammer - 16oz	177
1-51-507	Graphite Hammer - 20oz	177

INDEX BY PAGE NUMBER

1-51-031	Steelmaster Claw Hammer - 16oz	177
1-51-033	Steelmaster Claw Hammer - 20oz	177
1-51-488	Blue Strike Claw Hammer - 16oz	178
1-51-489	Blue Strike Claw Hammer - 20oz	178
1-51-529	Fibreglass Hammer - 16oz	178
1-51-628	Fibreglass Hammer - 20oz	178
1-54-022	Anti-Vibe Brick Hammer - 20oz	178
1-51-039	Steelmaster Brick Hammer - 18oz	179
FMHT1-56008	FatMax® Demolition Hammer (4lb)	179
FMHT1-56009	FatMax® Demolition Hammer (4lb) - Bullet Nose	179
FMHT1-56006	FatMax® Demolition Hammer (3lb) - Bullet Nose	179
1-54-921	Graphite Handle Club Hammer - 28oz	179
1-54-922	Graphite Handle Club Hammer - 35oz	179
1-54-923	Graphite Handle Club Hammer - 44oz	179
1-54-924	Graphite Handle Club Hammer - 52oz	179
1-54-708	227g / 8oz Ball Pein Hammer	180
1-54-712	340g / 12oz Ball Pein Hammer	180
1-54-716	454g / 16oz Ball Pein Hammer	180
1-54-724	680g / 24oz Ball Pein Hammer	180
1-54-732	908g / 32oz Ball Pein Hammer	180
FMHT1-56011	6lb FatMax® Fibreglass LH Sledge Hammer	180
FMHT1-56010	8lb FatMax® Fibreglass LH Sledge Hammer	180
1-54-015	FatMax® Anti-Vibe Drywall Hammer - 14oz	180
1-51-030	Steelmaster Axe - 21oz	180
CLAMPS & VICES		Page
9-83-123	6" FatMax® Trigger Clamp	185
9-83-124	12" FatMax® Trigger Clamp	185
0-83-002	6" Medium Trigger Clamp	186
0-83-003	12" Medium Trigger Clamp	186
0-83-004	6" Large Trigger Clamp	186
0-83-005	12" Large Trigger Clamp	186
0-83-006	18" Large Trigger Clamp	186
0-83-007	24" Large Trigger Clamp	186
0-83-008	36" Large Trigger Clamp	186
0-83-033	3" "G" Clamp	186
0-83-034	4" "G" Clamp	186
0-83-035	6" "G" Clamp	186
0-83-036	8" "G" Clamp	186
0-83-100	4.5m/15' Bailey Band Clamp	186
0-83-121	Bailey Light Duty Corner Clamp	187
9-83-079	Mini Spring Clamp 25mm	187
09/03/1980	Mini Spring Clamp 50mm	187
0-83-122	Bailey Heavy Duty Corner Clamp	187
1-83-065	115m/4 1/2" Light Duty Bench Vice	188
1-83-066	100mm/4" Heavy Duty Bench Vice	188
1-83-067	125mm/5" Heavy Duty Bench Vice	188
1-83-068	150mm/6" Heavy Duty Bench Vice	188
0-83-179	Quick Vice	188
1-83-069	Multi-Angle Vice	188
COMPOUND PLIERS		Page
FMHT0-70813	FatMax® Compound Action Pliers- Combination	191
FMHT0-70814	FatMax® Compound Action Pliers- Diagonal	191
FMHT0-70812	FatMax® Compound Action Pliers- Long Nose	192
FMHT0-71851	FatMax® Compound Action Pliers- End Cutters	192
FMHT0-72415	FatMax® Compound Action Pliers- 3 Pack	192
PLIERS		Page
0-84-645	FatMax® 6"/150mm Slip Joint Pliers	193
0-84-646	FatMax® 8"/200mm Slip Joint Pliers	193
0-84-647	FatMax® 8"/200mm Groove Joint Pliers	193
0-84-648	FatMax® 10"/250mm Groove Joint Pliers	193
0-84-649	FatMax® 12"/300mm Groove Joint Pliers	193
0-84-000	165mm FatMax® VDE Combination Pliers	194
0-84-001	185mm FatMax® VDE Combination Pliers	194
0-84-002	200mm FatMax® VDE Combination Pliers	194
0-84-003	175mm FatMax® VDE Diagonal Cutting Pliers	194
0-84-004	195mm FatMax® VDE Diagonal Cutting Pliers	194
0-84-006	160mm FatMax® VDE Long Nose Pliers	195
0-84-007	210mm FatMax® VDE Long Nose Pliers	195
0-84-008	200mm FatMax® VDE Bent Long Nose Pliers	195
0-84-009	160mm FatMax® VDE Narrow Diagonal Pliers	195
0-84-010	170mm FatMax® VDE Wire Stripper	195
0-84-016	165mm FatMax® VDE End Cutters	196
0-84-294	225mm FatMax® VDE Waterpump Pliers	196
4-84-489	4 Pce FatMax® VDE Pliers Set	196
FMHT0-96230	FatMax® Automatic Wire Stripper	196
0-89-858	150mm FatMax® Diagonal Cutting Pliers	197
0-89-859	190mm FatMax® Diagonal Cutting Pliers	197
0-89-860	175mm FatMax® Angled Diagonal Cutting Pliers	197
0-89-861	200mm FatMax® Angled Diagonal Cutting Pliers	197
0-89-862	255mm FatMax® Angled Diagonal Cutting Pliers	197
0-89-866	165mm FatMax® Combination Pliers	198
0-89-867	185mm FatMax® Combination Pliers	198
0-89-868	210mm FatMax® Combination Pliers	198
0-89-869	150mm FatMax® Long Nose Pliers	198
0-89-870	200mm FatMax® Long Nose Pliers	198
0-89-871	160mm FatMax® Bent Long Nose Pliers	198
0-89-872	200mm FatMax® Bent Long Nose Pliers	198
0-84-495	150mm FatMax® Flat Nose Pliers	198
0-84-496	160mm FatMax® Round Nose Pliers	199
0-89-874	215mm FatMax® Cable Cutter	199
0-89-875	150mm FatMax® End Cutters	199
4-84-488	3 Pce FatMax® Pliers Set	199
0-84-053	150mm Dynagrip Long Nosed Half Round Pliers	200
0-84-625	200mm Dynagrip Long Nosed Half Round Pliers	200
0-84-073	150mm Dynagrip Long Nosed Flat Pliers	200
0-84-074	150mm Dynagrip Long Nosed Round Pliers	201
0-84-054	150mm Dynagrip Diagonal Cutting Pliers	201
0-84-622	180mm Dynagrip Diagonal Cutting Pliers	201
0-84-623	150mm Dynagrip Combination Pliers	201
0-84-055	180mm Dynagrip Combination Pliers	201
0-84-056	200mm Dynagrip Combination Pliers	201
0-84-071	150mm Dynagrip Bent Nose Pliers	202
0-84-072	200mm Dynagrip Bent Nose Pliers	202
0-84-075	150mm Dynagrip Wire Stripper	202
0-84-076	240mm Dynagrip Water Pump Pliers	202
0-84-077	150mm Dynagrip End Cutting Pliers	203
4-84-485	3 Pce Dynagrip Pliers Set	203
6-97-043	3 Pce Dynagrip Pliers Set	203
0-84-102	203mm Long Nose Pliers	204
0-84-104	127mm Diagonal Cutting Pliers	204
0-84-105	152mm Diagonal Cutting Pliers	204
0-84-108	177mm Diagonal Cutting Pliers	204
0-84-018	127mm Waterpump Pliers	205
0-84-019	150mm Waterpump Pliers	205
0-84-110	254mm Waterpump Pliers	205
0-84-111	305mm Waterpump Pliers	205
0-84-112	178mm Combination Pliers	205
0-84-114	3 Pce Pliers Set	205
0-84-892	3 Pce Pliers Set	205
1-95-563	350mm/14" Bolt Croppers	206
1-95-564	450mm/18" Bolt Croppers	206
1-95-565	600mm/24" Bolt Croppers	206
1-95-566	750mm/30" Bolt Croppers	206
1-17-756	Spare Head for 350mm Bolt Croppers	206
1-17-757	Spare Head for 450mm Bolt Croppers	206
1-17-758	Spare Head for 600mm Bolt Croppers	206
1-17-759	Spare Head for 750mm Bolt Croppers	206
9-95-097	220mm FatMax® Pro End Nippers	207
2-84-302	220mm End Nippers	207
2-84-183	180mm Carpenters' Pincers	207
2-84-184	225mm Carpenters' Pincers	207

2-84-185	250mm Carpenters' Pincers	207
0-14-206	250mm FatMax® Pro Straight Cut Snips	208
0-14-207	250mm FatMax® Pro Left Cut Snips	208
0-14-208	250mm FatMax® Pro Right Cut Snips	208
2-14-556	250mm FatMax® Straight Pattern Tin Snips	208
2-14-562	250mm FatMax® Aviation Snips Left Cut	209
2-14-564	250mm FatMax® Aviation Snips Right Cut	209
2-14-563	250mm FatMax® Aviation Snips Straight Cut	209
2-14-566	300mm FatMax® Aviation Snips Long Cut	209
2-14-567	FatMax® Aviation Snips Offset- Red	209
2-14-658	FatMax® Aviation Snips Offset- Green	209
STHT0-14103	Shears	209
0-84-807	145mm/6" Locking Pliers Curved Jaw	210
0-84-808	185mm/7 1/2" Locking Pliers Curved Jaw	210
0-84-809	225mm/9" Locking Pliers Curved Jaw	210
0-84-810	190mm/7 1/2" Locking Pliers Straight Jaw	210
0-84-811	225mm/9" Locking Pliers Straight Jaw	210
0-84-812	170mm/7" Locking Pliers Long Nose	211
0-84-813	215mm/8 1/2" Locking Pliers Long Nose	211
0-84-814	225mm/9" Locking Pliers "V" Jaw	211
0-84-815	170mm/7" Locking Pliers "C" Clamp	211
0-84-816	285mm/11 1/2" Locking Pliers "C" Clamp	211
SOCKET, SPANNERS AND WRENCHES		
SOCKET SETS & ACCESSORIES		
		Page
4-85-578	1/2" MicroTough Ratchet	215
4-85-577	3/8" MicroTough Ratchet	215
4-85-576	1/4" MicroTough Ratchet	215
4-86-397	1/2" Quick Release Ratchet	215
4-86-396	3/8" Quick Release Ratchet	215
4-86-395	1/4" Quick Release Ratchet	215
1-99-056	40 Pce 1/2" Square Drive FatMax® Socket Set	216
1-94-662	30 Pce 1/2" Square Drive FatMax® Socket Set	216
2-85-584	29 Pce 1/2" Square Drive MicroTough Socket Set	216
1-94-671	23 Pce 1/2" Square Drive Socket Set	217
1-94-653	30 Pce 1/2" SD Socket Set	217
1-94-650	20 Pce 1/2" SD Socket Set	217
2-85-583	21 Pce 3/8" SD MicroTough Socket Set	218
1-94-652	30 Pce 3.8" SD Socket Set	218
0-94-606	9 Pce 3/8" SD FatMax® Rotator Ratchet with Sockets	218
0-94-611	9 Pce 3/8" SD MicroTough Ratchet with Sockets	219
0-94-609	9 Pce 3/8" SD Extendable Ratchet with Sockets	219
1-94-661	30 Pce 1/4" SD FatMax® Socket Set	219
2-85-582	17 Pce 1/4" SD MicroTough Socket Set	220
1-94-672	35 Pce 1/4" SD Socket Set	220
1-94-655	40 Pce 1/4" SD Socket Set	220
1-94-651	30 Pce 1/4" SD Socket Set	221
1-94-649	20 Pce 1/4" SD Socket Set	221
0-94-607	9 Pce 1/4" SD FatMax® Rotator Ratchet with Sockets	221
0-94-610	10 Pce 1/4" SD MicroTough Ratchet with Sockets	222
1-94-663	60 Pce 1/4" & 1/2" SD FatMax® Socket Set	222
1-94-668	96 Pce 1/4" & 1/2" SD MicroTough Socket Set	222
1-94-660	75 Pce 1/4" & 1/2" SD MicroTough Socket Set	223
1-94-659	65 Pce 1/4" & 1/2" SD MicroTough Socket Set	223
1-94-658	50 Pce 1/4" & 1/2" SD MicroTough Socket Set	223
1-94-657	60 Pce 1/4", 3/8" & 1/2" SD Socket Set	224
1-94-656	50 Pce 1/4" & 1/2" SD Socket Set	224
1-13-906	39 Pce 1/4" SD FatMax® Socket Set with Ratchet	225
1-13-907	39 Pce 1/4" SD FatMax® Socket Set with Ratchet Wrench	225
1-13-904	32 Pce FatMax® Bit Set with Ratchet	226
1-13-905	32 Pce FatMax® Bit Set with Ratchet Wrench	226
WRENCHES & SPANNERS		
		Page
4-94-646	6 Pce Combination Wrench Set	229
4-94-647	11 Pce Combination Wrench Set	229
4-94-648	13 Pce Combination Wrench Set	229
4-87-053	6 Pce Maxi Drive Plus Combination Wrench Set	230

4-87-054	8 Pce Maxi Drive Plus Combination Wrench Set	230
4-89-932	8 Pce Combination Accelerator Wrenches	230
4-89-997	8 Pce Combination Accelerator Wrenches	230
4-89-907	6 Pce Maxi Drive Plus Combination Ratchet Wrench Set	231
4-87-052	8 Pce Maxi Drive Plus Open End Spanners	231
4-87-066	6mm Combination Wrench	232
4-87-057	7mm Combination Wrench	232
4-87-058	8mm Combination Wrench	232
4-87-069	9mm Combination Wrench	232
4-87-070	10mm Combination Wrench	232
4-87-071	11mm Combination Wrench	232
4-87-072	12mm Combination Wrench	232
4-87-073	13mm Combination Wrench	232
4-87-074	14mm Combination Wrench	232
4-87-075	15mm Combination Wrench	232
4-87-076	16mm Combination Wrench	232
4-87-077	17mm Combination Wrench	232
4-87-078	18mm Combination Wrench	232
4-87-079	19mm Combination Wrench	232
4-87-080	20mm Combination Wrench	232
4-87-081	21mm Combination Wrench	232
4-87-082	22mm Combination Wrench	232
4-87-083	23mm Combination Wrench	232
4-87-084	24mm Combination Wrench	232
4-87-085	25mm Combination Wrench	232
4-87-086	26mm Combination Wrench	232
4-87-087	27mm Combination Wrench	232
4-87-090	30mm Combination Wrench	232
4-87-092	32mm Combination Wrench	232
FMHT0-72184	FatMax® Ratcheting Adjustable Wrench 200mm	233
FMHT0-72185	FatMax® Ratcheting Adjustable Wrench 250mm	233
0-95-872	150mm/6" FatMax® Adjustable Wrench	233
0-95-873	200mm/8" FatMax® Adjustable Wrench	233
0-95-874	250mm/10" FatMax® Adjustable Wrench	233
0-84-540	300mm/12" FatMax® Adjustable Wrench	233
0-95-876	375mm/15" FatMax® Adjustable Wrench	233
0-90-947	150mm/6" Adjustable Wrench	233
0-90-948	200mm/8" Adjustable Wrench	233
0-90-949	250mm/10" Adjustable Wrench	233
0-90-950	300mm/12" Adjustable Wrench	233
0-87-366	150mm/6" Adjustable Wrench	234
0-87-368	200mm/8" Adjustable Wrench	234
0-87-470	250mm/10" Adjustable Wrench	234
0-87-472	300mm/12" Adjustable Wrench	234
0-85-610	250mm/10" Locking Adjustable Wrench	234
KEY SETS		
		Page
0-97-552	FatMax® Locking Key Set - Hex Metric	237
0-97-553	FatMax® Locking Key Set - Torx	237
0-79-153	27 Pce FatMax® Ratcheting Power Key Set	237
0-96-222	43 Pce FatMax® Ratcheting Power Key Set	237
2-69-264	8 Pce Folding Key Set - Hex Metric	238
2-69-266	8 Pce Folding Key Set - Torx	238
2-69-265	9 Pce Folding Key Set - Hex Imperial	238
2-69-267	8 Pce & 9 Pce Folding Key Set - Hex Metric & Imperial	238
2-69-268	25 Pce Folding Key Set - Hex Metric, Hex Imperial & Torx	238
0-89-904	Ball End Hex Key Set	238
0-69-256	9 Pce Ball End Hex Key Set	239
0-69-257	12 Pce Ball End Hex Key Set	239
0-69-251	8 Pce Hex Key Set	239
0-69-252	8 Pce Hex Key Set	239
0-69-253	10 Pce Hex Key Set	239
STAPLE GUNS & STAPLES		
		Page
0-TRE550	Electric Staple/Nail Gun	244
6-T350	FatMax® Heavy Duty Stapler/Nailer	244
0-TR250	Heavy Duty Staple Gun/Brad Nailer	244

INDEX BY PAGE NUMBER

0-TR150HL	Heavy Duty Staple Gun	245
FMHT0-70868	FatMax® TR75 6 in 1 Stapler/Brad Nailer	245
FMHT0-70411	FatMax® 4 In 1 Light Duty Stapler	245
STHT0-70410	2 In 1 Light Duty Stapler	245
0-TR45	Light Duty Staple Gun	246
0-TR40	Light Duty Staple Gun	246
6-CT-10X	2 In 1 Cable Tacker	246
1-CT106T	10mm X 1000 Round Staples	246
1-CT107T	11mm X 1000 Round Staples	246
1-CT108T	12mm X 1000 Round Staples	246
1-CT109T	14mm X 1000 Round Staples	246
1-CT305T	8mm X 1000 Flat Narrow Crown Staples	246
1-CT306T	10mm X 1000 Flat Narrow Crown Staples	246
1-CT308T	12mm X 1000 Flat Narrow Crown Staples	246
0-SWK-BN050	12mm X 1000 Brad Nails	247
0-SWK-BN0625	15mm X 1000 Brad Nails	247
0-SWKBN075	20mm X 1000 Brad Nails	247
0-SWKBN100	25mm X 1000 Brad Nails	247
0-SWKBN1187	30mm X 1000 Brad Nails	247
0-SWKBN1375	35mm X 1000 Brad Nails	247
0-TRA204T	6mm X 1000 Light Duty Staples	247
0-TRA205T	8mm X 1000 Light Duty Staples	247
0-TRA206T	10mm X 1000 Light Duty Staples	247
0-TRA204-5T	6mm X 5000 Light Duty Staples	247
0-TRA205-5T	8mm X 5000 Light Duty Staples	247
0-TRA206-5T	10mm X 5000 Light Duty Staples	247
0-TRA208-5T	12mm X 5000 Light Duty Staples	247
0-TRA209-5T	14mm X 5000 Light Duty Staples	247
1-TRA704T	6mm X 5000 Heavy Duty Staples	247
1-TRA705T	8mm X 1000 Heavy Duty Staples	247
1-TRA706T	10mm X 1000 Heavy Duty Staples	247
1-TRA708T	12mm X 1000 Heavy Duty Staples	247
1-TRA709T	14mm X 1000 Heavy Duty Staples	247
1-TRA704-5T	6mm X 5000 Heavy Duty Staples	247
1-TRA705-5T	8mm X 5000 Heavy Duty Staples	247
1-TRA706-5T	10mm X 5000 Heavy Duty Staples	247
1-TRA708-5T	12mm X 5000 Heavy Duty Staples	247
1-TRA709-5T	14mm X 5000 Heavy Duty Staples	247
HAMMER TACKERS		Page
0-PHT350	FatMax® Pro Hammer Tacker	248
0-PHT150	Hammer Tacker	248
RIVETERS		Page
6-MR100	All Steel Riveter Contractor Grade	249
6-MR77	All Steel Riveter	249
6-MR55	All Steel Riveter	249
1-PAA44T	3mm Medium Rivets	250
1-PAA48T	3mm Long Rivets	250
1-PAA52T	4mm Short Rivets	250
1-PAA54T	4mm Medium Rivets	250
1-PAA58T	4mm Long Rivets	250
1-PAA62T	5mm Short Rivets	250
1-PAA64T	5mm Medium Rivets	250
1-PAA66T	5mm Long Rivets	250
GLUE GUNS		Page
FMHT0-70418	FatMax® High Output Pro Glue Gun	250
0-GR25	Heavy Duty Glue Gun	251
STHT0-70416	Cord Free Glue Gun	251
0-GR15	Mini Trigger Glue Gun	251
0-GS10DT	7mm Dual Melt Glue Sticks - 24 Pk	252
0-GS15DT	11.3mm Dual Melt Glue Sticks - 6 Pk	252
0-GS20DT	11.3mm Dual Melt Glue Sticks - 24 Pk	252
0-GS25DT	11.3mm Dual Melt Glue Sticks - 12 Pk	252
STHT1-70428	Hot Melt Glue Sticks - Clear	252
STHT1-70429	Hot Melt Glue Sticks - Clear	252
STHT1-70430	Hot Melt Glue Sticks - Clear - 1kg Bag	252
STHT1-70431	Hot Melt Glue Sticks - Standard - 1kg Bag	252

STHT1-70432	All Purpose Clear Glue Sticks	252
STHT1-70433	All Purpose Clear Glue Sticks	252
STHT1-70434	Woodwork Glue Sticks	252
STHT1-70435	Woodwork Glue Sticks	252
STHT1-70436	Glitter Hobby Glue (Red/Green/Blue)	252
STHT1-70437	Glitter Hobby Glue (Silver/Gold)	252
STHT1-70438	Super Glue Formula - Extra Strength	252
PLUMBING TOOLS		Page
0-70-445	15mm Pipe Slice	256
0-70-446	22mm Pipe Slice	256
0-70-447	Adjustable Pipe Cutter 3-22mm	256
0-70-448	Adjustable Pipe Cutter 3-30mm	256
0-70-450	Plastic Pipe Cutter	257
0-70-454	Basin Wrench - Fixed	257
0-70-453	Basin Wrench - Adjustable	257
0-70-451	Pipe Bender 6, 8, 10mm	257
0-70-452	Pipe Bender 15 & 22mm	257
DRYWALL TOOLS		Page
STHT0-05895	8"/203mm Stainless Steel Taping Knife	258
STHT0-05771	10"/254mm Stainless Steel Taping Knife	258
STHT0-05776	12"/305mm Stainless Steel Taping Knife	258
STHT0-05777	Stainless Steel Inside Corner Tool	258
STHT0-05622	Stainless Steel Outside Corner Tool	258
STHT0-05897	Stainless Steel Margin Trowel	258
STHT0-05896	Stainless Steel 3 Pce Margin Trowel Set	258
STHT0-05786	4"/101mm Stainless Steel Joint Knife	259
STHT0-05799	5"/127mm Stainless Steel Joint Knife	259
STHT0-05864	6"/152mm Stainless Steel Joint Knife	259
STHT0-28000	4"/101mm Stainless Steel Joint Knife Phillips Bit	259
STHT0-28034	5"/127mm Stainless Steel Joint Knife Phillips Bit	259
STHT0-28041	6"/152mm Stainless Steel Joint Knife Phillips Bit	259
STHT0-05898	280mm X 130mm Stainless Steel Trowel Curved Corners	259
STHT0-05899	320mm X 130mm Stainless Steel Trowel Curved Corners	259
STHT0-05900	320mm X 130mm Stainless Steel Finishing Trowel	259
STHT2-28042	Jointing Compound Mix 80mm	259
STHT2-28043	Jointing Compound Mix 100mm	259
STHT2-28044	Jointing Compound Mix 120mm	259
STHT0-05866	Mud Pan - Plastic	260
STHT0-05867	Mud Pan - Stainless Steel	260
STHT0-05927	Hand Sander	260
STHT0-05928	Pole Sander	260
STHT0-05929	Sanding Screen K 80 - 10 Pk	260
STHT0-05930	Sanding Screen K 120 - 10 Pk	260
STHT0-05931	Sanding Screen K 120 - 100 Pk	260
STHT1-16069	Drywall Edge Stripper	261
STHT0-16131	Replacement Wheel for 16-069	261
STHT1-05878	Circle Cutter	261
1-93-301	Drywall Panel Carrier	261
STHT1-05868	Wall Board Carry Handles	262
STHT1-05932	Drywall Support	262
STHT0-16137	Drywall Screw Adapter	262
STHT0-05926	Drywall Screw Adapter - Magnetic	262
STHT1-05894	Drywall T Square - Metric	263
STHT1-05933	Drywall T-Square +	263
STST0-05939	Drywall Foot Lifter	263
ROLLING WORKSHOPS & TOOLCHESTS		Page
1-95-622	FatMax® Metal Plastic Rolling Workshop	267
1-94-210	FatMax® Cantilever Rolling Workshop	268
1-95-832	Galvanised Rolling Toolchest & Toolbox	268
1-79-206	Rolling Workshop	268
FMST1-75531	FatMax® Large Job Chest	269
1-94-850	FatMax® Mobile Chest	269
STST1-70715	Contractor Chest	269
1-92-083	Mobile Tool Chest with Soft Pocket	270
1-93-968	Mobile Work Centre	270
1-70-327	STANLEY 2 in1 Work Centre	270

1-70-326	STANLEY 3 in 1 Work Centre	270
TOOLBOXES		Page
FMST1-71943	FatMax® Technician Case	271
FMST1-72383	FatMax® Technician Case with Wheels	271
1-94-749	23" FatMax® Waterproof Toolbox	272
1-93-935	28" FatMax® Waterproof Toolbox	272
STST1-70317	19" Tool Tote & Organiser	272
1-97-514	24" Tool Tote & Organiser	272
1-97-506	24" Tool Tote & Tool Case	272
1-70-316	19" One Touch Toolbox With Drawer	273
STST1-71962	Click & Connect Deep Toolbox & Organiser	273
STST1-71964	Click & Connect Deep Toolbox	273
STST1-71983	Click & Connect Deep Organiser	273
1-79-216	STANLEY Line Toolbox 16"	274
1-79-217	STANLEY Line Toolbox 19"	274
1-79-218	STANLEY Line Toolbox 24"	274
1-94-857	16" Metal Latch Toolbox	274
1-94-858	20" Metal Latch Toolbox	274
1-94-859	25" Metal Latch Toolbox	274
1-92-065	16" STANLEY Toolbox	274
1-92-066	19" STANLEY Toolbox	274
1-92-067	24" STANLEY Toolbox	274
METAL TOOLBOXES		Page
1-95-615	20" FatMax® Metal Plastic Toolbox	275
1-95-616	23" FatMax® Metal Plastic Toolbox	275
1-95-617	26" FatMax® Metal Plastic Toolbox	275
1-95-618	20" Galvanised Toolbox	275
1-95-619	23" Galvanised Toolbox	275
1-95-620	26" Galvanised Toolbox	275
STST1-75507	16" Metal Cantilever Toolbox	276
STST1-75508	19" Metal Toolbox	276
STST1-75509	19" Metal Toolbox - 1 Drawer	276
STST1-75510	19" Metal Toolbox - 2 Drawer	276
SOFT STORAGE		Page
FMST1-70719	FatMax® Plumbing Bag	277
FMST1-70749	FatMax® 18" Round Top Rigid Tool Bag	277
FMST1-73607	FatMax® Dual Access Bag	278
FMST1-71180	FatMax® 18" Open Mouth Rigid Tool Bag	278
1-79-215	FatMax® BackPack on Wheels	278
1-95-611	FatMax® Tool Backpack	279
1-94-231	FatMax® Tool Organiser	279
1-93-951	FatMax® 18" Open Tote Tool Bag	279
1-93-950	FatMax® Tool Bag	280
1-79-212	FatMax® Fabric 20" Tote	280
1-79-213	FatMax® Plastic Fabric 20" Tote with Cover	280
1-70-319	20" Tote Bag	280
1-97-515	18" Wheeled Soft Bag	281
1-96-193	16" Toolbag	281
1-96-183	16" Open Mouth Toolbag	281
TOOL BELT & POUCHES		Page
1-96-178	Tool Apron	282
1-96-181	Tool Pouch	282
1-96-179	Pocket Pouch	282
ORGANISERS		Page
1-97-518	FatMax® Deep Pro Organiser	283
1-97-517	Shallow Pro Organiser	283
FMST1-72378	FatMax® Small Organiser	283
STST1-71963	3 in1 Tool Organiser	284
STST1- 70737	24" Powertool Case	284
STST1-79203	24" Organiser Case	284
STST1- 70736	19" Organiser Case	284
1-94-745	Sortmaster Organiser	285
1-97-483	Sortmaster Junior	285

STST1-72359	Tote Tray	285
SAWHORSES		Page
1-92-980	FatMax® Aluminium Sawhorse (Twin Pack)	286
1-97-475	Folding Sawhorse (Twin Pack)	286
STST1-70559	2-Way Adjustable Saw Horse Twin Pack	287
STST1-70713	Folding Sawhorse Twin Pack	287
STST1-70355	Folding Saw Horse Junior (Twin Pack)	287

INDEX

BY PRODUCT CODE

01/12/1945	260mm No 4 1/2 Bailey Bench Plane	154	0-12-378	50mm Straight Spare Iron for Bench Plane 12-105	156
01/12/1963	45mm Round Spokeshave	157	0-12-379	50mm Special Spare Iron for Bench Plane 12-105	156
01/12/1964	45mm Flat Spokeshave	157	0-12-504	Spare Iron for 12-060 Block Plane	155
09/03/1980	Mini Spring Clamp 50mm	187	0-12-508	Spare Iron For 12-020 and 12-220 Block Planes	155
06/10/1988	150mm Retractable Blade Utility Knife	79	0-14-206	250mm FatMax® Pro Straight Cut Snips	208
01/12/1990	115mm Cabinet Makers Bull Nose Rebate Plane	157	0-14-207	250mm FatMax® Pro Left Cut Snips	208
02/10/1999	155mm 99E Original STANLEY Retractable Blade Knife	79	0-14-208	250mm FatMax® Pro Right Cut Snips	208
01/12/2007	560mm No 7 Bailey Bench Plane	153	0-15-061	Coping Saw Spare Blades	134
0-03-105	105 Hand Drill	123	0-15-106	6 3/4" FatMax® Coping Saw Throat Depth	134
0-10-018	18mm Interlock Snap-Off Knife	83	0-15-218	Junior Hacksaw	140
0-10-088	150mm Retractable Blade Utility Knife	79	0-15-252	10" FatMax® Reversible Flush Cut Saw	133
0-10-095	9mm Interlock Snap-Off Knife	83	0-15-276	Saw Blades for Wood	89
0-10-129	Saw Knife Set	75	0-15-277	Saw Blades for Metal	89
0-10-150	9mm SM Snap-Off Knife	83	0-15-556	150mm/6" Plasterboard Saw - 7TPI	133
0-10-151	18mm SM Snap-Off Knife	83	0-15-801	300mm Lion Hacksaw Blades - 18TPI/24TPI/32TPI	140
0-10-189	155mm Springback Knife	80	0-15-842	300mm Lion Hacksaw Blades - 24TPI	140
0-10-237	FatMax® Retractable Blade Knife Autoload	78	0-15-906	300mm Moly Hacksaw Blades - 24TPI	140
0-10-242	FatMax® Safety Knife	80	0-16-050	Sharpening System for Chisels and Planes	147
0-10-243	Pocket Folding Safety Knife	81	0-16-128	3 Pce 5002 Wood Chisel Set	146
0-10-244	Safety Wrap Cutter	81	0-16-129	4 Pce 5002 Wood Chisel Set	146
0-10-245	Replacement Blades	80	0-16-130	4 Pce 5002 Wood Chisel Set + Case, Oil + Stone	146
0-10-245	Replacement Blades	81	0-16-251	6mm FatMax® Chisel	145
0-10-253	Skeleton Liner Lock Knife	85	0-16-252	8mm FatMax® Chisel	145
0-10-254	Liner Lock Knife with Carabiner	84	0-16-253	10mm FatMax® Chisel	145
0-10-280	18mm Snap-Off Knife - Self Locking	83	0-16-254	12mm FatMax® Chisel	145
0-10-299	Fixed Blade Utility Knife	75	0-16-255	14mm FatMax® Chisel	145
0-10-409	9mm Dynagrip® Snap-Off Knife	83	0-16-256	15mm FatMax® Chisel	145
0-10-418	18mm Dynagrip® Snap-Off Knife	83	0-16-257	16mm FatMax® Chisel	145
0-10-475	9mm FatMax® Snap-Off Knife	82	0-16-258	18mm FatMax® Chisel	145
0-10-481	18mm FatMax® Snap-Off Knife	82	0-16-259	20mm FatMax® Chisel	145
0-10-486	25mm FatMax® Snap-Off Knife	82	0-16-260	22mm FatMax® Chisel	145
0-10-499	499 Retractable Blade Knife	78	0-16-261	25mm FatMax® Chisel	145
0-10-590	Interlock Craft Knife	85	0-16-262	30mm FatMax® Chisel	145
0-10-598	110mm Folding Pocket Knife	85	0-16-263	32mm FatMax® Chisel	145
0-10-601	3 X 140mm Disposable Craft Knife	85	0-16-264	35mm FatMax® Chisel	145
0-10-705	Fixed Blade Utility Knife	75	0-16-265	38mm FatMax® Chisel	145
0-10-707	Retractable Blade Utility Knife	79	0-16-266	40mm FatMax® Chisel	145
0-10-778	FatMax® Retractable Blade Knife	77	0-16-267	50mm FatMax® Chisel	145
0-10-780	FatMax® Fixed Blade Knife	73	0-16-535	6mm 5002 Wood Chisel	146
0-10-788	Instant Change™ Retractable Blade Knife	78	0-16-540	12mm 5002 Wood Chisel	146
0-10-789	FatMax® Pro Twin Blade Knife	76	0-16-545	18mm 5002 Wood Chisel	146
0-10-810	Quickslide Pocket Knife	79	0-16-551	25mm 5002 Wood Chisel	146
0-10-813	Sports Utility QuickSlide™ Knife	84	0-16-870	6mm Dynagrip Strike Cap Chisel	146
0-10-818	FatMax® Pro Fixed Blade Knife	73	0-16-871	8mm Dynagrip Strike Cap Chisel	146
0-10-819	FatMax® Pro Retractable Blade Knife	77	0-16-872	10mm Dynagrip Strike Cap Chisel	146
0-10-825	FatMax® Retractable Folding Knife	77	0-16-873	12mm Dynagrip Strike Cap Chisel	146
0-10-855	Folding Utility Knife	74	0-16-876	16mm Dynagrip Strike Cap Chisel	146
0-11-221	5901 Slimknife Blade	91	0-16-877	18mm Dynagrip Strike Cap Chisel	146
0-11-300	9mm Snap-Off Knife Blades	90	0-16-878	20mm Dynagrip Strike Cap Chisel	146
0-11-301	18mm Snap-Off Knife Blades	91	0-16-879	22mm Dynagrip Strike Cap Chisel	146
0-11-325	25mm Snap-Off Knife Blades	91	0-16-880	25mm Dynagrip Strike Cap Chisel	146
0-11-718	FatMax® 18mm Snap-Off Blades - 5 Pack	90	0-16-881	32mm Dynagrip Strike Cap Chisel	146
0-11-725	FatMax® 25mm Snap-Off Blades - 5 Pack	90	0-16-882	38mm Dynagrip Strike Cap Chisel	146
0-11-800U	Tungsten Carbide Blades - 5 Pack	87	0-20-092	3 in 1 Saw	133
0-11-921	1992 Trimming Knife Blade	88	0-20-108	FatMax® 5 In 1 Hacksaw	138
0-11-921	1992 Trimming Knife Blade	88	0-20-220	FatMax® Multi Saw with 10" Metal and 5" Wood Blades	134
0-11-952	5192 Concave Trimming Knife Blade - 5 Pack	89	0-20-331	5" FatMax® Mini FlushCut Pull Saw	134
0-11-983	1996 Hooked Trimming Knife Blade - 5 Pack	89	0-20-556	150mm/6" FatMax® Jab Saw - 7TPI	133
0-12-105	150mm Block Plane	156	0-20-807	300mm Mini Hacksaw	140
0-12-133	45mm Spare Iron for Bench Planes 12-033	157	0-22-121	8" x 3/16 Chainsaw File	158
0-12-141	50mm Replacement Blade	154	0-22-122	8" x 7/32 Chainsaw File	158
0-12-313	50mm Spare Iron for Bench Planes 12-004, 12-005	157	0-22-275	12"/300mm Half Round Rasp, Bastard Cut	159
0-12-315	60mm Spare Iron for Bench Planes 12-045, 12-006, 12-007	157	0-22-276	12"/300mm Half Round Rasp, Second Cut	159
0-12-330	Spare Iron for 12-116 Block Plane	156	0-22-441	8"/200mm Hand File, Bastard Cut	158
0-12-331	Spare Iron For 12-020 and 12-220 Block Planes	155	0-22-443	8"/200mm Round File, Bastard Cut	158
0-12-376	50mm Curved Spare Iron for Bench Plane 12-105	156	0-22-444	8"/200mm Round File, Second Cut	158
			0-22-451	8"/200mm Hand File, Second Cut	158

0-22-456	8"/200mm Half Round File, Second Cut	158	0-43-624	600mm/24" FatMax® Level	27
0-22-460	8"/200mm 3 Square File, Bastard Cut	158	0-43-625	600mm/24" FatMax® Magnetic Level	27
0-22-462	8"/200mm 3 Square File, Second Cut	158	0-43-636	900mm/36" FatMax® Level	27
0-22-464	3 Pce 8" Flat, Half Round, 3 Square File	159	0-43-648	1200mm/48" FatMax® Level	27
0-22-465	8"/200mm Flat Rasp, Bastard Cut	159	0-43-649	1200mm/48" FatMax® Magnetic Level	27
0-22-467	8"/200mm Flat Rasp, Second Cut	159	0-43-672	1800mm/72" FatMax® Level	27
0-22-469	8"/200mm Half Round Rasp, Bastard Cut	159	0-43-681	2000mm/80" FatMax® Level	27
0-22-471	8"/200mm Half Round Rasp, Second Cut	159	46-053	Adjustable Quick Square	33
0-22-473	8"/200mm Round Rasp, Bastard Cut	159	0-46-151	300mm/12" Combination Square	34
0-22-475	8"/200mm Round Rasp, Second Cut	159	0-46-529	228mm Plastic Joiners Bevel	35
0-22-476	8"/200mm Chainsaw File x 4.5mm	158	0-46-702	225mm Rosewood Joiners Bevel	35
0-22-477	3 Pce Set 8" Flat, Half Round, Round	159	0-46-825	200mm Plastic Joiners Bevel	35
0-22-481	8"/200mm Chainsaw File x 5.5mm	158	0-47-100	30m Metal Chalk Line Set	39
0-22-491	8"/200mm Chainsaw File x 4mm	158	0-47-312	2pk FatMax® Black Fine Tip Marker	36
0-22-492	8"/200mm Chainsaw File x 4.8mm	158	0-47-314	2pk FatMax® Black Chisel Tip Marker	36
0-22-499	8"/200mm Hand File, Smooth Cut	158	0-47-316	2pk Black Fine Tip Marker	36
0-22-500	6 Pce Needle File Set	159	0-47-443	30m Chalk Line Set - 113g Blue Chalk & Level	39
0-22-501	8"/200mm Half Round File, Bastard Cut	158	0-47-465	30m Powerwinder Chalk Line Set - 113g Blue Chalk & Level	38
0-28-500	Scraper	86	0-47-480	FatMax® Pro 30m Chalk Line	37
0-28-510	Replacement blades - 10 Pack	86	0-47-488	FatMax® Pro 30m Chalk Line & 225g Black Chalk	37
0-28-590	170mm Window Scraper	86	0-47-681	30m FatMax® Chalk Line Set - 113g Blue Chalk & Fine Tip Black Marker"	38
0-30-656	8m/26' Tylon Tape	13	0-55-114	10" Precision Claw Bar	169
0-30-686	3m/10' Tylon Tape	13	0-55-115	12" Precision Claw Bar	169
0-30-696	5m/16' Tylon Tape	13	0-55-116	200mm/8" Precision Moulding Bar	169
0-33-299	5m Stainless Steel Powerlock Tape	12	0-55-117	250mm/10" Precision Moulding Bar	169
0-33-301	8m Stainless Steel Powerlock Tape	12	0-58-120	3.2mm X 101mm Square Head Centre Punch	173
0-33-515	5m/16' Powerlock Tape Blade Armor	12	0-58-911	0.8mm Dynagrip Nail Set	173
0-33-522	3m Powerlock Tape	12	0-58-912	1.6mm Dynagrip Nail Set	173
0-33-523	3m/10' Powerlock Tape	12	0-58-913	2.4mm Dynagrip Nail Set	173
0-33-526	8m/26' Powerlock Tape Blade Armor	12	0-58-930	3 Pce Dynagrip Nail Set	173
0-33-527	8m Powerlock Tape Blade Armor	12	0-60-100	10 Pce Screwdriver Set - Flared/Parallel/Phillips	112
0-33-531	10m/30' Powerlock Tape Blade Armor	12	0-60-220	20 Pce Screwdriver Set - Flared/Phillips	112
0-33-532	10m Powerlock Tape Blade Armor	12	0-62-508	10 Way Flexi Screwdriver	114
0-33-552	5m Powerlock Tape	12	0-62-509	6-Way Ratchet Screwdriver	115
0-33-553	5m/16' Powerlock Tape	12	0-62-571	Pozi PZ2 X 250mm	101
0-33-719	5m/16' FatMax® Blade Armor Tape	11	0-64-458	6 Pce Screwdriver Set - Flared/Phillips	112
0-33-720	5m FatMax® Blade Armor Tape	11	0-64-459	6 Pce Screwdriver Set - Flared/Pozi	112
0-33-726	8m/26' FatMax® Blade Armor Tape	11	0-64-915	Flared 3 X 75mm	109
0-33-728	8m FatMax® Blade Armor Tape	11	0-64-916	Flared 5 X 100mm	109
0-33-805	10m/30' FatMax® Blade Armor Tape	11	0-64-917	Flared 6.5 X 45mm	109
0-33-811	10m FatMax® Blade Armor Tape	11	0-64-919	Flared 6.5 X 150mm	109
0-33-887	5m FatMax® Pro Tape	10	0-64-921	Flared 8 X 150mm	109
0-33-892	8m FatMax® Pro Tape	10	0-64-922	Flared 10 X 200mm	109
0-33-897	10m FatMax® Pro Tape	10	0-64-923	Parallel 2.5 X 75mm	109
0-33-932	5m Powerlock Top Reader Tape	12	0-64-924	Parallel 3 X 75mm	109
0-34-107	30m/100' Steel Blade Long Tape	16	0-64-930	Phillips PH0 X 60mm	110
0-34-132	30m/100' FatMax® Steel Blade Long Tape	15	0-64-931	Phillips PH1 X 45mm	110
0-34-203	30m FatMax® Pro Self Retracting Long Tape	15	0-64-932	Phillips PH1 X 75mm	110
0-34-262	30m/100' Fibreglass Long Tape	16	0-64-933	Phillips PH1 X 150mm	110
0-34-296	20m Fibreglass Long Tape	16	0-64-934	Phillips PH2 X 45mm	110
0-34-297	30m Fibreglass Long Tape	16	0-64-940	Phillips PH2 X 100mm	110
0-35-229	2m Fibreglass Folding Rule	19	0-64-941	Phillips PH2 X 150mm	110
0-35-400	150mm/6" Rustless Steel Rule - Metric Imperial	18	0-64-949	Phillips PH3 X 150mm	110
0-35-401	300mm/12" Rustless Steel Rule - Metric Imperial	18	0-64-952	Pozi PZ0 X 60mm	109
0-35-445	1m/39" Plastic Folding Rule	19	0-64-953	Pozi PZ1 X 45mm	109
0-42-063	400mm/16" FatMax® Digital Level	29	0-64-955	Pozi PZ1 X 75mm	109
0-42-065	600mm/24" FatMax® Digital Level	29	0-64-956	Pozi PZ2 X 45mm	109
0-42-086	1200mm/48" FatMax® Digital Level	29	0-64-974	Pozi PZ2 X 100mm	109
0-42-087	400mm/16" Digital Angle Level	29	0-64-976	Pozi PZ3 X 150mm	109
0-42-130	Pocket Level	31	0-64-978	Parallel 3mm X 50mm	100
0-42-287	80mm/3" Line Level	31	0-64-979	Parallel 3mm X 150mm	100
0-42-294	200mm/8" Torpedo Level	31	0-64-983	Parallel 3.5mm X 75mm	100
0-42-465	230mm/9" Aluminium Magnetic Torpedo Level	31	0-64-984	Parallel 3.5mm X 100mm	100
0-43-511	230mm/9" Shockproof Torpedo Level	31	0-65-006	Parallel 2.5mm X 50mm	100
0-43-603	250mm/10" FatMax® Torpedo Level	30	0-65-007	6 Pce Screwdriver Set - Parallel/Flared/Phillips	111
0-43-609	250mm/10" FatMax® Pro Torpedo Level	30			
0-43-616	400mm/16" FatMax® Level	27			

INDEX BY PRODUCT CODE

0-65-008	Parallel 3mm X 100mm	100	0-65-490	1/4" X 125mm Bit Adaptor	102
0-65-009	6 Pce Screwdriver Set - Flared/Phillips	110	0-65-492	6 Pce FatMax® Instrument Set	116
0-65-011	8 Pce Screwdriver Set - Flared/Phillips	111	0-66-052	6 Pce Precision Screwdriver Set	116
0-65-012	3 Pce Screwdriver Set - Flared/Phillips Voltage Tester Set	110	0-66-119	Mains Voltage Tester Slotted	108
0-65-013	4 Pce Screwdriver Set - Parallel/Flared/Phillips	110	0-66-358	Stubby Ratchet Multibit Screwdriver	114
0-65-016	Flared 4mm X 100mm	100	0-68-010	Multibit Ratchet Screwdriver + 10 Bits	114
0-65-017	Parallel 4mm X 100mm	100	0-68-012	6-Way Screwdriver	116
0-65-093	Parallel 4mm X 150mm	100	0-68-732	60mm Magnetic Bit Holder	120
0-65-094	Parallel 5.5mm X 150mm	100	0-68-839	25mm/T10	119
0-65-096	Parallel 6.5mm X 150mm	100	0-68-841	25mm/T15	119
0-65-098	Flared 5.5mm X 100mm	100	0-68-842	25mm/T20	119
0-65-099	6 Pce Screwdriver Set - Tamperproof Torx	105	0-68-946	25mm/PH2	118
0-65-137	Flared 8mm X 150mm	100	0-68-949	25mm/PZ2	118
0-65-138	Flared 8mm X 175mm	100	0-68-950	25mm/PH3	118
0-65-139	Flared 10mm X 200mm	100	0-68-953	25mm/PZ3	118
0-65-141	Flared 6.5mm X 150mm	100	0-69-014	Bradawl	117
0-65-143	Flared 12mm X 250mm	100	0-69-251	8 Pce Hex Key Set	239
0-65-204	Phillips PH00 X 50mm	101	0-69-252	8 Pce Hex Key Set	239
0-65-206	Phillips PH0 X 75mm	101	0-69-253	10 Pce Hex Key Set	239
0-65-207	Phillips PH1 X 100mm	101	0-69-256	9 Pce Ball End Hex Key Set	239
0-65-209	Phillips PH2 X 125mm	101	0-69-257	12 Pce Ball End Hex Key Set	239
0-65-224	Phillips PH2 X 250mm	101	0-70-445	15mm Pipe Slice	256
0-65-316	Phillips PH3 X 150mm	101	0-70-446	22mm Pipe Slice	256
0-65-317	Phillips PH4 X 200mm	101	0-70-447	Adjustable Pipe Cutter 3-22mm	256
0-65-319	Pozi PZ0 X 75mm	101	0-70-448	Adjustable Pipe Cutter 3-30mm	256
0-65-335	Pozi PZ1 X 100mm	101	0-70-450	Plastic Pipe Cutter	257
0-65-336	Pozi PZ1 X 250mm	101	0-70-451	Pipe Bender 6, 8, 10mm	257
0-65-337	Pozi PZ2 X 125mm	101	0-70-452	Pipe Bender 15 & 22mm	257
0-65-338	Pozi PZ3 X 150mm	101	0-70-453	Basin Wrench - Adjustable	257
0-65-339	Pozi PZ4 X 200mm	101	0-70-454	Basin Wrench - Fixed	257
0-65-340	Torx TT10 X 75mm	101	0-77-018	Intellimeasure Ultrasonic Measurer	23
0-65-395	Torx TT15 X 75mm	101	0-77-030	Moisture Detector	59
0-65-396	Torx TT20 X 100mm	101	0-77-500	Intellisensor™ Pro Stud Sensor	60
0-65-397	Torx TT25 X 100mm	101	0-79-153	27 Pce FatMax® Ratcheting Power Key Set	237
0-65-398	Torx TT30 X 125mm	101	0-83-002	6" Medium Trigger Clamp	186
0-65-399	Torx TT40 X 125mm	101	0-83-003	12" Medium Trigger Clamp	186
0-65-400	Parallel 5.5mm X 30mm	100	0-83-004	6" Large Trigger Clamp	186
0-65-404	Parallel 6.5mm X 30mm	100	0-83-005	12" Large Trigger Clamp	186
0-65-406	Phillips PH1 X 30mm	101	0-83-006	18" Large Trigger Clamp	186
0-65-407	Phillips PH2 X 30mm	101	0-83-007	24" Large Trigger Clamp	186
0-65-408	Pozi PZ1 X 30mm	101	0-83-008	36" Large Trigger Clamp	186
0-65-409	Pozi PZ2 X 30mm	101	0-83-033	3" "G" Clamp	186
0-65-410	Parallel 2.5 X 50mm VDE	103	0-83-034	4" "G" Clamp	186
0-65-411	Parallel 3.5 X 75mm VDE	103	0-83-035	6" "G" Clamp	186
0-65-412	Parallel 4 X 100mm VDE	103	0-83-036	8" "G" Clamp	186
0-65-413	Parallel 5.5 X 150mm VDE	103	0-83-100	4.5m/15' Bailey Band Clamp	186
0-65-414	Phillips PH0 X 75mm VDE	103	0-83-121	Bailey Light Duty Corner Clamp	187
0-65-415	Phillips PH1 X 100mm VDE	103	0-83-122	Bailey Heavy Duty Corner Clamp	187
0-65-416	Phillips PH2 X 125mm VDE	103	0-83-179	Quick Vice	188
0-65-417	Pozi PZ0 X 75mm VDE	103	0-84-000	165mm FatMax® VDE Combination Pliers	194
0-65-418	Pozi PZ1 X 100mm VDE	103	0-84-001	185mm FatMax® VDE Combination Pliers	194
0-65-419	Pozi PZ2 X 125mm VDE	103	0-84-002	200mm FatMax® VDE Combination Pliers	194
0-65-424	9 Pce Screwdriver Set - Parallel/Flared/Pozi	107	0-84-003	175mm FatMax® VDE Diagonal Cutting Pliers	194
0-65-425	7 Pce Screwdriver Set - Parallel/Flared/Pozi	106	0-84-004	195mm FatMax® VDE Diagonal Cutting Pliers	194
0-65-428	6 Pce Screwdriver Set - Parallel/Flared/Pozi	105	0-84-006	160mm FatMax® VDE Long Nose Pliers	195
0-65-436	5 Piece Screwdriver Set	105	0-84-007	210mm FatMax® VDE Long Nose Pliers	195
0-65-437	8 Pce Screwdriver Set - Parallel/Flared/Phillips	106	0-84-008	200mm FatMax® VDE Bent Long Nose Pliers	195
0-65-438	7 Pce Screwdriver Set - Parallel/Flared/Phillips/Pozi	106	0-84-009	160mm FatMax® VDE Narrow Diagonal Pliers	195
0-65-439	10 Pce Screwdriver Set - Parallel/Flared/Phillips	107	0-84-010	170mm FatMax® VDE Wire Stripper	195
0-65-440	5 Pce Screwdriver Set - Parallel/Phillips	105	0-84-016	165mm FatMax® VDE End Cutters	196
0-65-441	6 Pce VDE Screwdriver Set - Parallel/Phillips	104	0-84-018	127mm Waterpump Pliers	205
0-65-443	6 Pce VDE Screwdriver Set - Parallel/Pozi	104	0-84-019	150mm Waterpump Pliers	205
0-65-479	Flared 3mm X 75mm	100	0-84-053	150mm Dynagrip Long Nosed Half Round Pliers	200
0-65-481	Flared 4mm X 125mm	100	0-84-054	150mm Dynagrip Diagonal Cutting Pliers	201
0-65-482	Flared 5.5mm X 125mm	100	0-84-055	180mm Dynagrip Combination Pliers	201
0-65-483	Flared 5.5mm X 150mm	100	0-84-056	200mm Dynagrip Combination Pliers	201
			0-84-071	150mm Dynagrip Bent Nose Pliers	202

0-84-072	200mm Dynagrip Bent Nose Pliers	202	0-95-112	LED Tripod Torch	65
0-84-073	150mm Dynagrip Long Nosed Flat Pliers	200	0-95-113	Mini Tripod Keyring Torch	65
0-84-074	150mm Dynagrip Long Nosed Round Pliers	201	0-95-872	150mm/6" FatMax® Adjustable Wrench	233
0-84-075	150mm Dynagrip Wire Stripper	202	0-95-873	200mm/8" FatMax® Adjustable Wrench	233
0-84-076	240mm Dynagrip Water Pump Pliers	202	0-95-874	250mm/10" FatMax® Adjustable Wrench	233
0-84-077	150mm Dynagrip End Cutting Pliers	203	0-95-876	375mm/15" FatMax® Adjustable Wrench	233
0-84-102	203mm Long Nose Pliers	204	0-96-222	43 Pce FatMax® Ratcheting Power Key Set	237
0-84-104	127mm Diagonal Cutting Pliers	204	0-97-552	FatMax® Locking Key Set - Hex Metric	237
0-84-105	152mm Diagonal Cutting Pliers	204	0-97-553	FatMax® Locking Key Set - Torx	237
0-84-108	177mm Diagonal Cutting Pliers	204	0-GR15	Mini Trigger Glue Gun	251
0-84-110	254mm Waterpump Pliers	205	0-GR25	Heavy Duty Glue Gun	251
0-84-111	305mm Waterpump Pliers	205	0-GS10DT	7mm Dual Melt Glue Sticks - 24 Pk	252
0-84-112	178mm Combination Pliers	205	0-GS15DT	11.3mm Dual Melt Glue Sticks - 6 Pk	252
0-84-114	3 Pce Pliers Set	205	0-GS20DT	11.3mm Dual Melt Glue Sticks - 24 Pk	252
0-84-294	225mm FatMax® VDE Waterpump Pliers	196	0-GS25DT	11.3mm Dual Melt Glue Sticks - 12 Pk	252
0-84-495	150mm FatMax® Flat Nose Pliers	198	0-PHT150	Hammer Tacker	248
0-84-496	160mm FatMax® Round Nose Pliers	199	0-PHT350	FatMax® Pro Hammer Tacker	248
0-84-519	12 in 1 Multi-Tool with a pouch	94	0-SWK-BN050	12mm X 1000 Brad Nails	247
0-84-540	300mm/12" FatMax® Adjustable Wrench	233	0-SWK-BN0625	15mm X 1000 Brad Nails	247
0-84-622	180mm Dynagrip Diagonal Cutting Pliers	201	0-SWKBN075	20mm X 1000 Brad Nails	247
0-84-623	150mm Dynagrip Combination Pliers	201	0-SWKBN100	25mm X 1000 Brad Nails	247
0-84-625	200mm Dynagrip Long Nosed Half Round Pliers	200	0-SWKBN1187	30mm X 1000 Brad Nails	247
0-84-645	FatMaxv 6"/150mm Slip Joint Pliers	193	0-SWKBN1375	35mm X 1000 Brad Nails	247
0-84-646	FatMax® 8"/200mm Slip Joint Pliers	193	0-TR150HL	Heavy Duty Staple Gun	245
0-84-647	FatMax® 8"/200mm Groove Joint Pliers	193	0-TR250	Heavy Duty Staple Gun/Brad Nailer	244
0-84-648	FatMax® 10"/250mm Groove Joint Pliers	193	0-TR40	Light Duty Staple Gun	246
0-84-649	FatMax® 12"/300mm Groove Joint Pliers	193	0-TR45	Light Duty Staple Gun	246
0-84-807	145mm/6" Locking Pliers Curved Jaw	210	0-TRA204-5T	6mm X 5000 Light Duty Staples	247
0-84-808	185mm/7 1/2" Locking Pliers Curved Jaw	210	0-TRA204T	6mm X 1000 Light Duty Staples	247
0-84-809	225mm/9" Locking Pliers Curved Jaw	210	0-TRA205-5T	8mm X 5000 Light Duty Staples	247
0-84-810	190mm/7 1/2" Locking Pliers Straight Jaw	210	0-TRA205T	8mm X 1000 Light Duty Staples	247
0-84-811	225mm/9" Locking Pliers Straight Jaw	210	0-TRA206-5T	10mm X 5000 Light Duty Staples	247
0-84-812	170mm/7" Locking Pliers Long Nose	211	0-TRA206T	10mm X 1000 Light Duty Staples	247
0-84-813	215mm/8 1/2" Locking Pliers Long Nose	211	0-TRA208-5T	12mm X 5000 Light Duty Staples	247
0-84-814	225mm/9" Locking Pliers "V" Jaw	211	0-TRA209-5T	14mm X 5000 Light Duty Staples	247
0-84-815	170mm/7" Locking Pliers "C" Clamp	211	0-TRE550	Electric Staple/Nail Gun	244
0-84-816	285mm/11 1/2" Locking Pliers "C" Clamp	211	1-02-715	250mm Bit Brace	123
0-84-892	3 Pce Pliers Set	205	1-03-850	Red Carpenter Pencil	36
0-85-610	250mm/10" Locking Adjustable Wrench	234	1-03-851	Green Mason Pencil	36
0-87-366	150mm/6" Adjustable Wrench	234	1-10-189	155mm Springback Knife	80
0-87-368	200mm/8" Adjustable Wrench	234	1-10-550	Titan Fixed Blade Knife with Scabbard	74
0-87-470	250mm/10" Adjustable Wrench	234	1-10-601	140mm Disposable Craft Knife	85
0-87-472	300mm/12" Adjustable Wrench	234	1-11-115	5905 Slimknife Blade	91
0-89-858	150mm FatMax® Diagonal Cutting Pliers	197	1-11-221	5901 Slimknife Blade	91
0-89-859	190mm FatMax® Diagonal Cutting Pliers	197	1-11-300	9mm Snap-Off Knife Blades	90
0-89-860	175mm FatMax® Angled Diagonal Cutting Pliers	197	1-11-301	18mm Snap-Off Knife Blades	91
0-89-861	200mm FatMax® Angled Diagonal Cutting Pliers	197	1-11-911	1991 Trimming Knife Blade - 100	88
0-89-862	255mm FatMax® Angled Diagonal Cutting Pliers	197	1-11-921	1992 Trimming Knife Blade	88
0-89-866	165mm FatMax® Combination Pliers	198	1-11-952	5192 Concave Trimming Knife Blade - 100	89
0-89-867	185mm FatMax® Combination Pliers	198	1-11-983	1996 Hooked Trimming Knife Blade - 100	89
0-89-868	210mm FatMax® Combination Pliers	198	1-12-003	240mm No 3 Bailey Bench Plane	154
0-89-869	150mm FatMax® Long Nose Pliers	198	1-12-004	245mm No 4 Bailey Bench Plane	154
0-89-870	200mm FatMax® Long Nose Pliers	198	1-12-005	355mm No 5 Bailey Bench Plane	153
0-89-871	160mm FatMax® Bent Long Nose Pliers	198	1-12-006	460mm No 6 Bailey Bench Plane	153
0-89-872	200mm FatMax® Bent Long Nose Pliers	198	1-12-033	210mm Single Iron Bench Plane	155
0-89-874	215mm FatMax® Cable Cutter	199	1-12-102	140mm/102 Block Plane	156
0-89-875	150mm FatMax® End Cutters	199	1-12-116	180mm/110 Block Plane	156
0-89-904	Ball End Hex Key Set	238	1-12-136	No 4 Premium Bench Plane	154
0-90-947	150mm/6" Adjustable Wrench	233	1-12-137	No 62 Bailey Low Angle Jack Plane	153
0-90-948	200mm/8" Adjustable Wrench	233	1-12-151	55mm Flat Spokeshave	157
0-90-949	250mm/10" Adjustable Wrench	233	1-12-152	55mm Round Spokeshave	157
0-90-950	300mm/12" Adjustable Wrench	233	1-12-204	245mm Handyman Bench Plane	155
0-94-606	9 Pce 3/8" SD FatMax® Rotator Ratchet with Sockets	218	1-12-205	355mm Handyman Bench Plane	155
0-94-607	9 Pce 1/4" SD FatMax® Rotator Ratchet with Sockets	221	1-12-220	180mm Adjustable Block Plane	156
0-94-609	9 Pce 3/8" SD Extendable Ratchet with Sockets	219	1-12-333	255mm Rebate Plane Duplex	156
0-94-610	10 Pce 1/4" SD MicroTough Ratchet with Sockets	222	1-12-333	Spare Iron for 12-078 Rebate Plane	156
0-94-611	9 Pce 3/8" SD MicroTough Ratchet with Sockets	219	1-13-901	19 Pce Bit Set	121

INDEX

BY PRODUCT CODE

1-13-902	61 Pce Bit Set	121	1-43-557	1800mm/72" FatMax® I-Beam Level	28
1-13-903	31 Pce Bit Set	121	1-43-558	2000mm/72" FatMax® I-Beam Magnetic Level	28
1-13-904	32 Pce FatMax® Bit Set with Ratchet	226	1-43-572	1800mm/72" FatMax® Level	28
1-13-905	32 Pce FatMax® Bit Set with Ratchet Wrench	226	1-45-013	1720mm X 1200mm Folding Builders' Square	33
1-13-906	39 Pce 1/4" SD FatMax® Socket Set with Ratchet	225	1-45-530	600mm/400mm Carpenters Steel Squares	34
1-13-907	39 Pce 1/4" SD FatMax® Socket Set with Ratchet Wrench	225	1-47-329	Mini Multi Fine Tip Marker	36
1-15-122	Enclosed Grip Hacksaw	139	1-47-403	113g Blue Chalk	39
1-15-368	610mm Raker Tooth Bow Saw	134	1-47-404	113g Red Chalk	39
1-15-385	610mm Fleam Tooth Bow Saw Blade	135	1-47-405	113g White Chalk	39
1-15-441	650mm/26" FatMax® Concrete Saw - 1.4TPI	131	1-47-803	225g Blue Chalk	39
1-15-446	610mm Raker Tooth Bow Saw Blade	135	1-47-804	225g Red Chalk	39
1-15-903	300mm Moly Hacksaw Blades - 18TPI	140	1-51-030	Steelmaster Axe - 21oz	180
1-15-906	300mm Moly Hacksaw Blades - 24TPI	140	1-51-031	Steelmaster Claw Hammer - 16oz	177
1-17-756	Spare Head for 350mm Bolt Croppers	206	1-51-033	Steelmaster Claw Hammer - 20oz	177
1-17-757	Spare Head for 450mm Bolt Croppers	206	1-51-039	Steelmaster Brick Hammer - 18oz	179
1-17-758	Spare Head for 600mm Bolt Croppers	206	1-51-488	Blue Strike Claw Hammer - 16oz	178
1-17-759	Spare Head for 750mm Bolt Croppers	206	1-51-489	Blue Strike Claw Hammer - 20oz	178
1-19-212	Saw Storage Mitre Box	138	1-51-505	Graphite Hammer - 16oz	177
1-19-800	Saw Storage Mitre Box with Saw	138	1-51-507	Graphite Hammer - 20oz	177
1-20-002	380mm/15" Universal Saw - 11TPI	129	1-51-529	Fibreglass Hammer - 16oz	178
1-20-008	500mm/20" Universal Saw - 7TPI	129	1-51-628	Fibreglass Hammer - 20oz	178
1-20-009	550mm/22" Universal Saw - 7TPI	129	1-54-015	FatMax® Anti-Vibe Drywall Hammer - 14oz	180
1-20-084	380mm/15" Heavy Duty Saw - 8TPI	129	1-54-022	Anti-Vibe Brick Hammer - 20oz	178
1-20-087	500mm/20" Heavy Duty Saw - 8TPI	129	1-54-708	227g / 8oz Ball Pein Hammer	180
1-20-088	550mm/22" Heavy Duty Saw - 8TPI	129	1-54-712	340g / 12oz Ball Pein Hammer	180
1-20-089	380mm/15" Fine Finish Saw - 11TPI	129	1-54-716	454g / 16oz Ball Pein Hammer	180
1-20-090	500mm/20" Heavy Duty Saw - 7TPI	128	1-54-724	680g / 24oz Ball Pein Hammer	180
1-20-091	550mm/22" Heavy Duty Saw - 7TPI	128	1-54-732	908g / 32oz Ball Pein Hammer	180
1-20-094	500mm/20" Fine Finish Saw - 11TPI	129	1-54-921	Graphite Handle Club Hammer - 28oz	179
1-20-095	550mm/22" Fine Finish Saw - 11TPI	128	1-54-922	Graphite Handle Club Hammer - 35oz	179
1-20-096	550mm/22" Fine Finish Saw - 11TPI	129	1-54-923	Graphite Handle Club Hammer - 44oz	179
1-20-101	500mm/20" Fine Finish Saw - 11TPI	128	1-54-924	Graphite Handle Club Hammer - 52oz	179
1-20-110	300mm Heavy Duty Hacksaw - 24TPI	139	1-55-155	500mm Ripping Bar	168
1-20-112	Mitre Box	137	1-55-156	600mm Ripping Bar	168
1-20-119	380mm/15" Heavy Duty Saw - 7TPI	128	1-55-157	700mm Ripping Bar	168
1-20-180	450mm/18" FatMax® Flooring Saw - 7TPI	132	1-55-503	FatMax® 24" Spring Steel Wrecking Bar	167
1-20-437	Spare Blades for 300m Bow Saw	135	1-55-504	FatMax® 36" Spring Steel Wrecking Bar	167
1-20-447	300mm Bow Saw & Spare Blade	135	1-55-510	10" FatMax® Spring Steel Molding Bar	168
1-20-531	FatMax® Hacksaw	139	1-55-511	10" FatMax® Spring Steel Claw Bar	169
1-20-600	Mitre Box With Saw	137	1-55-512	12" FatMax® Spring Steel Claw Bar	169
1-20-800	Adjustable Mechanical Mitre Box	137	1-55-513	FatMax® 30" Spring Steel Wrecking Bar	167
1-20-809	Replacement Blade for Adjustable Mechanical Mitre Box	137	1-55-515	340mm/14" Wonder Bar	168
1-30-656	8m/26' Tylon Tape	13	1-55-516	FatMax® 15" Spring Steel Wonder Bar	167
1-30-686	3m/10' Tylon Tape	13	1-55-521	FatMax® 42" Spring Steel Wrecking Bar	167
1-30-696	5m/16' Tylon Tape	13	1-55-525	380mm/15" Super Wonder Bar	167
1-35-331	600mm/24" Rustless Folding Steel Rule	18	1-55-526	530mm/ 21" Wonder Bar	168
1-35-333	600mm/24" Line Of Chords Scale	19	1-58-501	FatMax® Interchangeable Nail Set	173
1-42-471	1200mm/48" Foamcast Level	29	1-65-490	1/4" X 125mm Bit Adaptor	102
1-42-474	300mm/12" Foamcast Level	29	1-66-039	Precision Instrument Screwdriver Set	117
1-42-475	450mm/18" Foamcast Level	29	1-68-724	10 Pce Bit Set - Pozi/Torx/Phillips	122
1-42-476	600mm/24" Foamcast Level	29	1-68-732	60mm Magnetic Bit Holder	120
1-42-919	400mm/16" Pro 180 Level	29	1-68-733	1/4" Bit Holders	120
1-42-920	600mm/24" Pro 180 Level	29	1-68-734	10 Pce Bit Set - Phillips/Pozi/Parallel	122
1-42-921	800mm/32" Pro 180 Level	29	1-68-735	7 Pce Bit Set - Phillips/Flared	122
1-42-922	1000mm/40" Pro 180 Level	29	1-68-737	7 Pce Bit Set - Phillips/Pozi/Flared	122
1-42-923	1200mm/48" Pro 180 Level	29	1-68-738	7 Pce Bit Set - Pozi/Flared	122
1-43-524	600mm/24" FatMax® Level	28	1-68-739	7 Pce Bit Set - Torx	122
1-43-525	600mm/24" FatMax® Magnetic Level	28	1-68-741	200 Pce Bit Set	120
1-43-536	900mm/36" FatMax® Level	28	1-68-784	60mm/PH1 PH2	119
1-43-537	900mm/36" FatMax® Magnetic Level	28	1-68-786	60mm/PZ1 PZ2	120
1-43-548	1200mm/48" FatMax® Level	28	1-68-839	25mm/T10	119
1-43-549	1200mm/48" FatMax® Magnetic Level	28	1-68-841	25mm/T15	119
1-43-553	600mm/24" FatMax® I-Beam Level	28	1-68-842	25mm/T20	119
1-43-554	600mm/24" FatMax® I-Beam Magnetic Level	28	1-68-843	25mm/T25	119
1-43-555	1200mm/48" FatMax® I-Beam Level	28	1-68-845	25mm/T30	119
1-43-556	1200mm/48" FatMax® I-Beam Magnetic Level	28	1-68-846	25mm/T40	119
			1-68-926	50mm/PZ2	119

1-68-942	25mm/PH1	118	1-94-210	FatMax® Cantilever Rolling Workshop	268
1-68-945	25mm/PZ1	118	1-94-231	FatMax® Tool Organiser	279
1-68-946	25mm/PH2	118	1-94-649	20 Pce 1/4" SD Socket Set	221
1-68-947	25mm/PH2	118	1-94-650	20 Pce 1/2" SD Socket Set	217
1-68-948	25mm/PZ2	118	1-94-651	30 Pce 1/4" SD Socket Set	221
1-68-949	25mm/PZ2	118	1-94-652	30 Pce 3.8" SD Socket Set	218
1-68-950	25mm/PH3	118	1-94-653	30 Pce 1/2" SD Socket Set	217
1-68-953	25mm/PZ3	118	1-94-655	40 Pce 1/4" SD Socket Set	220
1-68-979	50mm/PZ3	119	1-94-656	50 Pce 1/4" & 1/2" SD Socket Set	224
1-68-991	50mm/PH1	119	1-94-657	60 Pce 1/4", 3/8" & 1/2" SD Socket Set	224
1-68-992	50mm/PH2	119	1-94-658	50 Pce 1/4" & 1/2" SD MicroTough Socket Set	223
1-70-316	19" One Touch Toolbox With Drawer	273	1-94-659	65 Pce 1/4" & 1/2" SD MicroTough Socket Set	223
1-70-319	20" Tote Bag	280	1-94-660	75 Pce 1/4" & 1/2" SD MicroTough Socket Set	223
1-70-326	STANLEY 3 in 1 Work Centre	270	1-94-661	30 Pce 1/4" SD FatMax® Socket Set	219
1-70-327	STANLEY 2 in1 Work Centre	270	1-94-662	30 Pce 1/2" Square Drive FatMax® Socket Set	216
1-77-022	3.6m Extension Pole	56	1-94-663	60 Pce 1/4" & 1/2" SD FatMax® Socket Set	222
1-77-023	Detector for Line Lasers	58	1-94-668	96 Pce 1/4" & 1/2" SD MicroTough Socket Set	222
1-77-024	Multi Line Laser Adapter	56	1-94-671	23 Pce 1/2" Square Drive Socket Set	217
1-77-116	TLM220i Laser Measurer	22	1-94-672	35 Pce 1/4" SD Socket Set	220
1-77-123	FatMax® CLLI Cross Line Laser Kit	52	1-94-745	Sortmaster Organiser	285
1-77-127	Mains Charger	58	1-94-749	23" FatMax® Waterproof Toolbox	272
1-77-128	Multi Line Laser Adapter	55	1-94-850	FatMax® Mobile Chest	269
1-77-131	Aluminium Tripod	56	1-94-857	16" Metal Latch Toolbox	274
1-77-132	Detector for Line Lasers	58	1-94-858	20" Metal Latch Toolbox	274
1-77-133	Detector for Rotating Lasers	58	1-94-859	25" Metal Latch Toolbox	274
1-77-134	Remote Control	58	1-95-151	FatMax® 2AA Aluminium Torch	67
1-77-159	AL24 Auto Level Kit	46	1-95-152	FatMax® 3AAA Aluminium Torch	67
1-77-162	Measuring Staff	57	1-95-153	FatMax® 3D Aluminium Torch	66
1-77-163	Aluminium Tripod	56	1-95-563	350mm/14" Bolt Croppers	206
1-77-164	Aluminium Tripod	56	1-95-564	450mm/18" Bolt Croppers	206
1-77-168	Grading Adapter	56	1-95-565	600mm/24" Bolt Croppers	206
1-77-170	Laser Grid Target	57	1-95-566	750mm/30" Bolt Croppers	206
1-77-171	Laser Glasses	57	1-95-611	FatMax® Tool Backpack	279
1-77-172	Wall Mounting Bracket	57	1-95-615	20" FatMax® Metal Plastic Toolbox	275
1-77-192	Mini Tripod	55	1-95-616	23" FatMax® Metal Plastic Toolbox	275
1-77-201	Camera Tripod	55	1-95-617	26" FatMax® Metal Plastic Toolbox	275
1-77-318	FatMax® Spot Line Laser - SLP3	54	1-95-618	20" Galvanised Toolbox	275
1-77-319	FatMax® Spot Line Laser - SLP5	54	1-95-619	23" Galvanised Toolbox	275
1-77-320	FatMax® Cross Line Laser - SCL	51	1-95-620	26" Galvanised Toolbox	275
1-77-321	FatMax® Cross Line Laser - SCL-D	50	1-95-622	FatMax® Metal Plastic Rolling Workshop	267
1-77-322	FatMax® Multiline Laser	49	1-95-832	Galvanised Rolling Toolchest & Toolbox	268
1-77-427	FatMax® RLHVPW Interior Rotary Laser	48	1-95-891	Heavy Duty Clamping Floodlight	66
1-77-429	FatMax® RLHW+ Rotary Laser	48	1-96-178	Tool Apron	282
1-77-439	RL HGW FatMax® Exterior Rotary Laser	47	1-96-179	Pocket Pouch	282
1-77-496	FatMax® RLHW Exterior Rotary Laser	49	1-96-181	Tool Pouch	282
1-79-206	Rolling Workshop	268	1-96-183	16" Open Mouth Toolbag	281
1-79-212	FatMax® Fabric 20" Tote	280	1-96-193	16" Toolbag	281
1-79-213	FatMax® Plastic Fabric 20" Tote with Cover	280	1-97-475	Folding Sawhorse (Twin Pack)	286
1-79-215	FatMax® BackPack on Wheels	278	1-97-483	Sortmaster Junior	285
1-79-216	STANLEY Line Toolbox 16"	274	1-97-506	24" Tool Tote & Tool Case	272
1-79-217	STANLEY Line Toolbox 19"	274	1-97-514	24" Tool Tote & Organiser	272
1-79-218	STANLEY Line Toolbox 24"	274	1-97-515	18" Wheeled Soft Bag	281
1-83-065	115m/4 1/2" Light Duty Bench Vice	188	1-97-517	Shallow Pro Organiser	283
1-83-066	100mm/4" Heavy Duty Bench Vice	188	1-97-518	FatMax® Deep Pro Organiser	283
1-83-067	125mm/5" Heavy Duty Bench Vice	188	1-99-056	40 Pce 1/2" Square Drive FatMax® Socket Set	216
1-83-068	150mm/6" Heavy Duty Bench Vice	188	1-CT106T	10mm X 1000 Round Staples	246
1-83-069	Multi-Angle Vice	188	1-CT107T	11mm X 1000 Round Staples	246
1-92-065	16" STANLEY Toolbox	274	1-CT108T	12mm X 1000 Round Staples	246
1-92-066	19" STANLEY Toolbox	274	1-CT109T	14mm X 1000 Round Staples	246
1-92-067	24" STANLEY Toolbox	274	1-CT305T	8mm X 1000 Flat Narrow Crown Staples	246
1-92-083	Mobile Tool Chest with Soft Pocket	270	1-CT306T	10mm X 1000 Flat Narrow Crown Staples	246
1-92-980	FatMax® Aluminium Sawhorse (Twin Pack)	286	1-CT308T	12mm X 1000 Flat Narrow Crown Staples	246
1-93-301	Drywall Panel Carrier	261	1-PAA44T	3mm Medium Rivets	250
1-93-935	28" FatMax® Waterproof Toolbox	272	1-PAA48T	3mm Long Rivets	250
1-93-950	FatMax® Tool Bag	280	1-PAA52T	4mm Short Rivets	250
1-93-951	FatMax® 18" Open Tote Tool Bag	279	1-PAA54T	4mm Medium Rivets	250
1-93-968	Mobile Work Centre	270	1-PAA58T	4mm Long Rivets	250

INDEX BY PRODUCT CODE

1-PAA62T	5mm Short Rivets	250	3-20-331	Spare Blades for FatMax® Mini FlushCut Pull Saw	134
1-PAA64T	5mm Medium Rivets	250	3-68-729	75mm Magnetic Bit Holder	120
1-PAA66T	5mm Long Rivets	250	3-68-804	70mm/PZ2	119
1-TRA704-5T	6mm X 5000 Heavy Duty Staples	247	3-68-807	100mm/PZ2	119
1-TRA704T	6mm X 5000 Heavy Duty Staples	247	3-68-946	25mm/PH2	118
1-TRA705-5T	8mm X 5000 Heavy Duty Staples	247	4-11-921	1992 Trimming Knife Blade	88
1-TRA705T	8mm X 1000 Heavy Duty Staples	247	4-18-226	6 Pce Pin Punch Set	172
1-TRA706-5T	10mm X 5000 Heavy Duty Staples	247	4-18-294	Masons' Chisel 45mm X 215mm	171
1-TRA706T	10mm X 1000 Heavy Duty Staples	247	4-18-297	Brick Set 100mm X 215mm	171
1-TRA708-5T	12mm X 5000 Heavy Duty Staples	247	4-18-298	3 Pce Cold Chisel Set	172
1-TRA708T	12mm X 1000 Heavy Duty Staples	247	4-18-299	12 Pce Pin Punch & Cold Chisel Set	172
1-TRA709-5T	14mm X 5000 Heavy Duty Staples	247	4-18-327	Brick Set 76mm X 215mm	170
1-TRA709T	14mm X 1000 Heavy Duty Staples	247	4-18-328	Brick Set 100mm X 215mm	170
2-10-122	Titan Retractable Knife	78	4-18-329	Concrete 19mm X 300mm	170
2-10-199	Classic 199® Fixed Blade Knife	75	4-18-330	Electricians' 55mm X 250mm	170
2-10-550	Titan Fixed Blade Knife	74	4-18-331	Floor 75mm X 275mm	170
2-11-301	18mm Snap-Off Knife Blades	91	4-18-332	Cold (long) 25mm X 300mm	170
2-11-718	FatMax® 18mm Snap-Off Blades - 10 Pack	90	4-18-333	Masons' 45mm X 250mm	170
2-11-800U	Tungsten Carbide Blades - 10 Pack	87	4-84-485	3 Pce Dynagrip Pliers Set	203
2-11-921	1992 Trimming Knife Blade	88	4-84-488	3 Pce FatMax® Pliers Set	199
2-11-921	1991 Trimming Knife Blade - 10 Pack Dispenser	88	4-84-489	4 Pce FatMax® VDE Pliers Set	196
2-11-987	1992 Round Nose Tip Safety Blade - 10 Pack Dispenser	89	4-85-576	1/4" MicroTough Ratchet	215
2-14-556	250mm FatMax® Straight Pattern Tin Snips	208	4-85-577	3/8" MicroTough Ratchet	215
2-14-562	250mm FatMax® Aviation Snips Left Cut	209	4-85-578	1/2" MicroTough Ratchet	215
2-14-563	250mm FatMax® Aviation Snips Straight Cut	209	4-86-395	1/4" Quick Release Ratchet	215
2-14-564	250mm FatMax® Aviation Snips Right Cut	209	4-86-396	3/8" Quick Release Ratchet	215
2-14-566	300mm FatMax® Aviation Snips Long Cut	209	4-86-397	1/2" Quick Release Ratchet	215
2-14-567	FatMax® Aviation Snips Offset- Red	209	4-87-052	8 Pce Maxi Drive Plus Open End Spanners	231
2-14-658	FatMax® Aviation Snips Offset- Green	209	4-87-053	6 Pce Maxi Drive Plus Combination Wrench Set	230
2-15-842	300mm Lion Hacksaw Blades - 24TPI	140	4-87-054	8 Pce Maxi Drive Plus Combination Wrench Set	230
2-15-892	300mm Composite Hacksaw	139	4-87-057	7mm Combination Wrench	232
2-16-268	3 Pce FatMax® Chisel Set	145	4-87-058	8mm Combination Wrench	232
2-16-269	5 Pce FatMax® Chisel Set	145	4-87-066	6mm Combination Wrench	232
2-16-883	3 Pce Dynagrip Strike Cap Chisel Set	146	4-87-069	9mm Combination Wrench	232
2-16-885	5 Pce Dynagrip Strike Cap Chisel Set	146	4-87-070	10mm Combination Wrench	232
2-17-199	300mm/12" Tenon/Back Saw - 11TPI	130	4-87-071	11mm Combination Wrench	232
2-17-201	360mm/14" Tenon/Back Saw - 11 TPI	130	4-87-072	12mm Combination Wrench	232
2-17-202	360mm/14" Tenon/Back Saw - 13 TPI	130	4-87-073	13mm Combination Wrench	232
2-17-204	300mm/12" FatMax® Floorboard Saw - 13TPI	130	4-87-074	14mm Combination Wrench	232
2-17-205	300mm/12" Compass Saw - 11TPI	131	4-87-075	15mm Combination Wrench	232
2-17-206	300mm/12" PVC Saw - 11TPI	131	4-87-076	16mm Combination Wrench	232
2-20-037	550mm/22" FatMax® Plasterboard Saw - 7TPI	132	4-87-077	17mm Combination Wrench	232
2-34-772	30m Powerwinder Fibreglass Long Tape	16	4-87-078	18mm Combination Wrench	232
2-34-775	60m Powerwinder Fibreglass Long Tape	16	4-87-079	19mm Combination Wrench	232
2-34-777	100m Powerwinder Fibreglass Long Tape	16	4-87-080	20mm Combination Wrench	232
2-34-791	30m/100' Fibreglass Open Frame Long Tape	17	4-87-081	21mm Combination Wrench	232
2-34-794	60m/200' Fibreglass Open Frame Long Tape	17	4-87-082	22mm Combination Wrench	232
2-46-028	300mm/12" Die Cast Combination Square	34	4-87-083	23mm Combination Wrench	232
2-46-222	300mm/12" Combination Square	34	4-87-084	24mm Combination Wrench	232
2-47-064	215mm Marking Gauge	35	4-87-085	25mm Combination Wrench	232
2-65-014	10 Pce Flared/Pozi	112	4-87-086	26mm Combination Wrench	232
2-69-264	8 Pce Folding Key Set - Hex Metric	238	4-87-087	27mm Combination Wrench	232
2-69-265	9 Pce Folding Key Set - Hex Imperial	238	4-87-090	30mm Combination Wrench	232
2-69-266	8 Pce Folding Key Set - Torx	238	4-87-092	32mm Combination Wrench	232
2-69-267	8 Pce & 9 Pce Folding Key Set - Hex Metric & Imperial	238	4-89-907	6 Pce Maxi Drive Plus Combination Ratchet Wrench Set	231
2-69-268	25 Pce Folding Key Set - Hex Metric, Hex Imperial & Torx	238	4-89-932	8 Pce Combination Accelerator Wrenches	230
2-84-183	180mm Carpenters' Pincers	207	4-89-997	8 Pce Combination Accelerator Wrenches	230
2-84-184	225mm Carpenters' Pincers	207	4-94-646	6 Pce Combination Wrench Set	229
2-84-185	250mm Carpenters' Pincers	207	4-94-647	11 Pce Combination Wrench Set	229
2-84-302	220mm End Nippers	207	4-94-648	13 Pce Combination Wrench Set	229
2-85-582	17 Pce 1/4" SD MicroTough Socket Set	220	4-98-006	155mm 99E Original STANLEY Retractable Blade Knife	79
2-85-583	21 Pce 3/8" SD MicroTough Socket Set	218	5-11-700	FatMax® Blade - 5 Pack	88
2-85-584	29 Pce 1/2" Square Drive MicroTough Socket Set	216	5-12-020	160mm Fully Adjustable Block Plane	155
3-11-921	1992 Trimming Knife Blade	88	5-12-060	150mm Low Angle Fully Adjustable Block Plane	155
3-15-905	Spare Blades for Junior Hacksaw	140	5-15-244	550mm/22" FatMax® Fine Finish Saw - 11TPI	127
3-20-220	Spare Blades for FatMax® Multi Saw	134	5-15-288	500mm/20" FatMax® Heavy Duty Saw - 7TPI	127
			5-15-289	550mm/22" FatMax® Heavy Duty Saw - 7TPI	127

5-15-594	380mm/15" FatMax® Fine Finish Saw - 11TPI	127	FMHT0-62640	100mm FatMax® Parallel Stainless Steel Screwdriver	102
5-15-599	500mm/20" FatMax® Fine Finish Saw - 11TPI	127	FMHT0-62642	150mm FatMax® Flared Stainless Steel Screwdriver	102
5-16-421	5 Pce Dynagrip Strike Cap Chisel Set + Accessories	146	FMHT0-62643	175mm FatMax® Flared Stainless Steel Screwdriver	102
5-21-102	Surform Moulded Body Flat File	162	FMHT0-62644	100mm FatMax® Phillips Stainless Steel Screwdriver	102
5-21-103	Surform Moulded Body Plane	161	FMHT0-62645	125mm FatMax® Phillips Stainless Steel Screwdriver	102
5-21-104	Surform Moulded Body Block Plane	161	FMHT0-62646	100mm FatMax® Pozi Stainless Steel Screwdriver	102
5-21-115	Surform Moulded Body Shaver Tool	162	FMHT0-62647	125mm FatMax® Pozi Stainless Steel Screwdriver	102
5-21-122	Surform Metal Body Planer File	160	FMHT0-62648	Phillips PH1/PH2 X100m/125mm VDE	103
5-21-291	Surform Round Blade	163	FMHT0-62649	Pozi PZ1/PZ1 X (checking)	103
5-21-293	Surform Standard Cut Blade	162	FMHT0-62688	FatMax® Stubby Ratchet Screwdriver with 6 Bits	113
5-21-295	Surform Metal Body Flat File	160	FMHT0-62689	FatMax® LED Ratchet Screwdriver with 12 Bits	113
5-21-296	Surform Metal Body Plane	160	FMHT0-70411	FatMax® 4 In 1 Light Duty Stapler	245
5-21-297	Surform Round File	161	FMHT0-70418	FatMax® High Output Pro Glue Gun	250
5-21-299	Surform Half Round Blade	163	FMHT0-70767	FatMax® Headlamp	64
5-21-393	255mm Surform Fine Cut Blade	162	FMHT0-70812	FatMax® Compound Action Pliers- Long Nose	192
5-21-398	140mm Surform Fine Cut Blade	162	FMHT0-70813	FatMax® Compound Action Pliers- Combination	191
5-21-399	Surform Metal Body Block Plane	161	FMHT0-70814	FatMax® Compound Action Pliers- Diagonal	191
5-21-508	Surform Metal and Plastics Blade	163	FMHT0-70868	FatMax® TR75 6 in 1 Stapler/ Brad Nailer	245
5-21-515	Surform Shaver Tool Blade	163	FMHT0-71851	FatMax® Compound Action Pliers- End Cutters	192
5-33-886	5m/16' FatMax® Pro Tape	10	FMHT0-72184	FatMax® Ratcheting Adjustable Wrench 200mm	233
5-33-891	8m/26' FatMax® Pro Tape	10	FMHT0-72185	FatMax® Ratcheting Adjustable Wrench 250mm	233
5-33-896	10m/30' FatMax® Pro Tape	10	FMHT0-72415	FatMax® Compound Action Pliers- 3 Pack	192
5-62-572	20 Pce Screwdriver Set - Parallel/Flared/Phillips/Pozi	108	FMHT0-77407	S300 Sensor	61
5-62-573	10 Pce VDE Screwdriver Set - Parallel/Phillips/Pozi	104	FMHT0-96230	FatMax® Automatic Wire Stripper	196
5-64-977	10 Pce Screwdriver Set - Flared/Phillips	111	FMHT1-33856	2m Keychain Tape	12
5-65-426	12 Pce Screwdriver Set - Parallel/Flared/Phillips/Pozi	108	FMHT1-51144	17oz Vibration Dampening Hammer	176
5-65-427	10 Pce Screwdriver Set - Parallel/Flared/Pozi	107	FMHT1-51149	14oz Vibration Dampening Hammer (rip claw)	176
5-98-001	6 Pce Screwdriver Set - Parallel/Pozi/Flared	110	FMHT1-51260	14oz Vibration Dampening Hammer (curve claw)	176
6-11-700	FatMax® Blade - 10 Pack	88	FMHT1-51275	Next Gen Steel Hammer (16oz curve claw)	177
6-11-725	FatMax® 25mm Snap-Off Blades - 10 Pack	90	FMHT1-51276	Next Gen Steel Hammer (16oz rip claw)	177
66-344M	4 In 1 Pocket Driver	117	FMHT1-51277	Next Gen Steel Hammer (20oz curve claw)	177
6-97-043	3 Pce Dynagrip Pliers Set	203	FMHT1-56006	FatMax® Demolition Hammer (3lb) - Bullet Nose	179
6-CT-10X	2 In 1 Cable Tacker	246	FMHT1-56008	FatMax® Demolition Hammer (4lb)	179
6-MR100	All Steel Riveter Contractor Grade	249	FMHT1-56009	FatMax® Demolition Hammer (4lb) - Bullet Nose	179
6-MR55	All Steel Riveter	249	FMHT1-56010	8lb FatMax® Fibreglass LH Sledge Hammer	180
6-MR77	All Steel Riveter	249	FMHT1-56011	6lb FatMax® Fibreglass LH Sledge Hammer	180
6-T350	FatMax® Heavy Duty Stapler/Nailer	244	FMHT1-77348	FatMax® Green Beam X Line Laser	50
7-20-556	150mm/6" FatMax® Jab Saw + Scabbard - 7TPI	133	FMHT1-74267	Green Beam Detector	58
8-10-813	Sports Utility QuickSlide™ Knife with 10 blades	84	FMHT2- 20159	FatMax® 300mm Hacksaw Blades 100pk 24 TPI	140
8-11-700	FatMax® Blade - 100 Pack	88	FMHT2- 20199	FatMax® 300mm Hacksaw Blades 10pk 18 TPI	140
8-11-800U	Tungsten Carbide Blades - 50 Pack	87	FMHT2-20209	FatMax® 300mm Hacksaw Blades 10pk 24 TPI	140
8-11-921	1992 Trimming Knife Blade	88	FMHT0-62690	FatMax® Ratchet Screwdriver with 12 Bits	113
9-10-810	1 Quickslide Pocket Knife	79	FMST1-70719	FatMax® Plumbing Bag	277
9-47-486	FatMax® Pro 30m Chalk Line & FatMax® Pro Quick Spike	37	FMST1-70749	FatMax® 18" Round Top Rigid Tool Bag	277
9-69-188	FatMax® Clip-N-Grip Screwdriver	115	FMST1-71180	FatMax® 18" Open Mouth Rigid Tool Bag	278
9-83-079	Mini Spring Clamp 25mm	187	FMST1-71943	FatMax® Technician Case	271
9-83-123	6" FatMax® Trigger Clamp	185	FMST1-72378	FatMax® Small Organiser	283
9-83-124	12" FatMax® Trigger Clamp	185	FMST1-72383	FatMax® Technician Case with Wheels	271
9-95-097	220mm FatMax® Pro End Nippers	207	FMST1-73607	FatMax® Dual Access Bag	278
FMHT0-62641	10mm FatMax® Parallel Stainless Steel Screwdriver	102	FMST1-75531	FatMax® Large Job Chest	269
FMHT0-62691	FatMax® Pistol Grip Ratchet Screwdriver with 12 Bits	113	STHT0-05622	Stainless Steel Outside Corner Tool	258
FMHT0- 20196	FatMax® 300mm Hacksaw Blades 2pk 32 TPI	140	STHT0-05771	10"/254mm Stainless Steel Taping Knife	258
FMHT0-10827	FatMax® Fixed Blade Folding Knife	74	STHT0-05776	12"/305mm Stainless Steel Taping Knife	258
FMHT0-16067	FatMax® 25mm/1" Side Strike Chisel	146	STHT0-05777	Stainless Steel Inside Corner Tool	258
FMHT0-16145	Folding Chisel	147	STHT0-05786	4"/101mm Stainless Steel Joint Knife	259
FMHT0-20194	FatMax® 300mm Hacksaw Blades 2pk 18 TPI	140	STHT0-05799	5"/127mm Stainless Steel Joint Knife	259
FMHT0-20195	FatMax® 300mm Hacksaw Blades 2pk 24 TPI	140	STHT0-05864	6"/152mm Stainless Steel Joint Knife	259
FMHT0-20559	FatMax® Folding Jabsaw	132	STHT0-05866	Mud Pan - Plastic	260
FMHT0-33864	FatMax® Magnetic Tape 5m	11	STHT0-05867	Mud Pan - Stainless Steel	260
FMHT0-33868	FatMax® Magnetic Tape 8m	11	STHT0-05895	8"/203mm Stainless Steel Taping Knife	258
FMHT0-62619	150mm FatMax® Flared Bolster Screwdriver	102	STHT0-05896	Stainless Steel 3 Pce Margin Trowel Set	258
FMHT0-62620	175mm FatMax® Flared Bolster Screwdriver	102	STHT0-05897	Stainless Steel Margin Trowel	258
FMHT0-62621	200mm FatMax® Flared Bolster Screwdriver	102	STHT0-05898	280mm X 130mm Stainless Steel Trowel Curved Corners	259
FMHT0-62622	125mm FatMax® PH2 + Bolster Screwdriver	102	STHT0-05899	320mm X 130mm Stainless Steel Trowel Curved Corners	259
FMHT0-62623	150mm FatMax® PH2 + Bolster Screwdriver	102	STHT0-05900	320mm X 130mm Stainless Steel Finishing Trowel	259
FMHT0-62624	125mm FatMax® PZ2 + Bolster Screwdriver	102	STHT0-05926	Drywall Screw Adapter - Magnetic	262
FMHT0-62625	150mm FatMax® PZ3 + Bolster Screwdriver	102	STHT0-05927	Hand Sander	260

INDEX

BY PRODUCT CODE

STHT0-05928	Pole Sander	260	STHT1-77361	TLM99Si Laser Measurer	23
STHT0-05929	Sanding Screen K 80 - 10 Pk	260	STHT2-11818U	Tungsten Carbide™ 18mm Snap-Off Blades - 10 Pack	90
STHT0-05930	Sanding Screen K 120 - 10 Pk	260	STHT2-28042	Jointing Compound Mix 80mm	259
STHT0-05931	Sanding Screen K 120 - 100 Pk	260	STHT2-28043	Jointing Compound Mix 100mm	259
STHT0-11818U	Tungsten Carbide™ 18mm Snap-Off Blades - 5 Pack	90	STHT2-28044	Jointing Compound Mix 120mm	259
STHT0-11825U	Tungsten Carbide™ 25mm Snap-Off Blades - 5 Pack	90	STHT3-11825U	Tungsten Carbide™ 25mm Snap-Off Blades - 20 Pack	90
STHT0-14103	Shears	209	STHT46010	7" Bi- Colour Quick Square	33
STHT0-16131	Replacement Wheel for 16-069	261	STHT46011	12" Bi- Colour Quick Square	33
STHT0-16137	Drywall Screw Adapter	262	STHT8-11818U	Tungsten Carbide™ 18mm Snap-Off Blades - 50 Pack	90
STHT0-16139	Double Edge Laminate Edge Trimmer	159	STST0-05939	Drywall Foot Lifter	263
STHT0-16144	Diamond Sharpening Stone	147	STST1- 70736	19" Organiser Case	284
STHT0-28000	4"/101mm Stainless Steel Joint Knife Phillips Bit	259	STST1- 70737	24" Powertool Case	284
STHT0-28034	5"/127mm Stainless Steel Joint Knife Phillips Bit	259	STST1-70317	19" Tool Tote & Organiser	272
STHT0-28041	6"/152mm Stainless Steel Joint Knife Phillips Bit	259	STST1-70355	Folding Saw Horse Junior (Twin Pack)	287
STHT0-33567	3m/10' Grip Tape	11	STST1-70559	2-Way Adjustable Saw Horse Twin Pack	287
STHT0-33568	5m/16' Grip Tape	11	STST1-70713	Folding Sawhorse Twin Pack	287
STHT0-33569	8m/26' Grip Tape	11	STST1-70715	Contractor Chest	269
STHT0-47147	Compact 9m Chalk Line	39	STST1-71962	Click & Connect Deep Toolbox & Organiser	273
STHT0-47347	Large Chalk Reel	38	STST1-71963	3 in1 Tool Organiser	284
STHT0-62628	4 Pce Precision Multi-blade Screwdriver Set	115	STST1-71964	Click & Connect Deep Toolbox	273
STHT0-62629	8 Pce Precision Multi-blade Screwdriver Set	115	STST1-71983	Click & Connect Deep Organiser	273
STHT0-62630	4 Pce Precision Screwdriver Set	115	STST1-72359	Tote Tray	285
STHT0-62631	6 Pce Small Precision Screwdriver Set	115	STST1-75507	16" Metal Cantilever Toolbox	276
STHT0-62632	6 Pce Precision Screwdriver Set - SL2-3mm	115	STST1-75508	19" Metal Toolbox	276
STHT0-62633	16 Pce Precision Multi-blade Screwdriver Set	115	STST1-75509	19" Metal Toolbox - 1 Drawer	276
STHT0-62634	37 Pce Precision Screwdriver Set (Hex Bits Only)	115	STST1-75510	19" Metal Toolbox - 2 Drawer	276
STHT0-70410	2 In 1 Light Duty Stapler	245	STST1-79203	24" Organiser Case	284
STHT0-70416	Cord Free Glue Gun	251	XTHT0-10502	FatMax® Twin Blade Folding Knife	76
STHT0-70695	14 in 1 Multi-Tool	95	XTHT0-33671	5m (Metric Only) FatMax® Autolock Tape	10
STHT0-77403	S100 Sensor	60	XTHT0-33503	5m/16' FatMax® Autolock Tape	10
STHT0-77404	S150 Sensor	60	XTHT0-33501	8m (Metric Only) FatMax® Autolock Tape	10
STHT0-77406	S200 Sensor	61	XTHT0-33504	8m/26' FatMax® Autolock Tape	10
STHT1-05868	Wall Board Carry Handles	262	XTHT0-62692	5 Piece Slim VDE PH	103
STHT1-05878	Circle Cutter	261	XTHT0-62693	5 Piece Slim VDE PZ	103
STHT1-05894	Drywall T Square - Metric	263	XTHT1-42131	600mm/24" FatMax® I-Beam Site Level	26
STHT1-05932	Drywall Support	262	XTHT1-42132	600mm/24" FatMax® I-Beam Magnetic Site Level	26
STHT1-05933	Drywall T-Square +	263	XTHT1-42134	1200mm/48" FatMax® I-Beam Site Level	26
STHT1-16069	Drywall Edge Stripper	261	XTHT1-42135	1200mm/48" FatMax® I-Beam Magnetic Site Level	26
STHT1-43102	400mm STANLEY Classic Box level	28	XTHT1-42138	1800mm/72" FatMax® I-Beam Site Level	26
STHT1-43103	600mm STANLEY Classic Box Level	28	XTHT1-42139	2000mm/78" FatMax® I-Beam Magnetic Site Level	26
STHT1-43104	800mm STANLEY Classic Box Level	28	XTHT1-42140	1800mm/72" FatMax® I-Beam Magnetic Site Level	26
STHT1-43105	1000mm STANLEY Classic Box Level	28	XTHT1-51123	FatMax® Pro High Velocity Framing Hammer - 14oz - Rip Claw	176
STHT1-43106	1200mm STANLEY Classic Box Level	28	XTHT1-51124	FatMax® Pro High Velocity Framing Hammer - 15oz - Rip Claw	176
STHT1-43107	1500mm STANLEY Classic Box Level	28	XTHT1-51148	FatMax® High Velocity Framing Hammer - 14oz - Curve Claw"	176
STHT1-43108	1800mm STANLEY Classic Box Level	28			
STHT1-43109	2000mm STANLEY Classic Box Level	28			
STHT1-70428	Hot Melt Glue Sticks - Clear	252			
STHT1-70429	Hot Melt Glue Sticks - Clear	252			
STHT1-70430	Hot Melt Glue Sticks - Clear - 1kg Bag	252			
STHT1-70431	Hot Melt Glue Sticks - Standard - 1kg Bag	252			
STHT1-70432	All Purpose Clear Glue Sticks	252			
STHT1-70433	All Purpose Clear Glue Sticks	252			
STHT1-70434	Woodwork Glue Sticks	252			
STHT1-70435	Woodwork Glue Sticks	252			
STHT1-70436	Glitter Hobby Glue (Red/Green/Blue)	252			
STHT1-70437	Glitter Hobby Glue (Silver/Gold)	252			
STHT1-70438	Super Glue Formula - Extra Strength	252			
STHT1-77032	TLM65 Laser Measurer	23			
STHT1-77137	Line Laser 360 - SLL360	51			
STHT1-77138	TLM99 Laser Measurer	23			
STHT1-77139	TLM165 Laser Measurer	23			
STHT1-77140	TLM330 Laser Measurer	22			
STHT1-77148	Manual Wall Line Laser	53			
STHT1-77149	Self Levelling Wall Laser	53			
STHT1-77340	Cubix™ Cross Line Laser	52			
STHT1-77342	3 Spot Laser - SPL3	55			
STHT1-77343	TLM99S Laser Measurer	23			

STANLEY®

TOOL STO



RAGE

**RATED BY
REAL PRO'S**
at stanleytools.co.uk

“ THIS IS A FANTASTIC
PRODUCT, I CAN GET ALL
MY DAY TO DAY WORK STUFF IN
THERE AND AS IT IS ON WHEELS
SAVES ME CARRYING TOOL BOXES
AROUND. STURDY CONSTRUCTION
AND ALLOWS EASY ACCESS TO
ALL MY TOOLS ”

PLANKTON – PLUMBER



ROLLING WORKSHOPS & TOOL CHESTS

FATMAX® METAL PLASTIC ROLLING WORKSHOP

STANLEY
FATMAX

Complete mobile solution for large and small tools and accessories.

Extendable handle for easy manoeuvrability



Toolbox with lift out tray for smaller tools

Metal latches for long life

2 drawer mid section for accessories/ small parts



Heavy duty road tested wheels

Huge storage bin base – ideal for power tools



STANLEY	Description				£
1-95-622	FatMax® Metal Plastic Rolling Workshop	Box	1	3253561956225	165.77

Tools not included

FATMAX® CANTILEVER ROLLING WORKSHOP

STANLEY
FATMAX



- Tool box with lift-out tray for smaller tools, which fits neatly into the fold-out lid
- Large adjustable organiser for nails, screws and other small components
- Heavy duty road tested wheels
- Ball bearing slides for smooth opening even with heavy loads
- Opens up easily into a 4 level workstation
- Giant lower bin ideal for bulky materials and equipment such as paint cans, large components and power tools
- Telescopic handle for easy manoeuvrability
- Metal latches for long life
- Can hold up to 40kg

Product video can be viewed at www.stanleytools.co.uk



STANLEY	Description				£
1-94-210	FatMax® Cantilever Rolling Workshop	Box	1	3253561942105	127.57

GALVANISED ROLLING TOOLCHEST & TOOLBOX

STANLEY



- 26" Galvanised metal toolchest and 23" Galvanised Toolbox
- Heavy duty 7" wheels
- 4" wide metal latches with padlock eye
- Strong telescopic handle for easy manoeuvring
- V-groove in the lid for cutting timber and pipe work


STANLEY	Description				£
1-95-832	Galvanised Rolling 26" Toolchest + 23" Toolbox	Box	1	3253561958328	111.65

ROLLING WORKSHOP

STANLEY



- Detachable 19" toolbox with drawer
- 2 drawer unit with removable dividers
- Heavy duty 7" wheels
- Flip bin for larger tools with back pocket for saws and levels
- Aluminium telescopic handle



19" Toolbox with drawer can be interchanged with STST1-70317 19" Tool Tote & Organiser

STANLEY	Description				£
1-79-206	Rolling Workshop	Box	1	3253561792069	103.80

FATMAX® LARGE JOB CHEST

STANLEY
FATMAX

- Extra large capacity – 240L
- Innovative top aluminium rails allowing materials to be strapped to the top of the chest
- IP65 Waterseal for ultimate protection against the elements
- Heavy duty metal latches/hinges for added durability
- Central padlock eye for security
- Easy to manoeuvre with 7.5" durable rubber wheels




NEW

STANLEY	Description				£
FMST1-75531	FatMax® Large Job Chest*	Carton	1	3253561755316	131.55

FATMAX® PRO MOBILE JOB CHEST

STANLEY
FATMAX

- Huge volume allows storage of the biggest items
- All round water seal for all weather use (rated IP53)
- Structural foam plastic construction for longer life
- Large metal rust proof latches for long life
- Vertical storage + portable tray included for easy access to tools
- V-groove in the lid for cutting timber and pipework
- Integrated lock for ultimate protection
- Secure storage for saw and level within lid
- Heavy duty road tested wheels



STANLEY	Description				£
1-94-850	FatMax® Pro Mobile Job Chest	Box	1	3253561948503	123.55

Tools not included

CONTRACTOR CHEST

STANLEY

- Integral metal hinges for durability
- One touch central latch for quick and easy accessibility
- Organiser compartment in lid for small parts organisation
- Deep portable tray for power & hand tools storage
- Over moulded metal pull handle
- Durable 7" wheels for easy mobility
- Bi-material handle on top cover for convenient grip
- Huge volume capacity 60 litres
- V-groove in lid for cutting materials



STANLEY	Description				£
STST1- 70715	Contractor Chest	Box	1	3253561707155	63.64

Tools not included

MOBILE TOOL CHEST

STANLEY



- Easy transportation and storage for larger tools and workshop materials
- Extra large nickel plated metal latches
- Transparent polycarbonate organiser in lid impact resistant
- Soft side pocket organiser
- Removable tote tray
- Removable cups for small accessories storage
- V-groove in the lid for cutting timber and pipework
- Wide telescopic steel handle with soft grip, suitable for use with gloved hands
- Heavy duty road tested wheels

STANLEY	Description				£
1-92-083	Mobile Tool Chest with Soft Pocket	Box	2	3253561920837	53.15

Tools not included

MOBILE WORK CENTRE

STANLEY



- 2 in 1 – separates in seconds into 2 units
- Extra large tool box with removable tote tray
- Giant lower bin ideal for bulky materials and equipment
- Swivel front drawer (carousel) and lid organisers for small parts
- Telescopic handle for easy manoeuvrability
- Large 88lb load capacity
- Heavy duty road tested wheels
- Light duty work centre

STANLEY	Description				£
1-93-968	Mobile Work Centre	Box	2	3253561939686	42.51

STANLEY MOBILE WORK CENTRES

STANLEY



- Detachable top tool box unit with small parts storage on top
- Detachable mid section for small parts and accessories (1-70-326 only)
- Bottom bin with large 7" wheels
- Telescopic handle for conveniently manoeuvring
- Large metal latches connecting the units




STANLEY	Description				£
1-70-327	STANLEY 2 in 1 Mobile Work Centre	Box	2	3253561703270	43.70
1-70-326	STANLEY 3 in 1 Mobile Work Centre	Box	2	3253561703263	51.97

TOOLBOXES

FATMAX® TECHNICIAN CASES

STANLEY
FATMAX

- Tough glass reinforced polypropene
- Removable dividers with patented accordion design for flexibility and accessibility when working
- Supporting legs extend for added stability
- Thick rubber coated handle for improved grip and comfort
- Name tag holder and pad lock eye
- Wheeled model (FMST1-72383) includes telescopic aluminium handle and smooth bearing wheels
- Heavy duty metal latches



NEW



**“ PROFESSIONAL , QUALITY
TECHNICIAN CASE ”**

STEVOWHITE, ELECTRICIAN

Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description				£
FMST1-71943	FatMax® Technician Case	Carton	1	3253561719431	108.21
FMST1-72383	FatMax® Technician Case with Wheels	Carton	1	3253561723834	177.17

Tools not included

FATMAX® WATERPROOF TOOLBOXES

STANLEY
FATMAX



- Waterproof storage solution (rated IP53)
- All round water seal ensures safe and dry storage
- Structural foam plastic construction for extra strength
- Extra large storage capacity
- Portable tote tray
- V-groove in the lid for cutting timber and pipework
- Tough soft grip handle
- Metal latches with padlock eyes



STANLEY	Description				£
1-94-749	23" FatMax® Waterproof Toolbox	Box	3	3253561947490	32.08
1-93-935	28" FatMax® Waterproof Toolbox	Box	3	3253561939358	42.51

TOOL TOTE AND ORGANISER BOXES

STANLEY



- Tote with top case for powertools and small parts
- Long metal carry handle – locks in place for carrying; tilts down for storage
- Heavy duty anti-rust metal latches on the top case
- Can be used as a stand alone unit
- Removable dividers for small parts storage
- 19" box can be interchanged with the tool box and drawer on the top of the 1-79-206 Rolling Workshop



STANLEY	Description				£
STST1-70317	19" Tool Tote and Organiser	Box	3	3253561703171	31.82
1-97-514	24" Tool Tote and Organiser	Box	3	3253561975141	37.13

24" TOOL TOTE AND TOOL CASE

STANLEY



- 24" Tote with top case for powertools and small parts
- Long metal carry handle – locks in place for carrying; tilts down for storage
- Heavy duty anti-rust metal latches on the top case
- Can be used as a stand alone unit
- Removable dividers and a closed compartment for drill bits and accessories

STANLEY	Description				£
1-97-506	24" Tool Tote & Tool Case	Box	3	3253561975066	37.13

19" ONE TOUCH TOOLBOX WITH DRAWER

STANLEY

- 19" Toolbox with one touch latch for easy opening
- Deep drawer for small parts storage
- 2/3 removable tote tray
- V-groove in the lid for cutting timber and pipework



STANLEY	Description				£
1-70-316	19" One Touch Toolbox With Drawer	Box	3	3253561703164	34.33

CLICK & CONNECT™ TOOLBOXES

STANLEY

- Toolbox size and shape allows for easy access to tools
- Features removable latches enabling easy connection to other Click & Connect™ toolboxes
- Removable dividers allow personal customisation and organisation of tools
- Features organiser on the lid suitable for storage of accessories, drills and bits



STANLEY	Description				£
STST1-71962	Click & Connect™ Deep Tool Box & Organiser	Carton	2	3253561719622	37.12
STST1-71964	Click & Connect™ Deep Tool Box	Carton	3	3253561719646	21.21
STST1-71983	Click & Connect™ Organiser	Carton	4	3253561719837	19.09

Tools not included

NEW

STANLEY LINE TOOLBOXES

STANLEY



- One hand operation latch allows opening when other hand is occupied
- Innovative design – robust structure; large storage volume
- Extra wide soft grip handle on top for easy lifting
- Removable tray allows enough space for larger tools to be stored underneath
- Organisers in lid for small part organisation



STANLEY	Description				£
1-79-216	STANLEY Line Toolbox 16"	Box	6	3253561792168	18.02
1-79-217	STANLEY Line Toolbox 19"	Box	6	3253561792175	26.51
1-79-218	STANLEY Line Toolbox 24"	Box	3	3253561792182	31.82

METAL LATCHED TOOLBOXES

STANLEY



- Top lid organiser accessible without opening the toolbox
- Portable tote tray included
- Soft grip handle for comfort
- Metal latches for long life
- Padlock eye enables toolbox to be locked – lock not included

STANLEY	Description				£
1-94-857	16" Metal Latch Toolbox	Box	6	3253561948572	10.62
1-94-858	20" Metal Latch Toolbox	Box	6	3253561948589	15.93
1-94-859	25" Metal Latch Toolbox	Box	3	3253561948596	21.25

STANLEY® TOOLBOX

STANLEY



- Metal latches for extra weight capacity and longer life than plastic latches
- Metal hinge from lid to body for extra weight and longer life than plastic hinges
- 2 top lid organisers for storing small parts such as screws, plumbing and electrical components
- Removable tote tray ideal for storing the most used tools such as knives and tapes for quick access
- Soft grip handle ideal for carrying extra weight in comfort

STANLEY	Description				£
1-92-065	16" STANLEY Toolbox	Box	6	3253561920653	12.62
1-92-066	19" STANLEY Toolbox	Box	6	3253561920660	19.52
1-92-067	24" STANLEY Toolbox	Box	3	3253561920677	26.43

METAL TOOLBOXES

FATMAX® METAL/PLASTIC TOOLBOXES

STANLEY
FATMAX



- Large metal latches with padlock eye for rust protection and long life
- TPR coated handle more ergonomic and comfortable grip
- 1 long metal hinge reduces possibility of hinge failure
- Internal vertical storage



STANLEY	Description				£
1-95-615	20" FatMax® Metal Plastic Toolbox	Box	3	3253561956157	42.40
1-95-616	23" FatMax® Metal Plastic Toolbox	Box	3	3253561956164	46.89
1-95-617	26" FatMax® Metal Plastic Toolbox	Box	3	3253561956171	51.35

GALVANISED METAL/PLASTIC TOOLBOXES

STANLEY



- Heavy duty toolbox – ideal for the worksite
- Good storage capacity for frequently used tools and accessories
- Galvanised finish – rust resistant
- Heavy duty metal latches
- Removable tote tray
- V-groove in the lid for cutting timber and pipework
- Honeycomb lid design for extra strength and rigidity
- Easy grip handle

STANLEY	Description				£
1-95-618	20" Galvanised STANLEY Toolbox	Box	4	3253561956188	30.28
1-95-619	23" Galvanised STANLEY Toolbox	Box	4	3253561956195	32.69
1-95-620	26" Galvanised STANLEY Toolbox	Box	4	3253561956201	36.08

METAL TOOLBOXES

STANLEY

- Modern, innovative metal toolboxes
- Includes new sliding latch allowing for one handed operation
- Toolboxes feature long handle for safe, easy manoeuvring
- Central padlock eye giving added security



STST1-75510



STST1-75507



STST1-75508



STST1-75509



NEW

STANLEY	Description				£
STST1-75507	16" Metal Cantilever Toolbox	Box	1	3253561755071	31.82
STST1-75508	19" Metal Toolbox	Box	1	3253561755088	29.59
STST1-75509	19" Metal Toolbox – 1 Drawer	Box	1	3253561755095	37.12
STST1-75510	19" Metal Toolbox – 2 Drawer	Box	1	3253561755101	44.55

Tools not included

SOFT STORAGE

FATMAX® PLUMBING BAG

STANLEY
FATMAX



- Double side opening enables separation of material, tools, etc
- Ideal fit and protection for tools like pipe cutters, pipe benders, basin wrenches etc
- Vertical storage pockets for quick and easy access to all tools and small parts
- Injected polypropylene base for protection against moisture and dirt
- Comfortable padded shoulder strap for carrying heavy loads



STANLEY	Description				£
FMST1-70719	FatMax® Plumbing Bag	Box	1	3253561707193	63.64

Tools not included

FATMAX® 18" ROUND TOP RIGID TOOL BAG

STANLEY
FATMAX



- Made of durable materials for internal protection against tool damage and wear
- Huge capacity – round top geometric construction creates additional capacity versus traditional bags
- Vertical storage pockets for quick and easy tool access
- Ergonomic design with padded shoulder strap and rubber grip handle for comfortable carrying for heavy loads



STANLEY	Description				£
FMST1-70749	FatMax® 18" Round Top Rigid Tool Bag	Box	1	3253561707490	61.88

Tools not included

FATMAX® DUAL ACCESS BAG

STANLEY
FATMAX



NEW

- Dual sided opening storage space for tools, hand tools and accessories
- Free standing rigid structure
- Reinforced plastic base protects from water and dirt
- Multiple pockets for easy and convenient organisation of tools



STANLEY	Description				£
FMST1-73607	FatMax® Dual Access Bag	Carton	4	3253561736070	58.34

Tools not included

FATMAX® 18" OPEN MOUTH RIGID TOOL BAG

STANLEY
FATMAX



- Made of durable materials for internal protection against tool damage and wear
- Injected polypropylene bottom protects from moisture and dirt
- Open mouth design with tool compartment and storage loops
- Vertical storage pockets for quick and easy tool access
- Ergonomic design with padded shoulder strap and rubber grip handle for comfortable carrying of heavy loads



STANLEY	Description				£
FMST1-71180	FatMax® 18" Open Mouth Rigid Tool Bag	Box	1	3253561711800	53.03

Tools not included

FATMAX® WHEELED BACKPACK

STANLEY
FATMAX



- Combines a mix of on wheels and on back carriage for easy and convenient tool transporting
- Removable divider with multiple pockets for a wide variety of tools
- Rigid form that can stand in an open position enabling easy access to all tools
- Separate and strong compartment for power tool or laptop
- Dual zipper closure enables opening from every end



STANLEY	Description				£
1-79-215	FatMax® Wheeled Backpack	Box	2	3253561792151	63.64

Tools not included

FATMAX® TOOL BACKPACK

STANLEY
FATMAX



- Heavy duty 600 denier fabric for long lasting durability
- Backpack design allows full hands-free usage
- Rigid waterproof plastic base protects against dirt and moisture
- Dual zipper opening allows complete access to all contents
- Separate internal compartment ideal for laptop



STANLEY	Description				£
1-95-611	FatMax® Tool Backpack	Box	2	3253561956119	52.39

Tools not included

FATMAX® TOOL ORGANISER

STANLEY
FATMAX



- Unique design allows for upright tool organisation
- Easily converts to a work station once opened
- A-frame design means suitable for different worksurfaces - workbench, floor or ladder
- Reinforced body for protection from moisture or dirt
- High visibility of the tools on both sides – cover opens outwards providing 100% visibility to contents



STANLEY	Description				£
1-94-231	FatMax® Tool Organiser	Box	2	3253561942310	52.39

Tools not included

FATMAX® 18" OPEN TOTE TOOL BAG

STANLEY
FATMAX



- Heavy duty 600 denier fabric with leather reinforcements for long lasting durability
- Rigid and waterproof plastic base
- Heavy duty steel handlebar
- Shoulder strap allows easier carrying of heavy loads
- Velcro straps ideal for securing a 600mm level
- Multiple use tool compartments for all storage needs with easy access pockets



STANLEY	Description				£
1-93-951	FatMax® 18" Open Tote	Box	4	3253561939518	43.88

Tools not included

FATMAX® TOOL BAG

STANLEY
FATMAX



- Heavy duty 600 denier fabric for long lasting durability
- Rigid and waterproof plastic base
- Comfortable rubber grip handle
- Shoulder strap allows easier carrying of heavy loads
- Interior tool loops



STANLEY	Description				£
1-93-950	FatMax® Tool Bag	Box	4	3253561939501	40.95

Tools not included

FATMAX® PLASTIC FABRIC 20" TOTE

STANLEY
FATMAX



- Long lasting/hard wearing 600X 600 denier nylon
- Durable polypropylene frame ideal for heavy tools
- Covered external pockets
- Moveable aluminium handle – folds down for easy access
- Polypropylene base protects against damp & wet site conditions
- Cover to protect contents (1-79-213 only)



STANLEY	Description				£
1-79-212	FatMax® Plastic Fabric 20" Tote	Box	4	3253561792120	47.73
1-79-213	FatMax® Plastic Fabric 20" Tote with cover	Box	4	3253561792137	55.17

20" TOTE BAG

STANLEY



- Rigid and waterproof base
- Internal and external pockets perfect for organising tools for easy selection
- Adjustable shoulder strap to free hands for carrying other items
- Tilting handle allows larger items to be loaded into the tote

STANLEY	Description				£
1-70-319	20" Tote Bag	Box	4	3253561703195	32.05

STANLEY® 18" WHEELED SOFT BAG



STANLEY

- Heavy Duty 600 denier fabric that resists cuts and scratches
- Multiple internal and external pockets for maximum organisation
- Extendable handle to easily manoeuvre the bag
- Removable divider
- Easy access to tools
- Secure storage of small parts or personal items

STANLEY	Description				£
1-97-515	18" Wheeled Soft Bag	Box	2	3253561975158	59.00

16" TOOLBAG



STANLEY

- Heavy duty 600 denier fabric for long life
- Reinforced plastic base
- Shoulder strap – allows easier carrying of heavy loads
- Multiple internal and external pockets for superb storage capacity
- Separate transparent document section
- 7 internal elastic loop bands for maximum organisation

STANLEY	Description				£
1-96-193	16" Toolbag	Box	4	3253561961939	27.71

Tools not included

16" OPEN MOUTH TOOLBAG



STANLEY

- Heavy duty 600 denier fabric for long life
- Reinforced plastic base
- Shoulder strap – allows easier carrying of heavy loads
- Multiple internal and external pockets for superb storage capacity

STANLEY	Description				£
1-96-183	16" Open Mouth Toolbag	Box	4	3253561961830	23.07

Tools not included

TOOL BELTS & POUCHES

TOOL APRON

- STANLEY**
- 600 denier fabric
 - Padded back for extra comfort
 - Integrated metal hammer loop
 - Tape pocket
 - Multiple pockets and loops for maximum organisation



STANLEY	Description				£
1-96-178	Tool Apron	Box	4	3253561961786	20.01

Tools not included

TOOL POUCH

- STANLEY**
- 600 denier fabric
 - Padded back for extra comfort
 - Integrated metal hammer loop
 - Multiple pockets and loops for maximum organisation



STANLEY	Description				£
1-96-181	Tool Pouch	Box	4	3253561961816	10.26

Tools not included

POCKET POUCH

- STANLEY**
- 600 denier fabric
 - Large zippered pocket for secure storage of important items
 - Fully adjustable to different belt sizes



STANLEY	Description				£
1-96-179	Pocket Pouch	Box	4	3253561961793	6.15

ORGANISERS

FATMAX® DEEP PRO ORGANISER

STANLEY
FATMAX

- Waterproof seal protects the contents from rust and foreign particles
- 10 removable compartments that can be stacked
- Polypropylene lid that is virtually unbreakable
- Metal latches provide additional strength and improve loading capabilities
- Side latches allow multiple organisers to be clipped together for easy transportation
- Multiple latches ensure contents securely stored
- Unique lid design locks all compartments in place



STANLEY	Description				£
1-97-518	FatMax® Deep Pro Organizer	Box	3	3253561975189	26.34

Tools not included

FATMAX® SHALLOW PRO ORGANISER

STANLEY
FATMAX

- Waterproof seal protects the contents from rust and foreign particles
- 10 removable cups for small parts and accessories
- Polypropylene lid that is virtually unbreakable
- Metal latches provide additional strength and improve loading capabilities
- Side latches allow multiple organisers to be clipped together for easy transportation



STANLEY	Description				£
1-97-517	FatMax® Shallow Pro Organizer	Box	5	3253561975172	21.84

Tools not included

FATMAX® SMALL ORGANISER

STANLEY
FATMAX

- Connectivity - up to 2 organisers click together allowing a one-hand easy transportation
- 6 removable cups allowing flexible configurations
- Durable, full transparent polycarbonate lid for full view, quick and easy access to stored parts
- Made with Polycarbonate and a water seal for durability and safe outdoors usage
- Side latches for secure stacking and transportation of multiple units
- Integrated carry handle for easy grip



STANLEY	Description				£
FMST1-72378	FatMax® Small Organizer*	Carton	4	3253561723780	17.49

Tools not included

NEW

3 IN 1 TOOL ORGANISER

STANLEY



- Provides 3 in 1 hand tool, power tool and accessory storage
- Robust closed case structure for durability
- 2mm Polypropylene plastic
- 15kg weight limit
- Full open structure for ease of access
- Central rigid tote structure for hand tools
- Movable dividers provide specific configuration for small parts/ hand tools & power tools
- Polypropylene lid



Product video can be viewed at www.stanleytools.co.uk

STANLEY	Description				£
STST1-71963	3 in 1 Tool Organizer	Box	4	3253561719639	42.43

Tools not included

24" POWERTOOL CASE WITH METAL LATCHES

STANLEY



- 24" powertool case includes drill storage compartment with removable dividers
- Includes small parts and accessories storage with dividers
- Heavy duty anti-rust metal latches for extra strength & durability
- Integrated carry handle

STANLEY	Description				£
STST1-70737	24" Powertool Case with Metal Latches	Box	1	3253561707377	26.51

Tools not included

19"/24" ORGANISER CASE WITH METAL LATCHES

STANLEY



Image shows 24" model

- 19"/24" case includes removable dividers and unique 90° compartment for storing hammers and angled tools
- Heavy duty anti-rust metal latches for extra strength & durability
- Tough polycarbonate lid for extreme protection
- Integrated carry handle



19"

STANLEY	Description				£
STST1-79203	24" Organiser Case with Metal Latches	Box	1	3253561792038	26.51
STST1-70736	19" Organiser Case with Metal Latches	Box	1	3253561707360	21.21

Tools not included

SORTMASTER ORGANISER

STANLEY

- Unique 90° compartments allows easy storage of hand tools as well as small parts
- Customisation with removable dividers for all items
- Lid structure prevents movement of small parts from one compartment to another
- Lid lock to hold items securely
- 1024 possible compartments configurations
- Side clips – organisers can be clipped together



STANLEY	Description				£
1-94-745	Sortmaster Organiser	Box	4	3253561947452	12.74

Tools not included

SORTMASTER JUNIOR

STANLEY

- Allows storage of hammers and angled tools or tape measures, together with small parts and accessories
- 512 configurations possible with the compartments
- Allows secured stacking and transport of up to 3 units at once – time saving and maximum convenience on the job



STANLEY	Description				£
1-97-483	Sortmaster Junior	Box	6	3253561974830	9.57

Tools not included

TOTE TRAY

STANLEY

- Portable, multi purpose tool storage
- 2 extra deep compartments with 12 litre volume
- Extra strong ergonomic handle



STANLEY	Description				£
STST1- 72359	Tote Tray*	Box	6	3253561723599	7.43

SAWHORSES

FATMAX® METAL SAWHORSE – TWIN PACK

STANLEY
FATMAX

- Unique adjustable telescopic legs ideal for use on difficult and uneven surfaces
- Height is adjustable to a maximum 1025mm with up to 215mm extension of each leg
- Heavy duty metal legs allow a high load bearing capacity of 1135kg (2500lbs per pair)
- Only weighs 5.25kg (10lbs) – light enough to carry



STANLEY	Description				£
1-92-980	FatMax® Metal Saw Horse (Twin Pack)	Box	3	3253561929809	97.55

Tools not included

FOLDING SAWHORSE – TWIN PACK

STANLEY

- Galvanised metal legs providing 340kg weight load per pair
- Legs fold into the top to allow it to be carried using either the carry handle or shoulder strap
- Side latches to secure 2 sawhorses together



STANLEY	Description				£
1-97-475	Folding Sawhorse (Twin Pack)	Box	2	3253561974755	76.48

STANLEY 2-WAY ADJUSTABLE SAWHORSE – TWIN PACK

STANLEY



- Strong & robust design holds up to 450kg per pair
- Innovative ergonomic mechanism for easy height adjustment
- Smooth slide mechanism for easy width adjustment
- Lightweight for easy carrying and transport
- Anti-slip top pads for safe and secure working
- Fitted with tool tray for hand tool storage

STANLEY	Description				£
STST1-70559	STANLEY 2-Way Adjustable Sawhorse Twin Pack	Box	1	3253561705595	74.25

STANLEY FOLDING SAWHORSE – TWIN PACK

STANLEY



- Strong & robust design holds up to 450kg per pair
- Lightweight for easy carrying and transport
- Integrated V-grooves to clamp and hold materials
- Anti-slip top pads for safe and secure working
- Includes side hangers for cable storage
- Fitted with tool tray for hand tool storage

STANLEY	Description				£
STST1-70713	STANLEY Folding Sawhorse (twin pack)	Box	1	3253561707131	42.43

FOLDING JUNIOR SAWHORSE – TWIN PACK

STANLEY



- Strong and robust design holds up to 362kg per pair
- Folds flat and is easy to carry and store
- Anti-slip feet for safe and secure working
- Fitted with tool tray for tool storage

STANLEY	Description				£
STST1-70355	Folding Saw Horse Junior (Twin Pack)*	Box	4	3253561703553	36.12