# CATALOGUE



genologicae

# WELCOME TO TENG TOOLS

Here we present the product range that has made Teng Tools the respected brand it is today, together with a number of new products that still make Teng Tools the natural choice for professional users.

With the help of our range, which includes close to 3,000 products covering tools and storage solutions, we help companies to streamline their operations. Good tools are an important part and the organisation of them is just as important.

# Our customers

The wide Teng Tools range caters to mechanics and craftsmen within industry, workshops, the automotive and construction sectors.

Our customers are found in all fields from large industrial companies and vehicle manufacturers to the major names within racing as well as your neighbour in his garage. Our global distribution network can manage large and small orders with quick service, competitive prices and optimal quality.

# Development

We continuously develop our range in close co-operation with professional users. Teng Tools offers innovative Swedish design and sound Taiwanese production, which satisfies quality-conscious users around the world.



# **MISSION**

At Teng Tools we believe in order and clarity. That is professionalism at work or pure enjoyment after work. Some think perfect organisation is tedious. We consider it to be one of man's most basic needs. Join us – Get organised!



# **EVERLASTING POWER GUARANTEE**



Teng Tools products meet – or surpass – the requirements in ISO, DIN and other international standards. As extra security, our "Everlasting power guarantee" means that all Teng Tools products will be replaced or repaired should they break during normal usage due to a manufacturing or material fault.

# **INDEX**



and tool storage Pages 6 to 129



Work benches and wall racks Pages 130 to 149



Pages 150 to 179



Sockets and accessories Pages 180 to 204



Stainless steel socketry

Pages 204 to 207



**Impact sockets** Pages 208 to 227



**Spanners** and wrenches



**Torque equipment** Pages 278 to 293



Screwdrivers and bits

Pages 294 to 327



Insulated tools

Pages 328 to 335



Pliers and clamping tools
Pages 336 to 357



**Cutting tools** 

Pages 358 to 375



**Service tools** and eye protection Pages 376 to 417



**Air tools** 

Pages 418 to 426



**Measuring Tools** 

Pages 427 to 430



Pages 431 to 440



# WORKING WITH WINNERS

A SELECTION OF THE MANY CHAMPIONS AT WORLD, EUROPEAN AND **NATIONAL LEVEL THAT CHOOSE TENG TOOLS** 



JASON DOYLE





**WINNER** 

With no brakes and no gears speedway racing is one of the most extreme motor sports. A punctured lung, dislocated shoulder and shattered elbow in 2016 could not hold Dovle back for long. Teng Tools has been the preferred choice of almost every world champion since the 1990's and 2017 was no exception with Doyle making a dramatic comeback from injury to take the title. The Australian rider has been a long time user of Teng Tools both for his GP team and also for his league racing in the UK, Sweden and Poland.





PREMIERSHIP RIDERS CHAMPIONSHIP 2017

# **WINNER**

In September 2017 "Fast" Freddie Lindgren won the British Speedway Premiership Riders Championship title for a second successive year and was lying in third place in the world championship with just two rounds to go. A nasty crash in Manchester saw him side lined for the remainder of the 2017 season and in a neck brace but the long-time user of Teng Tools will be back next year determined to add more titles to an impressive list of championships won.



JOHAN KRISTOFFERSSON



FIA WORLD RALLYCROSS CHAMPIONSHIP 2017



**WINNER** 





FIA WORLD RALLYCROSS TEAM CHAMPIONSHIP 2017



**WINNER** 

At the beginning of the year Swedish born Johan Kristofferson joined forces with long standing Teng Tools partner, Petter Solberg, to compete in the 2017 FIA World Rally Cross Championship. Not only did Johan win the drivers' championship but together with Petter they dominated almost every one of the 12 WRX rounds around the world to take the team championship as well. An incredible achievement in the brand new, unproven VW Polo Supercars.



TOM INGRAM



BTCC INDEPENDENT DRIVERS' CHAMPIONSHIP 2017

WINNER WINNER

Teng Tools has been helping Tom Ingram in his racing career for many years now helping him to win junior karting championship titles through to his many wins and British championship titles in Ginetta racing, always with the famous Teng eyes on his race car. 2017 was Tom's best year to date winning the independent drivers and team titles in the prestigious British Touring Car Championship and beating many top names and factory supported teams to finish third overall in the drivers' championship.

# GET ORGANISED: IN THE WORKSHOP

# The system for the workshop that results in improved profitability

Well organised and efficient work creates profitability. Using our solution you always know where you have your tools. This saves-time and your production becomes more cost effective.

Our system for order divides your workplace into three zones: READY, STEADY, GO!

Several employees use the same cabinet, and tools are kept in different places. Without a good system tools disappear and unnecessary time is spent looking for them. Rarely used tools take up work space when a good storage system is not used.

# **CHALLENGES IN THE WORKSHOP**

Tools have to be collected in bundles when a good mobile solution is not used. The tools become spread out when there is no natural gathering point close to the work area.

# **IMPROVEMENTS**



COST-EFFECTIVE WORK

MORE TASKS PERFORMED EVERYDAY

# **EREADY**

In the Ready zone are the tools you need to have, but rarely use. Maybe once a week, once a month or a few times a year. When you need them you move them over to the Steady zone.



# M STEADY

The Steady zone holds the tools you use every day. These are stored on a tool panel or in a cabinet. This must be close to your Go zone so that you can quickly and easily collect and put back your tools.



# GO!

You do the work in the Go zone. With the right space and equipment you can do a good job.

Remember to have your tools in order when moving between jobs, as missing tools delay the work.



# **WORK FLOW:**

Analyse your

workflow

2.

Sort through 3.

Plan your zones

4.

Update your workplace

More details about our system for order can be found in the brochure: **READY, STEADY, GO!** or at **www.tengtools.com** 

# **TOOL STORAGE**

The Teng Tools range of tool boxes and roller cabinets has been developed to meet the high demands made by quality conscious professional users from all over the world.

No details have been left to chance during the production of our high quality tool boxes and roller cabinets. The range comprises 8 top boxes, 2 middle boxes, 11 roller cabinets and 5 side cabinets and a collection of accessories.

Side tables, side drawers and tool panels can be placed on both sides of all Teng Tools roller cabinets with a width of 670 mm. If the roller cabinet is equipped with a tool panel at the top, a side panel needs to be fitted before the cabinet or drawer module are fitted.

TCW-CAB03

TCW-CAB02

TCW-CAB01



TCW-CAB04









Shelf with magnetic attachment for aerosols 580CM



Shelf with magnetic attachment



Plastic bowl with magnetic base



If the roller cabinet is equipped with a tool panel, the side panel TCW-SP01 needs to be fitted before the cabinet or

drawer module are fitted.

Plastic bowl with magnetic base



# 50% MORE SPACE THAN A STANDARD ROLLER CABINET

953mm

(D ete

REMOVABLE WORKTOP MADE FROM LAMINATED CHIPBOARD WITH REINFORCED EDGING

COMBINATION LOCK

ONE DRAWER OPENING FUNCTION TO PREVENT FALLING OVER

> ONE EMPTY DRAWER FOR EXTRA STORAGE OF LARGE ITEMS

TWO FIXED AND TWO SWIVEL 5" CASTORS WITH BRAKES

LARGER SLIDES FOR MORE STABLE DRAWERS



622 PIECE TOOLKIT SUPPLIED IN THE NEW 37" WIDE ROLLER CABINET AND WOODEN WORKTOP TO CREATE THE ULTIMATE WORKSTATION

Stock No. TCMM622N



# **TOOL SETS**

# Organise your workshop with the help of Teng Tools!

Teng Tools is comparatively unique as we offer a complete system, which allows you to create your own tool sets in a structured and organised fashion.

Choose from different tool boxes and roller cabinets as well as more than 160 different TT trays and create your own tool sets with the help of our web-based application Click and Fill.

However, Teng Tools has put together a number of turnkey tool sets to make the selection process easier. The various proposals – which comprise everything from small portable tool sets to the huge Monster Mega Master with its 1,190 pieces – have been developed in collaboration with professional users from the automotive sector and other industries.



- Choose from our turnkey tool sets there are 19 different sets in all sizes or create your own personal tool set.
- There are more than 85 different TT trays, 13
  different TTD sets, more than 25 extra-long TTX
  sets, 6 PS sets, 20 EVA sets in foam and 25
  of the new TED sets with EVA-foam inserts to
  choose from. This gives you the opportunity to
  design a personal, yet very well organised and
  space efficient tool set.
- Choose between 22 different tool boxes and roller cabinets as well as service cases.
- Freely combine TI trays and tool boxes there
  is virtually an unlimited number of tool set
  possibilities for any application.

## Stock no 1/10 TTD914N 14 niece screwdriver set 1/10 TTMD74 74 piece ratcheting bits driver set 1/10 TTMD12D 12 piece screwdriver set 1/10 TTX918N 8 piece screwdriver set 2/10 TTD912TXN 12 piece TX driver set 2/10 TTMI16 16 piece mini tool set 2/10 TT01 Add on tool tray 5 piece power thru screwdriver set 2/10 TTXMDTN 3/10 TT1435 35 niece 1/4" drive socket set 3/10 TT3819 19 piece 3/8" drive socket set 3/10 TT1205 5 piece 1/2" drive socket accessory set 3/10 TT1217 17 piece 1/2" drive socket set 3/10 TTXEXT13 13 piece extension bar set 4/10 TTAF32 32 piece 1/4" and 3/8" drive AF socket set 4/10 TT1215AF 15 piece 1/2" drive AF socket set 4/10 TT1211 11 piece 1/2" drive deep socket set 16 piece 3/8" drive deep socket set 4/10 TT3816 4/10 TTX00 Add on tool tray 5/10 TTHEX7 7 piece T handle hex driver set 5/10 ΤΤΗΕΧ7ΔΕ 7 piece T handle AF hex driver set 28 piece hex and TX key set 5/10 TTHT28 5/10 7 piece T handle TX kev set TTTX7 5/10 TTX03 Add on tool tray 6/10 TTD441-T 8 piece plier set 6/10 TT474-7 4 piece 7" circlip plier set 6/10 TT00 Add on tool tray 6/10 TTX474-9 4 piece 9" circlip plier set 7/10 TTTM03 3 piece inspection tool set 7/10 TTCMOSD 5 piece measuring tool set 7/10 TTSR04 4 piece scraper and removal tool set 7/10 TTNF12 12 piece needle file set 7/10 TTXF05 8/10 TTDCT05 5 piece cutting tool set 8/10 TTK40 40 niece knife set TTPC09 9 piece punch and chisel set 8/10 TTX03 Add on tool tray 9/10 TT1236 12 piece combination spanner set 9/10 TT6508B 8 niece ratcheting combination spanner set TT6208 8 piece double open ended spanner set 9/10 TT6010M 9/10 TTX2032 7 piece combination spanner set 10/10 TTX2640 7 piece combination spanner set 10/10 TT3592 8 piece AF combination spanner set 10/10 TTRORS 6 piece RORS wrench set 10/10 TT6506 6 piece double flex wrench set 10/10 TTBS35 35 niece hits set 1/9 TT9015HX 15 piece impact hex bit socket set 1/9 TT9212TX 12 piece impact TX bit set 1/9 TT9207 7 piece impact accessory set 1/9 TT9116 16 piece 1/2" drive impact socket set 1/9 TTX3404 4 piece 3/4" drive socket accessory set 1/9 TTD9416 16 piece 3/4" drive impact socket set 1/9 TTX3414 14 piece 3/4" drive socket set 1/9 TTDAW12C 1/2" drive composite air gun 2/9 TTV440 4 piece insulated plier set 2/9 TTDV910N 10 piece insulated screwdriver set 2/9 TTHEX23 23 piece 1/2" drive hex bit socket set 2/9 TTXMDN 9 piece nut driver set 3/9 TTVG05 5 piece power grip plier set 3/9 TTADJ04 4 piece adjustable wrench set 3/9 TTCP121 121 piece crimping plier set 3/9 TTCP04 4 piece ratchet crimping plier set 3/9 TTX6311 11 piece double ring spanner set 4/9 TTPS09 9 piece general tool kit 4/9 TTX1292 1/2" drive angular gauge torque wrench 5/9 TTPSPG 4 Power grip pliers 5/9 TTX3892 3/8" drive torque wrench se

# **TCMONSTER** Mega Master Tool Kit

The Monster Mega Master tool kit really is the ultimate tool kit. A 53" wide 10 drawer top box (TC810N) sits on top of a 9 drawer full width roller cabinet (TCW809N) both with all the Typically Teng features that you would expect from Teng Tools such as ball bearings, combination locks, etc. Inside you have over 80 individual tool travs containing over 1,100 individual pieces. It really is a set that covers just about every type of mechanics hand tool in one complete kit.




TCMONSTER Continued on next page →

Drawer No	Stock no	Description
6/9	TTDTD34	34 piece tap and die rethreading set
6/9	TTD01	Add on tool tray
6/9	TTX01	Add on tool tray
7/9	TTNR81	Nut sert gun set
7/9	TTHR81	Rivet gun set
7/9	TTID20	20 piece impact driver set
7/9	TTHP08	8 piece hook and pin wrench set
7/9	TTXPB3	3 piece roll/heel bar set
9/9	TTOS16	16 piece oil service kit
9/9	TTSN11	11 piece extractor set
9/9	TT804	4 piece puller set
9/9	TTHC03	3 piece hose clamp set
9/9	ТТХРВЗА	3 piece pry bar set

# **TCMONSTER Mega Master Tool Kit Continued**

The Monster Mega Master tool kit really is the ultimate tool kit. A 53" wide 10 drawer top box (TC810N) sits on top of a 9 drawer full width roller cabinet (TCW809N) both with all the Typically Teng features that you would expect from Teng Tools such as ball bearings, combination locks, etc. Inside you have 80 individual tool trays containing over 1,100 individual pieces. It really is a set that covers just about every type of mechanics hand tool in one complete kit.





Drawer 2/9

Drawer 6/9



Drawer 4/9





Drawer 7/9



Drawer 8/9

Drawer 9/9

# **TCMONSTER** Mega Master Tool kit

The Ultimate Monster Tool Kit

British GT championship winning Aston Martin GT3 car at Beechdean Motorsport Princess Risborough with the Tena Tools TCMonster tool kit





Tools

**Teng** 



# Teng Tools

Drawer No	Stock no	Description
1/10	TTD914N	14 piece screwdriver set
1/10	TTMD74	74 piece ratcheting bits driver set
1/10	TTMD12D	12 piece screwdriver set
1/10	TTX918N	8 piece screwdriver set
2/10	TTD912TXN	12 piece TX driver set
2/10	TTMI16	16 piece mini tool set
2/10	TT01	Add on tool tray
2/10	TTXMDTN	5 piece power thru screwdriver set
3/10	TT1435	35 piece 1/4" drive socket set
3/10	TT3819	19 piece 3/8" drive socket set
3/10	TT1205	5 piece 1/2" drive socket accessory set
3/10	TT1217	17 piece 1/2" drive socket set
3/10	TTXEXT13	13 piece extension bar set
4/10	TTAF32	32 piece 1/4" and 3/8" drive AF socket set
4/10	TT1215AF	15 piece 1/2" drive AF socket set
4/10	TT1211	11 piece 1/2" drive deep socket set
4/10	TT3816	16 piece 3/8" drive deep socket set
4/10	TTX00	Add on tool tray
5/10	TTHEX7	7 piece T handle hex driver set
5/10	TTHEX7AF	7 piece T handle AF hex driver set
5/10	TTHT28	28 piece hex and TX key set
5/10	TTTX7	7 piece T handle TX key set
5/10	TTX03	Add on tool tray
6/10	TTD441-T	8 piece plier set
6/10	TT474-7	4 piece 7" circlip plier set
6/10	TT00	Add on tool tray
6/10	TTX474-9	4 piece 9" circlip plier set
7/10	TTTM03	3 piece inspection tool set
7/10	TTCM05D	5 piece measuring tool set
7/10	TTSR04	4 piece scraper and removal tool set
7/10	TTNF12	12 piece needle file set
7/10	TTXF05	5 piece file set
8/10	TTDCT05	5 piece cutting tool set
8/10	TTK40	40 piece knife set
8/10	TTPC09	9 piece punch and chisel set
8/10	TTX03	Add on tool tray
9/10	TTX2640	7 piece combination spanner set
9/10	TT3592	8 piece AF combination spanner set
9/10	TTRORS	6 piece RORS wrench set
9/10	TT6506	6 piece double flex wrench set
9/10	TTBS35	35 piece bits set
10/10	TT1236	12 piece combination spanner set
10/10	TT6508R	8 piece ratcheting combination spanner set
10/10	TT6208	8 piece double open ended spanner set
10/10	TT6010M	10 midget combination spanners
10/10	TTX2032	7 piece combination spanner set
1/9	TTBE18	18 piece stud extractor set
1/9	TT9015HX	15 piece impact hex bit socket set
1/9	TT9024	24 piece ¼" and 3/8" drive impact socket set
1/9	TT9212TX	12 piece impact TX bit set
1/9	TT9207	7 piece impact accessory set
1/9	TT9116	16 piece 1/2" drive impact socket set
1/9	TTX3404	4 piece 3/4" drive socket accessory set
1/9	TTD9416	16 piece 3/4" drive impact socket set
1/9	TTX3414	14 piece 3/4" drive socket set
2/9	TTV440	4 piece insulated plier set
2/9	TTDV910N	10 piece insulated screwdriver set
2/9	TTHEX23	23 piece 1/2" drive hex bit socket set
2/9	TTXMDN	9 piece nut driver set
3/9	TTVG05	5 piece power grip plier set
3/9	TTADJ04	4 piece adjustable wrench set
3/9	TTCP121	121 piece crimping plier set
3/9	TTCP04	4 piece ratchet crimping plier set
3/9	TTX6311	11 piece double ring spanner set
4/0	TTDCOO	O niggo gangral tool kit

TCMONSTER02 Mega Master Tool Kit NEW!
The Monster Mega Master tool kit really is the ultimate tool kit. A 53" wide 10 drawer top box (TC810N) sits on top of a 9 drawer full width roller cabinet (TCW809N) both with all the Typically Teng features that you would expect from Teng Tools such as ball bearings, combination locks, etc. Inside you have over 80 individual tool trays containing over 1,100 individual pieces. It really is a set that covers just about every type of mechanics hand tool in one complete kit. (overall weight 365 kilos).





Drawer No	Stock no	Description
5/9	TTPSPG	4 Power grip pliers
5/9	TTX3892	3/8" drive torque wrench set
6/9	TTDTD34	34 piece tap and die rethreading set
6/9	TTX01	Add on tool tray
6/9	TTD01	Add on tool tray
7/9	TTNR81	Nut sert gun set
7/9	TTHR81	Rivet gun set
7/9	TTID20	20 piece impact driver set
7/9	TTHP08	8 piece hook and pin wrench set
7/9	TTXPB3	3 piece roll/heel bar set
9/9	TTOS16	16 piece oil service kit
9/9	TTSN11	11 piece extractor set
9/9	TT804	4 piece puller set
9/9	TTHC03	3 piece hose clamp set
9/9	ТТХРВЗА	3 piece pry bar set















Drawer 5/10

Drawer 6/10

Drawer 7/10

Drawer 8/10







Drawer 9/10

Drawer 10/10

Drawer 1/9









Drawer 3/9

Drawer 4/9

Drawer 5/9









Drawer 6/9

Drawer 7/9

Drawer 8/9

Drawer 9/9

# **TCMONSTER02**

Mega Master Tool Kit NEW!



TTPS09

TTX1292

1/2" drive angular gauge torque wrench

4/9



# TCMM1055N 1055 Piece Tool Kit

A comprehensive 1,055 piece tool kit covering just about every type of regularly used technician's tools. Built up using the unique Teng Tools TC tray system and supplied in a TC806NF/TC803N/TCW807N 8 series ball bearing top box/middle box/roller cabinet combination. TCF01 brackets are included for securing the middle box to the roller cabinet. The TCW-SP01 side plate is also included for hanging additional tools on the outside using Teng Tools hooks (see tool storage accessories). (overall weight 183.6 kilos).

		· ·
Drawer No	Stock no	Description
2/6	1476NTX1	8 piece fold up ball point TX key set
2/6	1477NX	8 piece fold up screwdriver key set
2/6	587H	Magnifying glass with LED light
4/6	TT1435	35 piece 1/4" drive regular/deep metric socket se
4/6	TT3819	19 piece 3/8" drive metric socket set
4/6	TT1218	18 piece 1/2" drive metric socket set
4/6	TT1211	11 piece 1/2" drive deep metric socket set
5/6	TT1236	12 piece metric combination spanner set
5/6	TT6010M	10 piece midget combination spanner set
5/6	TT6508RS	8 piece metric ratchet combination spanner set
5/6	TTADJ04	4 piece adjustable wrench set
6/6	TTHEX7	7 piece metric T handle hex key set
6/6	TTTX7	7 piece T handle TX driver set
6/6	TTHT28	28 piece hex and TX key set
6/6	TT804	4 piece puller set
1/3	TTD441-T	8 piece plier set
1/3	TT474-7	4 piece 7" circlip plier set
1/3	TTMI16	16 piece mini plier and screwdriver set
2/3	TTCP04	4 piece ratcheting crimping plier set
2/3	TTCP121	121 piece crimping tool set
2/3	TTV440	4 piece 1000 volt insulated plier set
2/3	TTV907N	7 piece 1000 volt insulated screwdriver set
3/3	TTTF10	10 piece flaring tool set
3/3	TTK40	40 piece knife set
3/3	TTDCT05	5 piece cutting tool set
1/7	TTD914N	14 piece screwdriver set
1/7	TT917TXN	7 piece TX driver set
1/7	TTMD74	74 piece ratcheting bits driver set
1/7	TTX918N	8 piece screwdriver set
2/7	TTHR81	Rivet gun set
2/7	TTNR81	Nutsert gun set
2/7	TTSD39	39 piece torque screwdriver set
2/7	TTBE18	18 piece stud extractor set
2/7	TTX1292	1/2" drive torque wrench
3/7	TTVG05	5 piece power grip plier set
3/7	TTID20	20 piece impact driver set
3/7	TTPC09	9 piece punch and chisel set
3/7	TTNF12	12 needle file set
3/7	TTXEXT13	13 piece extension set
4/7	TTAF32	32 piece 1/4" and 3/8" drive AF socket set
4/7	TT1215AF	15 piece 1/2" drive AF socket set
4/7	TTCM05D	5 piece measuring tool set
4/7	TTTM08	8 piece inspection tool set
4/7	TTXTB09	9 piece 3/8" drive spark plug socket set
5/7	TTTXH15	15 piece 1/2" drive hex and TX socket set
5/7	TTTX30	30 piece TX, TPX and TXE socket set
5/7	TTRS15	15 piece 1/2" drive Ribe socket set
5/7	TTBS35	35 piece 1/4" and 3/8" drive bit socket set
5/7	TTX2032	7 piece metric combination spanner set
6/7	TT9024	24 piece 1/4" and 3/8" drive metric impact socket set
6/7	TTOOOT	P
6/7	TT9207	7 piece 3/8" and 1/2" drive impact socket
6/7	TT9116	accessory set
6/7	TTTS08	16 piece 1/2" drive metric impact socket set
6/7	TTXPB3	8 piece 1/2" drive wheel nut set
6/7		3 piece roll/heel bar set
7/7	583M	Magnetic wrist band
7/7	TM149	4 in 1 hook and pick set
7/7	9850	6-24 volt circuit tester
7/7	DB034	34 piece fully ground drill bit set
	580	Magnetic bits tray





Drawer 1/6



Drawer 2/6



Drawer 3/6





Drawer 4/6

Drawer 5/6









Drawer 6/6

Drawer 1/3

Drawer 2/3







Drawer 1/7



Drawer 2/7









Drawer 4/7

Drawer 5/7







# **TCMM1055N**

1055 Piece Tool Kit



Teng Tools



# TCMM1055EV 1055 Piece Tool Kit

A comprehensive 1,055 piece tool kit covering just about every type of regularly used technician's tools. Built up using the unique Teng Tools TC tray system and supplied in a TC806SV/TC803SV/TCW707EV 8 series ball bearing top box/middle box/roller cabinet combination. TCF01 brackets are included for securing the middle box to the roller cabinet. The TCW-SP01 side plate is also included for hanging additional tools on the outside using Teng Tools hooks (see tool storage accessories). (overall weight 183.6 kilos).

	_	,
Drawer No	Stock no	Description
2/6	1476NTX1	8 piece fold up ball point TX key set
2/6	1477NX	8 piece fold up screwdriver key set
2/6	587H	Magnifying glass with LED light
4/6	TT1435	35 piece 1/4" drive regular/deep metric socket se
4/6	TT3819	19 piece 3/8" drive metric socket set
4/6	TT1218	18 piece 1/2" drive metric socket set
4/6	TT1211	11 piece 1/2" drive deep metric socket set
5/6	TT1236	12 piece metric combination spanner set
5/6	TT6010M	10 piece midget combination spanner set
5/6	TT6508RS	8 piece metric ratchet combination spanner se
5/6	TTADJ04	4 piece adjustable wrench set
6/6	TTHEX7	7 piece metric T handle hex key set
6/6	TTTX7	7 piece T handle TX driver set
6/6	TTHT28	28 piece hex and TX key set
6/6	TT804	4 piece puller set
1/3	TTD441-T	8 piece plier set
1/3	TT474-7	4 piece 7" circlip plier set
1/3	TTMI16	16 piece mini plier and screwdriver set
2/3	TTCP04	4 piece ratcheting crimping plier set
2/3	TTCP121	121 piece crimping tool set
2/3	TTV440	4 piece 1000 volt insulated plier set
2/3	TTV907N	7 piece 1000 volt insulated screwdriver set
3/3	TTTF10	10 piece flaring tool set
3/3	TTK40	40 piece knife set
3/3	TTDCT05 TTD914N	5 piece cutting tool set
1/7		14 piece screwdriver set
1/7	TT917TXN	7 piece TX driver set
1/7	TTMD74 TTX918N	74 piece ratcheting bits driver set 8 piece screwdriver set
2/7	TTHR81	Rivet gun set
2/7	TTNR81	Nutsert aun set
2/7	TTSD39	
2/7	TTBE18	39 piece torque screwdriver set 18 piece stud extractor set
2/7	TTX1292	1/2" drive torque wrench
3/7	TTVG05	5 piece power grip plier set
3/7	TTID20	20 piece impact driver set
3/7	TTPC09	9 piece punch and chisel set
3/7	TTNF12	12 needle file set
3/7	TTXEXT13	13 piece extension set
4/7	TTAF32	32 piece 1/4" and 3/8" drive AF socket set
4/7	TT1215AF	15 piece 1/2" drive AF socket set
4/7	TTCM05D	5 piece measuring tool set
4/7	TTTM08	8 piece inspection tool set
4/7	TTXTB09	9 piece 3/8" drive spark plug socket set
5/7	TTTXH15	15 piece 1/2" drive hex and TX socket set
5/7	TTTX30	30 piece TX, TPX and TXE socket set
5/7	TTRS15	15 piece 1/2" drive Ribe socket set
5/7	TTBS35	35 piece 1/4" and 3/8" drive bit socket set
5/7	TTX2032	7 piece metric combination spanner set
6/7	TT9024	24 piece 1/4" and 3/8" drive metric
0/1	113024	impact socket set
6/7	TT9207	7 piece 3/8" and 1/2" drive impact socket
0/1	113201	accessory set
6/7	TT9116	16 piece 1/2" drive metric impact socket set
6/7	TTTS08	8 piece 1/2" drive wheel nut set
6/7	TTXPB3	3 piece roll/heel bar set
7/7	583M	Magnetic wrist band
7/7	TM149	4 in 1 hook and pick set
7/7	9850	6-24 volt circuit tester
7/7	DB034	34 piece fully ground drill bit set
111	580	Magnetic bits tray
	JUU	magnetic bits tray













Drawer 1/6

r 1/6 Drawer 2/6

Drawer 3/6

Drawer 4/6

Drawer 5/6







Drawer 1/3



Drawer 2/3



Drawer 3/3



Drawer 1/7



Drawer 2/7



Drawer 3/7



Drawer 4/7



Drawer 5/7



Drawer 6/7



Drawer 7/7

# **TCMM1055EV**

1055 Piece Tool Kit



Teng Tools



# Teng Tools

Drawer No 1/6	Stock no TM708	Description  8 piece mini screwdriver set
1/6	1479MM	9 piece ball point hex key wrench set
1/6	1479AF	9 piece AF ball point hex key wrench set
1/6	1479TX	9 piece TX wrench set
4/6	TTHEX7	7 piece T handle hex drivers
4/6	TTNR81	Nutsert rivet set
4/6	TTTX7	7 piece T handle TX/TPX drivers
4/6	TTHR81	Rivet gun set
5/6	TT1236	12 piece metric combination spanner set
5/6	TTALU	32 piece socket clip rail set
5/6	TTTM03	3 piece inspection tool set
5/6	TT6208	8 piece open ended spanner set
6/6	TTPS09	9 piece general tool kit with PS tray
1/3	TTPC09 TTID20	9 piece punch and chisel set 20 piece 1/2" drive impact driver set
1/3	TTSR04	4 piece scraper and remover set
1/3	TT00	Add on tool tray
2/3	TTHP08	8 piece hook and pin wrench set
2/3	TT6506	6 piece double flex wrench set
2/3	TT6010M	10 piece midget combination spanner set
2/3	TT3592	8 piece AF combination spanner set
3/3	TTXPB3	3 piece roll/heel bar set
3/3	TTX6311	11 piece metric double ring spanner set
1/10	TTXEXT13	13 piece extension set
1/10	TT1205	5 piece 1/2" drive socket accessories
1/10	TT1435	35 piece 1/4" drive regular/deep metric socket set
1/10	TT3819	19 piece 3/8" drive metric socket set
1/10	TT1217	17 piece 1/2" drive regular metric socket set
2/10	TTTX23	23 piece 40/70mm TX bit socket set
2/10	TTHEX23	23 piece metric hex bit socket set
2/10	TTALU	32 piece socket clip rail set
2/10	TTXMDTN	5 piece power thru screwdriver set
2/10	TT9116	16 piece 1/2" drive regular/deep impact socket set
3/10	TTX918N	8 piece Mega Drive screwdriver set
3/10 3/10	TT917N TT917TXN	7 piece Mega Drive screwdriver set 7 piece TX/TPX Mega Drive screwdriver set
3/10	TTMD74	74 piece ratcheting bits driver set
3/10	TTMI16	16 piece mini plier/screwdriver set
4/10	TTX474-9	4 piece 9" circlip plier set
4/10	TT440-T	4 piece Mega Bite plier set
4/10	TT474-7	4 piece 7" circlip plier set
4/10	TT474-5	4 piece 5" circlip plier set
4/10	TTHC03	3 piece hose clamp set
5/10	TTX1292	1/2" drive torque wrench
5/10	TTV440	4 piece 1000v insulated plier set
5/10	TTCP121	121 piece crimping tool set
5/10	TTV907N	7 piece 1000v screwdriver set
5/10	TT01	Add on tool tray with dividers
6/10	TTX01	Add on tool tray with dividers
6/10	TT804	2 in 1 puller set
6/10	TTOS16	16 piece oil service set
6/10	TTSN11	11 piece stud and nut remover set
6/10 7/10	TTTD17 TTX2032	17 piece tap and die set 7 piece metric combination spanner set
7/10	TTX3892	22 piece 3/8" drive torque wrench set
7/10	TTXPB3A	3 piece pry bar set
8/10	TTXMDN	9 piece nut driver set
8/10	TTPSPG	4 piece power grip pliers set
9/10	TTX2640	7 piece AF combination spanner set
9/10	TTTXH15	15 piece 1/2" drive long bits socket set
9/10	TT1215AF	15 piece 1/2" drive AF regular socket set
9/10	TTAF32	32 piece 1/4" and 3/8" drive regular/deep AF socket set
	TTTX30	30 piece 1/4" and 3/8" drive TX, TPX and TX-E socket se
9/10		· · ·
9/10 10/10	TTX3404	4 piece 3/4" drive socket accessories set
	TTX3404 TTX3414	4 piece 3/4" drive socket accessories set  14 piece 3/4" drive metric socket set
10/10		

# TCMM1001N 1001 Piece Tool Kit

A 1001 piece tool kit, one of the most complete tool kits supplied in the Teng Tools range. Built up using the unique Teng Tools TT tray system and covering just about every tool most people ever need. Supplied in a TC806NF/TC803N/TCW810N 8 series ball bearing top box/middle box/roller cabinet combination. Pallet size when delivered 120x80x112cm, (overall weight 220 kilos)













Drawer 4/6





Drawer 2/6





Drawer 6/6

Drawer 3/6

Drawer 1/3

Drawer 2/3







Drawer 3/3

Drawer 1/10

Drawer 2/10







Drawer 3/10

Drawer 4/10

Drawer 5/10







Drawer 6/10

Drawer 7/10

Drawer 8/10







**TCMM1001N** 1001 Piece Tool Kit

Drawer 9/10

Drawer 10/10







## TCMM1001P Personalised 1001 Piece Black Tool Kit

A 1001 piece tool kit, one of the most complete tool kits supplied in the Teng Tools range. Built up using the unique Teng Tools TT tray system and covering just about every tool most people ever need. Supplied in a TC819BK stack system of 8 series ball bearing top box/middle box/roller cabinet combination. All TCMM1001P kits are available with the option of having a personalised top box at no extra cost\*. Pallet size when delivered 120x80x112cm, 220kilos nett.

## Personalisation & Branding Service

Tena Tools have invested in their own Versacamm printing equipment enabling them to offer a complete personalisation and branding service for your tool box using vinyl cut transfers. Whether its a logo for your company or a picture of your favourite race team, this gives you the chance to have a toolbox that looks just the way you want it.



# **Personalisation & Branding Service**

It is now possible to personalise your tool box using vinyl cut stickers. This can be in the format of an image or logo, or may just be your name. This is now available to you through your local stockist. Logos to be supplied as high resolution eps, crr, or ai vector format with cutting path if required

\*Subject to artwork being supplied in the correct format





TCMM1001P Continued on next page →

# TCMM1001P Personalised 1001 Piece Black Tool Kit Continued

A 1001 piece tool kit, one of the most complete tool kits supplied in the Teng Tools range. Built up using the unique Teng Tools TT tray system and covering just about every tool most people ever need. Supplied in a TC819BK stack system of 8 series ball bearing top box/middle box/roller cabinet combination. All TCMM1001P kits are available with the option of having a personalised top box at no extra cost\*. Pallet size when delivered 120x80x112cm, 220kilos nett.







Drawer 3/6





Drawer 4/6



Drawer 2/6



Drawer 1/3



Drawer 6/6







Drawer 3/3







Drawer 3/10











Drawer 9/10

# TCMM1001P 1001 Piece Tool Kit

Just about every tool most people ever need



**Feng** 



TCMM715N 715 Piece Tool Kit
A 715 piece tool kit completely built up using the unique Teng Tools TC tray system and covering just about every tool most people will ever need. Supplied in a TC806NF/TC803N/TCW810N 8 series ball bearing slide top box/middle box/roller cabinet combination. Brackets TCF01 to connect the middle box to the roller cabinet are included. (overall weight 180 kilos)

Drawer No	Stock no	Description
4/6	TTMI16	16 piece mini plier/screwdriver set
4/6	TTID20	20 piece 1/2" drive impact driver set
4/6	TTPC09	9 piece punch and chisel set
4/6	TT01	Add on tool tray with dividers
5/6	TT917N	7 piece Mega Drive screwdriver set
5/6	TT440-T	4 piece Mega Bite plier set
5/6	TT917TXN	7 piece TX/TPX Mega Drive screwdriver set
5/6	TTMD74	74 piece ratchetting bits driver set
6/6	TTPSPG	4 piece power grip pliers with PS tray
1/3	TT804	2 in 1 puller set
1/3	TTNR81	81 piece nut rivet set
1/3	TTTD17	17 piece tap and die set mm
1/3	TTHP08	8 piece hook and pin wrench set
2/3	TTHEX7	7 piece T handle hex drivers
2/3	TT474-7	4 piece 7" circlip plier set
2/3	TTTX7	7 piece T handle TX/TPX drivers
2/3	TTHR81	Rivet gun set
3/3	TTX6311	11 piece mm double ring spanner set
3/3	TTXPB3	3 piece roll bar set
1/10	TTXEXT13	13 piece extension set
1/10	TT1435	35 piece 1/4" drive regular/deep metric socket set
1/10	TT3819	19 piece 3/8" drive metric socket set
1/10	TT1217	17 piece 1/2" drive regular metric socket set
1/10	TT1205	5 piece 1/2" drive socket accessories
2/10	TTX1292	1/2" drive torque wrench
2/10	TT9116	16 piece 1/2" drive regular/deep impact socket set
2/10	TTHEX23	23 piece metric hex bit socket set
2/10	TTALU	32 piece socket clip rail set
2/10	TTTX23	23 piece 40/70mm TX bit socket set
7/10	TTX2032	7 piece metric combination spanner set
7/10	TT1236	12 piece metric combination spanner set
7/10	TTSN11	11 piece stud and nut remover set
7/10	TT0S16	16 piece oil service set
7/10	TTALU	32 piece socket clip rail set
8/10	TTX918N	8 piece Mega Drive screwdriver set
8/10	TTPS09	9 piece general tool kit with PS tray
9/10	TTX2640	7 piece AF combination spanner set
9/10	TT3592	8 piece AF combination spanner set
9/10	TTAF32	32 piece 1/4" and 3/8" drive regular/deep AF socket set
9/10	TT1215AF	15 piece 1/2" drive AF regular socket set
9/10	TTTX30	30 piece 1/4" and 3/8" drive TX, TPX and TX-E socket set
		,



# **TCMM715N 715 Piece Tool Kit**



Teng Tools









Drawer 4/6

Drawer 5/6



Drawer 6/6



Drawer 1/3



Drawer 2/3





Drawer 3/3





Drawer 1/10

Drawer 2/10









Drawer 4/10

Drawer 5/10



Drawer 6/10







Drawer 7/10

Drawer 8/10







Drawer 9/10

Drawer 10/10

TCMM600 600 Piece Tool Kit
600 piece tool kit containing virtually every tool you will ever need. Supplied in the unique TC806NF/TC803N/TCW807N 8 series ball bearing
slide top box/middle box/roller cabinet combination, together with the Teng Tools side plate. (overall weight 208 kilos)

Drawer No	Stock no	Description
4/6	TT1435	35 piece 1/4" drive regular/deep metric socket set
4/6	TT3819	19 piece 3/8" drive metric socket set
4/6	TT1217	17 piece 1/2" drive regular metric socket set
4/6	TT1205	5 piece 1/2" drive socket accessories
5/6	TT1236	12 piece metric combination spanner set
5/6	TT917N	7 piece Mega Drive screwdriver set
5/6	TT440	4 piece Mega Bite plier set
5/6	TTALU	32 piece socket clip rail set
6/6	TTPS09	Selection of general hand tools
1/3	TTXEXT13	13 piece extension set
1/3	TTX918N	8 piece Mega Drive screwdriver set
2/3	TTOS16	16 piece oil service set
2/3	TTMI16	16 piece mini plier/screwdriver set
2/3	TTHEX7	7 piece T handle hex drivers
2/3	TTTX7	7 piece T handle TX/TPX drivers
3/3	TT474-7	4 piece 7" circlip plier set
3/3	TT917TXN	7 piece TX/TPX Mega Drive screwdriver set
3/3	TTHEX23	23 piece metric hex bit socket set
3/3	TTTX23	23 piece 40/70mm TX bit socket set
1/7	TTX2032	7 piece metric combination spanner set
1/7	TT804	2 in 1 puller set
1/7	TTSN11	11 piece stud and nut remover set
1/7		Selection of general hand tools
2/7	TTX1292	1/2" drive torque wrench with flex handle
2/7	TTTD17	17 piece tap and die set
2/7	TTPC09	9 piece punch and chisel set
2/7	TTHR81	81 piece hand rivet set
2/7	TT9116	16 piece 1/2" drive regular/deep impact socket set
3/7	TTXPB3	3 piece roll bar set
3/7	TTPSPG	4 piece power grip pliers with PS tray
4/7	TTX2640	7 piece AF combination spanner set
4/7	TT3592	8 piece AF combination spanner set
4/7	TTAF32	32 piece 1/4" and 3/8" drive regular/deep AF socket set
4/7	TT1215AF	15 piece 1/2" drive AF regular socket set
4/7	TTALU	32 piece socket clip rail set
5/7	TTX3414	14 piece 3/4" drive metric socket set
5/7	TTX3404	4 piece 3/4" drive accessories
5/7	TTX34AF	14 piece 3/4" drive AF socket set
Side Plate	TCW-SP	10 tool hooks together with 16" water pump pliers,
		24" bolt cutters, 18" adjustable wrench, a magnetic
		tool holder and a magnetic bowl.



TCMM479 479 Piece Tool Kit
This kit is also available as a 479 piece set which does not include the tools on the side plate or the tools in drawers 4/7 and 5/7. (overall weight 161 kilos)





Drawer 2/6



Drawer 3/6





Drawer 4/6

Drawer 5/6



Drawer 6/6





Drawer 1/3



Drawer 2/3



Drawer 3/3



Drawer 1/7



Drawer 2/7



Drawer 3/7



Drawer 4/7



Drawer 5/7



Drawer 6/7



Drawer 7/7



Side Plate TCW-SP



Teng Tools



# **Teng Tools**

TCMM569EV 569 Piece Tool Kit

A 569 piece tool kit built up using the Teng Tools TC tray system and the SV tool boxes with a 6 drawer top box, 3 drawer middle box and 7 drawer roller cabinet. (overall weight 130 kilos)

Drawer No	Stock no	Description
4/6	TTDCT05	5 piece cutting tool set
4/6	TT440	4 piece plier set
4/6	TTVG05	5 piece power grip plier set
5/6	TTPC09	9 piece punch and chisel set
5/6	TTCP121	121 piece crimping tool set
5/6	TTDTD34	34 piece tap and die set
6/6	TTPS09	9 piece general tool set
1/3	TT1435	35 piece 1/4" drive regular/deep metric socket se
1/3	TT3819	19 piece 3/8" drive metric socket set
1/3	TT1218	18 piece 1/2" drive regular metric socket set
1/3	TT1211	11 piece 1/2" drive deep metric socket set
2/3	TT03	Storage tray with 4 compartments
2/3	TT04	Storage tray with 8 compartments
2/3	TTD00	Storage tray with 4 compartments
1/7	TTD01	Storage tray with 8 compartments
1/7	TTD02	Storage tray with 16 compartments
1/7	TTX03	Storage tray with 8 compartments
2/7	TT1236	12 piece metric combination spanner set
2/7	TT6208	8 piece double open ended spanner set
2/7	TTHEX7	7 piece T handle hex wrench set
2/7	TTTX7	7 piece T handle TX wrench set
2/7	TTX2032	7 piece metric combination spanner set
3/7	TTDB28	Fully ground drill bit set (1.0 to 13.0mm)
3/7	TT00	Storage tray with tool clips
3/7	TTHR81	Rivet gun set
3/7	TTTM08	8 piece inspection tool set
3/7	TTXF05	5 piece hand file set
4/7	TTMD74	74 piece bits driver set
4/7	TT917N	7 piece screwdriver set
4/7	TT917TXN	7 piece TX driver set
4/7	TTHT28	28 piece hex key set
4/7	TTX918N	8 piece screwdriver set



# **TCMM569EV** 569 Piece Tool Kit





Drawer 2/6









Drawer 3/6 Drawer 4/6







Drawer 6/6

Drawer 1/3

Drawer 2/3







Drawer 3/3

Drawer 1/7

Drawer 2/7







Drawer 3/7

Drawer 4/7

Drawer 5/7





Drawer 6/7

Drawer 7/7

TCMM569EV 569 Piece Tool Kit





# Teng Tools

6/7

6/7

6/7

# TCMM622N Work Station NEW!

A comprehensive 622 piece tool kit supplied in the brand new 37" wide TCW207N roller cabinet complete with 7 drawers with individual opening and the new TC-TB03 wooden top plate to create a useful working area. The kit is built up using the Teng Tools TC tray system and incorporates several new sets including the new TTZ trays.

Drawer No	Stock No.	Description
1/7	TTXEXT13	13 piece extension set
1/7	TT1435	35 piece 1/4" drive regular/deep metric socket set
1/7	TT3819	19 piece 3/8" drive metric socket set
1/7	TT1217	17 piece 1/2" drive regular socket set
1/7	TT1205	5 piece 1/2" drive socket accessory set
1/7	TTHEX7	7 piece T handle hex driver set
1/7	TTTX7	7 piece T handle TX driver set
1/7	TTZ01	Add on tool tray
2/7	TTX2032	7 piece combination spanner set
2/7	TT1236	12 piece combination spanner set
2/7	TTSN11	11 piece extractor set
2/7	TT0S16	16 piece oil service kit
2/7	TTMI16	16 piece mini tool set
2/7	TT474-7	4 piece 7" circlip plier set
2/7	TT440	4 piece plier set
2/7	TTZVG03	3 piece power grip plier set
3/7	TTX2640	7 piece AF combination spanner set
3/7	TT3592	8 piece AF combination spanner set
3/7	TTAF32	32 piece 1/4" and 3/8" drive regular/deep AF socket set
3/7	TT1215AF	15 piece 1/2" drive regular AF socket set
3/7	TTTX30	30 piece 1/4" and 3/8" drive TX, TPX and TX-E socket so
3/7	TTTD17	17 piece tap and die set
3/7	TT804	4 piece 2 in 1 puller set
3/7	TTZ01	Add on tool tray
4/7	TTX918N	8 piece screwdriver set
4/7	TTPS09	9 piece general tool kit
4/7	TT917N	7 piece screwdriver set
4/7	TT917TXN	7 piece TX/TPX driver set
4/7	TTZ01	Add on tool tray
5/7	TTX1292	1/2" drive torque wrench
5/7	TT9116	16 piece 1/2" drive regular/deep impact socket set
5/7	TTHEX23	23 piece metric hex bit set
5/7	TTALU	32 piece socket clip rail set
5/7	TTTX23	23 piece 40/70mm TX bit socket set
5/7	TTID20	20 piece 1/2" drive impact driver set
5/7	TTMD74	74 piece ratcheting bits driver set
5/7	TTZ01	Add on tool tray
6/7	TTX6311	11 piece metric double ring spanner set
6/7	TTXPB3	3 piece roll/heel bar set
6/7	TTXMB02	2 piece plier and adjustable wrench set





# **TCMM622N** Work Station

Nutsert rivet set

Add on tool tray

9 piece punch and chisel set

TTNR81

TTPC09

TTZ01





Drawer 3/7



Drawer 5/7



**TCMM622N** Work Station





Drawer 4/7



Drawer 6/7





leng

Tools

**Tool Kits** 

# **TCMMIND08** 569 Piece Tool Kit

A 569 piece tool kit containing tools for the industrial sector, built up using the unique Teng Tools TC tray system. Supplied in the TCW809N 8 series 9 drawer roller cabinet with a wooden top plate. (overall weight 198 kilos)





Spare Drawer




Drawer 4/9





Tools

Teng



**TCMMIND08** 569 Piece Tool Kit

# 34

Drawer 7/9

# TCMM546N 546 Piece Tool Kit

A 546 piece comprehensive tool kit built up using the unique Teng Tools TC tray system. Supplied in the TCW808N 8 series ball bearing slide 8 drawer roller cabinet. (overall weight 116.5 kilos).


Drawer No	Stock no	Description
1/8	TT1205	5 piece 1/2" drive socket accessory set
1/8	TT1217-6	17 piece 1/2" drive regular metric socket set
1/8	TT1435	35 piece 1/4" drive regular/deep metric socket set
1/8	TT3819	19 piece 3/8" drive regular metric socket set
1/8	TTXEXT13	13 piece extension set
2/8	TT01	Add on tool tray with dividers
2/8	TT917N	7 piece screwdriver set
2/8	TT917TXN	7 piece TX driver set
2/8	TTMD74	74 piece ratcheting bits driver set
2/8	TTXMDTN	5 piece screwdriver set
3/8	TT01	Add on tool tray with dividers
3/8	TTCP121	121 piece crimping plier set
3/8	TTHEX7	7 piece T handle hex key set
3/8	TTHR81	Rivet gun set
3/8	TTX00	Add on tool tray
4/8	TTHT28	28 piece hex and TX key set
4/8	TTMD12D	12 piece screwdriver set
4/8	TTNF12	12 piece needle file set
4/8	TTSR04	4 piece scraper set
4/8	TTXF05	5 piece hand file set
5/8	TT1236	12 piece metric combination spanner set
5/8	TT440-T	4 piece plier set
5/8	TT474-7	4 piece 7" circlip plier set
5/8	TT6208	8 piece metric double open ended spanner set
5/8	TTX2032	7 piece metric combination spanner set
6/8	TT804	4 piece puller set
6/8	TTALU	32 piece socket clip rail set
6/8	TTPC09	9 piece punch and chisel set
6/8	TTTXH15	15 piece 1/2" drive hex and TX socket set
6/8	TTXMDN	9 piece nut driver set
7/8	TTPS09	9 piece general tool kit
7/8	TTX01	Add on tool tray with dividers




















Drawer 5/8

Drawer 8/8

# **TCMM546N 546 Piece Tool Kit**



35

# TCMM545N 545 Piece Tool Kit and Work Station

A 545 piece work station tool kit built up using the unique Teng Tools TC tray system and the Teng Tools wall rack system to put the most frequently used tools near to hand and ready to use. Supplied in the 8 series TCW807N ball bearing slide 7 drawer roller cabinet together with the TC-S01 panel set with 20 assorted hooks (TCW-HK20) and the TC-TB02 wooden top. (overall weight 136.6 kilos).

<b>Drawer No</b>	Stock no	Description
Panel	WRFL05	5 piece file set on a wall rack
Panel	WRMB04	4 piece plier set on a wall rack
Panel	WRMD910N	10 piece screwdriver set on a wall rack
Panel	WRSP12	12 metric combination spanner set on a wall rack
1/7	TTXEXT13	13 piece extension set
1/7	TT1435	35 piece 1/4" drive regular and deep metric socket set
1/7	TT3819	19 piece 3/8" drive regular metric socket set
1/7	TT1218	18 piece 1/2" drive regular metric socket set
1/7	TTTXH15	15 piece 1/2" drive hex and TX bit socket set
2/7	TTXMDTN	5 piece screwdriver set
2/7	TTMD74	74 piece ratcheting bits driver set
2/7	TT917TXN	7 piece TX driver set
2/7	TTHEX7	7 piece T handle hex driver set
2/7	TTTX7	7 piece T handle TX driver set
3/7	TTXMDN	9 piece nut driver set
3/7	TTHR81	Rivet gun set
3/7	TT474-7	4 piece 7" circlip plier set
3/7	TT804	4 piece puller set
3/7	TT01	Add on tool tray with dividers
4/7	TTX00	Add on tool storage tray
4/7	TTPC09	9 piece punch and chisel set
4/7	TTCP121	121 piece crimping tool set
4/7	TTDTD34	34 piece tap and die set
5/7	TTX2032	7 piece metric combination spanner set
5/7	TTDCT05	5 piece cutting tool set
5/7	TTTM08	8 piece inspection tool kit
5/7	TTCM05D	5 piece measuring set
6/7	TTX01	Add on tool tray with dividers
6/7	TTPS09E	9 piece service tool set





Tools

Teng











Drawer 6/7


Drawer 7/7

**TCMM545N** 545 Piece Tool Kit and Work Station

# TCMM491N 491 Piece Tool Kit

A 491 piece general tool kit completely built up using the unique Teng Tools TC tray system, supplied in a TCW807N, 8 series ball bearing roller cabinet. (overall weight 100 kilos).





Add on tool tray with dividers



TT01

6/7







Drawer 2/7

Drawer 3/7





Drawer 4/7

Drawer 5/7

Drawer 6/7



Drawer 7/7

TCMM491N 491 Piece Tool Kit



ENGIOOLS

TCMM277EV 277 Piece Tool Kit
A 277 piece starter kit built up using the unique Teng Tools
TC tray system and supplied in the TCW707EV 7 drawer ball
bearing slide roller cabinet. (overall weight 84 kilos).

Drawer No	Stock no	Description		
1/7	TT1435	35 piece 1/4" drive regular and deep metric socket set		
1/7	TT3819	19 piece 3/8" drive regular metric socket set		
1/7	TT1211	11 piece 1/2" drive deep metric socket set		
1/7	TT1218	18 piece 1/2" drive regular metric socket set		
1/7	TTXEXT13	3 piece extension set		
2/7	TT1236	12 piece metric combination spanner set		
2/7	TT6208	8 piece double open ended metric spanner set		
2/7	TTHEX7	7 piece T handle hex driver set		
2/7	TTTX7	7 piece T handle TX driver set		
2/7	TTX2032	7 piece metric combination spanner set		
3/7	TT440	4 piece plier set		
3/7	TTVG05	5 piece power grip plier set		
3/7	TTDCT05	5 piece cutting tool set		
3/7	TTX1292	1/2" drive torque wrench		
4/7	TTMD74	74 piece bits driver set		
4/7	TT917N	7 piece screwdriver set		
4/7	TT917TXN	7 piece TX driver set		
4/7	TTHT28	28 piece hex and TX key set		
4/7	TTX918N	8 piece screwdriver set		



TCMM277EV 277 Piece Tool Kit



Drawer 1/7



Drawer 2/7

Drawer 6/7





Drawer 3/7

Drawer 7/7



Drawer 8/7

Drawer 5/7

TC8140NF 140 Piece Tool Kit 140 piece service kit containing 1/4", 3/8" and 1/2" socketry, spanners, pliers, screwdrivers, also including the TTPS09 tray set with adjustable wrenches, power grip pliers, utility knife, hack saw, hammers, a measuring tape and a steel rule. Supplied with the 8 series TC806NF ball bearing slide top box.

Drawer No	Stock No	Description
4/6	TT1435	35 piece 1/4" drive regular/deep metric socket set
4/6	TT3819	19 piece 3/8" drive regular metric socket set
4/6	TT1217	17 piece 1/2" drive regular metric socket set
4/6	TT1205	5 1/2" drive socket accessories
5/6	TT1236	12 metric combination spanners
5/6	TT917N	7 piece Mega Drive screwdriver set
5/6	TT440-T	4 piece Mega Bite plier set
5/6	TTALU	32 piece socket clip rail set
6/6	TTPS09	9 piece general tool kit



TC8140NF 140 Piece Tool Kit



Drawer 4/6





Drawer 5/6 Drawer 6/6



Personalisation & Branding Service
It is now possible to personalise your tool box using vinyl cut stickers. This can be in the format of an image or logo, or may just be your name. This is now available to you through your local stockist. Logos to be supplied as high resolution eps, crr, or ai vector format with cutting path if required.

\*Subject to artwork being supplied in the correct format.

# TC8140P 140 Piece Personalised Service Case 140 piece service kit based on the regular TC8140NF tool kit.

Supplied with the 8 series TC806NGM black ball bearing slide top box. All TC8140P kits are available with the option of having a personalised too box at no extra cost

Drawer No	Stock No	Description
4/6	TT1435	35 piece 1/4" drive regular/deep metric socket set
4/6	TT3819	19 piece 3/8" drive regular metric socket set
4/6	TT1217	17 piece 1/2" drive regular metric socket set
4/6	TT1205	5 1/2" drive socket accessories
5/6	TT1236	12 metric combination spanners
5/6	TT917N	7 piece Mega Drive screwdriver set
5/6	TT440-T	4 piece Mega Bite plier set
5/6	TTALU	32 piece socket clip rail set
6/6	TTPS09	9 piece general tool kit









Drawer 6/6

# TC8140P 140 Piece Personalised Service Kit



# TC082B 82 Piece Tool Kit NEW!

A tool kit specifically designed for the race track in conjunction with Super One kart driver Jac Maybin and his father Alan using his experience from Formula One to create a tool kit that has all the tools you normally need in the paddock for most racing karts. Supplied with a TC-COVER tool box protective cover for transportation.

Drawer No	Stock No.	Description
4/6	TT1435	35 piece 1/4" drive regular/deep metric socket set
4/6	TT6508R	8 piece ratcheting combination spanner set
4/6	TTHEX7S	7 piece T handle hex driver set
4/6	TT01	Add on tool tray
5/6	TT1236	12 piece metric combination spanner set
5/6	TT917N	7 piece screwdriver set
5/6	TT440-T	4 piece plier set
5/6	TT03	Add on tool tray
6/6	TTPS09	9 piece general tool kit







Drawer 4/6

# **EVA** sets

In many activities and situations it is extremely important to be able to quickly check that all tools have been replaced in the correct positions in the tool box at the end of the shift or when the work is completed. The Teng Tools storage system made of EVA foam offers a cost efficient solution.



- Each tool has been scanned in a CAD CAM system and a computer controlled milling machine then cuts out each tool's exact shape in a three-coloured EVA foam block.
- The top layer of the foam is black, the intermediate layer white and the bottom layer red, so that as soon as the tool has been removed its position is clearly visible in red.
- The size and or a description of the tool is etched next to its position. This means that if a tool is missing it is not only its position that is clearly visible, but you can quickly determine which tool is involved. This makes it much easier to remember where you last used the tool and helps when you need to replace a lost tool.
- The EVA inserts fit in Teng Tools roller cabinets and in the extra deep top drawer TC805NFX.
- The range includes 19 EVA sets, 19 TED and 14 TEX.
- Use the unique Teng Tools web-based application to design your tool set, "Click and Fill", at www.tengtools.com to create your own tool set on screen.

# **EVA SETS**









# New to the range

- TED 19 TTD sets with EVA foam inserts and removable cover. These snap together and sit firmly in the Teng Tools roller cabinets and tool boxes. They can also be used as a separate tool box with the cover on.
- TEX 14 different TTX sets with EVA foam inserts.








# TCMME09A 530 Piece EVA Tool Kit

A comprehensive 530 piece tool kit with all the tools laid out in three colour pre-cut EVA foam which clearly shows if any tools are not in their correct place. Supplied in the Teng Tools TC805NFX full depth drawer top box and TCW806N1 6 drawer roller cabinet, all with ball bearing slides. (overall weight 158 kilos)



TTESK86 86 piece 1/4" & 3/8" drive socketry



TTEISK73 73 piece 3/8" and 1/2" drive impact socketry





TTEISK33 33 piece 3/4" drive impact socketry




TTESK32 TTEX23 32 piece 3/4" drive regular metric/AF socket set 23 piece nut driver and T handle hex driver set



**Teng Tools** 

TTESP31 31 piece metric combination spanner set



TTEMD122N 122 piece screwdriver set



11 piece power grip plier set



TTESP37 37 piece metric spanner set



TTEMB17 17 piece Mega Bite plier set



**TCMME09A 530 Piece Tool Kit** 

# TCEMM417N 417 Piece EVA Tool Kit

A complete 417 piece tool kit with all the tools laid out in three colour pre-cut EVA foam which clearly shows if any tools are not in their correct place. Supplied in the Teng Tools TC806NF top box and TCW807N 7 drawer roller cabinet, all with ball bearing slides. (overall weight 128 kilos)

Drawer No	Stock No	Description		
5/6	TEDHEX7	7 piece T handle hex key set		
5/6	TEDTX7	7 piece T handle TX key set		
1/7	TEXEXT13	13 piece extension set		
1/7	TED1489	89 piece 1/4" drive socket set		
1/7	TED3836	36 piece 3/8" drive socket set		
2/7	TEX1238	3/8" and 1/2" drive torque wrench set		
2/7	TED1227	27 piece 1/2" drive socket set		
2/7	TED441-T	5 piece plier set		
3/7	TEX915N	5 piece screwdriver set		
3/7	TED911N	11 piece screwdriver set		
3/7	TED909TXN	9 piece TX driver set		
4/7	TEXPB4	4 piece roll/heel bar set		
4/7	TEDSD95	95 piece torque screwdriver set		
4/7	TEDPC14	14 piece punch and chisel set		
5/7	TEX2032	7 piece metric combination spanner set		
5/7	TED8012	12 piece metric combination spanner set		
5/7	TEDADJ4	4 piece adjustable wrench set		
6/7	TEXW05	5 piece wheel tool set		
6/7	TED9121	21 piece 1/2" drive impact socket set		
6/7	TEDHT42	42 piece hex and TX key set		





Drawer 5/6



Drawer 1/7



Drawer 2/7



Drawer 3/7



Drawer 4/7



Drawer 5/7



Drawer 6/7



TCEMM249N 249 Piece EVA Tool Kit
A complete 249 piece tool kit with all the tools laid out in three colour pre-cut EVA foam which clearly shows if any tools are not in their correct place. Supplied in the Teng Tools TC806NF top box and TCW807N 7 drawer roller cabinet, all with ball bearing slides. (overall weight 114 kilos)

Drawer No	Stock No	Description
4/6	TEDV440	4 piece 1000 volt insulated plier set
4/6	TEDV909N	9 piece 1000 volt insulated screwdriver set
5/6	TEDHEX7	7 piece T handle hex key set
5/6	TEDTX7	7 piece T handle TX key set
1/7	TEXEXT13	13 piece extension set
1/7	TED1489	89 piece 1/4" drive socket set
1/7	TED3836	36 piece 3/8" drive socket set
2/7	TEX1238	3/8" and 1/2" drive torque wrench set
2/7	TED1227	27 piece 1/2" drive socket set
2/7	TED441-T	5 piece plier set
3/7	TEX915N	5 piece screwdriver set
3/7	TED911N	11 piece screwdriver set
3/7	TED909TXN	9 piece TX driver set
4/7	TEX2032	7 piece metric combination spanner set
4/7	TED8012	12 piece metric combination spanner set
4/7	TEDADJ4	4 piece adjustable wrench set





Drawer 4/6

Teng Tools



Drawer 5/6



Drawer 1/7









Drawer 2/7

Drawer 3/7

Drawer 4/7

# TCEMM430B 430 Piece Workshop Kit A tool kit specifically designed for the karting workshop or transporter

in conjunction with kartpit.com, the leading on line website for kart maintenance. Based on a six drawer top box and 7 drawer roller cabinet the kit includes just about every tool required for building and maintaining most types of race kart including both gearbox and non-gear box karts.


The majority of the trays are from the EVA range which helps keep the tools in place when the kit is travelling in the transporter and the coloured layers make it easy to identify any mislaid tools quickly and easily.

Drawer No	Stock No.	Description		
4/6	TEDSD95	95 piece torque screwdriver set		
4/6	TEDADJ4	4 piece adjustable wrench set		
5/6	TED9121	21 piece 1/2" drive impact socket set		
5/6	TEDHT42	42 piece hex and TX key set		
6/6	TTCM05D	5 piece measuring tool set		
6/6	TTHC03	3 piece hose clamp set		
6/6	TTD02	Add on tool tray		
1/7	TEDHEX7	7 piece T handle hex key set		
1/7	TEDTX7	7 piece T handle TX key set		
1/7	TEXEXT13	13 piece extension set		
2/7	TED1489	89 piece 1/4" drive socket set		
2/7	TED3836	36 piece 3/8" drive socket set		
2/7	TEX1238	3/8" and 1/2" drive torque wrench set		
3/7	TED1227	27 piece 1/2" drive socket set		
3/7	TED441-T	5 piece plier set		
3/7	TEXW05	5 piece wheel tool set		
4/7	TED911N	11 piece screwdriver set		
4/7	TED909TXN	9 piece TX driver set		
4/7	TEX915N	5 piece screwdriver set		
5/7	TTEPS12	12 piece general tool kit		
6/7	TED8012	12 piece metric combination spanner set		
6/7	TED6512RS	12 piece ratcheting combination spanner set		
6/7	TEX2032	7 piece metric combination spanner set		
Accessories	SLT02	Torpedo level		
	580	Magnetic bits tray		











Drawer 1/7











Drawer 4/7 Drawer 5/7 Drawer 6/7





# **TCMME11A 333 Piece EVA Tool Kit**

A comprehensive 333 piece tool kit with all the tools laid out in three colour pre-cut EVA foam which clearly shows if any tools are not in their correct place. Supplied in the Teng Toc's TCW807N 7 drawer roller cabinet with ball bearing slides. (overall weight 95 kilos)







socketry

TCMME09C 280 piece EVA tool kit

A comprehensive 280 piece tool kit with all the tools laid out in three colour pre-cut EVA foam which clearly shows if any tools are not in their correct place. Supplied in the Teng Tools TCW807N 7 drawer

Tools

Teng



TTEMD98N 98 piece screwdriver set





TTESK77 77 piece 1/4", 3/8" and 1/2" drive TTEX17 17 piece hex key, inspection and torque wrench





TTEX32 27 piece spanner set and 5 piece

# **TCMME11A 333 Piece Tool Kit**



TTESK86 86 piece 1/4" & 3/8" drive socketry



TTEX23 23 piece nut driver and T handle hex driver set



TTESP31 31 piece metric combination spanner set



TTEMB17 17 piece Mega Bite plier set




TTEMD122N 122 piece screwdriver set




TCMME09C 280 Piece Tool Kit

# TCMME09B 280 Piece EVA Tool Kit

A comprehensive 280 piece tool kit with all the tools laid out in three colour pre-cut EVA foam which clearly shows if any tools are not in their correct place. Supplied in the Teng Tools TC805NFX full depth 5 drawer top box with ball bearing slides.



TTESK86 86 piece 1/4" & 3/8" drive socketry



TTEX23 23 piece nut driver and T handle hex driver set



TTESP31 31 piece metric combination spanner set



TTEMB17 17 piece Mega Bite plier set



TTEMD122N 122 piece screwdriver set



TCMME09B 280 PieceTool Kit



Indoors or outdoors, Teng Tools keeps things going.



# **Tools** Teng

- TM035NF 35 Piece Tool Kit

  A 35 piece tool kit especially designed for use as a basic set of tools for the workshop or around the home
  Drop front cover
  Ball bearing slide
  Combination lock

- · Supplied with rubber feet

Drawer No	Description				
Тор	1/4" drive regular sockets: 4, 5, 5.5, 6, 7, 8, 10, 12, 13mm				
	1/4' drive accessories:	2"extension, 1/4" bit ratchet			
		1/4" male: 1/4"hex adaptor			
	1/4"hex bits:	4, 5.5, 6.5mm flat. PH1, PH2, PZ1,			
		PZ2, TX10, TX15, TX20			
	Fold up tool set				
Drawer 1	6" side cutter, 7" High le	verage combination plier			
Drawer 2	Combination spanners:	8, 9, 10, 11, 12, 13mm			
	Screwdrivers: flat 5.5x75	5mm, PH1x75mm			
	insulated PH1x80mm				









Top Drawer 1 Drawer 2

# TC144D 144 Piece Portable Service tool Kit

A comprehensive selection of tools for service technicians. Supplied in the TC540 5 cantilever tool box.

Accessories	1/2" drive		FRP ratchet, universal joint, 2½" and 6" extension bars, 3/8"F:1/2"M T bar adaptor
Regular sockets	1/2" drive	12 point	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
Accessories	1/4" drive		FRP ratchet, universal joint, 2" and 4" extension bars, coupler adaptor, 3/8"F:1/4"M adaptor
Regular sockets	1/4" drive	6 point	4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm
Deep sockets	1/4" drive	6 point	6, 7, 8, 10, 12, 13mm
Bits	1/4" hex		TX10, TX15, TX20, 5mm hex, 6mm hex,
			PH1, PH2, PZ1, PZ2, 4mm flat, 5.5mm flat
Wrenches			5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, 9 piece ball point hex key set,
			1.5, 2.0 and 2.5mm hex keys, 10" adjustable wrench
Screwdrivers			3.5mm flat, 5.5mm flat, 6.5mm flat, PH0, PH1, PH2, PZ0, PZ1, PZ2, 4mm flat 1000 volt insulated
Pliers			8" combination, 8" long nose, 10" water pump, 6" side cutters, 8" side cutters, 10" power grip
Service tools			28 piece fully ground drill bit set, magnetic lamp, 3 meter measuring tape, hacksaw with spare blades, utility
			knife, centre punch, 6 piece parallel pin punch set, soft face hammer, ball pein hammer, tin snips, magnetic bracele





**TC144D** 144 Piece Portable Service tool Kit



# TC144E 144 Piece Portable Service tool Kit

A comprehensive selection of tools for service technicians. Supplied in the TCSB tool bag/back pack.

Accessories	1/2" drive		FRP ratchet, universal joint, 2½" and 6" extension bars, 3/8"F:1/2"M T bar adaptor
Regular sockets	1/2" drive	12 point	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
Accessories	1/4" drive		FRP ratchet, universal joint, 2" and 4" extension bars, coupler adaptor, 3/8"F:1/4"M adaptor
Regular sockets	1/4" drive	6 point	4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm
Deep sockets	1/4" drive	6 point	6, 7, 8, 10, 12, 13mm
Bits	1/4" hex		TX10, TX15, TX20, 5mm hex, 6mm hex, PH1, PH2, PZ1, PZ2, 4mm flat, 5.5mm flat
Accessories	1/2" drive		FRP ratchet, universal joint, 21/2" and 6" extension bars, 3/8"F:1/2"M adaptor
Regular sockets	1/2"drive	12 point	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
Wrenches			5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, 9 piece ball point hex key set,
			1.5, 2.0 and 2.5mm hex keys, 10" adjustable wrench
Screwdrivers			3.5mm flat, 5.5mm flat, 6.5mm flat, PH0, PH1, PH2, PZ0, PZ1, PZ2, 4mm flat 1000 volt insulated
Pliers			8" combination, 8" long nose, 10" water pump, 6" side cutters, 8" side cutters, 10" power grip
Service tools			28 piece fully ground drill bit set, magnetic lamp, 3 meter measuring tape, hacksaw with spare blades, utility
			knife, centre punch, 6 piece parallel pin punch set, soft face hammer, ball pein hammer, tin snips, magnetic bracelet.





144 Piece Portable Service tool Kit

# TC045B Carrying Tool Kit NEW! A fully portable tool kit designed in conjunction with

leading driver and engine tuner, Scott Allen, of Jade Karts. Based on the versatile Teng Tools TC-SB16 carrying bag but only containing the specific tools that are regularly used by kart race teams. Perfect for carrying to the grid or for practice sessions.

Accessories	1/4" drive	mini ratchet with T handle, bit adaptor
Accessories	3/8" drive	FRP ratchet, 6" extension bar, 16 and 21mm spark plug sockets
Deep sockets	3/8" drive	10, 13, 22mm
Bits	1/4" hex drive	3mm hex (x3)
Combination spar	nners	8, 10 (x2), 13 (x2), 15, 17 (x2), 19mm
Wrenches		6" adjustable, T handle hex key set including
		2.5 to 8mm, 10 and 13mm T handle nut drivers
Screwdrivers		PH2 x 100mm, 3mm flat x 75mm, 5mm flat x 150mm
Pliers		5" flush cut, 5" inner/bent circlip, 5" outer/bent
		circlip, 6" side cutters, 7" combination
Cutting tools		scissors, utility knife
Hammers		soft face and 12oz ball pein
Measuring tools		3 meter tape measure and 200mm steel rule





48

## TC187 187 Piece Mechanics Kit

Complete Mega Rosso mechanics kit including 1/4", 3/8" and 1/2" drive socket sets and combination spanners in a barn style box with unique socket storage. (450x200x200mm, 11.0 kilos)

1/4"	drive		30 socket clips, FRP ratchet, universal joint, 2" and 4" extensions, 3/8"F:1/4"M adaptor, coupler adaptor
3/8"	drive		30 socket clips, FRP ratchet, universal joint,6" extension, 1/2"F:3/8"M adaptor
1/2"	drive		30 socket clips, FRP ratchet, universal joint,
			2 <sup>1</sup> / <sub>2</sub> " and 6" extensions, 3/8"F:1/2"M adaptor
1/4"	drive	6 point	4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm
1/4"	drive	6 point	6, 7, 8, 10, 12, 13mm
3/8"	drive	6 point	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
1/2"	drive	12 point	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
1/4"	hex		TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, 3mm hex,
			4mm hex, 5mm hex, 6mm hex, 7mm hex, 8mm hex, 10mm hex,
			PH1, PH2, PZ1, PZ2, 4mm flat, 5.5mm flat, 7mm flat.
			8, 10, 11, 12, 13, 14, 15, 17, 19mm combination spanners,
			ring holder, 1.5, 2.0, 2.5mm hex keys
	3/8" 1/2" 1/4" 1/4" 3/8" 1/2"	1/4" drive 3/8" drive 1/2" drive 1/4" drive 1/4" drive 1/4" drive 3/8" drive 1/2" drive 1/4" hex	3/8" drive  1/2" drive  1/4" drive 6 point 1/4" drive 6 point 1/8" drive 6 point 1/2" drive 12 point



# T3848 48 Piece 3/8" Drive Tool Set

**Teng Tools** 

48 piece 3/8" drive set containing 6 point regular metric and AF sockets, 2 spark plug sockets, 14 combination spanners, 6 screwdrivers, 5 piiers, adjustable wrench, FRP ratchet, 3" and 6" extension bars, coupler adaptor and 1/2"-3/8" adaptor. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x105mm, 6.51 kilos)

Accessories	3/8" drive		FRP Ratchet, universal joint, 3" and 6" extension bars, coupler adaptor, 1/2"F:3/8"M adaptor, 16 and 21mm spark plug sockets
Regular sockets	3/8" drive	6 point	7/16" 1/2" 9/16" 11/16
		6 point	8, 10, 12, 13, 14, 15, 16, 17, 18, 19mm
Combination spanners		AF	7/16" 1/2" 9/16" 11/16"
		mm	8, 10, 12, 13, 14, 15, 16, 17, 18, 19mm
Screwdrivers			3.0mm flat, 5.5mm flat, 6.5mm flat, PH0, PH1, PH2,
Pliers			6" side cutter, 7" combination, 8" long nose, 10" water pum
Power grip pliers	;		7" curved jaw
Adjustable wrend	ches		8" phosphate finish



# T3867 67 Piece 3/8" drive Tool Set

67 piece 3/8" drive tool set containing regular 6 point metric sockets, FRP ratchet, universal joint, 3" and 6" extension bars, coupler adaptor, 1/2"- 3/8" adaptor, bits driver with magnetic bits holder, 10 combination spanners, 6 screwdrivers, 4 pliers as well as 26 bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 5.44 kilos)



Accessories	3/8" drive		FRP ratchet, 3" & 6"extensions, coupler adaptor,1/2"F:3/8"M T-bar adaptor, bits driver handle with magnetic bits holder
Regular sockets	3/8" drive	6 point	8, 9, 10, 11, 12, 13, 14, 15, 16,17, 18, 19, 20, 22mm
Combination spanners			8, 10, 11, 12, 13, 14, 15,16, 17, 19mm
Screwdrivers			3.0mm flat, 5mm flat, 6mm flat, PH0, PH1, PH2,
Pliers			6" side cutter, 7" combination, 8" long nose, 10" water pump
Bits	1/4" hex		TX8, TX10, TX15, TX20, TX25, TX27,TX30, TX40, TX45, TX50, 3mm hex, 4mm hex, 5mm hex, 6mm hex, 8mm hex,
			10mm hex, PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 5.5mm flat, 7mm flat



# TM079 79 Piece 3/8" Tool Set

79 piece 3/8" socket and tool set. A service kit that contains a 3/8" drive socket set with FRP ratchet, bit sockets, universal joint, adaptor drive 1/2" x 3/8". Also included are: bit screwdriver with magnet, LED torch, measuring tape, universal knife, telescopic magnetic pick up, hook set for O-rings, universal pliers, carpenters hammer with steel tube handle, 1/4" adapter, 3/8" drive sockets, combination spanners, hex key set, adjustable wrench, flat nose pliers, side cutters, combination pliers, water pump pliers, screwdrivers and 20 bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 6.8 kilos)



Accessories 3/8" drive	FRP ratchet, 5"extension, universal joint, 1/2"F:3/8"M T-bar adaptor, bits driver handle with magnetic bits holder		
	1/4" hex adaptor, LED light with clip, 5m measuring tape, utility knife, telescopic magnet, 4 in 1 hook and pick set, gun saw		
	16oz claw hammer		
Regular sockets 3/8" drive 6 point	8, 10, 11, 12, 13, 14, 15, 17, 19, 20, 21, 22mm		
Combination spanners	6, 7, 8, 10, 11mm		
Hex key set	7 piece folding hex key set 1.5-6mm		
Adjustable wrench	8" wide opening with vinyl grip		
Screwdrivers	3.0mm flat, 5.5mm flat, PH1, PH2,		
Pliers	6" side cutter, 7" combination, 6" long nose, 7" water pump		
Bits 1/4" hex	TX10, TX15, TX20, TX25, TX27, TX30, TX40, TPX20, TPX25, TPX30, 4mm hex, 5mm hex, 6mm hex, PH1, PH2, PH3, PZ1, PZ2, PZ3,		
	4.5mm flat, 5.5mm flat, 6.5mm flat, ROB no1, ROB no2, ROB no3, GR no2(x2)		

# TM079E 79 Piece 3/8" Tool Set

79 piece 3/8" socket and tool set. A service kit that contains a 3/8" drive socket set with FRP ratchet, bit sockets, universal joint, adaptor drive 1/2" x 3/8". Also included are: bit screwdriver with magnet, LED torch, measuring tape, universal knife, telescopic magnetic pick up, hook set for O-rings, universal pliers, engineers hammer, 1/4" adapter, 3/8" drive sockets, combination spanners, hex key set, adjustable wrench, flat nose pliers, side cutters, combination pliers, water pump pliers, screwdrivers and 20 bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 6.8 kilos)



Accessories 3/8" drive	FRP ratchet, 5"extension, universal joint, 1/2"F:3/8"M T-bar adaptor, bits driver handle with magnetic bits holder
	1/4" hex adaptor, LED light with clip, 5m measuring tape, utility knife, telescopic magnet, 4 in 1 hook and pick set, gun saw
	500g engineers hammer
Regular sockets 3/8" drive 6 point	8, 10, 11, 12, 13, 14, 15, 17, 19, 20, 21, 22mm
Combination spanners	6, 7, 8, 10, 11mm
Hex key set	7 piece folding hex key set 1.5-6mm
Adjustable wrench	8" wide opening with vinyl grip
Screwdrivers	3.0mm flat, 5.5mm flat, PH1, PH2,
Pliers	6" side cutter, 7" combination, 6" long nose, 7" water pump
Bits 1/4" hex	TX10, TX15, TX20, TX25, TX27, TX30, TX40, TPX20, TPX25, TPX30, 4mm hex, 5mm hex, 6mm hex, PH1, PH2, PH3, PZ1, PZ2, PZ3,
	4.5mm flat, 5.5mm flat, 6.5mm flat, ROB no1, ROB no2, ROB no3, GR no2(x2)

## T1268 1/2" Drive Tool Set

68 piece 1/2" drive tool set, containing 16 regular 12 point metric sockets, FRP ratchet, universal joint, 2½" and 6" extension bars, adaptor 3/8" F -1/2" M, bits holder with magnetic bits holder, 10 combination spanners, 6 screwdrivers, 4 pliers as well as 26 bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding, (466x258x103mm, 6.72 kilos)

Accessories 1/2" of	drive	FRP ratchet, 2½" & 6"extensions, universal joint,
		1/2"F:3/8"M T-bar adaptor, bits driver handle with magnetic bits holde
Regular sockets 1/2" o	drive 12 point	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 27, 30, 32mm
Combination spanner	's	8, 10, 11, 12, 13, 14, 15, 16, 17, 19mm
Screwdrivers		3.0mm flat, 5.5mm flat, 6.6mm flat, PH0, PH1, PH2,
Pliers		6" side cutter, 7" combination, 8" long nose, 10" water pump
Bits 25mm 1/4"	hex	TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50,
		3mm hex, 4mm hex, 5mm hex, 6mm hex, 8mm hex, PH0, PH1,
		PH2,PH3, PZ1, PZ2, PZ3, 4mm flat, 5.5mm flat, 7mm flat





# **Tool Kits**

# TM095 1/4" and 1/2" Drive Socket and Tool Set

95 piece ¼" and ½" drive socket set containing regular and deep ¼" drive metric sockets, ½" drive regular 6 point sockets, FRP ratchets, universal joints, extension bars, ½" drive spark plug sockets and other socket accessories and screwdriver bits. The set also includes combination spanners and screwdrivers. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 6.3 kilos)

Accessories	1/4" drive		FRP ratchet, universal joint, 2" and 4" extensions sliding T bar, spinner handle, coupler adaptor, 50mm magnetic bit holder
Regular sockets	1/4" drive	6 point	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
Deep sockets	1/4" drive	6 point	4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
Regular sockets	½" drive	6 point	10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32mm
Accessories	½" drive		FRP ratchet, 5" and 10" extensions, 3/8"F:1/2"M
			T bar adaptor, universal joint, 5/16" hex coupler
			Adaptor, 21mm spark plug socket
Combination spanners			8, 10, 12, 13, 14, 17mm
Screwdrivers			PH1x75mm, PH2x100mm, PZ1x75mm, PZ2x100mm,
			3mm flat x 75mm, 4mm flat x 100mm
Bits (25mm)	1/4" hex		4, 5.5 and 7mm flat, PH0,PH1, PH2, PH3, PH4,
			PZ0, PZ1, PZ2, PZ3, 3, 4, 5, 6, 8 and 10mm hexagon,
			1/4" male adaptor, TX8, TX10, TX15, TX20, TX25
			TX27, TX30, TX40
Bits (30mm)	5/16" hex		TX45, TX50, TX55



# TM106 106 Piece 1/4" 3/8" & 1/2" Drive Socket Set

106 piece professional tool set, containing 1/4" and 3/8" drive regular 6 point sockets, 1/4" drive deep sockets, 3/8" drive spark plug sockets, 1/2" drive regular 12 point sockets, FRP ratchets, universal joints coupler adaptors, extension bars, bi-flex wrench, bit driver, adaptors, double flex wrenches, combination spanners, ring holder, adjustable wrench and a full range of screwdriver bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 7.85 kilos)



Accessories	1/4" drive		FRP ratchet, bi-flex wrench, universal joint,2" & 3" extensions, coupler adaptor, bits driver handle with magnetic bits holder
Accessories	3/8" drive		FRP ratchet, 3" & 6" extensions, universal joint, 3/8"F:1/4"MT bar adaptor, 3/8"F:1/2"M T bar adaptor, coupler adaptor
Accessories	1/2" drive		2½" & 10" extensions, 1/2"F:3/8"M T bar adaptor, flex head adaptor
Regular sockets	1/4" drive 6	point	4, 5, 6, 7, 8, 10, 12, 13mm
Deep sockets	1/4" drive 6	point	6, 7, 8, 10, 12, 13mm
Regular sockets	3/8" drive 6	point	8, 9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
Spark plug socket	s 3/8" drive		16, 21mm
Regular sockets	1/2" drive 12	2 point	19, 24, 27, 30, 32mm
Bits (25mm)	1/4" hex		TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, TPX10, TPX15, TPX20, TPX25, TPX27, TPX30, TPX40 3mm hex, 4mm hex,
			5mm, 6mm hex, 8mm hex, 10mm hex, PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 5.5mm flat, 7mm flat, XZN M5, XZN M6
Wrenches			8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, ring holder, 8x9mm, 10x11mm, 12x13mm,
			14x15mm double flex wrenches, 10" adjustable

# TM127 1/4", 3/8" and 1 /2" Drive Metric and AF Socket and Tool Set

127 piece 1/4", 3/8" and 1/2" drive socket set containing regular and deep 1/4" drive sockets, 3/8" and 1/2" drive regular sockets, FRP ratchets, extension bars, universal joints, spark plug sockets, adaptors and screwdriver bits. The set also includes combination spanners, an adjustable wrench and a ratcheting bits driver. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x105mm, 7.5 kilos)

Accessories	1/4" drive		FRP ratchet, universal joint, 2" and 3" extension bars, coupler adaptor
Regular sockets	1/4" drive	6 point	4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm
nogulai sockets	174 01140	6 point	3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
Deep sockets	1/4" drive	6 point	6, 7, 8, 10, 12, 13mm
Accessories	3/8" drive	o point	FRP ratchet, universal joint, 3" and 6" extension bars,
Accessories	5/0 unvc		coupler adaptor, 16 and 21mm spark plug sockets, 3/8"F:1/4"M adaptor, 3/8"F:1/2"M adaptor
Regular sockets	3/8" drive	6 point	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
		6 point	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
Accessories	1/2" drive	•	2½" and 10" extension bars, flex head adaptor,
			1/2"F:3/8"M adaptor
Regular sockets	1/2" drive	12 point	19, 24, 27, 30, 32mm
Wrenches		-	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, spanner ring, 8" adjustable wrench
Bits	1/4" hex		Ratcheting bits driver, 4mm (x 2), 5.5mm (x 2) and 7mi
			flat (x 2), PH0, PH1 (x 2) PH2 (x 2), PH3, PZ1 (x 2), PZ2
			(x 2), PZ3, 1/4"M adaptor, 3, 4, 5, 6, 8, 10mm hex, 1/8"
			9/64", 5/32", 3/16", 1/4", 3/8" hex, TX8, TX10, TX15,
			TX20, TX25, TX27, TX30, TX40, 5 and 6 XZN,







"Leekingto tee



# CASE

- A moulded robust plastic body makes the case strong and stable.
- The transport castors are made of rubber making the case easy to pull and prevent it from sliding.
- The retractable telescopic handle is a comfortable length that makes it easy to pull the case.
- The case is equipped with a code lock to protect your tools.
- The rubber feet mean the case does not slide around or damage painted surfaces.
- Carrying handles on the short and long sides to satisfy all needs.

# **TOOL STORAGE**

- A part of the Teng Tools tool storage system that holds a total of nine TT sets with three TT sets in each compartment.
- Each compartment has a transparent lid, so that you
  have a clear view of the tools and so that they are
  held in place when transporting the case.
- The centre compartment sits loose in the case and can be easily lifted out when you need your tools.

# YOUR CHOICE

- Four suggested complete mobile tool sets that suit most users.
- The case is also available without tools, so that you can choose any combination from the Teng Tools range of more than 160 different TT sets to create your own personal set of tools.
- Go to www.tengtools.com and "Click & Fill" to create your own personal content for your service case.





# Tools

0

# SC01 Service Case Kit 1

Fully portable tool kit supplied in a hard wearing flight case style carrying case complete with suspension wheels, retractable handle, combination lock. The kit includes 9 Teng Tools TC trays. Included in the kit are 1/4", 3/8" and 1/2" drive socket sets, combination spanners, pliers, screwdrivers, TX drivers and T handle hex keys. (500x400x240mm, 15.75 kilos)

Compartment No	Stock No	Description
1/3	TT1217	17 piece 1/2" drive regular metric socket set
1/3	TT1236	12 metric combination spanners
1/3	TT440-T	4 piece Mega Bite plier set
2/3	TT917N	7 piece Mega Drive screwdriver set
2/3	TT917TXN	7 piece Mega Drive TX/TPX screwdriver set
2/3	TTHEX7	7 piece metric T Handle hex key set
3/3	TT1435	5 piece 1/4" drive regular/deep metric socket set
3/3	TT3819	19 piece 3/8" drive regular metric socket set
3/3	TT1205	5 1/2" drive socket accessory set





Compartment 1



Compartment 2



Compartment 3

SC03 Service Case Kit 3
Fully portable tool kit supplied in a hard wearing flight case style carrying case complete with suspension wheels, retractable handle and combination lock. The kit includes 9 Teng Tools TC trays. Included in the kit are pliers, screwdrivers, 1/4" drive socketry and inspection tools. (500x400x240mm, 14.5 kilos)

<b>Compartment No</b>	Stock No	Description	
1/3	TT440	4 piece plier set	
1/3	TTMI16	16 piece mini plier and screwdriver set	
1/3	TTMD12D	12 piece screwdriver set	
2/3	TT917N	7 piece screwdriver set	
2/3	TT917TXN	7 piece TX driver set	
2/3	TTMD74	74 piece ratcheting bits driver set	
3/3	TT1435	35 piece 1/4" drive regular and deep metric socket set	
3/3	TTBS35	35 piece 1/4" drive bit socket set	
3/3	TTTM03	3 piece inspection tool set	





Compartment 1



Compartment 2



Compartment 3

# SC02 Service Case Kit 2

Fully portable kit supplied in a hard wearing flight case style carrying case complete with suspension wheels, retractable handle, combination lock. The kit includes 9 Teng Tools TC trays. Included in the kit are various plier and screwdriver sets as well as drill bits, inspection tools, files, hex keys and ratcheting combination spanners. (500x400x240mm, 14.4 kilos)

Compartment No	Stock No	Description
1/3	TT440	4 piece Mega Bite plier set
1/3	TTMI16	16 piece mini plier and screwdriver set
1/3	TTCP121	crimping plier with terminals and connectors
2/3	TTTM03	3 piece inspection tool set
2/3	TTNF12	12 piece needle file set
2/3	TTDB28	28 piece fully ground drill bit set
3/3	TT6508R	8 piece metric ratcheting combination spanner set
3/3	TTHT28	28 piece hex and TX key set
3/3	TTMD12D	12 piece double ended screwdriver set





Compartment 1



Compartment 2

56



Compartment 3

# SC04 Service Case Kit 4

Fully portable tool kit supplied in a hard wearing flight case style carrying case complete with suspension wheels, retractable handle, combination lock. The kit includes 9 Teng Tools TC trays. Included in the kit are 1/4", 3/8" and 1/2" drive socket sets, combination spanners, pliers, screwdrivers, and a 6 piece general service kit. (500x400x240mm, 17.66 kilos)

Compartment No	Stock No	Description
1/3	TT1236	12 piece combination spanner set
1/3	TT917N	7 piece Mega Drive screwdriver set
1/3	TT440-T	4 piece Mega Bite plier set
2/3	SCPS01	6 piece service tool set with ball pein hammer
3/3	TT1435	35 piece 1/4" drive regular/deep metric socket set
3/3	TT3819	19 piece 3/8" drive regular metric socket set
3/3	TT1218	17 piece 1/2" drive regular metric socket set





Compartment 2

Compartment 3





57

SC04E Service Case Kit 4 (option E)
Fully portable tool kit supplied in a hard wearing flight case style carrying case complete with suspension wheels, retractable handle, combination lock. The kit includes 9 Teng Tools TC trays. Included in the kit are 1/4", 3/8" and 1/2" drive socket sets, combination spanners, pliers, screwdrivers, and a 6 piece general service kit. (500x400x240mm, 17.66 kilos)

<b>Compartment No</b>	Stock No	Description
1/3	TT1236	12 piece combination spanner set
1/3	TT917N	7 piece Mega Drive screwdriver set
1/3	TT440-T	4 piece Mega Bite plier set
2/3	SCPS01E	6 piece service tool set with engineers hammer
3/3	TT1435	35 piece 1/4" drive regular/deep metric socket set
3/3	TT3819	19 piece 3/8" drive regular metric socket set
3/3	TT1218	17 piece 1/2" drive regular metric socket set









Compartment 1

**Teng Tools** 

Compartment 2

Compartment 3

SC083B Portable Tool Kit A fully portable tool kit designed in conjunction with leading driver and engine tuner, Scott Allen, of Jade Karts. Based on the popular Teng Tools TC-SC service set carrying case but only containing the tools that are regularly used by kart

Compartment No	Stock No.	Description
1/3	TT917N	7 piece screwdriver set
1/3	TT440-T	4 piece plier set
1/3	TT474-5	4 piece circlip plier set
2/3	TT00	Add on tool tray
2/3	TTALU	32 piece clip rail set tool tray
2/3	TTHEX7	7 piece T handle hex key set
3/3	various	metric combination spanners including 8, 10 (x2), 13 (x2), 15, 17 (x2) and 19mm, 3/8" drive FRP ratchet together with a 6" extension bar, 16 and 21mm spark plug sockets plus 10, 13 and 22mm deep sockets, a 1400M 1/4" drive mini ratchet with bit adaptor and 3 x 3mm hex bits, flush cut pliers, scissors, soft face hammer, ball pein hammer, 10 and 13mm nut drivers, a 3 meter measuring tape and a 200mm steel rule.





Compartment 1/3

Compartment 2/3

SC058B Karting Tool Kit
A fully portable tool kit designed for race day in conjunction with Super One kart driver Jac Maybin and his father using his experience from Formula One to create a tool kit that ahs all the tools that are needed at the race track for last minute adjustments and repairs. Based on the popular TC-SC service set carrying case and using the Teng Tools tool control system.

Compartment No	Stock No	Description
1/3	TT1435	35 piece ¼" drive socket set
1/3	TT01	storage tray with 7 compartments
1/3	TT1236	12 piece metric combination spanner set
2/3	TT917N	7 piece screwdriver set
2/3	TT440-T	4 piece plier set
2/3	TT03	storage tray with 4 compartments





Compartment 1/3

Compartment 2/3

# **SCPS01** 6 Piece Service Tool Set

Service tray with 3 meter measuring tape, 12" hacksaw frame, utility knife, 10" power grip plier, 8" adjustable wrench and a 16oz ball pein hammer. Supplied in a PS tray to fit in the Teng Tools TC-SC service case. (420x265x56mm, 2.5 kilos)

Measuring tape, hacksaw frame, utility knife, power grip plier, adjustable wrench, ball pein hammer



# **SCPS01E** 6 Piece Service Tool Set

Service tray with 3 meter measuring tape, 12" hacksaw frame, utility knife, 10" power grip plier, 8" adjustable wrench and a 500g engineers hammer. Supplied in a PS tray to fit in the Teng Tools service case. (420x265x56mm, 2.5 kilos)

Measuring tape, hacksaw frame, utility knife, power grip plier, adjustable wrench, engineers hammer.







58

59

# **TOOL STORAGE**

Teng Tools tool boxes and roller cabinets have been designed to meet the high demands made by quality conscious professionals from all over the world. No details are left to chance when our tool boxes and roller cabinets are manufactured. The range comprises 8 top boxes, 2 middle boxes, 11 different roller cabinets and 5 side cabinets. These can all be combined with Teng Tools tool storage systems with over 160 different TT trays in various sizes.







# New to the range: Roller cabinet TCW907X

- 7 drawers with ball-bearing slides, each drawer has individual closing (a small strip in the handle is lifted up to open) – this means the drawer cannot be opened or left open accidentally.
- All drawers feature soft closing. Even if you close the drawer firmly, it slides in smoothly.



- Side handles on all top and middle boxes are rubber coated, which gives a comfortable grip when the boxes need to be carried.
- All roller cabinets are equipped with rubberised transport handles so that it is easier to move them and the handles feature a soft comfortable grip.
- All Teng Tools tool boxes and roller cabinets are made of strong, high quality steel, which gives the drawers a longer life and greater stability. The drawers are powder coated with rust protection in five stages as well as an under coat that extends the life of the surface finish.
- Most Teng Tools roller cabinets are equipped with 5" stable castors, which makes them easy to move. The wider cabinets are equipped with 6" castors. The castors are positioned in the corners of a U-shaped castor frame, which provides extra strength and stability.
- All drawers are equipped with three-step ball bearing slides so the drawers are easy to open and are also fully extendable, which gives better access to the tools.

- The manufacturing method used means the top and middle boxes have a capacity of 20 kg and for the roller cabinets 25, 30, or 40 kilos.
- All drawers are fitted with foam inserts to minimise scratching and to prevent loose tools from sliding around.
- Improved locking system for extra security where most tool boxes and roller cabinets now feature a code lock.
- All top boxes with the famous Teng Tools' eye logo, which makes the tool box more distinctive and striking.
- A full range of accessories is available including side tables and cabinets, drawer dividers and TC trays.
- Now there is also a more standard basic version of the roller cabinet, middle and top boxes, with the same high, Teng Tools quality, but with fewer extra accessories and 4" castors on the roller cabinet.

# **TOOL STORAGE**

Teng Tools has a wide range of roller cabinets and drawers for tool storage.

To make it even more complete, we have added a series of side tables, shelves and accessories where you can store your tools and any other things you may need. All to help you keep order so you can do a good job.



TC803N



Pimp your tool trolley!



TC805NFX



ICOUON



Shelf with hooks TCT02



Shelf for aerosols, with hooks TCC02



LED light panel 589ME



TC-S01



TCB80A




Tool holder



TCB80

- Side handles on all top and middle boxes are rubber coated, which gives a comfortable grip when the boxes need to be carried.
- All roller cabinets are equipped with rubberised transport handles so that it is easier to move them and the handles feature a soft comfortable grip.



- The manufacturing method used means the top and middle boxes have a capacity of 20 kg and for the roller cabinets 25, 30, or 40 kilos.
- All drawers are fitted with foam inserts to minimise scratching, etc.
- All top boxes with the famous Teng Tools' eye logo, which makes the tool box more distinctive and striking.
- There is now a standard series, without extra equipment, but with the same high quality.



TCW807N

## TC816SV 8 Series SV Stack

A professional quality 16 drawer stack system built up using the TC806SV 6 drawer top box, TC803SV middle box and TCW707EV 7 drawer roller cabinet.







TC816STACK

TC816STACK 8 Series Stack System 8 series tool box stack system using the TC806NF top box, TC803N middle box and TCW807N roller cabinet.

# TC819BK Personalised Black Stack System

8 series tool box stack system using the black 6 drawer top box, 3 drawer middle box and 10 drawer roller cabinet. The TC819BK stacks are available with the option of having a personalised top box at no extra cost.

# FREE\*

# **Personalisation & Branding Service**

It is now possible to personalise your Teng Tools tool box using vinyl cut stickers. This can be in the format of an image or logo, or may just be your name.

This is now available to you through your local stockist. Logos to be supplied as high resolution eps, crr, or ai vector format with cutting path if required

\*Subject to artwork being supplied in the correct format





# Personalisation & Branding Service

Teng Tools have invested in their own Versacamm printing equipment enabling them to offer a complete personalisation and branding service for your tool box using vinyl cut transfers. Whether its a logo for your company or a picture of your favourite race team, this gives you the chance to have a toolbox that looks just the way you want it.



# 53" Wide Stack Systems

A choice of two configurations to make the ultimate stack system with a 53" wide roller cabinet and a 53" top box



# **TCW816LNSTACK**

The TC810N 10 drawer 53" wide top box together with the TCW806LN 6 drawer 53" wide roller cabinet .



The TC810N 10 drawer 53" wide top box together with the TCW809N 9 drawer 53" wide roller cabinet.







# Teng Tools

# TC103NF 2 Drawer Mini Top Box NEW!

· Drop front cover

Ball bearing slides

· Supplied with rubber feet

Stock no	Dimension (mm)	Drawer Dimension (mm)	Weight (kilos)	
TC103NF	275x150x146	215x130x38	2.9	



## TC805NFX

# 5 Drawer 8 series Deep Drawer Top Box with Ball Bearing Slides

Five full width 380mm deep drawers secured by a drop front cover with a combination lock, a plastic tote tray with an aluminium handle is also included. Heavy duty carrying handles on each side with rubber dipped grips for added comfort. Supplied with rubber feet and ideal for use on it's own or together with the Teng Tools TC tray or EVA tool control systems to build your own tool kit.

	Width	Depth	Height	Capacity	Drawer thickness B	ody frame thickness	Weight
	(mm)	(mm)	(mm)	(kilos)	(mm)	(mm)	(kilos)
Overall	660	460	490		1	1	44
Drawer 1	578	380	46	25			
Drawer 2	578	380	46	25			
Drawer 3	578	380	75	25			
Drawer 4	578	380	75	25			
Drawer 5	578	380	75	25			



# TC805SV 5 Drawer 8 Series Top Box with Ball Bearing Slides

Similar to TC805NFX but with key lock rather than combination lock, metal side handles rather than dipped handles and drawer fronts and no drawer mats or tote tray.

	Width (mm)	Depth (mm)	Height (mm)	Capacity (kilos)	Drawer thickness I (mm)	Body frame thickness (mm)	Weight (kilos)
Overall	660	460	490		1	1	44
Drawer 1	578	380	46	25			
Drawer 2	578	380	46	25			
Drawer 3	578	380	75	25			
Drawer 4	578	380	75	25			
Drawer 5	578	380	75	25			



# TC806NF 6 Drawer 8 Series Top Box with Ball Bearing Slides

Three full width drawers and three smaller drawers secured by a drop front cover with a combination lock, a plastic tote tray with an aluminium handle is also included. Heavy duty carrying handles on each side with rubber dipped grips for added comfort. Supplied with rubber feet and ideal for use on it's own or together with the Teng Tools TC tray or EVA tool control systems to build your own tool kit.

	Width (mm)	Depth (mm)	Height (mm)	Capacity (kilos)	Drawer thickness B (mm)	ody frame thickness (mm)	Weight (kilos)
<b>Overall</b>	660	305	380		0.7	0.8	22
Drawer 1	172	270	50	20			
Drawer 2	172	270	50	20			
Drawer 3	172	270	50	20			
Drawer 4	572	270	50	20			
Drawer 5	572	270	50	20			
Drawer 6	572	270	75	20			



# TC806SV 6 Drawer 8 Series Top Box with Ball Bearing Slides

Similar to TC806NF but with key lock rather than combination lock, metal side handles rather than dipped handles and plain drawer fronts and no drawer mats or tote tray.

Width (mm)	Depth (mm)				•	Weight (kilos)
660	305	380	,	0.7	0.8	22
172	270	50	20			
172	270	50	20			
172	270	50	20			
572	270	50	20			
572	270	50	20			
572	270	75	20			
	(mm) 660 172 172 172 172 572 572	(mm)         (mm)           660         305           172         270           172         270           172         270           572         270           572         270	(mm)         (mm)         (mm)           660         305         380           172         270         50           172         270         50           172         270         50           572         270         50           572         270         50	(mm)         (mm)         (mm)         (kilos)           660         305         380           172         270         50         20           172         270         50         20           172         270         50         20           572         270         50         20           572         270         50         20           572         270         50         20	(mm)         (mm)         (mm)         (kilos)         (mm)           660         305         380         0.7           172         270         50         20           172         270         50         20           172         270         50         20           572         270         50         20           572         270         50         20	(mm)         (mm)         (kilos)         (mm)         (mm)           660         305         380         0.7         0.8           172         270         50         20           172         270         50         20           172         270         50         20           572         270         50         20           572         270         50         20           572         270         50         20



## TC806NGM

# 6 Drawer personalised 8 series top box with ball bearing slides

Three full width drawers and three smaller drawers secured by a drop front cover with a combination lock, a plastic tote tray with an aluminium handle is also included. Heavy duty carrying handles on each side with rubber dipped grips for added comfort. Supplied with rubber feet and ideal for use on it's own or together with the Teng Tools TC tray or EVA tool control systems to build your own tool kit. Personalisation is provided at no extra cost subject to artwork being supplied in the correct format.

	Width (mm)	Depth (mm)	Height (mm)	Capacity (kilos)	Drawer thickness (mm)	Body frame thickness (mm)	Weight (kilos)
Overall	660	305	380		0.7	0.8	22
Drawer 1	172	270	50	20			
Drawer 2	172	270	50	20			
Drawer 3	172	270	50	20			
Drawer 4	572	270	50	20			
Drawer 5	572	270	50	20			
Drawer 6	572	270	75	20			



# TC810N 53" wide 10 drawer 8 series Top box with ball bearing slides and rubber feet

Ten regular width drawers secured with a combination lock creating a 53" wide top box that can be used with either of the 53" wide roller cabinets (TCW806LN or TCW809N). Two heavy duty carrying handles on each side with rubber dipped grips for added comfort. Supplied with rubber feet and ideal for use on it's own or together with the Teng Tools TC tray or EVA tool control systems to build your own tool kit.

455 380 380 380	560 75 75	25 25	0.7	0.8	101.5
380	75				
		25			
380					
300	75	25			
380	75	25			
380	75	25			
380	75	25			
380	75	25			
380	75	25			
380	75	25			
200	75	25			
		380 75	380 75 25	380 75 25	380 75 25



# TC803N 3 Drawer 8 Series Middle Box with Ball Bearing Slides

Three full width drawers secured with a combination lock, a middle box that can be used in combination with the regular sized top boxes and roller cabinets. Heavy duty carrying handles on each side with rubber dipped grips for added comfort. Supplied with rubber feand ideal for use on it's own or together with the Teng Tools TC tray or EVA tool control systems to build your own tool kit.

	Width	Depth	Height	Capacity	Drawer thickness	Body frame thickness	Weight
	(mm)	(mm)	(mm)	(kilos)	(mm)	(mm)	(kilos)
Overall	660	305	250		0.7	0.8	13.8
Drawer 1	572	270	50	20			
Drawer 2	572	270	50	20			
Drawer 3	572	270	75	20			







66

67

# TC803NBK Black 3 drawer middle box with ball bearing slides.

Three full width drawers secured with a combination lock, a middle box that can be used in combination with the regular sized top boxes and roller cabinets. Heavy duty carrying handles on each side with rubber dipped grips for added comfort. Supplied with rubber feet and ideal for use on it's own or together with the Teng Tools TC tray or EVA tool control systems to build your own tool kit. Personalisation is provided at no extra cost subject to artwork being supplied in the

	Width (mm)	Depth (mm)	Height (mm)	Capacity (kilos)	Drawer thickness E (mm)	Body frame thickness (mm)	Weight (kilos)
Overall	660	305	250		0.7	0.8	13.8
Drawer 1	572	270	50	20			
Drawer 2	572	270	50	20			
Drawer 3	572	270	75	20			



# TC803SV 3 Drawer 8 Series Middle Box with Ball Bearing Slides

Similar to TC803N but with key lock rather than combination lock, metal side handle rather than dipped handles and plain drawer fronts and no drawer mats.

	Width (mm)	Depth (mm)	Height (mm)	Capacity (kilos)	Drawer thickness (mm)	Body frame thickness (mm)	Weight (kilos)
Overall	660	305	250		0.7	0.8	13.8
Drawer 1	572	270	50	20			
Drawer 2	572	270	50	20			
Drawer 3	572	270	75	20			



# TCW803N 3 Drawer 8 Series Roller Cabinet with Ball Bearing Slides and Lockable Cabinet

Three full width drawers and a lockable storage section secured with combination locks. Heavy duty side handle with rubber grip for added comfort and two fixed and two swivel 4" (100mm) castors with brakes for manoeuvrability. Supplied with an ABS top mat with storage compartments and a protective mat in each drawer. Ideal for use on it's own or together with the Teng Tools TC tray or EVA tool control systems to build your own tool kit.

	Width (mm)	Depth (mm)	Height (mm)	Overall height (mm)	Capacity (kilos)	Drawer thickness (mm)	Body frame thickness (mm)	Weight (kilos)
<b>Overall</b>	670	460	656	770		1.0	1.2/1.0	43.4
Drawer 1	575	380	75		25			
Drawer 2	575	380	75		25			
Drawer 3	575	380	150		30			
Base Storage	610	420	250					



TCW804N 4 drawer 8 series roller cabinet with ball bearing slides
Three regular full width drawers plus an extra deep drawer secured with a combination lock.
Heavy duty side handle with rubber grip for added comfort and two fixed and two swivel 4" (100mm) castors with brakes for manoeuvrability. Supplied with an ABS top mat with storage compartments and a protective mat in each drawer. Ideal for use on it's own or together with the Teng Tools TC tray or EVA tool control systems to build your own tool kit.

	Width (mm)	Depth (mm)	Height (mm)	Overall height (mm)	Capacity (kilos)	Drawer thickness (mm	Body frame t)thickness (mm)	Weight (kilos)
Overall	670	460	654	777		1.0	1.2/1.0	49.0
Drawer 1	575	380	75		25			
Drawer 2	575	380	75		25			
Drawer 3	575	380	75		25			
Drawer 4	575	380	312		25			



TCW806N 6 Drawer 8 Series Roller Cabinet with Ball Bearing Slides
Six regular full width drawers secured with a combination lock. Heavy duty side handle with
rubber grip for added comfort and two fixed and two swivel 4" (100mm) castors with brakes
for manoeuvrability. Supplied with an ABS top mat with storage compartments and a protective
mat in each drawer. Ideal for use on it's own or together with the Teng Tools TC tray or EVA tool control systems to build your own tool kit.

	Width (mm)	Depth (mm)	Height (mm)	Overall height (mm)	Capacity (kilos)	Drawer thickness (mm)	Body frame thickness (mm)	Weight (kilos)
Overall	670	460	656	770		1.0	1.2/1.0	59
Drawer 1	575	380	75		25			
Drawer 2	575	380	75		25			
Drawer 3	575	380	75		25			
Drawer 4	575	380	75		25			
Drawer 5	575	380	75		25			
Drawer 6	575	380	150		30			



# TCW806N1 6 Drawer 8 Series Roller Cabinet with Ball Bearing Slides and Combination Lock

Five regular full width drawers plus an extra deep drawer secured with a combination lock. Heavy duty side handle with rubber grip for added comfort and two fixed and two swivel 4" (100mm) castors with brakes for manoeuvrability. Supplied with an ABS top mat with storage compartments and a protective mat in each drawer. Ideal for use on it's own or together with the Teng Tools TC tray or EVA tool control systems to build your own tool kit.

	Width (mm)	Depth (mm)	Height (mm)	Overall height (mm)	Capacity (kilos)	Drawer thickness (mm)	Body frame thickness (mm)	Weight (kilos)
Overall	670	460	812	960		1.0	1.2/1.0	61.2
Drawer 1	575	380	75		25			
Drawer 2	575	380	75		25			
Drawer 3	575	380	75		25			
Drawer 4	575	380	75		25			
Drawer 5	575	380	75		25			
Drawer 6	575	380	312		25			



# TCW907X 7 Drawer 9 Series Roller Cabinet with Soft Close Drawers and Ball Bearing Slides

A 9 series roller cabinet with seven soft close full width drawers each with an individual opening mechanism and all secured with a combination lock. Heavy duty side handle with rubber grip for added comfort and two fixed and two swivel 5" (125mm) castors with brakes for manoeuvrability. Supplied with an ABS top mat with storage compartments and a protective mat in each drawer. Ideal for use on it's own or together with the Teng Tools TC tray or EVA tool control systems to build

	Width (mm)	Depth (mm)	Height (mm)	Overall height (mm)	Capacity (kilos)		Body frame n) thickness (mm)	Weight (kilos)
Overall	670	460	813	950		1.0	1.2/1.0	64
Drawer 1	575	380	75		25			
Drawer 2	575	380	75		25			
Drawer 3	575	380	75		25			
Drawer 4	575	380	75		25			
Drawer 5	575	380	75		25			
Drawer 6	575	380	150		30			
Drawer 7	575	380	150		30			





**Tool**:



68



#### TCW707EV 7 Drawer 7 Series Roller Cabinet with Ball Bearing Slides

Similar to TCW807N but with key lock rather than combination lock, metal side handle rather than dipped handles and plain drawer fronts and no drawer mats.

	Width	Depth	Height	Overall height	Capacity	Drawer	Body frame	Weight
	(mm)	(mm)	(mm)	(mm)	(kilos)	thickness (mm	) thickness (mm)	(kilos)
Overall	670	460	813	950		1.0	1.2/1.0	64
Drawer 1	575	380	75		25			
Drawer 2	575	380	75		25			
Drawer 3	575	380	75		25			
Drawer 4	575	380	75		25			
Drawer 5	575	380	75		25			
Drawer 6	575	380	150		30			
Drawer 7	575	380	150		30			



TCW808N 8 Drawer 8 Series Roller Cabinet with Ball Bearing Slides
Eight regular full width drawers all secured with a combination lock. Heavy duty side handle with rubber grip for added comfort and two fixed and two swivel 5" (125mm) castors with brakes for manoeuvrability. Supplied with an ABS top mat with storage compartments and a protective mat in each drawer. Ideal for use on it's own or together with the Teng Tools TC tray or EVA tool control systems to build your own tool kit

Overall		(mm)	(mm)	(mm)	Capacity (kilos)	Drawer thickness (mm)	Body frame thickness (mm)	Weight (kilos)
UVCIAII	670	460	813	955		1.0	1.2/1.0	61
Drawer 1	576	380	75		25			
Drawer 2	576	380	75		25			
Drawer 3	576	380	75		25			
Drawer 4	576	380	75		25			
Drawer 5	576	380	75		25			
Drawer 6	576	380	75		25			
Drawer 7	576	380	75		25			
Drawer 8	576	380	154		25			



TCW810N 10 Drawer 8 Series Roller Cabinet with Ball Bearing Slides

Ten regular full width drawers all secured with a combination lock. Heavy duty side handle with rubber grip for added comfort and two fixed and two swivel 5" (125mm) castors with brakes for manoeuvrability. Supplied with an ABS top mat with storage compartments and a protective mat in each drawer. Ideal for use on it's own or together with the Teng Tools TC tray or EVA tool control systems to build your own tool kit.

	Width (mm)	Depth (mm)	Height (mm)	Overall height (mm)	Capacity (kilos)	Drawer thickness (mm)	Body frame thickness (mm)	Weight (kilos)
Overall	670	460	813	950		1.0	1.2/1.0	69
Drawer 1	575	380	50		25			
Drawer 2	575	380	50		25			
Drawer 3	575	380	50		25			
Drawer 4	575	380	50		25			
Drawer 5	575	380	50		25			
Drawer 6	575	380	50		25			
Drawer 7	575	380	75		25			
Drawer 8	575	380	75		25			
Drawer 9	575	380	75		25			
Drawer 10	575	380	150		30			



#### TCW810NBK Black 10 drawer roller cabinet with ball bearing slides

Ten regular full width drawers all secured with a combination lock. Heavy duty side handle with rubber grip for added comfort and two fixed and two swivel 5" (125mm) castors with brakes for manoeuvrability. Supplied with an ABS top mat with storage compartments and a protective mat in each drawer. Ideal for use on it's own or together with the Teng Tools TC tray or EVA tool control systems to build your own tool kit.

	Width (mm)	Depth (mm)	Height (mm)	Overall height (mm)	Capacity (kilos)	Drawer thickness (mm)	Body frame thickness (mm)	Weight (kilos)
Overall	670	460	813	950		1.0	1.2/1.0	69
Drawer 1	575	380	50		25			
Drawer 2	575	380	50		25			
Drawer 3	575	380	50		25			
Drawer 4	575	380	50		25			
Drawer 5	575	380	50		25			
Drawer 6	575	380	50		25			
Drawer 7	575	380	75		25			
Drawer 8	575	380	75		25			
Drawer 9	575	380	75		25			
Drawer 10	575	380	150		30			



leng

Tools

#### TCW207N 37" 7 Drawer Roller Cabinet

A 37" wide roller cabinet designed to take the equivalent of 6 TC trays plus a TTX and a TTZ tool tray in each drawer. Seven 37" wide drawers each with a patented individual opening mechanism and all secured with a combination lock. Heavy duty side handle with rubber grip for added comfort and two fixed and two swivel 5" (125mm) castors with brakes for manoeuvrability. Supplied with a rubber top mat and a protective mat in each drawer. Ideal for use with the Teng Tools TC tray or EVA tool control systems to build your own tool kit. Also available as a complete work station with tools included - see the TCMM622N kit.

	Width	Depth	Height	Overall height	Capacity
	(mm)	(mm)	(mm)	(mm)	(kilos)
Overall	953	460	767	960	500
Drawer 1	860	380	812		
Drawer 2	860	380	75		
Drawer 3	860	380	75		
Drawer 4	860	380	75		
Drawer 5	860	380	75		
Drawer 6	860	380	150		
Drawer 7	860	380	150		







TCW806LN 53" 6 Drawer 8 Series Roller Cabinet with Ball Bearing Slides and a Wooden Top Plate. Six 1.2 meter wide full width drawers with a patented one at a time opening mechanism and all secured with a combination lock. Heavy duty side handle with rubber grip for added comfort and four swivel 6" (150mm) castors (two with brakes) for extra manoeuvrability. Supplied with a wooden top plate and a protective mat in each drawer. Ideal for use on it's own or together with the Teng Tools

TC tray or EVA tool control systems to build your own tool kit.

	Width	Depth	Height	Overall height	Capacity
	(mm)	(mm)	(mm)	(mm)	(kilos)
Overall	1350	460	767	937	
Drawer 1	1216	380	65		40
Drawer 2	1216	380	65		40
Drawer 3	1216	380	65		40
Drawer 4	1216	380	100		50
Drawer 5	1216	380	154		60
Drawer 6	1216	380	154		60
Drawer thic	kness (mm)	Body fran	ne thickness (n	nm) Weight (l	cilos)
1.0			1.2	121	



#### TCW809N 53" 9 Drawer 8 Series Roller Cabinet with Ball Bearing Slides and a Wooden Top Plate.

Eight regular full width drawers together with one 1.2 meter wide full width drawer all secured with a combination lock. Heavy duty side handle with rubber grip for added comfort and four swivel 6" (150mm) castors (two with brakes) for extra manoeuvrability. Supplied with a wooden top plate and a protective mat in each drawer. Ideal for use on it's own or together with the Teng Tools TC tray or EVA tool control systems to build your own tool kit.

mm) 1350 1216 575 575 575	(mm) 460 380 380 380 380	(mm) 767 124 75 75 75	(mm) 937	40 25 25 25
216 575 575 575	380 380 380 380	124 75 75	937	25 25
575 575 575	380 380 380	75 75		25 25
575 575	380 380	75		25
575	380			
		75		25
575				
	380	75		25
575	380	75		25
575	380	75		25
575	380	150		25
575	380	150		25
	575 575	575 380 575 380	575 380 75 575 380 150	575 380 75 575 380 150

1.2

136



#### **TC-SC** Service Case

1.0

00 |

Service case for use with up to 9 Teng Tools TC trays or six TC trays together with the SCPS01 service tools set. A robust moulded body with built in strength and durability, a telescopic aluminium handle, spring suspension and rubber wheels for a smooth ride, non slip rubber feet, with a combination lock and catches to keep the tools safe. Also available as a complete kit with different options to choose from. (527x385x197mm, 6.5 kilos)





### TC-3 Carrying Case

Empty carrying case for use with 3 TC trays. Click lock and carrying handle. The underside of the case is fitted with rubber feet to prevent it from sliding. (470x320x65mm, 1.4 kilos)





Tools not included

### TC-4 Carrying Case NEW!

- · Empty carrying case for use with 4 TC trays
- Click lock and carrying handle
- Use with optional shoulder straps as a back pack (included)

685x105x66 1600
1



Tools not included

### **TCSB** Back Pack for Tools

A back pack specifically designed for carrying tools either with the shoulder straps as a back pack or with carrying handles for carrying in the hand. Manufactured in polyester with an EVA plastic base, external pockets for small tools and a large compartment for larger tools. (430x380x230mm, 1.29 kilos).



A carrying bag especially designed for carrying tools either with the metal carrying handle or the adjustable shoulder strap. A pocket on the outside and a holder on the inside for smaller tools. (410x280x300mm, 2.9 kilos).







72

#### **TCP445C Carrying Box for Tools**

A plastic carrying case, ideal for storing and carrying tools. Includes a tray with dividers and two snap locks. (445x240x202mm, 2.3 kilos)



#### **TCA05** Plastic Tote Tray

Designed for use in Teng Tools top boxes. Lightweight tote tray for carrying tools away from the tool box.

Manufactured in plastic with an aluminum carrying handle,

rubber mat and rubber feet to prevent sliding and scratching, (202x476x80mm, 0.5 kilos)



#### TC540 5 drawer cantilever tool box

TC-540W Wheels for cantilever tool box A set of four plastic swivel castors for using under the

A professional quality cantilever style tool box with 5 individual



#### **ABS-TOP ABS Top for Roller Cabinets**

ABS tray designed to fit the top work surface of any Teng Tools roller cabinet. Individual parts areas plus positioning for a middle box or top box give a very organised work area and the ABS material protects the top of the roller cabinet from light scratches.



compartments with padlock facility, full length piano hinges and turned edges for added safety. (530 x 220 x 350mm, 7.3 kilos)



#### **ALU450 Clip Rail**

Aluminium sections for mounting on the wall or in a tool box for use with clips for 1/4", 3/8" or 1/2" sockets. 33 piece 450mm four track clip rail tray complete with carrying handle and 10 each of the 1/4", 3/8" and 1/2" drive socket clips



Aluminium sections for mounting on the wall or in a tool box for use with seperate clips 1/4", 3/4", 3/8", 1/2" and 3/4" sockets.

Stock No		
ALU430	430mm single track socket rail	
ALU1000-1	1 metre single track socket rail	
ALU1000-4	1 metre four track socket rail	



#### TC450 Barn style tool box

TC540 cantilever tool box.

Lockable barn style tool box supplied complete with base mat, tote tray, rubber feet, 3 removable aluminium clip rails, 30 1/4" drive socket clips, 30 3/8" drive socket clips and 30 1/2" drive socket clips. Also available as a complete kit (stock number TC187) including 1/4", 3/8" and 1/2" drive sockets and accessories together with combination spanners, pliers and screwdrivers. (450x200x200mm (closed), 5.5 kilos).



Aluminium Sections →

Separate Socket Clips.

Stock no.	Description	
ALU14	10 x 1/4" drive socket clips	
ALU38	10 x 3/8" drive socket clips	
ALU12	10 x 1/2" drive socket clips	
ALU34	10 x 3/4" drive socket clips	







6 individual magnets each with a capacity of 450 grams combined in a rail especially designed for fixing to Teng Tools roller cabinets, also suitable for wall mounting or other tool boxes. Ideal for hanging up tools while working. (457x52x17mm, 0.6 kilos)



#### **TCDIVS** 4 Piece Divider Set for Top and Middle Box Drawers

4 piece black divider set for top and middle box drawers. Sizes: 570x40x3mm 2 pieces, 272x40x3mm 2 pieces.



#### **TCDIVL** 4 Piece Divider Set for Roller Cabinet Drawers

4 piece black divider set for roller cabinet drawers (also fits TC805NFX deep drawer top box).
Sizes: 570x40x3mm 2 pieces, 375x40x3mm 2 pieces.



#### **TC-MAT** Non Slip Tool Mat

Teng

Rubber mat for placing in tool boxes, on a roller cabinet, a work top or in tool box drawers, etc. Resistant to oil and grease. Cut to required format. Supplied in 2 meter rolls measuring 45cm and 2mm thick.



#### **TCF01** Brackets for Middle Boxes

This set of brackets is used to secure a middle box to a roller cabinet and prevent it from tipping when moving from one location to another.



#### TCF02 Brackets for Top Boxes

This set of brackets is used to secure a top box to a roller cabinet and prevent it from tipping when moving from one location to another



#### TCW-D3 Add on cantilever drawer section

A set of three drawers in a cantilever type box for fixing to the side of any Teng Tools roller cabinet. Two drawers measure 460x90x50mm with a third deeper drawer measuring 460x90x110mm. (External dimensions 515(W)x350(H)x142(D)mm, 5.8 kilos). If mounted on a roller cabinet with a back panel fitted it is necessary to use the TCW-SP01 side plate to fix side accessories such as this set of drawers.



#### **TCW-CAB** Side Cupboard

A lockable side cabinet with fixing points for fitting to the side of Teng Tools roller cabinets (fittings included). Ideal for storing aerosols, and bulkier items. Fitted shelf included. External dimensions 400 (W) x 200 (D) x 500mm (H)



#### TCW-CAB01 7 Drawer Side Cabinet

A lockable 7 drawer side cabinet for adding to the side of any Teng Tools roller cabinet. Ideal for adding extra secure storage with the drawers lockable with a combination lock. If mounted on a roller cabinet with a back panel fitted it is necessary to use the TCW-SP01 side plate to fix side accessories such as this cabinet. External dimensions 382mm (W) x 795mm (H) x 460mm (D), overall weight 40.5 kilos.

	Width	Depth	Height	Capacity
	(mm)	(mm)	(mm)	(kilos)
Overall	382	460	795	
Drawer 1	288	380	75	20
Drawer 2	288	380	75	20
Drawer 3	288	380	75	20
Drawer 4	288	380	75	20
Drawer 5	288	380	75	20
Drawer 6	288	380	150	20
Drawer 7	288	380	150	20



#### **TCW-CAB02** Side Cabinet

A lockable side cabinet for adding to the side of any Teng Tools roller cabinet. Ideal for adding extra secure storage with the sliding drawer lockable with a combination lock. If mounted on a roller cabinet with a back panel fitted it is necessary to use the TCW-SP01 side plate to fix side accessories such as this cabinet. External dimensions 382mm (W) x 795mm (H) x 460mm (D), overall weight 33 kilos.







#### **TCW-CAB03** Side Cabinet

**TCW-CAB04** Shelving unit

(795(H)x382(W)x460(D), 10.5 kilos.

**TCTMC** Top Box Trolley

side plate to fix side accessories such as this cabinet.

A lockable side cabinet for adding to the side of any Teng Tools roller cabinet. Ideal for adding extra secure storage with two shelves and the door lockable with a combination lock. If mounted on a roller cabinet with a back panel fitted it is necessary to use the TCW-SP01 side plate to fix side accessories such as this cabinet. External dimensions 382mm (W) x 795mm (H) x 460mm (D), overall weight 22.5 kilos.





**TCSMC** Side Cabinet Trolley

Ideal for converting the Teng Tools 382x460mm side cabinets in to a free standing cabinet with two fixed and two swivel castors with brakes. (3.4 kilos)

A shelving unit for adding to the side of any Teng Tools roller cabinet. Ideal for adding easy access storage with three open shelves. If mounted on a roller cabinet with a back panel fitted it is necessary to use the TCW-SP01

The ideal way to move a regular size Teng Tools top box or middle box around with two fixed and two swivel castors with brakes. (3.5 kilos)



#### **Side Shelves for Roller Cabinets**

Shelves that can be easily fixed to any flat ferrous metal surface using powerful magnets, ideal for using on the side of a Teng Tools roller cabinet.

Stock No.	Width (mm)	Depth (mm)	Height (mm)
580C	310	115	31
580D	210	115	31



powerful magnets, ideal for using on the side of a Teng Tools roller cabinet to store small components, etc.

Stock No.	Diameter	Weight	
	(mm)	g	
580Q	112	191	
580R	150	400	

#### **Side Trays for Roller Cabinets**

Trays that can be easily fixed to any flat ferrous metal surface using powerful magnets, ideal for using on the side of a Teng Tools roller cabinet.

Stock No.	Width (mm)	Depth (mm)	Height (mm)	No of magnets	Weight
580K	230	98	136	2	625
580M	460	98	136	4	1,194



#### Can and Bottle Storage Trays for Roller Cabinets

Trays that can be easily fixed to any flat ferrous metal surface using powerful magnets, ideal for using on the side of a Teng Tools roller cabinet to store bottles, aerosol cans, etc.

Stock No.	Width (mm)	Depth (mm)	Height (mm)	No of magnets	Weight g
580CK	230	98	136	2	625
580CM	460	98	136	4	1,194
580CN	640	98	136	6	1,232



# **Magnetic Plastic Bowls**

Plastic trays that can be easily fixed to any flat ferrous metal surface using

Stock No.	Diameter (mm)	Weight g
580Q	112	191
580R	150	400



## **Side Trays for Roller Cabinets**

A handy tray that can be easily fixed to any flat ferrous metal surface using a powerful magnetic strip, ideal for using on the side of a Teng Tools roller cabinet.

Stock No.	Width (mm)	Depth (mm)	Height (mm)
580.I	410	90	100



## **TCNBC** Set of 5" Roller Cabinet Castors

A set of four 5" (125mm) black castors with needle bearings and fixing plate. 2" (50mm) wide wheels give additional stability and strength with a capacity of 170 kilos per castor or 500 kilos for the set of four. Two fixed wheels and two swivel with two stage brakes. Suitable for use with Teng Tools roller cabinets.







A pair of 4" (100mm) swivel castors with fixing plates to suit any Teng Tools roller cabinets. Particularly useful for replacing fixed wheels when the roller cabinet needs to be manoeuvred in and out of confined spaces such as under a work bench. Maximum load per castor 80 kilos.

TCW-SW Pair of 4" Roller Cabinet Castors



#### **Wooden plates for Roller Cabinets**

37mm thick work tops in laminated wood for converting roller cabinets for use as a work bench. Three sizes available to suit different roller cabinets.

Stock No.	Length (mm)	Depth T (mm)	hickness (mm)	Suitable for
TC-TB02	672	460	37	TCW803N, TCW804N,
				TCW806N, TCW806N1,
				TCW807N, TCW808N,
				TCW810N, TCW707EV,
				TCW907X.
TC-TB03	948	155	18	TCW207N
TC-TB01	1,354	462	37	TCW806LN, TCW809N



### **TCDSH** Pair of Handles for Top Boxes and Middle Boxes

A pair of side handles with soft grip for use with Teng Tools top boxes and middle boxes.



#### **TCRFH Soft Grip Handle for Roller Cabinets**

A replacement side handle for Teng Tools roller cabinets. The soft grip handle gives improved comfort.



#### **TC-COVER** Top Box Cover

Tool box cover for Teng Tools 3, 4 and 6 drawer top boxes.



#### **TC-COVER1** Tool Box Cover

Tool box cover for tool kits and stack systems using the Teng Tools top box, middle box and 7, 8 or 10 drawer roller cabinets.



#### **TC-WC02** Roller Cabinet Cover

Tool box cover for the Teng Tools standard width/height roller cabinets



#### **ST-TTP01** Drawer labels

A set of 156 different images of the Teng Tools TC, TTD, TTPS, TTX and EVA tray ranges. Each individually cut out and with a high quality adhesive backing for sticking to tool box drawers.



#### **TCA02** Side Shelf for Roller Cabinets

A 300mm wide shelf for adding to the side of a Teng Tools roller cabinet. (455x300mm, 3.0 kilos)



#### TCA01 Sidetable, Paper Roll Holder

Side Table and Paper holder. Made to fit on the side of all Teng Tools Roller Cabinets (paper not included). Size 370x370mm, maximum width of paper roll 360mm.







# Tools 0

#### TC-LOCK3 Three Lock Set

A set of three locks with one set of keys, ideal for EV type Mega Master tool kits or TC816SV stack systems for owners who want one key to fit all boxes.

#### **TC-LOCK5** Five Lock Set

A set of five locks with one set of keys, ideal for stack system owners who want one key to fit all boxes. Includes 3 regular locks and 2 locks with bar fittings together with one pair of keys which allows conversion of all standard stack systems. Full details of which lock type fit which tool box or cabinet are shown below

#### **Locks for Tool boxes**

3 different type locks for different tool boxes and cabinets. Please see table below for more information.

Stock No.
TCDRK
TCPRK
TCWPRK

## Locks for Tool Boxes →

#### **TC-BKEY** Replacement Key Blanks

A pack of three blank keys for local cutting as spare keys for Teng Tools tool boxes with key locks.



#### **Combination Locks for Tool Boxes**

In 2009 Teng Tools changed the design of the 8 series tool boxes to incorporate combination locks rather key locks. These locks are also available as spare parts but cannot be retro fitted to replace key locks as the fixing position and mechanism is different. The table below shows which replacement lock is required for each of the 8 series tool boxes and roller cabinets.

Stock No.	
TC-90CLOCK	
TC-180CLOCK	

#### Combination Locks for Tool Boxes →

# Which Combination Lock?

Tool box	Description	Regular lock	Bar type lock
TC805NFX	5 drawer top box	TC-90CLOCK	
TC806NF	6 drawer top box	TC-90CLOCK	
TC806NGM	6 drawer top box	TC-90CLOCK	
TC803N	3 drawer middle box		TC-180CLOCK
TC803NBK	3 drawer middle box		TC-180CLOCK
TCW803N	3 drawer roller cabinet		TC-180CLOCK
TCW803N	cupboard	TC-90CLOCK	
TCW804N	4 drawer roller cabinet		TC-180CLOCK
TCW806N	6 drawer roller cabinet		TC-180CLOCK
TCW806N1	6 drawer roller cabinet		TC-180CLOCK
TCW807N	7 drawer roller cabinet		TC-180CLOCK
TCW810N	10 drawer roller cabinet		TC-180CLOCK
TCW810NB	( 10 drawer roller cabinet		TC-180CLOCK
TC810N	10 drawer double width top be	X TC-90CLOCK	
TCW207N	7 drawer 37" wide roller cabir	net	TC-180CLOCK
TCW806LN	6 drawer double width roller cal	inet	TC-180CLOCK
TCW809N	9 drawer double width roller cal	inet	TC-180CLOCK

#### Which Combination Lock? - Continued

Tool box	Description	Regular lock	Bar type lock
TCW-CAB01	Side cabinet		TC-180CLOCK
TCW-CAB02	Side cabinet		TC-180CLOCK
TCW-CAB03	Side cabinet	TC-90CLOCK	

#### Which Key Type Lock?

6 drawer top box	TCPRK	
	101111	
3 drawer middle box		TCDRK
7 drawer roller cabinet		TCDRK
Side cupboard	TCPRK	
	3 drawer middle box 7 drawer roller cabinet	3 drawer middle box 7 drawer roller cabinet

Note: It is not possible to interchange key locks and combination locks. The locks are only available as replacements for existing locks.









# Stock no. Description TCW-HK10 7 x 90°, 3 x 45° hooks

Hooks for Teng Tools Side plates and tool panels

TCW-HK02 10 double books TCW-HK20 4 x 45° single, 4 x 45° double hooks, 4 x 90° single, 4 small and 4 large spring clips TCW-HK45 10 45° hooks for TCW-SP side plate TCW-HK90 10 90° hooks for TCW-SP side plate TCW-HKAIR 10 air tool hooks for TCW-SP side plate

A side plate that need to be used on the side of Teng Tools roller cabinets if a back panel is used and hooks and hook on accessories or add on units such as side cabinets are to be added to the side of the roller cabinet. (805(H)x4560(W)x25(D)mm, 6.5 kilos).

Specially produced roller cabinet side plate measuring 460x640mm to suit Tena Tools roller cabinets. A support leg and carrying handle are built in enabling the Side Plate to be used as a portable or stand alone tool rack. (fully patent and design protected).

TCW-HKB 10 large spring clip hooks

**TCW-SP** Roller Cabinet Side Plate

**TCW-SP01** Roller Cabinet Side Plate



# DO'S AND DONT'S OF TOOL STORAGE

Keep it covered Use the Teng Tools tool box covers or another suitable cover to protect the tool boxes when they are not been used.

Make it secure

If you are building a stack system use the Teng Tools TCF01 and TCF02 fixing brackets and fixings provided to secure each component to the stack

Water and chemical damage

If any liquid spills on to the paint surface inside or outside the tool box clean it off immediately to protect the paint surface

Spread the weight of tools between the drawers and put the heavier tools in the lower drawers

Regular maintenance The drawer runners, ball bearing slides, hinges, locks, etc should all be lubricated with a light oil on a regular basis

Repair or replace any damaged parts

All moving parts are subject to wear and should be replaced when worn – Teng Tools offer a full spare parts programme, full details

On't overload your tool box

Never overfill drawers or put too much weight in one drawer

are available from your local Teng Tools stockist

On not lift more than you should

Follow established rules and guidelines - if it is more than 25 kilos you should not lift it on your own

Don't climb on the tool boxes

Tool boxes are for storing tools do not use them as a ladder

Be aware of the balance of your tool box, opening more than one drawer at a time can cause it to tip over

Do not shake the tool boxes about

If the tool box has to be transported in a vehicle it should be fixed down firmly as the drawers, wheels and welding points can all be damaged by being bounced round

When wheeling over an uneven surface be careful as this can also lead to damage particularly if the tool box is heavily loaded.







#### STORAGE

#### TC-3 case

Practical case measuring 470x320x65 mm. Holds 3 TT sets and is simple to carry.



#### Service case

Tool case with castors and telescopic handle. Holds a full 9 TT sets and is equipped with soft castors and a telescopic handle.



#### Top boxes

The range includes 8 different types of top boxes. Use it separately or on the top of your roller cabinet. Holds  $12~\mathrm{TI}$  sets and other special tools.




#### Middle boxes

The middle boxes are ideal on the roller cabinet and with a top box above. Or why not as separate tool storage. Holds 12 TT sets.



#### Roller cabinet

The range includes 9 different roller cabinets in two different heights and with a different number of drawers. The smaller models can hold 15 TT sets and in the largest a full 50 TT sets.



The range includes 2 different cabinet widths to choose from. They are supplied with a hard-wearing worktop and hold up to 48 TT sets.



#### TOOL SETS

#### TT set

Tool set with removable cover.
There are more than 92 different TT sets to choose from in the range. Can be used as a separate tool set or as a part of the concept. 142x265 mm.



#### TTD set

Tool set with removable cover, double the width of a TT set. 12 different sets to choose from. Can be used as a separate tool set or as a part of the concept. 285x265 mm.



#### TTZ set

The size of the 2 new trays is exactly half that of a TTX tray.  $285 \times 110$  mm.



#### TTX set

As wide as the drawer in a roller cabinet.

30 in the range. 570x115 mm.



#### TTPS set

As large as the drawer in a top boxes. 5 in the range. 560x265 mm.



#### TTEVA set

Same size as the drawer in the roller cabinet.

Manufactured of EVA foam in three different coloured layers and with recesses for tools. There are 19 different options to choose from. 560x375 mm.



#### TEL

Tool sets with soft EVA foam inserts. With removable cover, can be used as a separate tool set or as a part of the concept. There are 19 options to choose from. 285x265 mm.
There are also 14 TEX: TTX trays

with soft EVA foam inserts.

570x115 mm



# GET ORGANISED



- 1. Choose the storage
- 2. Choose the tool sets
- 3. Snap together and place in the drawer



#### TTALU 32 piece clip rail set

Set consisting of two aluminium sections on which socket clips can be attached. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The bottom of the case is covered with a protective mat. (265x142x50mm, 0.65 kilos)

Accessories  $2 \times 260$ mm aluminium rails,  $10 \times 1/4$ " drive socket clips,  $10 \times 3/8$ " drive socket clips,  $10 \times 3/8$ " drive socket clips



#### **TT00 Storage Tray**

Plastic TC tray with removable lid. Protective mat in the bottom. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. Also contains a holder for screwdrivers and spanners. (265x142x50mm, 0.24 kilos)

Supplied with removable clip holders for spanners and screwdrivers



#### **TT01 Storage Tray**

Storage tool tray with 7 separate compartments for easy storage. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.24 kilos)

Supplied with PS tray with 7 separate compartments



#### TT02 Storage Trav

Tools

Teng

Storage tray with removable lid. 2 separate compartments for easy storage. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.24 kilos)

Supplied with PS tray with 2 separate compartments



#### **TT03** Storage Tray

Storage tray with removable lid. 4 separate compartments for easy storage. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.24 kilos)

Supplied with PS tray with 4 separate compartments



#### **TT04** Storage Tray

Storage tray with removable lid. 6 separate compartments for easy storage. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.24 kilos)

Supplied with PS tray with 6 separate compartments



#### **TTD00** Storage Tray

Double TC size storage tray with removable lid. 4 compartments for easy storage. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (264x284x50mm, 0.6 kilos)

Supplied with PS tray with 4 separate compartments



#### **TTD01** Storage Tray

Double TC tray size storage tray with removable lid. 8 compartments for easy storage. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (264x284x50mm, 0.6 kilos)

Supplied with PS tray with 8 separate compartments



#### TTD02 Storage Trav

Double size storage tray with removable lid. 16 compartments for easy storage. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (264x284x50mm, 0.6 kilos)

Supplied with PS tray with 16 separate compartments



#### TTX00 Storage Tray

TTX storage tray. Protective mat in the bottom. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x40mm, 0.3 kilos)

For use as a general storage tray



#### TTX01 Storage Tray

Storage tray with separate compartments for easy storage. Supplied in the unique Teng Tools TC tray for use on it's own or as part of the Teng Tools TC control system. (570x115x40mm, 0.4 kilos)

Supplied with PS tray with 6 separate compartments







Storage tray with removable lid. 4 separate compartments for easy storage. Supplied in the unique Teng Tools TC tray for use on it's own or part of the Teng Tools TC control system. (570x115x40mm.- 0.4 kilos)

Supplied with PS tray with 4 separate compartments



#### **TTX03** Storage Tray

Storage tray with removable lid. 8 separate compartments for easy storage. Supplied in the unique Teng Tools TC tray for use on it's own or part of the Teng Tools TC control system. (570x115x40mm, 0.4 kilos)

Supplied with PS tray with 8 separate compartments



#### TTZ01 Storage Tray NEW

A storage tray half the size of a TTX tray with six individual compartments for easy storage. Can be used on it's own or as part of the Teng Tools TC control system. (285x115x40mm, 0.23 kilos)



#### TT1435 1/4" drive socket set

Set containing 11 regular 6 point sockets, 6 deep 6 point sockets, 11 screwdriver bits, ratchet handle, universal joint, 2" and 4" extension bars, 1/4" coupler adaptor, 3/8"-1/4" adaptor and 1/4" screwdriver handle. Supplied in the unique Teng Tools TC tray with dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.0 kilos)

,		,	
Accessories	1/4" drive		Ratchet, universal joint, 2" and 4"extensions, coupler adaptor, 3/8" F:1/4"M T bar adaptor, 6" spinner handle
Regular socket	s1/4" drive	6 point	4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
Deep sockets	1/4" drive	6 point	6, 7, 8, 10, 12, 13mm
Bits	1/4" hex		TPX10, 15, 20, 5mm, 6 mm hex, PH1, PH2, PZ1, PZ2,
			4 mm. 5.5 mm flat



#### TT3819 3/8" drive socket set

Set containing 13 regular 6 point sockets, ratchet handle, universal joint, 3" wobble extension bar, 10" spinner handle with 3/8" drive at both ends, 1/2"-3/8" adaptor and 1/4" coupler adaptor. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system.

(265x142x50mm, 1.0 kilos)

Accessories	3/8" drive	Ratchet, universal joint, 3" wobble extension, 10" rotating spinner handle 1/2" F:3/8" M T bar adaptor, coupler adaptor	dle,	
Regular socke	ts 3/8" drive	6 point 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm		



# TT3816 3/8" drive deep sockets

Set containing 16 deep 6 point sockets 3/8" drive. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.5 kilos)

Deep sockets 3/8" drive 6 point 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm



#### TTAF32 1/4" & 3/8" AF socket set

Set containing 1/4" and 3/8" drive 6 point sockets, regular and deep. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.36 kilos)

Regular sockets	1/4" drive	6 point	3/16" 7/32"	1/4" 9/3	2" 5/16" 11/32	" 3/8" 7/16"	1/2"
Deep sockets	1/4" drive	6 point	3/16" 7/32"	1/4" 9/3	2" 5/16" 11/32	" 3/8" 7/16"	1/2"
Regular sockets	3/8" drive	6 point	3/8" 7/16"	1/2" 9/1	6" 5/8" 11/16	" 3/4"	
Deep sockets	3/8" drive	6 point	3/8" 7/16"	1/2" 9/1	6" 5/8" 11/16	" 3/4"	



#### TTTX30 3/8" drive TX/TPX/TXE socket set

30 piece 3/8" drive bit socket set containing 28 TX, TPX and TX-E socket bits for internal and external heads plus 3/8" -1/4" adaptor, and 3" extension bar 3/8" drive. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

Accessories	3/8" drive	3" extension, 3/8"F:1/4"M adaptor
TX bit sockets	3/8" drive	TX10, 15, 20, 25, 27, 30, 40, 45, 50
TPX bit sockets	3/8" drive	TPX10, 15, 20, 25, 27, 30, 40, 45, 50
TX-E sockets	1/4" drive	E4, E5, E6, E7, E8
	3/8" drive	E10, E12, E14, E16, E18



leng Tools

#### TTBS35 1/4" & 3/8" drive bit socket set

35 piece 1/4" and 3/8" drive set containing 33 bits for hex, TX, PH, PZ and flat type, plus 2 adaptors. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.25 kilos)

Bits sockets	1/4" drive	PHO, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 4.5mm flat,
DIG SUCKCIS	n- unic	7mm flat, TX10, TX15, TX20, TX25, TX27, TX30, TX40
Hex bit sockets	3/8" drive metric	3, 4, 5, 5.5, 6, 7, 8, 10, 12mm
Hex bit sockets	3/8" drive AF	1/8" 5/32" 3/16" 7/32", 1/4" 5/16" 3/8"
Accessories		1/4"F:3/8"M adaptor, 3/8"F:1/4"M adaptor



#### TTXTB05 3/8" drive extra long swivel spark plug set

5 piece set with 3/8" drive extra long swivelling spark plug sockets and a T bar with handle. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.5 kilos)

14, 16, 21mm	
2 piece T bar handle	Accessories
2 piece T bar handle	







# **Tool Control System**

#### TTXTB09 3/8" drive extra long socket set

9 piece set with 3/8" drive sockets and a T bar with handle. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.5 kilos)

Extra long sockets	8, 10, 12, 13, 14, 17, 19mm	
Accessories	2 piece T bar handle	



#### TT1205 1/2" drive ratchet & accessories

1/2" drive accessories set containing ratchet handle with quick release and twist reverse. Also includes universal joint and 5" and 10" extensions. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

Accessories 1/2" drive Ratchet, universal joint, 5" and 10" extensions, 3/8" F:1/2"M T bar adaptor



#### TT1211 1/2" drive deep socket set

Set containing 10 12 point deep 1/2" drive sockets and 10" flex handle. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 2.0 kilos)

Accessories	1/2" drive		10" flex handle
Deep sockets	1/2" drive	12 point	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### TT1217 1/2" drive socket set (12 point)

Socket set containing 12 point sockets. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.8 kilos)

Regular sockets 1/2" drive 12 point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm



#### TT1217-6 1/2" drive socket set (6 point)

Socket set containing 6 point sockets. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.8 kilos)

Regular sockets 1/2" drive 6 point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm



#### TT1218 1/2" drive socket set (12 point)

17 piece metric socket set containing 12 point sockets. Also contains ratchet handle with quick release and twist reverse, 2 1/2" and 6" extension bars, 3/8-1/2" adaptor as well as a universal joint. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Tena Tools TC control system. (265x142x50mm, 2.2 kilos)

Accessories 1/2" drive Ratchet, universal joint, 2½" and 6" extensions, 3/8" F:1/2" M T bar adaptor Regular sockets 1/2" drive 12 point 10, 11, 12, 13, 14, 15, 16,17, 18, 19, 22, 24mm



#### TT1218-6 1/2" drive socket set (6 point)

17 piece metric socket set containing 6 point sockets. Also contains ratchet handle with guick release and twist reverse, 2 1/2" and 6" extension bars, 3/8-1/2" adaptor as well as a universal joint. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system, (265x142x50mm, 2.2 kilos)

Accessories	1/2" drive	Ratchet, univers	al joint, 2½" and 6" extensions, 3/8" F:1/2" M T bar adaptor	
Regular sockets	1/2" drive	6 point	10, 11, 12, 13, 14, 15, 16,17, 18, 19, 22, 24mm	



#### TT1215AF 1/2" Drive AF socket set

Socket set containing 15 regular AF 12 point sockets. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.7 kilos)

Regular sockets 1/2" drive	12 point	3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16"	
		7/8" 15/16" 1" 1%" 1%" 1%" 1%"	



#### TTHEX16 1/2" drive hex bit socket set

Set containing 16 1/2" drive bit sockets for internal hex holes. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.5 kilos)

55mm hex bit sockets	5, 6, 7, 8, 9, 10, 12, 14, 17mm
100mm hex bit sockets	5, 6, 10, 12, 14, 17mm
115mm hex bit sockets	8mm



#### TTHEX23 1/2" drive hex bit socket set

Set containing 20 bits, regular and long, for internal hex holes. Also includes 2 adaptors and a 2mm hex mini screwdriver for tightening the retaining grub screw in the adaptors. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

Adaptors	1/2" drive	10mm hex bit adaptor, 12mm hex bit adaptor
Hex bits 40mm	10mm hex drive	5, 6, 7, 8, 9, 10mm
Hex bits 40mm	12mm hex drive	12, 14, 17, 19mm
Hex bits 75mm	10mm hex drive	5, 6, 7, 8, 9, 10mm
Hex bits 75mm	12mm hex drive	12, 14, 17, 19mm
Accessories		2mm hex mini screwdriver







#### TTTX18 1/2" drive TX bit socket set

Set containing 18 1/2" drive bit sockets for internal TX holes. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.5 kilos)

55mm TX bit sockets	TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60
110mm TX hit sockets	TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60



#### TTTX23 1/2" drive TX bit socket set

Set containing 20 bits, regular and long for internal TX heads. Also includes 2 adaptors and a 2mm hex mini screwdriver for tightening the retaining grub screws in the adaptors. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

Adaptors	1/2" drive	10mm hex adaptor	
		12mm hex adaptor	
Hex bits 40mm	10mm drive	TX20, 25, 27, 30, 40, 45, 50, 55	
	12mm drive	TX60, 70	
Hex bits 75mm	10mm drive	TX20, 25, 27, 30, 40, 45, 50, 55	
	12mm drive	TX60, 70	
Accessories		2mm hex mini screwdriver	



#### TTRS15 1/2" Ribe & XZN socket set

Tools

Teng

Set containing 15 1/2" drive Ribe and Spline bit sockets with a satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.66 kilos)

Ribe bit sockets	100mm	No. 4, 5, 6, 8, 10, 11, 12, 13
XZN bit sockets	100mm	No. 5, 6, 8, 10, 12, 14, 16



#### TTTXH15 1/2" drive hex & TX bit socket set

15 piece set containing 100mm long bit sockets. 9 pieces for internal TX heads and 6 pieces for internal hex holes. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.40 kilos)

TX bit sockets	1/2" drive	TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60
Hex bit sockets	1/2" drive	5mm, 6mm, 7mm, 8mm, 10mm, 12mm



#### **TTXEXT13** Extension bar set

Set containing 6 extension bars (1/4", 3/8" and 1/2" drive), universal joints 1/4", 3/8" and 1/2", 3/8"- 1/4" adaptor, as well as a Thandle and mini screwdrivers for tightening the retaining grub screws in the adaptors. The unique T handle can be used in conjuction with the extension bars to create a comfortable T handle grip for added torque and ease of use. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x40mm, 2.0 kilos)



Accessories	1/4" drive	6" and 12" extensions, universal joint
	3/8" drive	3" wobble extension, 20" extension, universal joint, 3/8"F:1/4"M T bar adaptor
	1/2" drive	3" wobble extension, 20" extension, universal joint
Accessories		T handle grip, 2.0mm hex and 2.5mm hex mini screwdrivers

#### TTX3404 3/4" ratchet & accessories

4 piece 3/4" drive set containing 72 teeth ratchet handle with quick release and twist reverse, two extension bars 200mm and 400mm as well as a sliding T bar. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.1 kilos)



Accessories 3/4" drive Ouick release ratchet handle 200 and 400mm extensions, sliding T bar

#### TTX3404S 3/4" drive ratchet and accessories with safety locking mechanism

4 piece 3/4" drive set containing 72 teeth ratchet handle with quick release and twist reverse, two extension bars 200mm and 400mm as well as a sliding T bar. The accessories incorporate a safety locking mechanism to avoid tools being dropped. Supplied in the unique Tena Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.5 kilos)



3/4" drive Quick release ratchet handle, 200 and 400mm extensions, sliding T bar

#### TTX3414 3/4" drive socket set

14 piece set containing 6 point metric sockets. Chrome vanadium steel. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x74mm, 5.5 kilos)



Regular sockets 3/4" drive 6 point 19, 21, 22, 24, 27, 30, 32, 33, 34, 36, 38, 41, 46, 50mm

#### TTX34AF 3/4" drive AF socket set

14 piece set containing 12 point AF sockets. Chrome vanadium steel. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x74mm, 5.5 kilos)



Regular sockets 3/4" drive 12 point 7/8" 15/16" 1" 1%" 1%" 1%" 14" 1%" 1%" 1%" 1%" 1%" 1%" 1%"

#### **TTADP17** Adaptor set

A set of 17 different adaptors for use with 1/4", 3/8", 1/2" and 3/4" drive sockets and accessories as well as 1/4" hex drive bits. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.3 kilos)

Step up adaptors	3/4"F:1"M, 1/2"F:3/4"M, 3/8"F:1/2"M, 1/4"F:3/8"M
Reducing adaptors	3/4"F:1/2"M, 1/2"F:3/8M, 3/8"F:1/4"M
Coupler bit adaptors	1/4" and 3/8" drive for 1/4" hexagon bits
Hexagon bit adaptors	1/4" and 3/8" drive male adaptors
50mm hex bit adaptors	1/4", 3/8" and 1/2" drive male adaptors
Magnetic bit holders	50 and 70mm length
Chuck bit holders	50mm length with quick release



#### TTDAWM13M 1/2" Drive Compact Impact Gun Set

A 13 piece impact gun set including a compact and lightweight 1/2" drive impact wrench for use in confined spaces together with stubby 1/2" drive impact sockets covering 10 to 24mm. Supplied in the unique Teng Tools double TC tray with removable lid and dove tail joints for use on its own or as part of the Teng Tools TC control system. (265x284x50mm, 3.2 kilos).

Accessories	1/2" drive compact air gun, maximum torque 770Nm		
Stubby impact sockets½" drive	10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm		







1/2" drive impact socket accessory set containing extension bars, universal joint and adaptors. For use with retaining pins and rings. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.05 kilos)

Adaptors		3/8"Fx1/2"M, 1/2"Fx3/4"M, 1/2"Fx3/8"M
Extension Bars	1/2" drive	3", 5" and 10
Universal Joint	1/2" drive	



#### TT9120D 1/2" drive impact socket set

Set containing 20 1/2" drive impact sockets, regular and deep plus locking pins and O-Rings. DIN Standard suitable for industrial use with retaining rings and pins. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 3.2 kilos)

Regular impact sockets	1/2" drive	6 point	13, 15, 16, 17, 18, 19, 22, 24mm
Deep impact sockets	1/2" drive	6 point	13, 15, 16, 17, 18, 19, 22, 24mm
Locking pins			20x3.5mm, 25x3.5mm
0-Rings			3x20mm, 3x24mm



#### TT9207A 1/2" drive impact accessories

1/2" drive impact socket accessory set containing extension bars, universal joint and adaptors. ANSI standard type impact accessories for automotive use. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.05 kilos)

Adaptors		3/8"Fx1/2"M, 1/2"Fx3/4"M, 1/2"Fx3/8"M
<b>Extension Bars</b>	1/2" drive	3", 5" and 10
Universal Joint	1/2" drive	



#### TT9015HX 3/8" & 1/2" drive impact hex bit socket set

15 piece 3/8" and 1/2" drive hex impact socket bit set. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.49 kilos)

Hex impact socket bits	3/8" drive	4, 5, 6, 7, 8, 10, 12mm
Hex impact socket bits	1/2" drive	5, 6, 8, 10, 12, 14, 17mm



#### TT9024 1/4" & 3/8" drive impact socket set

24 piece set containing 1/4" drive regular and 3/8" drive regular and deep impact sockets plus an adaptor. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.07 kilos)

Accessories	3/8" drive		3/8"Fx1/4"M adaptor
Regular impact sockets	1/4" drive	6 point	6, 7, 8, 10, 13mm
Regular impact sockets	3/8" drive	6 point	8, 10, 11, 12, 13, 14, 16, 17, 19mm
Deep impact sockets	3/8" drive	6 point	8, 10, 11, 12, 13, 14, 16, 17, 19mm



TT9212TX 1/2" drive impact TX bit socket set
Set containing 12 1/2" drive TX impact sockets. Suitable for use with retaining rings and pins. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control sytem. (265x142x50mm, 1.36 kilos)

TX impact sockets	1/2" drive	TX 10, 15, 20, 25, 27, 30, 40, 45, 50, 55, 60, 70
-------------------	------------	---



#### TT9116 1/2" drive impact socket set

Set containing 16 1/2" drive impact sockets, regular and deep. ANSI Standard suitable for automotive use. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 2.2 kilos)

Regular impact sockets	1/2" drive	6 point	13, 15, 16, 17, 18, 19, 22, 24mm
Deep impact sockets	1/2" drive	6 point	13, 15, 16, 17, 18, 19, 22, 24mm



#### TTID20 1/2" drive impact driver set

Set containing 1/2" impact driver, coupler adaptor, 5/16"-3/8" hex adaptor as well as 17 bits. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.3 kilos)

Accessories	1/2" drive	reversible impact driver, coupler adaptor, 5/16" hex:3/8" M adaptor
36mm bits	5/16" drive	6mm flat, 8mm flat, 10mm flat,12mm flat, PH1, PH2, PH3, PH4, 4mm hex,
		5mm hex, 6mm hex, 8mm hex, TX30, TX40, TX45, TX50, TX55







# **Teng Tools**

#### TTD9416 3/4" drive impact socket set

3/4" drive impact socket set containing regular sockets 19 to 38mm, plus accessories including extension bar and retaining rings and pins. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x284x50mm, 5.6kilos)

Accessories 3/4" drive 7" impact extension bar, 3 retaining rings, 3 retaining pins Regular impact sockets 3/4" drive 6 point 19 (3/4"), 24, 27 (11/6"), 30 (11/6"), 32, 33, 34, 36, 38mm



#### TTX9415 3/4" drive impact socket set

15 piece set containing 15 metric regular and deep impact sockets to DIN standard. Suitable for use with retaining rings and pins. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x60mm, 9.0 kilos)



Regular impact sockets 3/4" drive 6 point 19, 24, 27, 28, 30, 32, 34, 36mm Deep impact sockets 3/4" drive 6 point 19 (3/4"), 24, 27 (11/16"), 30 (13/16"), 32, 33, 36mm

#### TT8012 Anti slip Combination Spanner Set

12 piece metric combination spanner set featuring a typically Teng new design in combination spanners that gives an anti slip grip on the open end as well as the Teng Tools hip grip function where the spanner drives on the flank of the fastening rather than the corner, two design features that combine to give a much better grip with much less risk of damage to the fastening. The design also gives grip on fastenings with worn or rounded corners. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.2 kilos)

Combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### TT6010M Stubby spanner set

Set of 10 stubby spanners made of chrome vanadium steel. Same dimension at both ends. The 12 point ring head is set at a 15° angle. Satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.0 kilos)

Midget combination spanners 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



12 piece metric spanner set, chrome vanadium steel. Same dimension at both ends. The 12 point ring head is set at a 15° angle. Polished heads. Satin finish. Supplied in the unique Tena Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.7 kilos)

Combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

TT1236 Metric combination spanner set



#### TT3592 AF Combination spanner set

8 piece AF spanner set, chrome vanadium steel. Same dimension at both ends. The 12 point ring head is set at a 15° angle. Polished heads. Satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.0 kilos)

Combination spanners 5/16" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4"



#### TTX2032 Metric combination spanner set

7 piece metric combination spanner set ranging from 20 to 32mm. Chrome vanadium steel. The 12 point ring head is angled at a 15° angle. Satin finish. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x60mm, 2.6 kilos)



Combination snanners



20, 21, 22, 24, 27, 30, 32mm

#### TTX2640 AF combination spanner set

7 piece combination spanner set ranging from 13/16" to 1 1/4". Chrome vanadium steel. The 12 point ring head is angled at a 15° angle. Satin finish. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x72mm, 2.6 kilos)



**Combination spanners** 

13/16" 7/8" 15/16" 1" 11/4" 11/4" 11/4"

#### **TTXLMP12** Extra Long Combination Spanner Set

12 piece extra long combination spanner set ranging from 8 to 19mm. Chrome vanadium, satin finish. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.5 kilos)



Combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### TT6508R Ratcheting combination spanner set

8 piece ratcheting combination spanner set. Combined ring/open ended spanners with 12 point ring. Ratchet with flip reverse and offset by 13° for use on flat surfaces. Same size at both ends. Chrome vanadium. Satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.0 kilos)

8, 10, 11, 12, 13, 14, 17, 19mm



#### TT6511R Ratcheting combination spanner set

11 piece ratcheting combination spanner set. Combined ring/open ended spanners with 12 point ring. Ratchet with flip reverse and offset by 13° for use on flat surfaces. Same size at both ends. Chrome vanadium, Satin finish, Supplied in the unique Tena Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.34 kilos)

Ratchet spanners

8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### TT6508RAF AF Ratcheting spanner set

8 piece ratcheting AF combination spanner set. Combined ring/open ended spanners with 12 point ring ratchet with flip reverse and offset at 13° for use on flat surfaces. Same size at both ends. Chrome vanadium. Satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.18 kilos)

**Tool** 

**Teng** 

Ratchet spanners 5/16" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4"



#### TT6508RF Ratcheting combination spanner set

8 piece flexible ratcheting spanner set. Combined ring/open ended spanner and 12 point ring ratchet with 180° flexible joint. Same size at both ends, open end offset at a 13° angle. Chrome vanadium. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. Satin finish. (265x142x50mm, 1.1 kilos)

Ratchet spanners 8, 10, 11, 12, 13, 14, 17, 19mm



#### TT6508RS Ratcheting combination spanner set

8 piece ratcheting combination spanner set. Combined ring/open ended spanners with 12 point ring. 72 teeth ratchet action for rapid tightening and loosening. Same size at both ends. Chrome vanadium. Satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.14 kilos)

Ratchet spanners 8, 10, 11, 12, 13, 14, 17, 19mm



#### TT6511RS Ratcheting combination spanner set

11 piece ratcheting combination spanner set. Combined ring/open ended spanners with 12 point ring. 72 teeth ratchet action for rapid tightening and loosening. Same size at both ends. Chrome vanadium. Satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.34 kilos)

8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



### TTX6311 Double ring spanner set

11 piece double ring spanner set ranging from 6x7mm to 30x32mm. Chrome vanadium steel. DIN 838/ISO 3318. Satin finish. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x60mm, 2.9 kilos)



Double ring spanners 6 x 7mm, 8 x 9mm, 10 x 11mm, 12 x 13mm, 14 x 15mm, 16 x 17mm, 18 x 19mm, 20 x 22mm, 21 x 23mm, 24 x 27mm, 30 x 32mm

#### **TTXFLS06** Extra Long Double Ring Spanner Set

6 piece extra long double ring spanner set ranging from 8x10mm to 22x24mm. 12 point rings at each end. Chrome vanadium. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.5 kilos)

**Double ring spanners** 

8x10, 11x13, 12x14, 16x18, 17x19, 22x24mm



#### TT6208 Double open ended spanner set

Set of 8 double open ended spanners. Chrome vanadium steel. Polished heads. DIN3110. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.8 kilos)

Double open ended spanners 6x7mm, 8x9mm, 10x11mm,12x13mm, 14x15mm,16x17mm, 18x19mm, 20x22mm



#### TT6506 Double flex wrench set

6 piece double flex wrench set, with different size 12 point sockets at each end. Satin finish. Chrome vanadium. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.57 kilos)

Double flex wrenches

8x9mm, 10x11mm, 12x13mm, 14x15mm, 16x17mm, 18x19mm



### **TTRORS** RORS wrench set

6 fibre reinforced chrome vanadium steel ratcheting offset ring spanners. Double ended with 25° 12 point heads (6-8mm 6 point). Reversible action. Satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system, (265x142x50mm, 1.26 kilos)

RORS wrenches

6 x 8mm, 7 x 9mm, 10 x 13mm, 12 x 14mm, 17 x 19mm, 21 x 22mm







#### TTXQRS07 Quick wrench set

A set of 7 wrenches especially designed for loosening and tightening pipe and hose couplings. Ideal for use in confined spaces. The ring end has a clever design so that it opens up to easily access the nut on the coupling. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system.

(570x115x60mm, 1.88 kilos)



#### TTHP08 Hook wrench set

Set consisting of 3 combined pin/hook spanners with 3 pin adaptors and 2 spare pins with 6 and 8mm diameters. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system.(265x142x50mm, 1.1 kilos)

Hook handles	3/4" to 2", 1 <sup>1</sup> / <sub>4</sub> " to 3", 2" to 4 <sup>3</sup> / <sub>4</sub> "
Pin adaptors	4mm, 5mm, 6mm
Pins	6mm. 8mm



#### TTADJ04 Adjustable wrench set

Set containing 3 Teng Tools adjustable wrenches with TPR grip handles and the 8" wide jaw opening adjustable wrench with vinyl grip. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.37 kilos)

Adjustable wrenches	6" (23.9mm capacity)
	8" (28.6mm capacity)
	10" (32.8mm capacity)
	8" wide jaw (38.6mm capacity)



#### **TTHEX7** T Handle hex key set

Tools

Teng

Set of 7 hex keys with T handle. The ball point head on the long key end improves access. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.72 kilos)

T handle driver	hex/ball point	100mm (long arm)	2.5, 3, 4mm
T handle driver	hex/ball point	150mm (long arm)	5, 6, 7mm
T handle driver	hex/ball point	190mm (long arm)	8mm



#### TTHEX7S Individual Metric T Handle Hex Drivers

Set of hex keys with T handle. Both ends with regular hexagon fitting. (ie. no ball point) Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.8 kilos)

hex point	100mm (long arm)	2.5, 3, 4mm
hex point	150mm(long arm)	5, 6, 7mm
hex point	190mm(long arm)	8mm
	hex point	hex point 150mm(long arm)



#### TTHEX7AF T Handle AF hex key set

Set of 7 hex keys with T handle. The ball point head on the long key end improves access. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.75 kilos)

T handle driver	hex/ball point	100mm (long arm) 3/32" 1/8" 5/32"
T handle driver	hex/ball point	150mm (long arm) 3/16" 7/32" 1/4"
T handle driver	hex/ball point	190mm (long arm) 5/16"



# **Tool Control System**

#### TTTX7 T Handle hex key set

Set of 7 TX keys with T handle. For internal TX heads (also for tamper proof screws). Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Tena Tools TC control system. (265x142x50mm, 0.72 kilos)

T handle driver	TX/TPX	100mm (long arm)TX/TPX10,TX/TPX15, TX/TPX20
T handle driver	TX/TPX	150mm (long arm)TX/TPX25, TX/TPX27,TX/TPX30
T handle driver	TX/TPX	190mm (long arm)TX/TPX40



#### TTHT28 Hex key set

Set of 28 Hex keys, (metric and AF) and TX keys. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1,22 kilos)

Hex keys	mm	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 10.0				
Hex keys	AF	5/64" 3/32" 1/8" 5/32" 3/16" 7/32" 1/4" 5/16" 3/8"				
TX key	TX	TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40				



#### **TTXMDN** Nut driver set

9 piece nut driver set with chrome vanadium steel blades, 6 point opening and ergonomically designed bi-material handles with hanging hole. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x40mm,1.6 kilos)



Nut drivers 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm

#### **TTSD39** Torque screwdriver set

1/4" drive torque screwdriver with "slipper" mechanism for when torque is reached. Supplied with 36 bits. 4" extension bar and bit chuck holder. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.66 kilos)

25mm Bits	1/4" hex	PHO, PH1, PH2, PH3
		PZO, PZ1, PZ2, PZ3
		TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40
		TPX10, TPX15, TPX20, TPX25, TPX30
		ROB1, ROB2, ROB3
		GR PH2x2 pc
		hex 2, 3, 4, 5, 6mm
		flat 3.0x0.5mm, 4.5x0.6mm 5.5x0.8mm, 6.5x1.2mm
Accessories	1/4" drive	torque screwdriver 1-5Nm, 4" extension bar
	1/4" hex	bit chuck holder



#### TTX3892 3/8" Torque Wrench set

22 piece set consisting of a 3/8" drive torque wrench, 10 crow foot wrenches, bit adaptor, 8 TX bits, 3" and 5" extension bars. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x60mm, 0.9 kilos)



Torque wrench	3/8" drive	angular gauge torque wrench (20-110Nm, 15-75 ft/lb)
Accessories	3/8" drive	3" and 5" extensions, adaptorfor 10mm hex bits
TX bits	10mm hex drive	TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40
Crow foot wrench	es 3/8" drive	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm





#### TTX1292 1/2" Torque Wrench set

1/2" drive torque wrench with built in angular gauge (40-210Nm/30-150ft/lb) in a TTX tool tray. Supplied in the unique Teng Tools TC tray for use on it's own or as part of the Teng Tools TC control system. (570x115x60mm, 1.6 kilos)



Torque wrench

1/2" drive angular torque wrench (40-210Nm, 30-150ft/lb)

#### **TTPSTQ04** Preset Torque Wrench set

4 piece 1/2" drive preset torque wrenches, set to 90, 110, 120 and 140Nm. Accuracy to +/- 4%, with rubber handle and supplied with a seperate wall rack. DIN 3122. Supplied in the unique Teng Tools tray for use on it's own or as part of the Teng Tools TC control system. (570x262x73mm, 5.80 kilos)

1/2"drive preset torque wrenches 90, 110, 120, 140Nm



#### **TTXMP12** Torque Multiplier set

A 1292AG-EP 1/2" drive tested and certified 210Nm torque wrench together with an MP1400 torque multiplier that converts the torque at a ratio of 3:1 up to a maximum torque capacity of 1,500Nm with a 3/4" male square drive. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x60mmmm, 4.0 kilos)



Torque wrench	1/2" drive angular gauge covering 40 to 210Nm (1292AG-EP)
Torque multiplier	1/2"F:3/4"M torque multiplier (3 to 1 ratio) and maximum
	torque capacity 1,500Nm (MP1400)

#### **TT917N** 7 Piece Screwdriver set

7 piece screwdriver set including flat as well as PH and PZ types. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.7 kilos)

Screwdrivers	Flat regular	3x75mm, 5.5x75mm,6.5x100mm
Screwdrivers	PH type	PH0x75mm, PH1x75mm,PH2x100mm
Screwdrivers	PZ type	PZ2x100mm



#### TTD914N 14 Piece Screwdriver set

14 piece screwdriver set including flat as well as PH and PZ types. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in the unique Teng Tools double TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x248x50mm, 1.2 kilos)

Screwdrivers	Flat regular	3x75mm, 3.5x100mm, 5.5x75mm, 5.5x125mm, 6.5x38mm stubby, 6.5x100mm
Screwdrivers	PH type	PH0x75mm, PH1x75mm, PH2x38mm stubby, PH2x100mm
Screwdrivers	PZ type	PZ0x75mm, PZ1x75mm, PZ2x38mm stubby, PZ2x100mm



#### TT917TXN 7 Piece Screwdriver set

7 piece driver set covering TX8 through to TXP30. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x14xx50mm, 0.7 kilos)

TX drivers TX type TX8x75mm, TX9x75mm

TPX10x100mm, TPX15x100mm, TPX20x100mm, TPX25x100mm, TXP30x100mm



#### TTD912TXN 12 Piece Screwdriver set

12 piece TX driver set covering TX6 through to TX45. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in the unique Teng Tools double TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x284x50mm, 1.2 kilos)

TX drivers	TX type	TX6x75mm, TX7x75mm, TX8x75mm, TX9x75mm
		TX10x100mm, TX15x100mm, TX20x100mm, TX25x100mm
		TX27x100mm, TX30x100mm, TX40x100mm, TX45x125mm



#### TTMD12D Screwdriver set

Set of 12 interchangeable screwdriver blades including TX, hex as well as Phillips and Pozidrive heads. With chrome vanadium steel blades. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.6 kilos)

Screwdrivers		Changeable handle for 1/4" shank
Screwdrivers	TX Type	TX10xTX15, TX20xTX25,TX30xTX40
Screwdrivers	Hex type	Hex ball 3.0 x Hex 3.0mm, Hex ball 4.0 x Hex 4.0mm,
		Hex ball 5.0 x Hex 5.0mm, Hex ball 6.0 x Hex 6.0mm
Screwdrivers	PH type	PH1 x PH2, PH3 x Flat 6.5mm
Screwdrivers	Flat regular type	4.0 x 5.5mm



### TTMD74 Ratcheting bits driver set

74 piece set including ratcheting bits driver, 6" flexible extension, 69 bits, 4" extension bar, coupler adaptors. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.74 kilos)

Accessories	1/4" drive	ratcheting bits handle including 6 bits PH1, PH2, PZ1, PZ2, 5 & 7mm flat, 6" flexible extension, 4"extension, 1/4" M:1/4" hex adaptor coupler, 1/4" F:1/4" hex coupler adaptor.
25mm hex bits 1/4	" hex drive	TX6, 7, 8, 9, 10, 15, 20x3, 25x3, 27, 30, 40.TPX10, 15, 20x2, 25x2, 27, 30, 40. 2, 3, 4, 5, 6, 8mm hex, 0.6x3.5, 0.6x4.5, 0.8x4.0, 0.8x5.5, 1.0x5.5, 1.2x5.0, 1.2x6.5, 1.4x7.0, 1.6x8.0mm flat,PH1x4, PH2x7, PH3x1, PZ1x4,PZ2x7, PZ3x1, 1, 2, 3 souare. GR







102

# Tools Teng

#### **TTMDRT64** Angled Ratcheting bits Driver Set

64 piece set including jointed bits driver with adjustable angle setting, 11 regular 1/4" drive metric sockets and 52 bits. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.85 kilos).

Accessories	1/4" drive	ratcheting bits handle including 7 bits 5 & 7mm flat, PH1, PH2, PZ1, PZ2, ¼"M:1/4" hex adaptor.
Regular sockets	1/4" drive	4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
25mm bits	1/4" hex drive	0.6x3.5, 0.6x4.5, 0.8x4.0, 0.8x5, 0.8x5.5, 1.0x5.5, 1.2x6.5, 1.2x7.0, 1.6x8.0 flat, PH1 x 4, PH2 x 4, PH3 x 2, PZ1, PZ2 x 3, PZ3 x 2, TX6, TX7, TX8, TX9, TX10, TX15, TX20 x 3, TX25 x 3, TX27, TX30, TX40, 2, 3, 4(x 3), 5, 6, 8mm hex, 1, 2, 3 square.



#### TTXMD41N Flexible handle 1/4" drive Socket and Screwdriver Bit Set NEW!

Set of two flexible drivers together with 1/4" drive sockets and a selection of the most commonly used screwdriver bits. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 1.36 kilos)

Accessories		555mm flexible spinner handle with 1/4" drive, 555mm flexible bits driver with 1/4" hex drive, $1/4$ " x $1/4$ " hex adaptor
Regular sockets	1/4" drive	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
25mm hex bits	1/4" hex drive	0.8x4.0, 1.0x5.5, 1.6x8.0mm flat, PH0, PH1, PH2, PH3,
		PH4, PZ0,PZ1, PZ2, PZ3, TX8, TX10, TX15, TX20, TX25,



#### **TTX918N 8 Piece Screwdriver Set**

8 piece screwdriver set including flat, regular and PH types with ergonomically designed bi-material handle with hanging hole. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x40mm, 1.0 kilos)



Screwdrivers Flat regu	ar 6.5 x 38mm stubby, 3 x 100mm, 6.5 x 100mm, 10 x 200mm,
	5.5 x 150mm, 8 x 150mm
Screwdrivers PH type	PH2 x 38mm stubby, PH3 x 150mm

#### **TTXMDTN**

#### 5 Piece Power Thru Screwdriver Set

5 piece power thru screwdriver set including flat, regular and PH types with ergonomically designed bi-material handle with hexagonal power thru blade and percussion cap in head of the handle. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x40mm, 1.4 kilos)



Power thru screwdrivers	Flat regular	6.5 x 100mm, 8 x 150mm, 10 x 200mm
	PH type	PH2 x 100mm, PH3 x 150mm

#### TTV706N 1,000 Volt Insulated Screwdriver With Reduced Blade Diameter Set

All produced and tested according to the EN60900 standard. Approved for working up to 1,000 volt AC. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.60 kilos)

Screwdrivers PH type PH1x80, PH2x100mm	0.8x4.0x100, 1.0x5.5x125mm	Flat type	Screwdrivers
Scroudrivers D7 type D71v80 D72v100mm	PH1x80, PH2x100mm	PH type	Screwdrivers
Screwarivers F2 type F21x00, F22x100fillii	PZ1x80, PZ2x100mm	PZ type	Screwdrivers



#### **TTV907N** Insulated Screwdriver Set

Set of seven 1.000 volt insulated screwdrivers including flat as well as PH and PZ types. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. All produced and tested according to the EN60900 standard. Approved for working up to 1,000 volt AC. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.65 kilos)

Screwdrivers	Flat type	2.5x75mm, 4.0x100mm, 5.5x125mm
	PH type	PHO x 60mm, PH1 x 80mm, PH2 x 100mm
	PZ type	PZ2 x 100mm

#### TTDV910N 10 Piece Insulated Screwdriver Set

Set of ten 1,000 volt insulated screwdrivers including flat as well as PH and PZ types. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. All produced and tested according to the EN60900 standard. Approved for working up to 1,000 volt AC. Supplied in the unique Teng Tools double TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x284x50mm, 1.2 kilos)

Screwdrivers	Flat type	2.5x75mm, 3.0x100mm, 4.0x100mm, 5.5x125mm
	PH type	PHO x 60mm, PH1 x 80mm, PH2 x 100mm
	PZ type	PZ0x60mm, PZ1x80mm, PZ2 x 100mm



#### TTMI16 Mini plier & screwdriver set

Set containing 12 mini screwdrivers and 4 mini pliers. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.71 kilos)

Screwdrivers	Flat regular	2.0, 2.4, 3.0
	PH type	PH00, PH0, PH1
	TX type	TX6, TX7, TX8, TX9, TX10, TX15
Pliers		4 1/2" side cutter, 4 1/2" end cutter, 5" long nose, 5" flat nose



#### TT440 Plier set

Set of 4 Mega Bite pliers: water pump pliers, combination pliers, side cutters and long nose pliers. Made of chrome molybdenum steel. Plastic covered handles. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

D.I.	011				011		4011	
Pliers	6"	side cutter,	1"	combination,	8″	long nose,	10" water	pump



#### TTD441 8 Piece Plier Set

8 piece plier set made of chrome molybdenum with plastic covered handles for grip and comfort. Includes side cutters, combination pliers, long nose pliers and water pump pliers. Supplied in the unique Teng Tools double TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x284x50mm, 1.8 kilos)

Side cutters	heavy duty	6", 8" (2.5mm/3.0mm piano wire cutting capacity)
Combination pliers	high leverage	6", 8" (1.6mm/2.0mm piano wire cutting capacity)
Long nose pliers		6", 8" (1.0mm/1.5mm piano wire cutting capacity)
Water pump pliers		7", 10" (25mm/38mm capacity)







104

# **Teng Tools**

#### TT440-T Plier set

Set of 4 Mega Bite pliers: water pump pliers, combination pliers, side cutters and long nose pliers. Chrome molybdenum steel with TPR grips. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.3 kilos)

TPR grip handles 6" side cutter, 7" combination, 8" long nose, 10" water pump



#### TTD441-T 8 Piece Plier Set

8 piece plier set made of chrome molybdenum with TPR grip bi-material handles for extra grip and comfort. Includes side cutters, combination pliers, long nose pliers and water pump pliers. Supplied in the unique Teng Tools double TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x284x50mm, 2.0 kilos)

Side cutters	heavy duty	6", 8" (2.5mm/3.0mm piano wire cutting capacity)
Combination pliers	high leverage	6", 8" (1.6mm/2.0mm piano wire cutting capacity)
Long nose pliers		6", 8" (1.0mm/1.5mm piano wire cutting capacity)
Water pump pliers		7", 10" (25mm/38mm capacity)



#### TTXMB02 Water Pump Plier and Adjustable Wrench Set

Two really handy tools in one TTX tray for use on it's own or as part of the Teng Tools TC control system. The set includes the MB482-10Q Quick adjust 10" water pump plier and the 4003J 10" "Alligator" adjustable wrench with pipe grip. (570x115x40mm, 1.0 kilos).

Wrenches	10"	Alligator adjustable
Pliers	10"	Quick action water pump



#### TTV440 Insulated plier set

4 piece Mega Bite insulated plier set, all produced and tested according to the EN 60900 standard. Approved for live working up to 1000 volt AC. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

Pliers 6" side cutter (capacity 0.5mm piano wire) 7" combination (capacity 2.0mm piano wire), 8" long nose, 7" wire stripper (capacity 0.2-3.0mm).



#### TT474-5 Circlip plier set

Set consisting of 4 Mega Bite circlip pliers (2 straight tip and 2 bent tip pliers for internal and external circlips). Fitted with return spring. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.5 kilos)

5" Circlip pliers	inner/straight (10 to 25mm capacity)	inner/bent (10 to 25mm capacity)	
	outer/straight (10 to 25mm capacity)	outer/bent (10 to 25mm capacity)	



#### TT474-7 Circlip plier set

Set consisting of 4 Mega Bite circlip pliers (2 straight tip and 2 bent tip pliers for internal and external circlips). Fitted with return spring. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.0 kilos)

7" Circlip pliers inner/straight (19 to 60mm capacity) inner/bent (19 to 60mm capacity) outer/straight (19 to 60mm capacity) outer/bent (19 to 60mm capacity)



#### TT474-7E 7" Circlip Pliers Set NEW!

Set consisting of 4 circlip pliers with invisible spring design with non slip bearing steel points for heavy duty applications. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joint for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.924 kilos)

7" Circlip pliers inner/straight (19 to 60mm capacity) inner/bent (19 to 60mm capacity) outer/straight (19 to 60mm capacity) outer/bent (19 to 60mm capacity)



#### TTX474-9 Circlip plier set

4 piece Mega Bite circlip plier set consisting of 2 straight tip and 2 bent tip pliers for internal and external circlips. Fitted with return spring. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x40mm, 1.5 kilos)



" Circlip pliers inner/straight (40 to 100mm capacity) inner/bent (40 to 100mm capacity) outer/straight (40 to 100mm capacity) outer/bent (40 to 100mm capacity)

#### **TTVG05** Power grip pliers

Set consisting of 5 power grip pliers: 4", 7" and 10" round jaw, 4" and 6" long nose. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.5 kilos)

Pliers	4" Power Grip Plier
	4" Long Nose Power Grip
	6" Long Nose Power Grip
	7" Power Grip
	10" Power Grip



#### TTZVG03 Power Grip Pliers NEW!

A storage tray half the size of a TTX tray with three of the most commonly used power grip pliers. Can be used on it's own or as part of the Teng Tools TC control system. (285x115x40mm, 0.56 kilos)

Pliers	4" Power Grip Plier	
	4" Long Nose Power Grip Plier	
	6" Long Nose Power Grip Plier	







# Teng Took

#### **TTPSPG** Welding plier set

4 piece set containing C clamp, welding, sheet metal and 6" long nose power grip pliers. Supplied in the unique Teng Tools PS tray for use on it's own or as part of the Teng Tools TC control system. (540x265x40mm, 2.3 kilos)

Power grip pliers 11" C clamp, 9" welding grip, 8" sheet metal grip, 6" long nose



#### TTNF12 Needle file set

Set of 12 needle files. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system.(265x142x50mm, 0.47 kilos)

Needle files

hand, half round, three square, square, round, flat point, knife type, barrette, crossing, oval, feather edge, round edge flat



#### TTXF05 Hand file set

Set of 5 files, flat, hand, half round, round, three square. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x40mm, 1.0 kilos)

Contains 10" files Flat, Hand, Half Round, Round, Three square



#### **TTDCT05** Cutting tool set

Set containing two tin snips, utility knife, scissors and a HD cable cutter. Supplied in the unique Teng Tools double TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x284x50mm, 2.1 kilos)

	,	
Tin Snips (491)	Straight/right	
Tin Snips (492)	Straight/left	
Utility knife (710N)		
Scissors (497)		
UD Cable Cuttors (406)	Canacity 2AWG	



#### TTK40 Knife Set

A handy set of knives for different uses in one convenient set. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.7 kilos)

Knives utility knife with auto load function	Spare blades 5 x Regular knife blades
folding universal knife	10 x Mini knife blades
folding mini utilty knife	10 x 9mm Snap off blades
hobby knife with 9mm blade	10 x 18mm Snap off blades
hobby knife with 18mm blade	



#### TTOS16 Oil service set

Set consisting of 6 double ended drain plug sockets, 16 and 21mm 6 point spark plug sockets, oil filter wrench, 3" and 10" wobble extension bars, 1/2"-3/8" adaptor, telescopic inspection mirror with magnet and a set of feeler gauges. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.8 kilos)

Accessories	3", 10" wobble extensions, 1/2"F:3/8" Male T bar adaptor, 6 point 21mm socket
Spark plug sockets	3/8" drive 16, 21mm
Drain plug set	bar, 5/16" hex x 3/8" hex, 11mm square x 12mm hex, 17mm hex x 1/2" hex, 8mm square x 3/8" square, 13mm square x 14mm hex, 8mm hex x 10mm hex
Accessories	strap type oil filter wrench, 3 in 1 telescopic inspection tool, 21 piece feeler gauge set (.005 mm - 1.0 mm)



#### **TTSR04** Scraper set

4 piece set consisting of scraper, hooks and an awl. A multi purpose tool kit. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.4 kilos)

Gasket scraper	22mm wide blade, total length 245mm
Hooks & awl	curved hook, 90° hook and awl



#### TTSS07 Specialist socket set

Specialist socket set containing 2 oxygen sensor sockets, injector socket, vacuum switch socket, oil sender socket, heated oxygen sensor socket and offset oxygen sensor socket. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 3.5 kilos)

29mm	1/2" drive	90mm in length	Oxygen sensor socket for GM
22mm	3/8" drive	90mm in length	Oxygen sensor socket for Mitsubishi, Nissan, Opel, Vauxhall and VW
27mm	1/2" drive	85mm in length	Injector socket for M24
7/8	3/8" drive	80mm in length	Vacuum switch socket
111//6	3/8" drive	74mm in length	Oil sender socket
7/8	1/2" drive	50mm in length	Heated oxygen sensor socket
7/8	3/8" drive	30mm in length	Offset oxygen sensor socket



#### TT804 Puller set

Set consisting of a three legged combination puller with an extra yoke for switching to two legged pulling. With reversible legs for internal and external grip. Chrome vanadium. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.2 kilos)

Puller set combination twin/triple 6" leg puller with 4" capacity



#### TTHC03 Hose clamp set

Special designed jaws to prevent internal hose linings from damage. Lightweight, easy to use and non conductive. 3 sizes to fit all types of hose. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.5 kilos)

Hose clamps for hoses 1/4"-3/4", 1/4"-1 1/4", 3/4"-21/4"







#### TTTF10 Flaring tool set

Comprehensive tube flaring kit, suitable for copper, brass and thin walled aluminium tubing. 45° tube press flare pipes from 3/16" to 5/8" diameter. The pipe cutter can cut up to 30mm diameter. Includes spare cutting wheel inside the handle. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.7 kilos)

Pipe Cutter	3-32mm (1/8"- 1½")	
2 piece double	flaring tool set	
Adaptors	4, 4.75 (3/16"), 6 (1/4"), 8 (5/16"), 10,12, 14mm	



#### **TTTS08** Torque Stick Set

8 piece torque stick and wheel nut set, for tightening wheel nuts on cars. When the intended tightening torque is reached, the socket end stops while the drive end springs back between each stroke. Reduces the risk of sheared wheel bolts or deformed rims. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 2.0 kilos)

1/2" Torque sticks	Nm	90, 110, 120, 140
1/2" Wheel nut sockets	mm	17, 19, 21
Torque step up adaptor	inch	3/8 x 1/2



### **TTXPB3** Pry bar set

3 piece pry bar set consisting of 12", 16" and 20" bars. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x40mm, 1.8 kilos)



Roll/heel bars 12", 16", 20"

#### TTXPB3A Pry bar set

3 piece heavy duty pry bar set with Power Thru handles. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 1.8 kilos)



Prv hare	12"	12"	22"	

#### **TTCP121** Crimping Tool Set

Set consisting of crimping tool CP50 with slots for crimping red, blue and yellow terminals and cutters for bolts and wire. Also included in the assortment are 120 terminals of varying types coloured red and blue. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.6 kilos)

Crimping tool	multi function CP50 crimping tool
Terminals/connectors	red #6 ring terminals x 20
	blue #8 spade terminals x 20
	red butt connectors x 20
	blue butt connectors x 20
	blue 6.3x0.8mm female connectors x 20
	blue 6.3x0.8mm male connectors x 20



#### **TTCP04** Crimping tool set

Set consisting of ratchetting crimping tool with interchangeable heads to use on insulated, non-insulated and non-insulated barrel type connectors. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.8 kilos)

Changeable ratchet crimping tool	for insulated terminals 22-10 AWG (0.324 square mm - 5.261 square mm)
Die for non-insulated open barrel connector, commercial type	for non-insulated open barrel connector, commercial type 22-12 AWG (0.324 square mm - 3.31 square mm)
Die for non-insulated terminals	for non-insulated terminals 22-8 AWG(0.3 square mm - 8 square mm)
Hex hey wrench 2.5mm	



#### **TTSN11** Extractor set

Combined set of 5 screw extractors, 4 bolt extractors and 2 nut splitters. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.3 kilos)

Stud extractors	1/2" drive	6, 8, 10, 12mm
Screw extractors	7/64" 9/64"	5/32" 1/4" 19/64"
Nut splitters	5 to 20mm, 14	4 to 27mm



#### TTBE18 3/8" & 1/2" Drive Stud Extractor set

3/8" drive (6-17mm) and 1/2" drive (19-25mm) stud extractor sockets plus a 4mm parallel pin punch. Chrome vanadium, satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.5 kilos)

3/8" stud extractors	mm	6, 8, 10, 11, 12, 13, 14, 16, 17mm
	AF	5/16" 3/8" 7/16" 1/2" 9/16" 5/8"
1/2" stud extractors	mm	19, 21, 22, 24, 25mm
	AF	3/4" 13/16", 7/8" 15/16" 1"
Parallel pin punch		4mm, 150mm length



leng

Tools

#### **TTDB28** Drill Bit Set

28 piece drill bits set with a sprial angle of 28° and a split point of 118° for use on steel and cast iron. DIN 338. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.6 kilos)

Performance		Fully Ground
Drills diameter	mm	1.0 (x3), 1.5 (x3), 2.0 (x2), 2.5 (x2), 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5,
		7.0, 7.5, 8.0, 8.5, 9.0, 10.0, 10.5, 11.0, 12.0, 13.0
Shank		same as drills diameter



#### TTTM03 Inspection tool set

3 piece inspection set including an inspection mirror, a magnifying glass and a magnetic pick up. All with pocket clips. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.5 kilos)

Telescopic magnifying glass
Telescopic inspection mirror
Telescopic magnetic pick up tool







# **Tool Control System**

#### TTTM08 Inspection tool set

Containing flexible and telescopic pick ups, magnifying glass, inspection mirror, flexible claw pick up, LED torch and batteries. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

	· · · · · · · · · · · · · · · · · · ·
LED flashlight	
Flexible magnetic pick up	length 310mm
Telescopic magnetic pick up	length 160-480mm
38mm magnifying glass 1:3	with magnetic adaptor
38mm inspection mirror	with magnetic adaptor
230mm flexible claw pick up tool	
Batteries AAA (2 pieces)	



#### **TTPSAD** Body working hammers

Set of five body working hammers including two dead blow and three metal working hammers. Supplied in the Teng Tools PS tray for use on it's own or as part of the Teng Tools TC control system. (560x265x40mm, 4.5 kilos).

|--|



#### TTHR81 Rivet gun set

Tools

Teng

Set containing one rivet gun with four nozzles as well as 75 assorted rivets (2.4, 3.2, 4.0 and 4.8mm). Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.0 kilos)

Hand rivetter	with four nozzles to suit aluminium/steel blind rivets (2.4, 3.2, 4.0, 4.8mm
Aluminium rivets	2.4mm (3/32") x 20 black
Aluminium rivets	3.2mm (1/8") x 20 black
Aluminium rivets	4.0mm (5/32") x 20 black
Aluminium rivets	4.8mm (3/16") x 15 black
Accessories	nozzle wrench



#### **TTNR81** Nutsert tool set

Set containing a nutsert gun together with 75 assorted blind nutserts. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.0 kilos)

Nut sert tool	with four quick change mandrels (M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0)
Accessories	nose piece wrench
Nut serts	M3 x 20 pieces, M4 x 20 pieces, M5 x 20 pieces, M6 x 15 pieces



#### TTPC09 Punch & chisel set

Combined 9 piece set containing 6 punches, 2 cold chisels and a centre punch. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.4 kilos)

Punches	centre	150mm	5mm
	parallel	150mm	3, 4, 5, 6, 7, 8mm
Flat chisels	150mm	19mm	
	200mm	25mm	



#### TTPS09 General Service Tools

9 piece tool set containing 2 adjustable wrenches, power grip pliers, utility knife, hacksaw frame, soft face hammer, measuring tape, steel rule and ball pein hammer. Supplied in the Teng Tools PS tray for use on it's own or as part of the Teng Tools TC control system. (560x265x40mm, 4.5 kilos)

General tools	6" adjustable wrench, 10" adjustable wrench,
	10" power grip plier, utility knife, 12" hack saw,
	soft face hammer, 3 meter tape measure,
	200mm steel rule, 24oz (675g) ball pein hammer



#### **TTPS09E** General Service Tools

9 piece tool set containing two adjustable wrenches, power grip pliers, utility knife, hacksaw frame, soft face hammer, measuring tape, steel rule and engineers hammer. Supplied in the Teng Tools PS tray for use on it's own or as part of the Teng Tools TC control system. (560x265x40mm, 4.5 kilos).

6" adjustable wrench, 10" adjustable wrench, 10" power grip plier, utility knife, 12" hack saw, soft face hammer, 3 meter measuring tape, 200mm steel rule, 800g engineers hammer.



#### **SCPS01** 6 Piece Service Tool Set

Service tray with 3 meter measuring tape, 12" hacksaw frame, utility knife, 10" power grip plier, 8" adjustable wrench and a 16oz ball pein hammer. Supplied in a PS tray to fit in the Teng Tools TC-SC service case. (420x265x56mm, 2.5 kilos)

Measuring tape, hacksaw frame, utility knife, power grip plier, adjustable wrench, ball pein hammer



#### SCPS01E 6 Piece Service Tool Set

Service tray with 3 meter measuring tape, 12" hacksaw frame, utility knife, 10" power grip plier, 8" adjustable wrench and a 500g engineers hammer. Supplied in a PS tray to fit in the Teng Tools service case. (420x265x56mm, 2.5 kilos)

 $\label{thm:lemma:lemma:decomposition} \textit{Measuring tape, hacksaw frame, utility knife, power grip plier, adjustable wrench, engineers hammer.}$ 







# **Tool Control System**

#### TTTD17 Tap & Die set

17 piece set containing one tap and one die of each dimension as well as a tap wrench, a die stock and a screw pitch gauge. Suitable for repairing threads. Supplied in the unique Teng Tools TC tray with removable lid and dove tail ioints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm 0.8 kilos)

Metric dies 3mm x 0.5, 4mm x 0.7, 5mm x 0.8,6mm x 1.0, 8mm x 1.25, 10mm x 1.5,12mm x 1.75

Metric taps 3mm, 4mm, 5mm, 6mm, 8mm, 10mm, 12mm

Accessories tap handle (capacity 3 to 12mm), die handle with adjustment screw (capacity 3 to 12mm),

screw pitch gauge



#### TTDTD34 Tap & Die Set

34 piece tap and die set containing 7 taps, 7 dies, pitch gauge, 7 drill bits. 5 screw extractors, one mini screwdriver, adaptor, mini palm ratchet, interchangeable die chuck and two tap chucks. Supplied in the unique Teng Tools double TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x284x50mm, 1.6 kilos)

mm	3x0.5, 4x0.7, 5x0.8, 6x1.0, 8x1.25,10x1.5, 12x1.75
mm	3, 4, 5, 6, 8, 10, 12mm
mm	2.5, 3.3, 4.2, 5.0, 6.8, 8.5, 10.5mm
s	1/8" 3/16" 15/64" 5/16" 3/8"
	Screw pitch gauge, mini screwdriver hex (2.5x40mm), 1/4" extension bar, 3/8"F-1/4"M adaptor, 1/4" mini palm ratchet, 1/4" interchangeable die chuck, 1/4" tap chuck (x2 - M3-M8, M5-M12)
	mm



#### **TTTC06** Pipe Cutters

6 piece set with pipe cutters for plastic, copper and brass pipes together with a deburring tool. Supplied in the unique Tena Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.3 kilos).

Pipe cutters	capacity (mm)	10, 12, 15, 22	
Adjustable pipe cutters	capacity (mm)	3-22	
Deburring tool	DET01		




#### **TTCM05D Measuring Set**

5 piece general measuring set containing 150mm digital vernier caliper, micrometer 0-25 mm, square 150x100mm, steel rule 150mm and a 135 mm scriber with tungsten carbide tip. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.9 kilos)

Digital caliper	mm/inch	150/6"
Micrometer	mm	0/25
Precision square	mm	150 x 100
Steel rule	mm/inch	150/6"
Scriber TC tipped		135







# eng Tools

#### TED1489 1/4" Drive Socket Set

Set containing ¼" drive regular and deep sockets and a comprehensive range of accessories. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.59 kilos)



Accessories	1/4" drive	72 teeth ratchet, spinner handle, 2" and 4" extension bars, universal joint, coupler adaptor, 3/8"F:1/4"M adaptor, ¼" M:1/4" hex adaptor
Regular sockets	1/4" drive 6 point	4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
Deep sockets	1/4" drive 6 point	4, 5, 5.5, 6, 7, 8, 9, 10, 11, 13mm
Bit sockets	1/4" drive	4, 5.5, 7mm flat, TX10,TX15, TX20, TX25, TX27, TX30, TX40, PZ1, PZ2, PZ3, PH0, PH1, PH2, PH3
25mm bits	1/4" hex drive	3, 4, 5.5, 7mm flat, TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, PZ0, PZ1, PZ2, PZ3, PH0, PH1, PH2, PH3,
		PH4, 3, 4, 5, 6, 8, 10mm hex, 1/8", 9/64", 5/32", 3/16", 1/4", 5/16" hex, TPX10, TPX15, TPX20, TPX25, TPX27,
		TPX30, TPX40, XZN 5 and 6.

#### TED3836 3/8" Drive Socket Set

Set containing 3/8" drive regular and bit sockets and a range of accessories. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 2.49 kilos)



Accessories	3/8" drive		72 teeth ratchet, rotating spinner handle, 3" wobble extension bar, universal joint, 1/2"F:3/8"M adaptor
Regular sockets	3/8" drive	6 point	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm
Bit sockets	3/8" drive		TX10,TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50, 3, 4, 5, 5.5, 6, 7, 8, 10, 12mm hex

#### TED1227 1/2" Drive Socket Set

Set containing 1/2" drive regular and deep 12 point sockets and a range of accessories. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 3.59 kilos)



Accessories	1/2" drive	72 teeth ratchet, 21/2" and 6" extension bars,	
		universal joint, 3/8"F:1/2"M adaptor	
Regular sockets	1/2" drive 12 poi	nt 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24mm	
Deep sockets	1/2" drive 12 poi	nt 10. 11. 12. 13. 14. 15. 16. 17. 18. 19mm	

#### TEXTB05 T bar Spark Plug Socket Set NEW!

5 piece T bar spark plug socket set supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x40mm, 1.4 kilos)



Accessories	T bar handle and T bar handle adaptor
520mm long T bar spark plug sockets	14, 16, 21mm



# 116

#### TTESK86 1/4" & 3/8" drive socket set

Set containing 1/4" and 3/8" drive regular and deep metric sockets and a comprehensive range of accessories. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 6.55 kilos)



Accessories	1/4" drive		72 teeth ratchet, 6" spinner handle, 2" 3" 4" 6" and 12" extension bars, universal joint, 1/4"F:3/8"M adaptor, sliding T bar, coupler adaptor, T-HD T bar handle adaptor
Regular sockets	1/4" drive	6 point	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
Deep sockets	1/4" drive	6 point	4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
Accessories	3/8" drive		72 teeth ratchet, speed brace, spinner handle, 3", 5", 6", 10" and 20" extension bars, universal joint,
			3/8"F:1/4"M adaptor, 3/8"F:1/2"M adaptor, 16mm, 18mm and 21mm spark plug sockets, coupler adaptor, 10" rotating spinner handle.
Regular sockets	3/8" drive	6 point	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 and 22mm
Deep sockets	3/8" drive	6 point	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 and 22mm

#### TTESK63 1/2" drive socket set

Set containing 1/2" drive regular and deep metric sockets and a comprehensive range of accessories. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 11.03 kilos)



Accessories 1/2" drive		72 teeth ratchet, speed brace, sliding T bar, 2½ 5 6 and 20 extension bars, 3 6 and 10 wobble extension bars,
		universal joint, 1/2"F:3/8"M T bar adaptor, 1/2"F:3/4"M adaptor, 16mm, 18mm, 21mm spark plug sockets, coupler adaptors for 5/16",
		10mm and 12mm hex bits, flex head adaptor
Regular sockets 1/2" drive	12 point	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 29, 30, 32, 34mm
Deep sockets 1/2" drive	12 point	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32, 36mm

#### TTESK77 1/4" 3/8" 1/2" drive socket set

76 piece 1/4", 3/8" and 1/2" drive socket set containing 1/4", 3/8" and 1/2" drive sockets and accessories. Covers all the popular sizes from 4 to 24mm with selected sizes in deep and a range of 1/2" drive impact sockets. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 7.2 kilos)



Accessories	1/4" drive		FRP ratchet, 6" spinner handle, 6" and 12" extension bars, universal joint, T-bar and T-bar handle adaptor.
<b>Regular Sockets</b>	1/4" drive	6 point	4, 5, 5.5, 6, 7, 8, 9,10, 11, 12, 13mm
Deep Sockets	1/4" drive	6 point	7, 8, 10, 12, 13mm
Accessories	3/8" drive		FRP ratchet, 3" wobble extension bar, 6" extension bar, universal joint, 3/8" F:1/4" M adaptor, 3/8"F:1/2"M adaptor,
			rotating spinner handle.
Regular Sockets	3/8" drive	6 point	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm.
Accessories	1/2" drive		FRP ratchet, 6" wobble extension bar, 10" extension bar, universal joint, 1/2"F:3/8"M adaptor.
<b>Regular Sockets</b>	1/2" drive	6 point	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm
Impact Sockets	1/2" drive	regular 6 point	13, 15, 16, 17, 18, 19, 22, 24mm
Impact Sockets	1/2" drive	deep 6 point	13, 15, 16, 17, 18, 19, 22, 24mm

#### **TEXEXT13 Socket Accessories Set**

13 piece extension and socket accessory set. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x40mm, 2.20 kilos)



Accessories	1/4" drive	6" and 12" extension bars, universal joint
	3/8" drive	3"wobble extension bar, 20" extension bar, universal joint,
		3/8"F:1/4"M T bar adaptor
	1/2" drive	3" wobble extension bar, 20" extension bar, universal joint
Accessories		T handle grip, 2 and 2.5mm mini hex drivers



**Tool** 

#### TTESK85 85 Piece 1/4" 3/8" 1/2" drive socket set

85 piece socket bit set containing 1/4", 3/8" and 1/2" drive bit sockets. Covers all the popular types and sizes including screwdriver type, hex bits, TX and TPX, Ribe and Spline. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 4.5 kilos)



Flat bit sockets 1/4" drive 4, 5.5, 7mm	PH bit sockets 1/4" drive PH0, PH1, PH2, PH3
PZ bit sockets 1/4" drive PZ1, PZ2, PZ3	TX-E sockets 1/4" drive E4, E5, E6, E7, E8
TX bit sockets 1/4" drive TX10, TX15, TX20, TX25, TX27, TX30, TX40	Accessories 3/8" drive 3" extension bar
TX-E sockets 3/8" drive E10, E12, E14, E16, E18	TX bit sockets 3/8" drive TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50
TPX bit sockets 3/8" drive TPX10, TPX15, TPX20, TPX25, TPX27, TPX30, TPX40, TPX45, TPX50	Hex bit sockets 1/2" drive 3, 4, 5.5, 6, 7, 8, 10, 12mm
TX bit sockets 1/2" drive TX20,TX25,TX27,TX30,TX40,TX45,TX50,TX55,TX60	Hex bit sockets 1/2" drive 5 ,6, 7, 8, 10, 12mm
Ribe bit sockets 1/2" drive 4, 5, 6, 8, 10, 11, 12, 13	XZN bit sockets 1/2" drive 5, 6, 8, 10, 12, 14, 16

#### TEX3403 3/4" Drive Ratchet and Accessories

3 piece 3/4" drive set containing a 72 teeth ratchet handle with quick release and twist reverse together with a 16" extension bar and sliding T bar, supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x70mm, 5.3 kilos)



Accessories 3/4" drive Quick release ratchet handle, 400mm, extension bar, sliding T bar

#### TEX3410 3/4" Drive Socket Set NEW!


10 piece set containing 6 point metric sockets. Chrome vanadium steel. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x74mm, 4.6 kilos)



Regular sockets	3/4" drive	6 point	22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm
-----------------	------------	---------	--

#### TTESK32 3/4" drive socket set

Set containing 3/4" drive regular metric and AF sockets together with a 72 teeth ratchet, extension bar, sliding T bar and flex handle - all with safety locking mechanism to hold sockets on tightly. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 17.27 kilos)



Accessories	3/4" drive	72 teeth ratchet	2 teeth ratchet, sliding T bar, 16" extension bar, 19" flex handle - all accessories with safety locking.			
Regular sockets	3/4" drive	6 point	19, 21, 22, 24, 27, 30, 32, 33, 34, 36, 38, 41, 46, 50mm			
Regular sockets	3/4" drive	12 point	%" ¹‰" 1" 1‰" 1‰" 1‰" 1‰" 1‰" 1‰" 1‰" 1½" 1‰" 1½" 1%" 1%"			

#### TED9121 1/2" Drive Impact Socket Set

Set containing 1/2" drive regular and deep ANSI standard 6 point impact sockets and a range of accessories. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 4.18 kilos)



Accessories	1/2" drive		3" and 10" extension bars, universal joint, 3/8"F:1/2"M Adaptor, 1/2"F:3/4"M adaptor
Regular sockets	1/2" drive	6 point	13, 15, 16, 17, 18, 19, 22, 24mm
Deep sockets	1/2" drive	6 point	13, 15, 16, 17, 18, 19, 22, 24mm

118



#### TTEISK73 3/8" & 1/2" drive Impact socket set

Set containing 3/8" and 1/2" drive regular and deep metric impact sockets and a comprehensive range of accessories. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 12.34 kilos)



Accessories	3/8" drive		3" extension bar, 3/8"F:1/4"M adaptor, 3/8"F:1/2"M adaptor, coupler adaptor for 1/4" hex bits
Regular impact sockets	3/8" drive	6 point	8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Deep impact sockets	3/8" drive	6 point	8, 10, 11, 12, 13, 14, 16, 17, 19mm
Accessories	1/2" drive		3", 5" and 10" extension bars, universal joint, 1/2"F:3/8"M adaptor, 1/2" F:3/4"M adaptor, coupler adaptor for 5/16" hex bits
Regular impact sockets	1/2" drive	6 point	8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32mm
Deep impact sockets	1/2" drive	6 point	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 28, 29, 30, 32, 35, 36mm

#### TTEISK33 3/4" drive impact socket set

Set containing 3/4" drive regular and deep metric impact sockets and a comprehensive range of accessories. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 20.92 kilos)

Accessories	3/4" drive	7" extensi	ion bar, unive	ersal joint, 3/4"	F:1/2"M adaptor,	3/4"F:1"M adaptor
Regular impact sockets	3/4" drive	6 point	19, 21, 22, 2	23, 24, 27, 28,	, 30, 32, 33, 34, 3	6, 38, 41, 46mm
Deep impact sockets	3/4" drive	6 point	19, 21, 22,	23, 24, 27, 30	, 32, 33, 34, 36,	38, 41, 46mm



#### **TED8012** Anti Slip Combination Spanner Set

12 piece metric combination spanner set featuring a typically Teng new design in combination spanners that gives an anti slip grip on the open end as well as the Teng Tools hip grip function where the spanner drives on the flank of the fastening rather than the corner, two design features that combine to give a much better grip with much less risk of damage to the fastening. The design also gives grip on fastenings with worn or rounded corners. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.50 kilos)



**Combination spanners** 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

#### **TED6515** Combination Spanner Set

15 piece metric combination spanner set covering 5.5 to 19mm. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.61 kilos)



5.5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19mm Combination spanners



# **TEX2032** Combination Spanner Set 7 piece metric combination spanner set coveri

7 piece metric combination spanner set covering 20 to 32mm. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x60mm, 2.77 kilos)



Combination spanners

20, 21, 22, 24, 27, 30, 32mm

#### **TED6512R** Ratcheting Combination Spanner Set

12 piece set of metric ratcheting combination spanners with flip reverse. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.83 kilos)



Ratcheting combination spanners

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

#### **TED6512RS** Ratcheting Combination Spanner Set

12 piece set of metric ratcheting combination spanners. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.91 kilos)



Ratcheting combination spanners

**Tool**:

Teng

8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19mm

#### TEX6308 Double Ring Spanner Set

8 piece double ring spanner set supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system (570x115x60mm, 1.2 kilos)



Double ring spanners

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm

#### TEXFLS06 Extra Long Double Ring Spanner Set

6 piece extra long double ring spanner set supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x70mm, 1.2 kilos)



Double ring spanners

8x10, 11x13, 12x14, 16x18, 17x19, 22x24mm

120

# TENGTOOLS

#### TTESP31 Metric combination spanner set

Set containing metric combination spanners covering 5.5mm to 38mm. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 8.47 kilos)


 $Combination \ spanners \\ 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, \\$ 

26, 27, 28, 29, 30, 32, 33, 34, 36, 38mm



#### TTESP37 Metric spanner set

Set containing metric ratcheting combination spanners, metric double open ended spanners and double ring spanners. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 7.62 kilos)



Ratcheting combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27mm

Double open ended spanners 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm

Double ring spanners 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm

#### TTEAF62 AF socket & spanner set

Set containing AF combination spanners and socketry covering 3/16" to 11/4". Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 5.9 kilos)



| Combination spanners | inch       |          | 5/16" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8" 15/16" 1" 1/4" 1/4" 1/4" |
|----------------------|------------|----------|---|
| Regular sockets      | 1/4" drive | 6 point  | 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2"                               |
| Deep sockets         | 1/4" drive | 6 point  | 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16", 1/2"                              |
| Regular sockets      | 3/8" drive | 6 point  | 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4"  |
| Deep sockets         | 3/8" drive | 6 point  | 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4"  |
| Regular sockets      | 1/2" drive | 12 point | 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8" 15/16" 1" 1½" 1½" 1½"          |

#### TTEX32 32 piece spanner and file set

Set containing a complete range of combination spanners, ratchetting combination spanners and engineers files. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 5.65 kilos)



| Combination spanners             | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm |
|----------------------------------|--|
| Ratchetting combination spanners | 8, 10, 11, 12, 13, 14, 17, 19mm  |
| 10" engineers files              | flat,round,half round,three square and hand type flat                      |



#### **TEDHEX7** T handle Hex Key Set

7 piece set of T handle hex keys with ball point ends on the long key end. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.11 kilos)



T handle hex keys

**Teng Tools** 

2.5, 3, 4, 5, 6, 7, 8mm

#### **TEDTX7** T handle TX Key Set

7 piece set of T handle TX keys with TPX ends on the long key end. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 0.98 kilos)



T handle TX keys TX10, TX15, TX20, TX25, TX27, TX30, TX40

#### TEDSD95 Torque Screwdriver, Impact Driver and Bit Set

1/4" drive 1-5Nm torque screwdriver and 1/2" drive impact driver together with assorted bits to suit most types of fastenings. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 2.40 kilos)



| Accessories         | 1/4" drive | 1-5Nm torque screwdriver, quick release chuck, sliding T                              |
|---------------------|------------|---|
|                     |            | bar, 6" flexible extension,. Ratchetting bits driver with                             |
|                     |            | assorted bits in the handle (5, 7mm flat, PH1, PH2, PZ1, PZ2, 1/4"M:1/4" hex adaptor) |
|                     | 3/8" drive | 3/8"M:5/16" hex adaptor   |
|                     | 1/2" drive | impact driver, 5/16" hex bit adaptor  |
| 5/16" hex 36mm bits | flat type  | 1.4x6, 1.4x8, 2.2x10, 1.8x12mm  |
|                     | PH         | PH1, PH2, PH3, PH4  |
|                     | hex        | 4, 5, 6, 8mm  |
|                     | TX         | TX30, TX40, TX45, TX50, TX55  |
| 1/4" hex 25mm bits  | flat type  | 0.6x3.5, 0.6x4.5, 0.8x4.0, 0.8x5.5, 1.0x5.5, 1.2x6.5,                                 |
|                     |            | 1.6x8.0mm   |
|                     | PH         | PH1 (x3), PH2 (x6), PH3   |
|                     | PZ         | PZ1 (x3), PZ2 (x6), PZ3   |
|                     | hex        | 2, 3, 4, 5, 6, 8mm  |
|                     | TX         | TX6, TX7, TX8, TX9, TX10, TX15, TX20 (x3), TX25 (x3), TX27, TX30, TX40                |
|                     | TPX        | TPX10, TPX15, TPX20 (x2), TPX25 (x2), TPX27, TPX30, TPX40                             |
|                     | Square     | 1, 2, 3   |
|                     | GR         | 2 (x3)  |

122



#### TEX1238 Torque Wrench Set

½" drive and 3/8" drive angular gauge torque wrenches covering 20-210Nm (15-150 ft/lb) in total. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x60mm, 2.77 kilos)



| Torque wrench | 3/8" drive | 20-110Nm (15-81ft/lb)   |
|---------------|------------|-------------------------|
|               | 1/2" drive | 40-210Nm (30-150 ft/lb) |

#### TEXMP12 Torque Multiplier Set NEW!

A 1292AG-EP 1/2" drive tested and certified 210Nm torque wrench together with an MP1400 torque multiplier that converts the torque at a ratio of 3:1 up to a maximum capacity of 1500Nm with a 3/4" male square drive. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x60mm, 4.6 kilos)



| TTorque wrench    | 1/2" drive angular gauge covering 40 to 210Nm (1292AG-EP)                                |
|-------------------|--|
| Torque multiplier | 1/2"F:3/4"M torque multiplier (3 to 1 ratio) and maximum torque capacity 1500Nm (MP1400) |

#### TEDHT42 Hex and TX wrench Set

A comprehensive set of hex and TX keys and wrenches. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.75 kilos)



| Hex key sets | metric | 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 and 7mm                     |
|--------------|--------|--|
|              | inch   | 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" |
| TX key set   | TX     | 8, 9, 10, 15, 20, 25, 27, 30, 40                           |
| Fold up set  |        | 4, 5, 6mm hex, TX25, TX30, 1.0x5.5 flat, PH2, PZ2          |
| Mini TX keys | TX     | 6, 7, 8, 9, 10, 15   |

#### TEDADJ4 Adjustable wrench Set

4 piece adjustable wrench set. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.58 kilos)



| Adjustable wrenches        | 6" (150mm), 8" (200mm), 10" (250mm) |
|----------------------------|-------------------------------------|
| Wide jaw adjustable wrench | 8" (200mm)                          |



# TTEX17

#### 17 piece hexagon key, torque wrench and inspection tool set

Set containing a 1/2" drive torque wrench, hexagon keys and wrenches and selection of inspection tools. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 3.3 kilos)




| Torque wrench         | 1/2" drive 40-200Nm range with built in angular gauge, individually tested and certified at the time of manufacture                           |
|-----------------------|---|
| T handle hex keys     | 2.5, 3, 4, 5, 6, 7, 8mm   |
| Mixed fold up key set | 4, 5, 6mm hex, TX25, TX30, 5.5mm flat, PH1, PZ2   |
| Ball point hex keys   | 1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10mm   |
| TX keys               | TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40  |
| Inspection tools      | Magnetic pick up, magnifying glass, 57cm diameter mirror (all telescopic with extension up to 85cm), pocket sized LED torch Hook and pick set |
| pick up tools         | Aluminium handle with interchangeable awl, hook tool, 45° and 90°   |

#### **TTEX23** Wrenches set

Set containing metric T handle nut drivers and metric hex and TX/TPX T handle drivers. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 2.47 kilos)

| Nut drivers             | 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm |
|-------------------------|-----------------------------------|
| T handle hex drivers    | 2.5, 3, 4, 5, 6, 7, 8mm           |
| T handle TX/TPX drivers | T10, T15, T20, T25, T27, T30, T40 |



#### **TED911N** Screwdriver Set

11 piece screwdriver set. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.22 kilos)



| Screwdrivers | flat type | round shaft   | 3.5x100, 5.5x75mm, 6.5x38mm stubby |
|--------------|-----------|---------------|------------------------------------|
|              | flat type | hexagon shaft | 5.5x125, 6.5x100mm                 |
| Screwdrivers | PH type   | round shaft   | PH0x75, PH1x75, PH2x38mm stubby    |
|              | PH type   | hexagon shaft | PH2x100mm                          |
| Screwdrivers | PZ type   | round shaft   | PZ1x75mm                           |
|              | PZ type   | hexagon shaft | PZ2x100mm                          |

#### **TEX915N Screwdriver Set**

5 piece screwdriver set. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x40mm, 1.22 kilos)



| Screwdrivers | flat type | 5.5x150, 6.5x150, 8.0x150, 10.0x200mm |
|--------------|-----------|---------------------------------------|
| Screwdrivers | PH type   | PH3x150mm                             |

124



#### TEXMDTN Power Thru Screwdriver Set

5 piece power thru screwdriver set supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x40mm, 1.6 kilos)



| Screwdrivers | PH type   | PH2 x 100mm, PH3 x 150mm |
|--------------|-----------|--------------------------|
| Screwdrivers | flat type | 6.5x100, 8x150, 10x200mm |

#### **TED909TXN TX driver Set**

9 piece TX driver set. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.10 kilos)



| TX drivers | TX6. TX | X8. TX9. | TX10. | TX15. | TX20 | . TX25. | TX27. TX | 30 |
|------------|---------|----------|-------|-------|------|---------|----------|----|

#### **TTEMD122N** Screwdriver Set

Set containing a comprehensive range of Mega Drive screwdrivers and bits. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 3.13 kilos)



Teng

Tools

| Screwdrivers  | flat regular   | 2.5x75mm, 3.5x75mm, 3.0x100mm, 4.0x100mm, 5.5x75mm, 5.5x150mm, 6.5x38mm, 6.5x100mm, 6.5x150mm,                              |
|---------------|----------------|---|
|               |                | 8.0x150mm, 10.0x200mm   |
| Screwdrivers  | PH type        | PH0X75mm, PH1x38mm, PH1x75mm, PH2x38mm, PH2x100mm, PH3x150mm, PH4x200mm   |
| Screwdrivers  | PZ type        | PZ0x75mm, PZ1x38mm, PZ1x100mm, PZ2x38mm, PZ2x100mm, PZ2x150mm, PZ3x150mm  |
| Accessories   | 1/4" hex drive | 6 in 1 ratchetting bits driver set, bit holders for 25mm bits   |
| 25mm hex bits | 1/4" hex drive | 0.6x3.5mm, 0.6x4.5mm, 0.8x4.0mm (x2), 0.8x5.5mm (x2), 1.2x6.5mm, 1.6x8.0mm flat, PH1 (x3), PH2 (x3), PH3 (x3), PZ1 (x3),    |
|               |                | PZ2 (X3), PZ3 (X3), TX6, 7, 8, 9, 10, 15, 20 (X3), 25 (X3), 27, 30, 40, 2, 3, 4, 5, 6, 8mm hex, ROB1, ROB2, ROB3, GR2 (X3), |
|               |                | TPX10, 15, 20 (x2), 25 (x2), 27, 30, 40   |
| 50mm hex bits | 1/4" hex drive | 0.6x3.5mm, 0.8x4.0mm, 0.8x5.5mm, 1.0x5.5mm, 1.2x65mm flat (3 of each), 4, 5, 6, 8mm (3 of each), PH1, PH2 (x2), PH3, PZ1    |
|               |                | PZ2 (x2), PZ3, TX8, 10 (x2), 15, 20 (x2), 25 (x2), 27, 30.  |

#### TEDV909N 1,000 Volt Insulated Screwdriver Set

9 piece 1,000 volt insulated screwdriver set. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.02 kilos)



| Screwdrivers   | flat type | 2.5x75, 3.5x100, 4.0x100, 5.5x125mm |
|----------------|-----------|-------------------------------------|
| Screwdrivers   | PH type   | PH0, PH1, PH2                       |
| Screwdrivers   | PZ type   | PZ2                                 |
| Voltage tester |           | 100-250 volts                       |



#### TEDV440 1,000 Volt Insulated Plier Set

4 piece 1.000 volt insulated plier set. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.28 kilos)



Pliers 6" side cutters, 8" long nose pliers, 8" combination pliers, 7" wire stripping pliers.

#### TTEMD98N 98 piece screwdriver and bits driver set

Set containing a wide range of screwdrivers covering all types and including a range of 1,000 volt insulated screwdrivers (produced and tested according to the EN60900 standard. Approved for working up to 1,000 volt AC). Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 2.83 kilos)



| Screwdrivers                   | TX type    | TX8x75, TX9x75mm  |
|--------------------------------|------------|---|
| Screwdrivers                   | TPX type   | TPX10x100, TPX15x100, TPX20x100, TPX25x100, TPX30x100mm   |
| Power thru screwdrivers        | flat type  | 6.5x100, 8x150,10x200mm   |
| Power thru screwdrivers        | PH type    | PH2x100, PH3x150mm  |
| 1,000 volt screwdrivers        | flat type  | 2.5x75, 4x100, 5.5x125mm  |
| 1,000 volt screwdrivers        | PH type    | PH0x60, PH1x8, PH2x100mm  |
| 1,000 volt screwdrivers        | PZ type    | PZ2x100mm   |
| Mini screwdrivers              | flat type  | 2.0x40, 2.5x40, 3.0x40mm  |
| Mini screwdrivers              | PH type    | PH00x40, PH0x40, PH1x40mm   |
| Mini screwdrivers              | TX type    | TX6, TX7, TX8, TX9, TX10, TX15  |
| 1/4" hex 25mm screwdriver bits | flat type  | 0.6x3.5, 0.6x4.5, 0.8x4.0(2pieces), 0.8x5.5, 1.0x5.5(2 pieces), 1.2x6.5, 1.6x8.0mm                                      |
| 1/4" hex 25mm screwdriver bits | GR type    | PH2 (3 pieces)  |
| 1/4" hex 25mm screwdriver bits | Hex type   | 2, 3, 4, 5, 6, 8mm  |
| 1/4" hex 25mm screwdriver bits | PH type    | PH1 (3 pieces), PH2 (3 pieces), PH3 (3 pieces),   |
| 1/4" hex 25mm screwdriver bits | PZ type    | PZ1 (3 pieces), PZ2 (3 pieces), PZ3 (4 pieces)  |
| 1/4" hex 25mm screwdriver bits | ROB type   | 1,2,3 square  |
| 1/4" hex 25mm screwdriver bits | TX type    | TX6, TX7, TX8, TX10, TX15, TX20 (3 pieces), TX25 (3 pieces), TX27, TX30, TX40   |
| 1/4" hex 25mm screwdriver bits | TPX type   | TPX10, TPX15, TPX20 (2 pieces), TPX25 (2 pieces), TPX27, TPX30, TPX40   |
| Ratchetting bits driver        |            | Reversible for use with 1/4" hexagon drive bits. Supplied with 6 assorted bits stored in slide out holder in the handle |
| Accessories                    |            | Magnetic charger and discharger for magnetising and/or demagnetising screwdriver tips, "bullet holders" for bits        |
| Accessories                    | 1/4" drive | 1/4"M:1/4" hexagon adaptor, coupler adaptor   |
|                                |            |   |

#### **TED441-T Plier Set**

5 piece plier set. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.75 kilos)



5" side cutters, 6" heavy duty side cutters, 8" long nose pliers, 8" heavy duty combination pliers, 10" water pump pliers.

126



#### TEXMB02 Water Pump Pliers & Alligator Adjustable Wrench Set

Two really handy tools in one TTX Tray for use on it's own or as part of the Teng Tools TC control system. The set includes the MB482-10Q guick adjustable water pump plier and the 4003J 10" "Alligator" adjustable wrench with pipe grip. The tools are held in place using the Teng Tools

three colour precut EVA foam tool control system. (570x115x40mm, 0.97 kilos)



| Wrenches | 10" "Alligator" adjustable  |
|----------|-----------------------------|
| Pliers   | 10" quick action water pump |

#### **TTEMB17** Plier set

Set containing 17 assorted Mega Bite pliers. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 4.25 kilos)

| Cutting pliers            | 5" side cutters, 6" side cutters, 6" heavy duty side cutters,<br>8" heavy duty side cutters, 8" offset heavy duty side cutters, 8" cable cutters |
|---------------------------|--|
| <b>Combination pliers</b> | 7" heavy duty combination, 8" heavy duty combination   |
| Long nose pliers          | 8" long nose, 6" flat long nose  |
| Circlip pliers            | 7" inner/straight, 7" inner/bent, 7" outer/straight, 7" outer/bent   |
| Water pump pliers         | 7" water pump, 10" water pump  |
| Wire strippers            | 7" wire stripping pliers   |



#### TTEMB11 11 piece plier set

Set containing a range of the most commonly used pliers and power grip pliers. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 3.3 kilos)

| Side cutters       | Heavy duty    | 8"(3.0mm piano wire cutting capacity)                      |
|--------------------|---------------|--|
| Combination pliers | High leverage | 7"(1.8mm piano wire cutting capacity)                      |
| Long nose pliers   |               | 8" (1.5mm piano wire cutting capacity)                     |
| Water pump pliers  |               | 10" (38mm capacity)  |
| Circlip pliers     | Inner type    | 7" straight and bent type (1.8mm tip, 19 to 60mm capacity) |
| Circlip pliers     | outer type    | 7" straight and bent type (1.8mm tip, 19 to 60mm capacity) |
| Power grip pliers  | long nose     | 6" straight jaw (35mm capacity)                            |
| Power grip pliers  | regular       | 4" and 10" curved jaw (25mm/47mm capacity)                 |




Teng

Tools

#### TTEVG11 Power grip plier set

Set containing 11 assorted power grip pliers. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 5.17 kilos)

| Round jaw type | 4", 5", 10" and 12"   |
|----------------|---|
| Flat jaw type  | 10" and 12"   |
| Long nose type | 4", 6 1/2" and 9"   |
| Clamp pliers   | 11" C clamp plier with swivel pad, 12" self levelling locking plier |



#### TEDPC14 Punch and Chisel Set

14 piece set including parallel pin punches, centre punch and cold chisels. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 2.71 kilos)



| 150mm parallel pin punches | 3, 4, 5, 6, 7, 8mm                |
|----------------------------|-----------------------------------|
| Flat chisels               | 19x150, 25x200, 25x250, 26x240mm  |
| 150mm centre punches       | 4, 5, 8mm, automatic centre punch |



# **Tool Kits with EVA Control System**

#### TEXW05 Wheel Tools Set

5 piece wheel removal tool set. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system.

(570x115x40mm, 2.38 kilos)



| Flexible handle    | 1/2" drive | 17" (425mm)              |
|--------------------|------------|--------------------------|
| Wheel nut sockets  | 1/2" drive | 17, 19, 21mm             |
| Impact accessories | 1/2" drive | 5" (125mm) extension bar |

#### **TEXPB4** Pry Bar Set

4 piece set including three roll/heel bars and a 20" tyre lever. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x40mm, 2.80 kilos)



| Roll/heel bars | 12", 16", 20" |
|----------------|---------------|
| Tyre lever     | 20"           |

### TTEPS12 12 piece general service tools

A set containing general hand tools. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 3.34 kilos)



| Cutting tools   | Utility knife with spare blades, 12" hack saw  |
|-----------------|--|
| Striking tools  | 800gm engineers hammer, soft face hammer, cold chisels (150x18mm, 200x25mm), 150x5mm centre punch, parallel pin punches (3, 4, 5, 6, 7, 8mm) |
| Gripping tools  | 6" and 10" adjustable wrenches   |
| Measuring tools | 3 meter measuring tape, 200mm steel rule   |

#### **EVA-01** Design your own **EVA** tray

A blank, uncut EVA tray that can be cut manually or at a specialist cutting company to suit your own individual requirements. Alternatively Teng Tools are able to manufacture EVA trays to suit your own individual design – full details are available on request. (570x375x50mm)



An example of an individually personalised EVA tool tray manufactured to special order.



# EVERY SECOND COUNTS

POLE POSITION ACCORDING TO TENG





#### **Work Bench System**

The Teng Tools roller cabinet based work bench system has been developed to be extremely flexible enabling you to create a work station that suits your particular needs

A simple system that uses a relatively small number of different components to enable you to build an endless variety of work station configurations. Simply start with one or more Teng Tools roller cabinets or roller cabinet based tool kits and add work surfaces and back panels to give a working surface and the ability to hang additional tools and accessories using the wide range of Teng Tools hook on or magnetic shelves, hooks and wall racks.

#### **Header Boards**

Header boards for use with tool panels when building a work station. Available in three sizes to suit different size panels. Painted sheet metal construction.

| Stock no. | Dimensions<br>mm | Suitable for work bench panel |
|-----------|------------------|-------------------------------|
| TC-H01    | 670x60x25x1.2    | TC-PA01                       |
| TC-H05    | 950x60x25x1.2    | TC-PA03                       |
| TC-H02    | 1,380x65x25x1.2  | TC-PA02                       |



#### **Work Bench Work Tops**

Work bench work tops manufactured in laminated wood. Available in three sizes to suit different width roller cabinets when used with different size panels.

| Stock no. | Dimensions   | Suitable for       |
|-----------|--------------|--------------------|
| TO TROO   | mm           | work bench panel   |
| TC-TB02   | 672x460x37   | TCW806N, TCW806N1, |
|           |              | TCW807N, TCW810N,  |
|           |              | TCW907X, TCW707EV  |
| TC-TB03   | 948x155x18   | TCW207N            |
| TC-TB01   | 1.354x462x37 | TCW806LN, TCW809N  |



# TENGTOOLS

#### Work Bench Panels

Tool panels for use when building a work station based on Teng Tools roller cabinets. Available in three sizes to suit different width roller cabinets. Painted sheet metal construction.

| Stock no. | Dimensions<br>mm | Suitable for<br>work bench panel |
|-----------|------------------|----------------------------------|
| TC-PA01   | 665x480          | TCW806N, TCW806N1,               |
|           | 25x1.6           | TCW807N, TCW810N,                |
|           | 25x1.6           | TCW907X, TCW707EV                |
| TC-PA03   | 944x478x25x1.6   | TCW207N                          |
| TC-PA02   | 1,370x480x1.6    | TCW806LN, TCW809N                |

#### **Fixing Bars**

Fixing bars for use with tool panels when building a work station. Available in three sizes to suit different size panels.

| Stock no. | Dimensions      | Suitable for       |
|-----------|-----------------|--------------------|
|           | mm              | work bench panel   |
| TC-FB01   | 20x30x664       | TCW806N, TCW806N1, |
|           |                 | TCW807N, TCW810N,  |
|           |                 | TCW907X, TCW707EV  |
| TC-FB03   | 20x30x916       | TCW207N            |
| TC-FB02   | 20x30x1,342x1.2 | TCW806LN, TCW809N  |
|           |                 |                    |

#### L Bracket

An L shaped bracket for mounting a work top to the side of a Teng Tools roller cabinet.

| Stock no. | Dimensions  |
|-----------|-------------|
|           | mm          |
| TC-LBK    | 330x150x2.0 |



#### Support Leg

A support leg for use when mounting a work top to the side of a Teng Tools roller cabinet. Adjustable feet to give a secure and level add on work surface.

| Stock no. | Dimensions |
|-----------|------------|
|           | mm         |
| TC-LEG    | 40x80x2.0  |



Uprights for fixing panels to the Teng Tools roller cabinet when creating a work station. Left and right hand side options.

| Stock no. | Dimensions      | Dimensions   |
|-----------|-----------------|--------------|
|           | mm              | mm           |
| TC-UPRR   | right hand side | 1,100x450x40 |
| TC-UPRL   | left hand side  | 1,100x450x40 |
| TC-UPRRS  | right hand side | 620x450x40   |
| TC-UPRLS  | left hand side  | 620x450x40   |






#### Panel sets

Preconfigured sets for creating work stations based on one or two Teng Tools roller cabinets (any combination of TCW806N, TCW806N1, TCW807N, TCW810N, TCW907X or TCW707EV (the roller cabinets are not included).

| Stock No     | TC-S01      | TC-S02      | TC-S03AR<br>Right | TC-S03AL<br>Left |
|--------------|-------------|-------------|-------------------|------------------|
|              |             |             |                   |                  |
| Contents     |             |             |                   |                  |
| Tool panels  | 2 x TC-PA01 | 2 x TC-PA01 | 2 x TC-PA01       | 2 x TC-PA01      |
| Uprights     | 1 x TC-UPRR |             | 1 x TC-UPRR       | 1 x TCUPRL       |
|              | 1 x TC-UPRL |             |                   |                  |
| Work tops    | 1 x TC-TB02 | 1 x TC-TB02 | 1 x TC-TB02       | 1 x TC-TB02      |
| Fixing bars  | 1 x TC-FB01 | 1 x TC-FB01 | 1 x TC-FB01       | 1 x TC-FB01      |
| Top signs    | 1 x TC-H01  | 1 x TC-H01  | 1 x TC-H01        | 1 x TC-H01       |
| Brackets     |             | 2 x TC-LBK  | 2 x TC-LBK        | 2 x TC-LBK       |
| Support legs |             |             | 1 x TC-LEG        | 1 x TC-LEG       |
|              |             |             |                   |                  |



#### Panel sets

Preconfigured sets for creating work stations based on one or two of the 53" wide Teng Tools roller cabinets (any combination of TCW806LN or TCW809N (the roller cabinets are not included).

| Stock No     | TC-SL01     | TC-SL02     | TC-SL03AL<br>Left | TC-SL03AR<br>Right |
|--------------|-------------|-------------|-------------------|--------------------|
| Contents     |             |             |                   |                    |
| Tool panels  | 2 x TC-PA02 | 2 x TC-PA02 | 2 x TC-PA02       | 2 x TC-PA02        |
| Uprights     | 1 x TC-UPRR |             | 1 x TC-UPRL       | 1 x TC-UPRR        |
|              | 1 x TC-UPRL |             |                   |                    |
| Work tops    |             | 1 x TC-TB01 | 1 x TC-TB01       | 1 x TC-TB01        |
| Fixing bars  | 1 x TC-FB02 | 1 x TC-FB02 | 1 x TC-FB02       | 1 x TC-FB02        |
| Top signs    | 1 x TC-H02  | 1 x TC-H02  | 1 x TC-H02        | 1 x TC-H02         |
| Brackets     |             | 2 x TC-LBK  | 2 x TC-LBK        | 2 x TC-LBK         |
| Support legs |             |             | 1 x TC-LEG        | 1 x TC-LEG         |



Shelves that can be hooked on to the tool panels.

| Stock<br>No. | Width<br>mm | Depth<br>mm | Height<br>mm | Weight<br>g |
|--------------|-------------|-------------|--------------|-------------|
| TCT01        | 230         | 101         | 139          | 431         |
|              |             |             |              |             |
| TCT02        | 460         | 101         | 140          | 796         |
| TCT03        | 640         | 103         | 141          | 1,100       |
|              |             |             |              |             |

Hook on aerosol can holders for tool panels Shelves that can be hooked on to the tool panels for storing aerosol cans, bottles, etc.

| Stock | Width | Depth | Height | No. of holes | Weight |
|-------|-------|-------|--------|--------------|--------|
| No.   | mm    | mm    | mm     | for aerosol  | g      |
| TCC01 | 230   | 98    | 136    | 2            | 411    |
| TCC02 | 460   | 99    | 137    | 4            | 778    |
| TCC03 | 640   | 100   | 138    | 6            | 1,093  |



#### TCT04 Hook tool holder for tool panels

A hook on holder for T bars, etc. Measures 103.5mm wide, 23.5mm deep and 178mm high. Weight 302g.



#### 587J LED light bar

A 255mm wide light bar with magnetic attachment for use with work bench panels or tool boxes. 9 white LED lights with 120° distribution angle. Requires 3 x AA batteries (not included).

| Length        | mm    | 255              |
|---------------|-------|------------------|
| Width         | mm    | 40               |
| Height        | mm    | 29               |
| Light         | lumen | 20               |
| Magnetic pull | Nm    | 30 x 2 (approx.) |
| Weight        | g     | 188              |
|               |       |                  |



#### **LED Work Lights**

A 660mm wide work light with magnetic attachment for use with the TC-PA01 work panels or for fixing to any ferrous metal surface. 80 LED bulbs (7.2 watt) give good illumination on the work station (2,040 lumen). 230 volt and available with UK or Australian type plugs.

| Stock no. | Plug Type |  |
|-----------|-----------|--|
|           |           |  |
| 589ME     | Euro      |  |



#### Hooks for Teng Tools Side plates and tool panels

| Stock no. | Description  |
|-----------|--|
| TCW-HK10  | 7 x 90°, 3 x 45° hooks   |
| TCW-HK02  | 10 double hooks  |
| TCW-HK20  | 4 x 45° single, 4 x 45° double hooks, 4 x 90° single, 4 small and 4 large spring clips |
| TCW-HK45  | 10 45° hooks for TCW-SP side plate   |
| TCW-HK90  | 10 90° hooks for TCW-SP side plate   |
| TCW-HKAIR | 10 air tool hooks for TCW-SP side plate  |
| TCW-HKB   | 10 large spring clip hooks   |







#### Panel set for 37" roller cabinets NEW!

A preconfigured set of panels, fixing bar, uprights and header to create a work station using the TCW207N 37" wide roller cabinet.

| Stock No. | Description  | TC-S03   | TC-S04   |
|-----------|--------------|----------|----------|
|           |              | contents | contents |
|           |              |          |          |
| TC-PA03   | back panels  | 2        | 1        |
| TC-FB03   | fixing bar   | 1        | 1        |
| TC-H05    | header board | 1        | 1        |
| TC-UPRR   | upright (R)  | 1        | -        |
| TC-UPRL   | upright (L)  | 1        | -        |
| TC-UPRRS  | upright (R)  | -        | 1        |
| TC-UPRLS  | upright (L)  | -        | 1        |





Stock No. TC-S04

#### **Portable Tool Panels**

The ideal way to store tools when the tools need to be moved around the work place such as in a workshop. The units are 1.6 meters tall, on castors, single or double sided and designed for use with Teng Tools work bench accessories giving the ability to hang additional tools and accessories using the wide range of Teng Tools hook on or magnetic shelves, hooks and wall racks.

| Stock No    | TPM01        | TPM02        |
|-------------|--------------|--------------|
| Contents    |              |              |
| Tool panels | 2 x TC-PA01  | 4 x TC-PA01  |
| Uprights    | 1 x TC-160UR | 1 x TC-160UR |
| Fixing bars | 2 x TC-FB01  | 2 x TC-FB01  |
| Top signs   | 1 x TC-H01   | 1 x TC-H01   |





#### **Portable Tool Panels**

A single sided 1.6 meter tall (TPM01) portable tool panel unit supplied complete with four wall rack sets including a 10 piece screwdriver set (WRMD910N), a 4 piece plier set (WRMB04), a 12 piece metric combination spanner set (WRSP12) and a 7 piece T handle hex key set (WRHEX07).

#### **Portable Work Station Uprights**

Two 1.6 meter uprights with castors for use with panels, headers and fix bars to create your own portable work station.

134



#### **Work Benches**

Work benches with sturdy laminated, granite effect work surface with black edging. Supplied complete with a pair of fully adjustable legs to give a working height of between 707 and 927mm.

| Stock no. | Length<br>cm | Depth<br>cm | Weight<br>kilos |
|-----------|--------------|-------------|-----------------|
| TWB1500   | 150          | 80          | 53              |
| TWB2000   | 200          | 80          | 69              |

#### **Panel Kits**

A panel kit with uprights and fixing screws to fit to the work bench (as pictured). Each panel uses a square hole system for use with a range of hooks and accessories as well as the range of Teng Tools wall racks.

| Stock no. | No. of panels |  |
|-----------|---------------|--|
| TWB-1500A | 2             |  |
| TWB-2000A | 4             |  |


#### Work bench tops

Replacement work bench tops. Manufactured from double high density 37mm thickness board and laminated in a granite effect with black edging strip.

| Stock no. | Dimensions<br>mm | Weight<br>kilos |
|-----------|------------------|-----------------|
| TWB-15TOP | 1500x800x37      | 33              |
| TWB-20TOP | 2000x800x37      | 44              |

#### **TWB-UPR** Uprights

Replacement upright for fixing TWB-PA panels to the 1.5 or 2 meter work benches.



#### **TWB-PA** Tool Panels

Add on panels measuring 895mm wide x 483mm high for use with the TWB-UPR uprights (as pictured) to add panels to the 1.5 or 2 meter work benches.

#### TWB-FB Fixing bar

875mm fixing bar for the 1.5 and 2 meter work benches







## TWB-LEG Work bench legs

Pair of legs for the 1.5 or 2 meter Teng Tools work benches. Fully adjustable to give a working height of between 707 and 927mm.

#### TWB-4WD Work bench wheels

Set of four 4" x 11/4" castor wheels with 1/2" bolts. With double brakes and a loading capacity of 80 kilos per piece or 250 kilos for the set of four.



Fully lockable wall mounted tool cabinet with a Teng Tools combination lock. Panels have square peg holes following the same system as the Teng Tools work bench panels and roller cabinet side plates. 660mm wide x 600mm high x 305mm deep. Weight 15 kilos.



Fully lockable wall mounted tool cabinet with a Teng Tools combination lock. Panels have square peg holes following the same system as the Teng Tools work bench panels and roller cabinet side plates. 660mm wide x 600mm high x 455mm deep. Weight 16.5 kilos.

#### TCB80C Wall hanging tool cabinet

Fully lockable wall mounted tool cabinet with a Teng Tools combination lock. 820mm wide x 900mm high x 250mm deep. Weight 24 kilos.





# TCB135 Wall hanging tool cabinet

Fully lockable wall mounted tool cabinet with roller shutter front with a Teng Tools combination lock. Inside panel has square peg holes following the same system as the Teng Tools work bench panels and roller cabinet side plates. 1,335mm wide x 700mm high x 200mm deep. Weight 35.75 kilos.











### **TCT04** Hook tool holder for tool panels

A hook on holder for T bars, etc. Measures 103.5mm wide, 23.5mm deep and 178mm high. Weight 302g.



#### TCB180 Wall hanging tool cabinet

Fully lockable wall mounted tool cabinet with sliding shutter front with a Teng Tools combination lock. Inside panel has square peg holes following the same system as the Teng Tools work bench panels and roller cabinet side plates. 1,800mm wide x 700mm high x 200mm

#### Hook on trays for tool panels

Shelves that can be hooked on to the tool panels.

| Width | Depth            | Height                      | Weight                                 |
|-------|------------------|-----------------------------|--|
| mm    | mm               | mm                          | g                                      |
| 230   | 101              | 139                         | 431                                    |
| 460   | 101              | 140                         | 796                                    |
| 640   | 103              | 141                         | 1,100                                  |
|       | mm<br>230<br>460 | mm mm<br>230 101<br>460 101 | mm mm mm<br>230 101 139<br>460 101 140 |



#### Hook on aerosol can holders for tool panels

Shelves that can be hooked on to the tool panels for storing aerosol cans, bottles, etc.

| Stock | Width | Depth | Height | No. of holes | Weight |
|-------|-------|-------|--------|--------------|--------|
| No.   | mm    | mm    | mm     | for aerosol  | g      |
| TCC01 | 230   | 98    | 136    | 2            | 411    |
| TCC02 | 460   | 99    | 137    | 4            | 778    |
| TCC03 | 640   | 100   | 138    | 6            | 1,093  |









136

# RACKING SYSTEM

## Order in the stores with Teng Tools

Teng Tools takes Get Organised a step further! We now help you create order in the stores and in the warehouse.


We have developed a stable racking system with different modules which can be combined together in numerous different ways. You can easily tailor a storage system that suits the activities and work flow using corner sections, narrow or wide sections, drawer modules and shelves. And as the icing on the cake, there is a mobile trolley in two different widths in the same system.



## Choose from our finished sections



# Add shelves and drawer modules as required



# Mobile trolleys



# Teng Tools

#### **Mobile Trolley**

A 700mm wide mobile work trolley with handle and castors – two fixed and two swivelling with brakes. Two shelves and ball bearing slide drawer are included. Height 770mm (932mm with wheels), width 700mm, depth 450mm. 35.2 kilos.



### **Extra Wide Mobile Trolley**

A 1,339mm wide mobile work trolley with handle and castors – two fixed and two swivelling with brakes. Two shelves and ball bearing slide drawer are included. Height 770mm (932mm with wheels), width 1,339mm, depth 450mm. 55.2 kilos.



Modular Racking Shelving Units
Easy to assemble, sturdy modular racking units for use in any workshop area. Two meters high with adjustable feet, four shelves and a choice of 700mm or 1,339mm widths.

| Stock<br>No. | Height<br>mm | Width<br>mm | Depth<br>mm | Weight<br>kilos | Max load capacity per shelf (kilos) |
|--------------|--------------|-------------|-------------|-----------------|-------------------------------------|
| RSK0700      | 2,000        | 700         | 450         | 38.0            | 300                                 |
| RSK1350      | 2,000        | 1,339       | 450         | 66.0            | 160                                 |



#### **Modular Racking Shelf and Drawer Units**

Easy to assemble, sturdy modular racking units for use in any workshop area. Two meters high with adjustable feet, and a four drawer module together with three shelves (one sliding)and a choice of 700mm or 1,339mm widths.

| Stock<br>No. | Height<br>mm | Width<br>mm | Depth<br>mm | Weight<br>kilos | Max load capacity<br>per shelf (kilos) |
|--------------|--------------|-------------|-------------|-----------------|--|
| RSK0700A     | 2,000        | 700         | 450         | 56.5            | 300                                    |
| RSK1350A     | 2,000        | 1,339       | 450         | 103.0           | 160                                    |

### **Modular Racking Corner Shelf Units**


Easy to assemble, sturdy modular racking units for use in any workshop area. Two meters high with adjustable feet and four shelves. 90° angle for use in a corner.

| Stock<br>No. | Height<br>mm | Width<br>mm | Depth<br>mm | Weight<br>kilos | Max load capacity<br>per shelf (kilos) |  |
|--------------|--------------|-------------|-------------|-----------------|--|--|
| RSKC02       | 2,000        | 800         | 800         | 99.0            | 300                                    |  |









Ger ordanized

#### **Modular Racking Drawer Modules**

Drawer modules for use with the Teng Tools modular racking system. Four drawers with ball bearing slides and a choice of widths.

| Stock<br>No. | Height<br>mm | Width<br>mm | Depth<br>mm | Weight<br>kilos |  |
|--------------|--------------|-------------|-------------|-----------------|--|
| RSD070004    | 310          | 603         | 378         | 21.6            |  |
| RSD135004    | 413          | 1,215       | 378         | 44.6            |  |



#### Uprights

Two meter uprights for use as part of the Teng Tools modular rackling system.

| Stock  | Height | Width | Depth | Weight |  |
|--------|--------|-------|-------|--------|--|
| No.    | mm     | mm    | mm    | kilos  |  |
| RSRU01 | 2,000  | 45    | 45    | 3.5    |  |



#### Shelves

Metal shelves for use as part of the Teng Tools modular racking system. Available in two different widths.

| Stock<br>No. | Height<br>mm | Width<br>mm | Depth<br>mm | Weight<br>kilos |
|--------------|--------------|-------------|-------------|-----------------|
| RSS0700      | 35           | 698         | 445         | 5.0             |
| RSS1350      | 35           | 1,335       | 445         | 8.5             |



#### **Corner shelves**

Metal corner shelves for use as part of the Teng Tools modular racking system.

| Stock  | Height | Width | Depth | Weight |  |
|--------|--------|-------|-------|--------|--|
| No.    | mm     | mm    | mm    | kilos  |  |
| RSSC01 | 35     | 795   | 795   | 11.8   |  |



#### Sliding Shelves

Sliding metal shelves for use as part of the Teng Tools modular racking system. Available in two different widths.

| Stock    | Height | Width | Depth | Weight |
|----------|--------|-------|-------|--------|
| No.      | mm     | mm    | mm    | kilos  |
| RSSS700  | 22.5   | 583   | 430   | 5.1    |
| RSSS1350 | 22.5   | 1,223 | 430   | 8.5    |









# Organise and keep order with the help of Teng Tools!

A comprehensive range of tool holders that are ideal to attach to tool panels above a bench or to mount directly on the wall. The holders are perfect for the storage of tools you use frequently, they create order and make the tools easy to reach.

- There are 19 different sets, including sets for combination spanners, screwdrivers, pliers and files.
- There is a special space marked out for each tool so it is easy to see which tool is missing.
- Can be attached to tool panels above the bench or on the wall so that all tools are easy to reach.
- All tools can be purchased separately, so lost tools are easy to replace.
- Template and fittings included.



### **Wall Racks**

Combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### WRSP12 Combination Spanner Set

12 piece metric combination spanner set. Satin finish. Chrome vanadium. Complete with a wall rack for fixing to the wall or a work bench.

Combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### WRSP12LMP Long Reach Combination Spanner Set


12 piece extra long metric combination spanner set. Satin finish. Chrome vanadium. Complete with a wall rack for fixing to the wall or a work bench.

(1)

**T**00

Feng

Combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### WRSP12RS Ratcheting Combination Spanner Set

12 piece ratcheting combination spanner set. Satin finish. Chrome vanadium. Complete with a wall rack for fixing to the wall or a work bench.

Combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### WRDF06 Double Flex Wrench Set

6 piece double flex wrench set, with different size swivelling 12 point sockets at each end. Satin finish. Chrome vanadium. Complete with a wall rack for fixing to the wall or a work bench.

Double flex wrenches

8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm



#### WRFLS05 Extra long double ring spanner Set

5 piece extra long double ring spanner set covering 8 to 24mm with different bi-hexagonal sizes at each end. Satin finish. Chrome vanadium. Complete with a wall rack for fixing to the wall or a work bench.

Double ring spanners

8x10. 11x13. 12x14. 17x19. 22x24mm



#### TTPSTQ04 Preset Torque Wrench set

Set of four 1/2" drive preset torque wrenches, set to 90, 110, 120 and 140Nm. Accuracy +/- 4% and DIN3122. Supplied in the unique Teng Tools PS tray for use on it's own or as part of the Teng Tools TC control system. Also supplied with a wall rack for fixing to the wall or a work bench.

1/2" drive preset torque wrenches 90, 110, 120, 140Nm



#### WRHEX07 T handle hex key set

7 piece metric T handle hex key set with a ball point end on the long arm for 30° access. Complete with a wall rack for fixing to the wall or a work bench.

T handle hex keys

2.5, 3, 4, 5, 6, 7, 8mm



#### WRHEX07AF T handle hex key set

7 piece imperial T handle hex key set with a ball point end on the long arm for 30° access. Complete with a wall rack for fixing to the wall or a work bench.

T handle hex keys 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16"



#### WRTX07 T handle TX key set

7 piece T handle TX key set with a TPX end on the long arm for tamper proof TX fastenings. Complete with a wall rack for fixing to the wall or a work bench.

TX10, TX15, TX20, TX25, TX27, TX30, TX40







# Tools

#### WRMD10N Screwdriver Set

10 piece screwdriver set. Screwdrivers have bi-material TPR grip for added comfort and grip. Complete with a wall rack for fixing to the wall or a work bench.

| Screwdrivers | flat type | 0.5x3.0x100, 1.0x5.5x75, 1.0x5.5x150, 1.2x6.5x150, 1.2x8.0x150mm |
|--------------|-----------|--|
|              | PH        | PH0x75, PH1x75, PH2x100mm  |
|              | PZ        | PZ1x75, PZ2x100mm  |



#### WRMDT05N Power through screwdriver set

5 piece power thru screwdriver set. Screwdrivers have bi-material TPR grip for added comfort and grip with a percussion cap in the head for striking with a hammer. Complete with a wall rack for fixing to the wall or a work bench.

| Screwdrive | rs flat type | 1.2x6.5x100, 1.2x8.0x150, 1.6x10x200mm |
|------------|--------------|--|
|            | PH           | PH2x100, PH3x150mm                     |



#### WRMDV05N 1,000 volt insulated screwdriver set

WRMDV07N 1.000 volt insulated screwdriver set

5 piece 1,000 volt insulated screwdriver set. Screwdrivers have bi-material TPR grip for added comfort and grip. Complete with a wall rack for fixing to the wall or a work bench.

| Screwdrivers | flat type | 0.5x3.0x100, 1.0x5.5x125mm |
|--------------|-----------|----------------------------|
|              | PH        | PH1x80, PH2x100mm          |
|              | PZ        | PZ2x100mm                  |
|              |           |                            |



#### bi-material TPR grip for added comfort and grip. Complete with a wall rack for fixing to the wall or a work bench. 0.4.x2.5x75, 0.5x3.0x100, 0.8x4.0x100, 1.0x5.5x125mm Screwdrivers flat type PH1x80, PH2x100mm

100 to 250 volts

7 piece 1,000 volt insulated screwdriver and voltage tester set. Screwdrivers have



#### WRMB04 4 Piece Plier Set

4 piece plier set. Pliers have bi-material TPR grip for added comfort and grip. Complete with a wall rack for fixing to the wall or a work bench.

Pliers 6" side cutters, 7" heavy duty combination, 8" long nose and 10" water pump



#### WRMBV04 1,000 volt insulated plier set

4 piece 1,000 volt insulated plier set. Pliers have bi-material TPR grip for added comfort and grip. Complete with a wall rack for fixing to the wall or a work bench.

Pliers 6" side cutters, 8" heavy duty side cutters, 7" combination and 8" long nose



#### WRWC07 Carpenters Chisel Set

A 7 piece chisel set, finely ground and lacquer coated for corrosion protection. Impact resistant soft grip handles with percussion caps. Each chisel has a plastic blade cover. Supplied with a Teng Tools wall rack for fixing to tool panels or a work bench.

6, 10, 12, 16, 18, 20 and 25mm chisels. Wood chisels



#### WRFL05 Engineers File Set

A 5 piece set of 10" hand files. Supplied with a Teng Tools wall rack for fixing to tool panels or a work bench.

10" flat file, 10" hand file, 10" half round file, 10" round file, 10" three square file



#### WRPC10 Punch and chisel set

A 10 piece punch and chisel set including parallel pin punches, a centre punch and cold chisels. Supplied with a Teng Tools wall rack for fixing to tool panels or a work bench.

| 5x150mm                  |
|--------------------------|
| 3, 4, 5, 6, 7, 7, 8mm    |
| 19x150, 25x200, 25x250mm |
|                          |





Voltage tester



148













 Secure lock system with click mechanism so you know the top is closed properly.



Hard-wearing hinge with metal pin for increased life.



 Rubber feet to prevent the box from sliding and which protects against scratching.



 Distinctive branding to show your choice of Teng Tools.



 Easy and clear layout makes it easier to see which tools are missing when the work is done.



• Fully recyclable packaging to protect the environment.

# 1/4" Drive Socket Sets

#### M1413N1 1/4" Drive Socket Set

A basic no-nonsense 1/4" drive set of sockets with the FRP ratchet and an extension bar. Supplied in the Teng Tools clip box which stores the sockets and includes a clip rail facility for adding extra sockets.

| Accessories     | 1/4" drive |         | FRP ratchet, 2" extension bar,          |
|-----------------|------------|---------|---|
| Regular sockets | 1/4" drive | 6 point | 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |



#### T1419 19 Piece 1/4" Drive Socket Set

19 piece 1/4" drive socket set containing 6 point sockets, bits ratchet handle, magnetic bits holder, plus 11 bits. Supplied in a plastic case with snap lock and metal pin hinges. (105x60x32mm, 0.25 kilos)

| Accessories     | 1/4" drive |         | 1/4" bits ratchet, magnetic bits holder, 1/4"Mx1/4"Hex adaptor           |
|-----------------|------------|---------|--|
| Regular sockets | 1/4" drive | 6 point | 8, 9, 10, 11, 12, 13mm   |
| Bits            | 1/4" hex   |         | 4, 5, 6mm hex, PH1, PH2, PZ1, PZ2,<br>4.5mm flat, 5.5mm flat, 6.5mm flat |



#### T1420 20 Piece 1/4" Drive Socket Set

**Teng Tools** 

20 piece 1/4" drive socket set containing 6 point sockets, bits ratchet handle, magnetic bits holder, plus 11 bits. Supplied in a plastic case with snap lock and metal pin hinges. (105x60x32mm, 0.2 kilos)

| Accessories     | 1/4" drive |         | 1/4" bits ratchet, magnetic bits holder,<br>1/4"Mx1/4"Hex adaptor |
|-----------------|------------|---------|---|
| Regular sockets | 1/4" drive | 6 point | 5.5, 6, 7, 8, 9, 10, 13mm   |
| Bits            | 1/4" hex   |         | TX10, TX15, TX20, PH1, PH2, PZ1, PZ24mm flat,                     |
|                 |            |         | 5.5mm flat, 6.5mm flat  |



#### T1422 22 Piece 1/4" Drive Socket Set

22 piece 1/4" drive socket set containing 6 point sockets, 72 teeth ratchet handle, 2" extension bar, bits holder, 10 bits and hanging hook. Supplied in a plastic case with snap lock and metal pin hinges. (170x90x35mm, 0.45 kilos)

| Accessories     | 1/4" drive |         | 72 teeth ratchet, coupler adaptor,<br>2" extension bar |
|-----------------|------------|---------|--|
| Regular sockets | 1/4" drive | 6 point | 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm                |
| Bits            | 1/4" hex   |         | TX10, TX15, TX20, 4mm flat, 5.5mm flat,                |
|                 |            |         | 6.5mm flat,PH1, PH2, PZ1, PZ2                          |



#### T1423 23 Piece 1/4" Drive Socket Set

23 piece 1/4" drive socket set containing 6 point sockets, mini bits ratchet, 2" extension bar, 10 bits and a 4" adjustable wrench. Supplied in a plastic case with snap lock and metal pin hinges. (170x90x35mm, 0.42 kilos)

| Regular sockets   | 1/4" drive | 6 point | 4, 5, 5.5, 6, 7, 8, 10, 12, 13mm                           |
|-------------------|------------|---------|--|
| Adjustable wrench |            |         | 4"   |
| Accessories       | 1/4" drive |         | 2" extension, 1/4" bit ratchet, 1/4" male:1/4" hex adaptor |
| Bits              | 1/4" hex   |         | 4, 5,5, 6.5mm flat, PH1, PH2, PZ1, PZ2, TX10, TX15, TX20   |



#### T1424 24 Piece 1/4" Drive Socket Set

24 piece 1/4" drive socket set containing 6 point sockets, FRP ratchet, 3" extension bar, universal joint, bits holder as well as PH, flat, hex and TX bits. Supplied in a plastic case with snap lock and metal pin hinges. (170x90x35mm, 0.5 kilos)

| Regular sockets | 1/4" drive | 6 point | 4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13       |
|-----------------|------------|---------|--|
| Accessories     | 1/4" drive |         | FRP ratchet, 3" extension bar, universal |
|                 |            |         | joint, bits holder                       |
| Bits            | 1/4" hex   |         | PH1, PH2, 3mm hex, 5mm hex, 6mm he       |
|                 |            |         | TX10, TX15, TX20, 4mm flat, 5.5mm flat   |



#### T1424S 24 Piece 1/4" Drive Socket Set

24 piece 1/4" drive socket set containing 6 point sockets, 72 teeth flexible ratchet, couple adapter, universal joint, 3' extension bar, 10 regular sockets, and 10 bits. Supplied in a plastic case with snap lock and metal pin hinges. (170x90x35mm, 0.45 kilos)

| Accessories | s 1/4" drive             | 72 teeth flexible ratchet, coupler adaptor, |
|-------------|--------------------------|---|
|             |                          | universal joint, 3" extension bar           |
| Regular so  | ckets 1/4" drive 6 point | 4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm        |
| Bits        | 1/4" hex                 | 3mm hex, 5mm hex, 6mm hex, TX10, TX15       |
|             |                          | TX20. 4mm flat, 5.5mm flat, PH1, PH2.       |



#### T1435AF 35 Piece 1/4" Drive AF Socket Set

35 piece 1/4" drive socket set containing regular and deep 6 point AF sockets, FRP ratchet, 11 screwdriver bits, universal joint, 2" and 4" extension bars, coupler adaptor, 3/8" - 1/4" adaptor and hex keys 1.5, 2.0 and 2.5mm. Supplied in a plastic case with snap lock and metal pin hinges. (240x125x38mm, 1.1 kilos)

| Accessories     | 1/4" | drive |         | FRP ratchet, universal joint,  |
|-----------------|------|-------|---------|--|
|                 |      |       |         | 2" & 4" extensions, coupler adaptor 3/8"F:1/4"M T-bar adaptor,               |
|                 |      |       |         | 1.5, 2.0 & 2.5mm hex keys  |
| Regular sockets | 1/4" | drive | 6 point | 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2"                          |
| Deep sockets    | 1/4" | drive | 6 point | 3/16" 1/4" 5/16" 3/8" 7/16" 1/2"   |
| Bits            | 1/4" | hex   |         | TX10, TX15, TX20, 5mm hex, 6mm hex, PH1, PH2, PZ1, PZ2, 4mm flat, 5.5mm flat |







152

#### T1436 36 Piece 1/4" Drive Socket Set

36 piece 1/4" drive socket set containing 6 point sockets, FRP ratchet, coupler adaptor, 3/8"-1/4" adaptor, 2" and 4" extension bars, universal joint, three hex keys and 11 bits. Supplied in a plastic case with snap lock and metal pin hinges. (240x125x38mm, 0.9 kilos)

| Accessories    | 1/4" drive   |         | FRP ratchet, universal joint, 2" & 4" extensions, coupler adaptor, 3/8"F:1/4"M T-bar adaptor, 1.5, 2.0 & 2.5mm hex keys |
|----------------|--------------|---------|---|
| Regular socket | s 1/4" drive | 6 point | 4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm  |
| Deep sockets   | 1/4" drive   | 6 point | 6, 7, 8, 10, 12, 13mm   |
| Bits           | 1/4" hex     |         | TX10, TX15, TX20, 5mm hex, 6mm hex, PH1, PH2, PZ1, PZ2, 4mm flat, 5.5mm flat  |



#### T1460 60 Piece 1/4" Drive Socket Set

60 piece 1/4" drive socket set contaning 6 point regular/deep metric/AF sockets, bit sockets, FRP ratchet, 1/4" hex bits holder, 2" and 4" extension bars, spinner handle, universal joint, T bar and screwdriver bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (350x180x55mm, 1.6 kilos)

| Accessories     | 1/4" drive         | FRP ratchet, bits holder 1/4" hex, 2" and 4" extension bars, |
|-----------------|--------------------|--|
|                 |                    | spinner handle, universal joint, T bar                       |
| Regular sockets | 1/4" drive 6 point | 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm                 |
|                 |                    | 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2"          |
| Deep sockets    | 1/4" drive 6 point | 6, 7, 8, 10, 12, 13mm  |
|                 |                    | 1/4" 5/16" 3/8" 7/16" 1/2"                                   |
| Bit sockets     | 1/4" drive         | 4mm, 5.5mm, 7mm flat, TX10, TX15, TX20, TX25, TX27, PH1, PH2 |
| Bits (25mm)     | 1/4" hex           | 4mm, 5.5mm flat, 5mm hex, 6mm hex, PH1, PH2, PZ1, PZ2        |



#### TM106 106 Piece 1/4" 3/8" & 1/2" Drive Socket Set

106 piece professional tool set, containing 1/4" and 3/8" drive regular 6 point sockets, 1/4" drive deep sockets, 3/8" drive spark plug sockets, 1/2" drive regular 12 point sockets, FRP ratchets, universal joints coupler adaptors, extension bars, bi-flex wrench, bit driver, adaptors, double flex wrenches, combination spanners, ring holder, adjustable wrench and a full range of screwdriver bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 7.85 kilos)



| Accessories     | 1/4" drive          | FRP ratchet, bi-flex wrench, universal joint, 2" & 3" extensions, coupler adaptor, bits driver handle with magnetic bits holder |
|-----------------|---------------------|---|
| Accessories     | 3/8" drive          | FRP ratchet, 3" & 6" extensions, universal joint, 3/8"F:1/4"MT bar adaptor, 3/8"F:1/2"M T bar adaptor, coupler adaptor          |
| Accessories     | 1/2" drive          | 2½" & 10" extensions, 1/2"F:3/8"M T bar adaptor, flex head adaptor  |
| Regular sockets | 1/4" drive 6 point  | 4, 5, 6, 7, 8, 10, 12, 13mm   |
| Deep sockets    | 1/4" drive 6 point  | 6, 7, 8, 10, 12, 13mm   |
| Regular sockets | 3/8" drive 6 point  | 8, 9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm  |
| Spark plug sock | ets 3/8" drive      | 16, 21mm  |
| Regular sockets | 1/2" drive 12 point | 19, 24, 27, 30, 32mm  |
| Bits (25mm)     | 1/4" hex            | TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, TPX10, TPX15, TPX20, TPX25, TPX27, TPX30, TPX40 3mm hex, 4mm hex,                |
|                 |                     | 5mm, 6mm hex, 8mm hex, 10mm hex, PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 5.5mm flat, 7mm flat, XZN M5, XZN M6              |
| Wrenches        |                     | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, ring holder, 8x9mm, 10x11mm, 12x13mm,                      |
|                 |                     | 14x15mm double flex wrenches, 10" adjustable  |
|                 |                     |   |



#### T1272 72 Piece 1/4' & 1/2" Socket Set

72 piece socket set containing 1/4" and 1/2" drive regular sockets and accessories together with a comprehensive range of socket accessories. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (480x248x68mm, 4.6 kilos)



| Accessories 1/4     | 4" drive          | FRP ratchet, bi-flex wrench, 4" extension bar, coupler adaptor  |
|---------------------|-------------------|---|
| Accessories 1/2     | 2" drive          | FRP ratchet, 5" & 10" extension bars, 3/8"F:1/2"M T bar adaptor, flex head adaptor, universal joint                                   |
| Regular sockets 1/4 | 4" drive 6 point  | 4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm  |
| Regular sockets 1/2 | 2" drive 12 point | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27mm  |
| Bits 1              | /4" hex           | TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, 3mm hex, 4mm hex, 5mm hex, 6mm hex, 8mm hex, 10mm hex, 1/8" hex, 9/64" hex,            |
|                     |                   | 5/32 hex, 3/16" hex, 7/32" hex, 1/4" hex, 3/8" hex, PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 5.5mm flat, 7mm flat, XZN M5, XZN M6 |
| Hex keys            |                   | 1.5, 2.0, 2.5mm   |

#### TM095 1/4" and 1/2" Drive Socket and Tool Set

95 piece ¼" and ½" drive socket set containing regular and deep ¼" drive metric sockets, ½" drive regular 6 point sockets, FRP ratchets, universal joints, extension bars, 1/2" drive spark plug sockets and other socket accessories and screwdriver bits. The set also includes combination spanners and screwdrivers. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 6.3 kilos)

| Accessories       | 1/4" drive |         | FRP ratchet, universal joint, 2" and 4" extensions sliding T bar, spinner handle, coupler adaptor, 50mm magnetic bit holder |
|-------------------|------------|---------|---|
| Regular sockets   | 1/4" drive | 6 point | 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm  |
| Deep sockets      | 1/4" drive | 6 point | 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm  |
| Regular sockets   | ½" drive   | 6 point | 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32mm  |
| Accessories       | ½" drive   |         | FRP ratchet, 5" and 10" extensions, 3/8"F:1/2"M   |
|                   |            |         | T bar adaptor, universal joint, 5/16" hex coupler   |
|                   |            |         | Adaptor, 21mm spark plug socket   |
| Combination spann | ners       |         | 8, 10, 12, 13, 14, 17mm   |
| Screwdrivers      |            |         | PH1x75mm, PH2x100mm, PZ1x75mm, PZ2x100mm,   |
|                   |            |         | 3mm flat x 75mm, 4mm flat x 100mm   |
| Bits (25mm)       | 1/4" hex   |         | 4, 5.5 and 7mm flat, PH0,PH1, PH2, PH3, PH4,  |
|                   |            |         | PZ0, PZ1, PZ2, PZ3, 3, 4, 5, 6, 8 and 10mm hexagon,   |
|                   |            |         | 1/4" male adaptor, TX8, TX10, TX15, TX20, TX25  |
|                   |            |         | TX27, TX30, TX40  |
| Bits (30mm)       | 5/16" hex  |         | TX45, TX50, TX55  |





From factory to workshop, from farms to motor racing - Teng Tools is the preferred choice for professionals.









| Accessories        | 1/4" drive   |               | FRP ratchet, 5/16" hex coupler adaptor, 6" flexible extension, 2" and 4" extension bars, spinner handle, universal joint, 1/4"Fx36"M adaptor, 4" T bar |
|--------------------|--------------|---------------|--|
| Accessories        | 3/8" drive   |               | FRP ratchet, bits holder 1/4" hex, 3" and 6" extension bars, spinner handle, universal joint, 3/8"Fx1/2"M adaptor, spin disc                           |
| Accessories        | 1/2" drive   |               | FRP ratchet, 5/16" hex coupler, 2½" and 10" extension bars, 1/2"Fx3/8"M adaptor, spin disc   |
| Regular sockets    | 1/4" drive   | 6 point       | 4, 5, 6, 7, 8, 10, 12mm  |
|                    |              |               | 3/16" 7/32" 1/4" 9/32" 3/8" 7/16"  |
| Regular sockets    | 3/8" drive   | 6 point       | 8, 9, 10, 12, 13, 14, 15, 16, 17mm   |
|                    |              |               | 3/8" 7/16" 1/2" 9/16" 11/16" 3/4" 13/16" 7/8"  |
| Deep sockets       | 3/8" drive   | 6 point       | 8, 9, 10, 12, 13, 14, 15, 16, 17mm   |
|                    |              |               | 3/8" 7/16" 1/2" 9/16" 11/16" 3/4" 13/16" 7/8"  |
| Regular socket     | 1/2" drive   | 6 point       | 17, 24, 27, 32mm   |
|                    |              |               | 11/16" 3/4" 13/16" 7/8" 1" 1 3/6"  |
| Spark plug sockets | 3/8" drive   | 6 point       | 16, 21mm   |
| Bits               | 5/16" hex co | upler adaptor | 3mm hex, 4mm hex, 5mm hex, 6mm hex, 7mm hex, 10mm hex, 1/8" hex, 9/64" hex, 5/32" hex, 3/16" hex, 1/4" hex, 5/16" hex,                                 |
|                    |              |               | TX10, TX15, TX20, TX25, TX30, TX40, 4mm, 5.5mm, 7mm flat, PH1, PH2, PH3, PZ1, PZ2, PZ3   |
| Bits               | 5/16" hex    |               | TX45, TX50   |

#### TM127 1/4", 3/8" and 1 /2" Drive Metric and AF Socket and Tool Set

127 piece 1/4", 3/8" and 1/2" drive socket set containing regular and deep 1/4" drive sockets, 3/8" and 1/2" drive regular sockets, FRP ratchets, extension bars, universal joints, spark plug sockets, adaptors and screwdriver bits. The set also includes combination spanners, an adjustable wrench and a ratcheting bits driver. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x105mm, 7.5 kilos)

| Accessories     | 1/4" drive |          | FRP ratchet, universal joint, 2" and 3" extension bars, coupler adaptor                                    |
|-----------------|------------|----------|--|
| Regular sockets | 1/4" drive | 6 point  | 4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm   |
|                 |            | 6 point  | 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"  |
| Deep sockets    | 1/4" drive | 6 point  | 6, 7, 8, 10, 12, 13mm  |
| Accessories     | 3/8" drive |          | FRP ratchet, universal joint, 3" and 6" extension bars,  |
|                 |            |          | coupler adaptor, 16 and 21mm spark plug sockets,   |
|                 |            |          | 3/8"F:1/4"M adaptor, 3/8"F:1/2"M adaptor   |
| Regular sockets | 3/8" drive | 6 point  | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm   |
|                 |            | 6 point  | 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"  |
| Accessories     | 1/2" drive |          | 2½" and 10" extension bars, flex head adaptor,   |
|                 |            |          | 1/2"F:3/8"M adaptor  |
| Regular sockets | 1/2" drive | 12 point | 19, 24, 27, 30, 32mm   |
| Wrenches        |            |          | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination<br>spanners, spanner ring, 8" adjustable wrench |
| Bits            | 1/4" hex   |          | Ratcheting bits driver, 4mm (x 2), 5.5mm (x 2) and 7mm   |
|                 |            |          | flat (x 2), PH0, PH1 (x 2) PH2 (x 2), PH3, PZ1 (x 2), PZ2  |
|                 |            |          | (x 2), PZ3, 1/4"M adaptor, 3, 4, 5, 6, 8, 10mm hex, 1/8",  |
|                 |            |          | 9/64", 5/32", 3/16", 1/4", 3/8" hex, TX8, TX10, TX15,  |
|                 |            |          | TX20, TX25, TX27,TX30, TX40, 5 and 6 XZN.  |
|                 |            |          | ·  |



#### TT1435 1/4" drive socket set

Set containing 11 regular 6 point sockets, 6 deep 6 point sockets, 11 screwdriver bits, ratchet handle, universal joint, 2" and 4" extension bars, 1/4" coupler adaptor, 3/8"-1/4" adaptor and 1/4" screwdriver handle.

Supplied in the unique Teng Tools TC tray with dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.0 kilos)

| Accessories    | 1/4" drive  |         | Ratchet, universal joint, 2" and 4"extensions, coupler adaptor, 3/8" F:1/4"M T bar adaptor, 6" spinner handle |
|----------------|-------------|---------|---|
| Regular socket | s1/4" drive | 6 point | 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm   |
| Deep sockets   | 1/4" drive  | 6 point | 6, 7, 8, 10, 12, 13mm   |
| Bits           | 1/4" hex    |         | TPX10, 15, 20, 5mm, 6 mm hex, PH1, PH2, PZ1, PZ2,   |
|                |             |         | 4 mm, 5.5 mm flat   |



#### TTAF32 1/4" & 3/8" AF socket set

Set containing 1/4" and 3/8" drive 6 point sockets, regular and deep. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.36 kilos)

| Regular sockets 1/4" drive | 6 point | 3/16" | 7/32  | 1/4  | 9/32    | ' 5/16"              | 11/32   | 3/8"     | 7/16"   | 1/2"    |
|----------------------------|---------|-------|-------|------|---------|----------------------|---------|----------|---------|---------|
| Deep sockets 1/4" drive    | 6 point | 3/16" | 7/32" | 1/4" | 9/32" ! | 5/16" 1 <sup>·</sup> | 1/32" 3 | /16" 3/8 | 3" 7/16 | 3" 1/2" |
| Regular sockets 3/8" drive | 6 point | 3/8"  | 7/16" | 1/2" | 9/16"   | 5/8" 1               | 1/16" 3 | 3/4"     |         |         |
| Deep sockets 3/8" drive    | 6 point | 3/8"  | 7/16" | 1/2" | 9/16"   | 5/8" 1               | 1/16" 3 | 8/4"     |         |         |



#### TTTX30 3/8" drive TX/TPX/TXE socket set

30 piece 3/8" drive bit socket set containing 28 TX, TPX and TX-E socket bits for internal and external heads plus 3/8" -1/4" adaptor, and 3" extension bar 3/8" drive. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

| Accessories     | 3/8" drive | 3" extension, 3/8"F:1/4"M adaptor     |
|-----------------|------------|---------------------------------------|
| TX bit sockets  | 3/8" drive | TX10, 15, 20, 25, 27, 30, 40, 45, 50  |
| TPX bit sockets | 3/8" drive | TPX10, 15, 20, 25, 27, 30, 40, 45, 50 |
| TX-E sockets    | 1/4" drive | E4, E5, E6, E7, E8                    |
|                 | 3/8" drive | E10, E12, E14, E16, E18               |



#### TTBS35 1/4" & 3/8" drive bit socket set

35 piece 1/4" and 3/8" drive set containing 33 bits for hex, TX, PH, PZ and flat type, plus 2 adaptors. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm. 1.25 kilos)

| Bits sockets    | 1/4" drive        | PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 4.5mm flat,<br>7mm flat, TX10, TX15, TX20, TX25, TX27, TX30, TX40 |
|-----------------|-------------------|--|
| Hex bit sockets | 3/8" drive metric | 3, 4, 5, 5.5, 6, 7, 8, 10, 12mm  |
| Hex bit sockets | 3/8" drive AF     | 1/8" 5/32" 3/16" 7/32", 1/4" 5/16" 3/8"  |
| Accessories     |                   | 1/4"F:3/8"M adaptor, 3/8"F:1/4"M adaptor   |









#### TED1489 1/4" Drive Socket Set

Set containing ¼" drive regular and deep sockets and a comprehensive range of accessories. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.60 kilos)

| Accessories     | 1/4" drive   |         | 72 teeth ratchet, spinner handle, 2" and 4" extension bars, universal joint, coupler adaptor, 3/8"F:1/4"M adaptor, ¼"M:1/4" hex adaptor   |
|-----------------|--------------|---------|---|
| Regular sockets | 1/4" drive   | 6 point | 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm   |
| Deep sockets    | 1/4" drive   | 6 point | 4, 5, 5.5, 6, 7, 8, 9, 10, 12, 13mm   |
| Bit sockets     | 1/4" drive   |         | 4, 5.5, 7mm flat, TX10,TX15, TX20, TX25, TX27, TX30, TX40,<br>PZ1, PZ2, PZ3, PH0, PH1, PH2, PH3   |
| 25mm bits       | ¼" hex drive |         | 3, 4, 5.5, 7mm flat, TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, PZ0, PZ1, PZ2, PZ3, PH0, PH1, PH2, PH3, PH4, 3, 4, 5, 6, 8, 10mm hex, 1/8", 9/64", 5/32", 3/16", 1/4", 5/16" hex, TPX10, TPX15, TPX20, TPX25, TPX27, TPX30, TPX40, XZN 5 and 6. |



#### TTESK77 1/4" 3/8" 1/2" drive socket set

Teng Tools


76 piece 1/4", 3/8" and 1/2" drive socket set containing 1/4", 3/8" and 1/2" drive sockets and accessories. Covers all the popular sizes from 4 to 24mm with selected sizes in deep and a range of 1/2" drive impact sockets. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 7.2 kilos)



| Accessories            | 1/4" drive |                 | FRP ratchet, 6" spinner handle, 6" and 12" extension bars, universal joint, T-bar and T-bar handle adaptor.                                   |
|------------------------|------------|-----------------|---|
| Regular Sockets        | 1/4" drive | 6 point         | 4, 5, 5.5, 6, 7, 8, 9,10, 11, 12, 13mm  |
| Deep Sockets           | 1/4" drive | 6 point         | 7, 8, 10, 12, 13mm  |
| Accessories            | 3/8" drive |                 | FRP ratchet, 3" wobble extension bar, 6" extension bar, universal joint, 3/8" F:1/4" M adaptor, 3/8"F:1/2"M adaptor, rotating spinner handle. |
| <b>Regular Sockets</b> | 3/8" drive | 6 point         | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm.   |
| Accessories            | 1/2" drive |                 | FRP ratchet, 6" wobble extension bar, 10" extension bar, universal joint, 1/2"F:3/8"M adaptor.  |
| <b>Regular Sockets</b> | 1/2" drive | 6 point         | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm  |
| Impact Sockets         | 1/2" drive | regular 6 point | 13, 15, 16, 17, 18, 19, 22, 24mm  |
| Impact Sockets         | 1/2" drive | deep 6 point    | 13, 15, 16, 17, 18, 19, 22, 24mm  |

#### TTESK86 1/4" & 3/8" drive socket set

Set containing 1/4" and 3/8" drive regular and deep metric sockets and a comprehensive range of accessories. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 6.55 kilos)



| Accessories     | 1/4" drive |         | 72 teeth ratchet, 6" spinner handle, 2" 3" 4" 6" and 12" extension bars, universal joint, 1/4"F:3/8"M adaptor, sliding T bar, coupler adaptor, T-HD T bar handle adaptor |
|-----------------|------------|---------|--|
| Regular sockets | 1/4" drive | 6 point | 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm   |
| Deep sockets    | 1/4" drive | 6 point | 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm  |
| Accessories     | 3/8" drive |         | 72 teeth ratchet, speed brace, spinner handle, 3", 5", 6", 10" and 20" extension bars, universal joint,  |
|                 |            |         | 3/8"F:1/4"M adaptor, 3/8"F:1/2"M adaptor, 16mm, 18mm and 21mm spark plug sockets, coupler adaptor, 10" rotating spinner handle.  |
| Regular sockets | 3/8" drive | 6 point | 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 and 22mm   |
| Deep sockets    | 3/8" drive | 6 point | 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21 and 22mm   |

158

# IENGIOOLS

#### TTESK85 85 Piece 1/4" 3/8" 1/2" drive socket set

85 piece socket bit set containing 1/4", 3/8" and 1/2" drive bit sockets. Covers all the popular types and sizes including screwdriver type, hex bits, TX and TPX, Ribe and XZN. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 4.5 kilos)



| Flat bit sockets 1/4" drive 4, 5.5, 7mm  | PH bit sockets 1/4" drive PH0, PH1, PH2, PH3                                   |
|--|--|
| PZ bit sockets 1/4" drive PZ1, PZ2, PZ3  | TX-E sockets 1/4" drive E4, E5, E6, E7, E8                                     |
| TX bit sockets 1/4" drive TX10, TX15, TX20, TX25, TX27, TX30, TX40                       | Accessories 3/8" drive 3" extension bar  |
| TX-E sockets 3/8" drive E10, E12, E14, E16, E18  | TX bit sockets 3/8" drive TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50 |
| TPX bit sockets 3/8" drive TPX10, TPX15, TPX20, TPX25, TPX27, TPX30, TPX40, TPX45, TPX50 | Hex bit sockets 1/2" drive 3, 4, 5.5, 6, 7, 8, 10, 12mm                        |
| TX bit sockets 1/2" drive TX20,TX25,TX27,TX30,TX40,TX45,TX50,TX55,TX60                   | Hex bit sockets 1/2" drive 5,6, 7, 8, 10, 12mm                                 |
| Ribe bit sockets 1/2" drive 4, 5, 6, 8, 10, 11, 12, 13                                   | XZN bit sockets 1/2" drive 5, 6, 8, 10, 12, 14, 16                             |

#### M1412 1/4" Drive regular sockets

12 piece 1/4" drive 6 point regular sockets supplied on a clip rail. Chrome vanadium. Satin finish.

| Accessories     | 1 clip rail ( | 185mm in | length) complete with 12 1/4" drive socket clips |
|-----------------|---------------|----------|--|
| Regular sockets | 1/4" drive    | 6 point  | 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm     |



#### M1407 1/4" Drive Clip Rail deep sockets

9 piece 1/4" drive 6 point deep metric sockets supplied on a clip rail. Chrome vanadium steel. Satin finish.

| Accessories  | 1 clip rail (1 | 65mm in le | ngth) complete with 9 1/4" drive socket clips |
|--------------|----------------|------------|---|
| Deep sockets | 1/4" drive     | 6 point    | 4, 5, 6, 7, 8, 9, 10, 12, 13mm                |



#### M3814 1/4" & 3/8" Drive TX-E sockets

10 piece 1/4" and 3/8" drive TX-E sockets supplied on a clip rail. Chrome vanadium steel. Satin finish.

| Accessories  | 1 clip rail (165 | 5mm in length) complete with 5 1/4" drive and 5 3/8" drive socket clips |
|--------------|------------------|---|
| TX-E sockets | 1/4" drive       | E4, E5, E6, E7, E8  |
| TX-E sockets | 3/8" drive       | E10, E12, E14, E16, E18   |



#### M1408TX 1/4" Drive TX bit sockets

7 piece 1/4" drive TX sockets supplied on a clip rail

| Process of annual control of process of the control |   |  |  |  |
|--|---|--|--|--|
| Accessories  | 1 clip rail (110mm in length) complete with 7 1/4" drive socket clips |  |  |  |
| TX bit sockets 1/4" drive  | TX10, TX15, TX20, TX25, TX27, TX30, TX40                              |  |  |  |
|  |   |  |  |  |





#### M3812N1 3/8" Drive Socket Set

A basic no-nonsense 3/8" drive set of sockets with the FRP ratchet and an extension bar. Supplied in the Teng Tools clip box which stores the sockets and includes a clip rail facility for adding extra sockets.

| Accessories     | 3/8" drive | FRP ratchet, 3" extension bar           |
|-----------------|------------|---|
| Regular sockets | 3/8" drive | 8, 10, 11, 12, 13, 14, 15, 16, 17, 19mm |



#### T3834 34 Piece 3/8" Drive Socket Set

34 piece 3/8" drive socket set containing metric regular 6 point sockets, FRP ratchet, 3" and 6" extension bars, and an adaptor. Supplied in plastic case with snap lock and metal pin hinges. (240x125x38mm, 1.12 kilos)

| Accessories     | 3/8" drive   |         | FRP ratchet, 3" and 6" extension bars, 1/2"Fx3/8"M adapto coupler adaptor |
|-----------------|--------------|---------|---|
| Regular sockets | s 3/8" drive | 6 point | 8, 10, 11, 12, 13, 14, 15, 17, 19mm                                       |
| Bits 25mm       | 1/4" hex     |         | 3mm flat, 4mm flat, 5.5mm flat, 3mm hex, 4mm hex,                         |
|                 |              |         | 5mm hex, 6mm hex, TX10, TX15, TX20, TX25, TX27, TX30, TX40                |
|                 |              |         | PH1, PH2, PH3, PZ1, PZ2, PZ3  |
|                 |              |         |   |



#### T3834S 34 Piece 3/8" Drive Socket Set

34 piece 3/8" drive socket set containing 9 regular 6 point sockets, 72 teeth flexible ratchet, T bar adaptor, universal joint, 3" and 6' extension bars. Supplied in plastic case with snap lock and metal pin hinges. (240x125x38mm, 1.12 kilos)

| Accessories     | 3/8" drive | 72 teeth flexible ratchet, 1/4"F:3/8"M T bar adaptor,<br>universal joint, 3" and 6" extension bars, coupler adaptor                         |
|-----------------|------------|---|
| Regular sockets | 3/8" drive | 6 point 8, 10, 11, 12, 13, 14, 15, 17, 19mm   |
| Bits            | 1/4" hex   | 3mm hex, 4mm hex, 5mm hex, 6mm hex, TX10, TX15, TX20, TX25, TX27, TX30, TX40, 3mm flat, 4mm flat, 5.5mm flat, PH1, PH2, PH3, PZ1, PZ2, PZ3. |



#### T3835AF 35 Piece 3/8" Drive Socket Set

35 piece 3/8" drive set containing regular and deep AF 6 point sockets, 2 spark plug sockets 16 and 21mm, 11 screwdriver bits, FRP ratchet, universal joint, 4" and 6" extension bars, 1/2" - 3/8" adaptor as well as coupler adaptor. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (369x198x62mm, 2.2 kilos)

| Accessories       | 3/8" drive      |       | FRP ratchet, universal joint, 4" & 6"extensions, coupler adaptor |
|-------------------|-----------------|-------|--|
|                   |                 |       | 1/2"F:3/8"M T-bar adaptor  |
| Regular sockets   | 3/8" drive 6    | point | 5/16" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8"         |
| Deep sockets      | 3/8" drive 6    | point | 3/8" 7/16" 1/2" 9/16" 11/16" 3/4                                 |
| Spark plug socket | ts 3/8" drive 6 | point | 16 & 21mm  |
| Bits              | 1/4" hex        |       | TX10, TX15, TX20, 5mm hex, 6mm hex, PH1, PH2, PZ1, PZ2,          |
|                   |                 |       | 4mm flat, 5.5mm flat   |



#### T3839 39 Piece 3/8" Drive Socket Set

39 piece 3/8" drive socket set containing regular and deep metric 6 point sockets, coupler adaptor, 1/2"-3/8" adapator, 3" wobble extension bar and 6" extension, universal joint, 2 spark plug sockets 16 and 21 mm, FRP ratchet as well as 11 bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (369x198x62mm, 2.46kilos)

| 0                 |                    | •   |
|-------------------|--------------------|---|
| Accessories       | 3/8" drive         | FRP ratchet, universal joint, 3" wobble extension, 6" extension, coupler adaptor, 1/2"F:3/8"M T-bar adaptor |
| Regular sockets   | 3/8" drive 6 point | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17,18, 19, 21, 22mm   |
| Deep sockets      | 3/8" drive 6 point | 8, 10, 12, 13, 17, 19mm   |
| Spark plug socket | ts 3/8" drive      | 16 & 21mm   |
| Bits              | 1/4" hex           | TX10, TX15, TX20, 5mm hex, 6mm hex, PH1, PH2, PZ1, PZ2,   |
|                   |                    | 4mm flat, 5.5mm flat  |
|                   |                    |   |



#### T3840 39 Piece 3/8" Drive Socket and Spanner Set

39 piece 3/8" drive socket set containing 6 point metric sockets, 6" extension bar, universal joint, coupler adaptor, 1/2"-3/8" adaptor, FRP ratchet, 9 combination spanners as well as 11 screwdriver bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (369x198x62mm, 2.52 kilos)

| Accessories       | 3/8" drive         | FRP ratchet, universal joint, 6" extension, coupler adaptor1/2 "F:3/8"M T-bar adaptor |
|-------------------|--------------------|---|
| Regular sockets   | 3/8" drive 6 point | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17,18, 19, 21, 22mm                                 |
| Combination spann | iers               | 8, 10, 11, 12, 13, 14, 15, 17, 19mm   |
| Bits              | 1/4" hex           | TX10, TX15, TX20, 5mm hex,6mm hex, PH1, PH2, PZ1, PZ2, 4mm flat, 5.5mm flat           |



#### T3848 48 Piece 3/8" Drive Tool Set

48 piece 3/8" drive set containing 6 point regular metric and AF sockets, 2 spark plug sockets, 14 combination spanners, 6 screwdrivers, 5 pliers, adjustable wrench, FRP ratchet, 3" and 6" extension bars, coupler adaptor and 1/2"-3/8" adaptor. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x105mm, 6.51 kilos)

| Accessories       | 3/8" drive |         | Ratchet, universal joint, 3" and 6" extension bars, coupler adaptor, |
|-------------------|------------|---------|--|
|                   |            |         | 1/2"F:3/8"M adaptor, 16 and 21mm spark plug sockets                  |
| Regular sockets   | 3/8" drive | 6 point | 7/16" 1/2" 9/16" 11/16   |
|                   |            | 6 point | 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21mm                          |
| Combination spar  | nners      |         | AF 7/16" 1/2" 9/16" 11/16"   |
|                   |            | mm      | 8, 10, 12, 13, 14, 15, 16, 17, 18, 19mm                              |
| Screwdrivers      |            |         | 3.0mm flat, 5.5mm flat, 6.5mm flat, PH0, PH1, PH2,                   |
| Pliers            |            |         | 6" side cutter, 7" combination, 8" long nose, 10" water pump         |
| Power grip pliers |            |         | 7" curved jaw  |
| Adjustable wrenc  | hes        |         | 8" phosphate finish  |







# eng Tool

#### T3867 67 Piece 3/8" drive Tool Set

67 piece 3/8" drive tool set containing regular 6 point metric sockets, FRP ratchet handle, universal joint, 3" and 6" extension bars, coupler adaptor, 1/2"- 3/8" adaptor, bits driver with magnetic bits holder, 10 combination spanners, 6 screwdrivers, 4 pliers as well as 26 bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 5.44 kilos)



| Accessories          | 3/8" drive |         | FRP ratchet, 3" & 6"extensions, coupler adaptor,1/2"F:3/8"M T-bar adaptor, bits driver handle with magnetic bits holder |
|----------------------|------------|---------|---|
| Regular sockets      | 3/8" drive | 6 point | 8, 9, 10, 11, 12, 13, 14, 15, 16,17, 18, 19, 20, 22mm   |
| Combination spanners |            |         | 8, 10, 11, 12, 13, 14, 15,16, 17, 19mm  |
| Screwdrivers         |            |         | 3.0mm flat, 5mm flat, 6mm flat, PH0, PH1, PH2,  |
| Pliers               |            |         | 6" side cutter, 7" combination, 8" long nose, 10" water pump  |
| Bits                 | 1/4" hex   |         | TX8, TX10, TX15, TX20, TX25, TX27,TX30, TX40, TX45, TX50, 3mm hex, 4mm hex, 5mm hex, 6mm hex, 8mm hex,                  |
|                      |            |         | 10mm hex, PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 5.5mm flat, 7mm flat   |

#### TM079 79 Piece 3/8" Tool Set

79 piece 3/8" socket and tool set. A service kit that contains a 3/8" drive socket set with FRP ratchet, bit sockets, universal joint, adaptor drive 1/2" x 3/8". Also included are: bit screwdriver with magnet, LED torch, measuring tape, universal knife, telescopic magnetic pick up, hook set for O-rings, universal pliers, carpenters hammer with steel tube handle, 1/4" adapter, 3/8" drive sockets, combination spanners, hex key set, adjustable wrench, flat nose pliers, side cutters, combination pliers, water pump pliers, screwdrivers and 20 bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 6.8 kilos)



| Accessories 3/8" drive             | FRP ratchet, 5"extension, universal joint, 1/2"F:3/8"M T-bar adaptor, bits driver handle with magnetic bits holder             |
|------------------------------------|--|
|                                    | 1/4" hex adaptor, LED light with clip, 5m measuring tape, utility knife, telescopic magnet, 4 in 1 hook and pick set, gun saw, |
|                                    | 16oz claw hammer   |
| Regular sockets 3/8" drive 6 point | 8, 10, 11, 12, 13, 14, 15, 17, 19, 20, 21, 22mm  |
| Combination spanners               | 6, 7, 8, 10, 11mm  |
| Hex key set                        | 7 piece folding hex key set 1.5-6mm  |
| Adjustable wrench                  | 8" wide opening with vinyl grip  |
| Screwdrivers                       | 3.0mm flat, 5.5mm flat, 6.6mm flat, PH1, PH2,  |
| Pliers                             | 6" side cutter, 7" combination, 6" long nose, 7" water pump  |
| Bits 1/4" hex                      | TX10, TX15, TX20, TX25, TX27, TX30, TX40, TPX20, TPX25, TPX30, 4mm hex, 5mm hex, 6mm hex, PH1, PH2, PH3, PZ1, PZ2, PZ3,        |
|                                    | 4.5mm flat, 5.5mm flat, 6.5mm flat, ROB no1, ROB no2, ROB no3, GR no2(x2)  |

#### TM079E 79 Piece 3/8" Tool Set

79 piece 3/8" socket and tool set. A service kit that contains a 3/8" drive socket set with FRP ratchet, bit sockets, universal joint, adaptor drive 1/2" x 3/8". Also included are: bit screwdriver with magnet, LED torch, measuring tape, universal knife, telescopic magnetic pick up, hook set for O-rings, universal pliers, engineers hammer, 1/4" adapter, 3/8" drive sockets, combination spanners, hex key set, adjustable wrench, flat nose pliers, side cutters, combination pliers, water pump pliers, screwdrivers and 20 bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 6.8 kilos)



| Accessories 3/8" drive             | FRP ratchet, 5"extension, universal joint, 1/2"F:3/8"M T-bar adaptor, bits driver handle with magnetic bits holder             |
|------------------------------------|--|
|                                    | 1/4" hex adaptor, LED light with clip, 5m measuring tape, utility knife, telescopic magnet, 4 in 1 hook and pick set, gun saw, |
|                                    | 500g engineers hammer  |
| Regular sockets 3/8" drive 6 point | 8, 10, 11, 12, 13, 14, 15, 17, 19, 20, 21, 22mm  |
| Combination spanners               | 6, 7, 8, 10, 11mm  |
| Hex key set                        | 7 piece folding hex key set 1.5-6mm  |
| Adjustable wrench                  | 8" wide opening with vinyl grip  |
| Screwdrivers                       | 3.0mm flat, 5.5mm flat, PH1, PH2,  |
| Pliers                             | 6" side cutter, 7" combination, 6" long nose, 7" water pump  |
| Bits 1/4" hex                      | TX10, TX15, TX20, TX25, TX27, TX30, TX40, TPX20, TPX25, TPX30, 4mm hex, 5mm hex, 6mm hex, PH1, PH2,PH3, PZ1, PZ2, PZ3,         |
|                                    | 4.5mm flat, 5.5mm flat, 6.5mm flat, ROB no1, ROB no2, ROB no3, GR no2(x2)  |



#### TM106 106 Piece 1/4" 3/8" & 1/2" Drive Socket Set

106 piece professional tool set, containing 1/4" and 3/8" drive regular 6 point sockets, 1/4" drive deep sockets, 3/8" drive spark plug sockets, 1/2" drive regular 12 point sockets, FRP ratchets, universal joints coupler adaptors, extension bars, bi-flex wrench, bit driver, adaptors, double flex wrenches, combination spanners, ring holder, adjustable wrench and a full range of screwdriver bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 7.85 kilos)



| Accessories       | 1/4" drive          | FRP ratchet, bi-flex wrench, universal joint,2" & 3" extensions, coupler adaptor, bits driver handle with magnetic bits hold |
|-------------------|---------------------|--|
| Accessories       | 3/8" drive          | FRP ratchet, 3" & 6" extensions, universal joint, 3/8"F:1/4"MT bar adaptor, 3/8"F:1/2"M T bar adaptor, coupler adaptor       |
| Accessories       | 1/2" drive          | 2½" & 10" extensions, 1/2"F:3/8"M T bar adaptor, flex head adaptor   |
| Regular sockets   | 1/4" drive 6 point  | 4, 5, 6, 7, 8, 10, 12, 13mm  |
| Deep sockets      | 1/4" drive 6 point  | 6, 7, 8, 10, 12, 13mm  |
| Regular sockets   | 3/8" drive 6 point  | 8, 9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm   |
| Spark plug socket | s 3/8" drive        | 16, 21mm   |
| Regular sockets   | 1/2" drive 12 point | 19, 24, 27, 30, 32mm   |
| Bits (25mm)       | 1/4" hex            | TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, TPX10, TPX15, TPX20, TPX25, TPX27, TPX30, TPX40 3mm hex, 4mm hex,             |
|                   |                     | 5mm, 6mm hex, 8mm hex, 10mm hex, PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 5.5mm flat, 7mm flat, XZN M5, XZN M6           |
| Wrenches          |                     | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, ring holder, 8x9mm, 10x11mm, 12x13mm,                   |
|                   |                     | 14x15mm double flex wrenches, 10" adjustable   |

#### TM111 111 Piece Socket Set

111 piece socket set containing 1/4", 3/8" and 1/2" drive regular sockets and accessories, 3/8" drive deep sockets, spark plug sockets plus 1/4" and 5/16" hex bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 8.1 kilos)



| Accessories        | 1/4" drive   |               | FRP ratchet, 5/16" hex coupler adaptor, 6" flexible extension, 2" and 4" extension bars, spinner handle, universal joint,   |
|--------------------|--------------|---------------|---|
|                    |              |               | 1/4"Fx3/8"M adaptor, 4" T bar   |
| Accessories        | 3/8" drive   |               | FRP ratchet, bits holder 1/4" hex, 3" and 6" extensin bars, spinner handle, universal joint, 3/8"Fx1/2"M adaptor, spin disc |
| Accessories        | 1/2" drive   |               | FRP ratchet, 5/16" hex coupler, 2 ½" and 10" extension bars, 1/2"Fx3/8"M adaptor, spin disc                                 |
| Regular sockets    | 1/4" drive   | 6 point       | 4, 5, 6, 7, 8, 10, 12mm   |
|                    |              |               | 3/16" 7/32" 1/4" 9/32" 3/8" 7/16"   |
| Regular sockets    | 3/8" drive   | 6 point       | 8, 9, 10, 12, 13, 14, 15, 16, 17mm  |
|                    |              |               | 3/8" 7/16" 1/2" 9/16" 11/16" 3/4" 13/16" 7/8"   |
| Deep sockets       | 3/8" drive   | 6 point       | 8, 9, 10, 12, 13, 14, 15, 16, 17mm  |
|                    |              |               | 3/8" 7/16" 1/2" 9/16" 11/16" 3/4" 13/16" 7/8"   |
| Regular socket     | 1/2" drive   | 6 point       | 17, 24, 27, 32mm  |
|                    |              |               | 11/16" 3/4" 13/16" 7/8" 1" 1 <sup>3</sup> /6"   |
| Spark plug sockets | 3/8" drive   | 6 point       | 16, 21mm  |
| Bits               | 5/16" hex co | upler adaptor | 3mm hex, 4mm hex, 5mm hex, 6mm hex, 7mm hex, 10mm hex, 1/8" hex, 9/64" hex, 5/32" hex, 3/16" hex, 1/4" hex, 5/16" hex,      |
|                    |              |               | TX10, TX15, TX20, TX25, TX30, TX40, 4mm, 5.5mm, 7mm flat, PH1, PH2, PH3, PZ1, PZ2, PZ3                                      |
| Bits               | 5/16" hex    |               | TX45, TX50  |



# **Teng Took**

#### TM127 1/4", 3/8" and 1 /2" Drive Metric and AF Socket and Tool Set

127 piece 1/4", 3/8" and 1/2" drive socket set containing regular and deep ¼" drive sockets, 3/8" and 1/2" drive regular sockets, FRP ratchets, extension bars, universal joints, spark plug sockets, adaptors and screwdriver bits. The set also includes combination spanners, an adjustable wrench and a ratcheting bits driver. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x105mm, 7.5 kilos)

| Deep sockets   |                 |            |          |   |
|--|-----------------|------------|----------|---|
| Separation   | Accessories     | 1/4" drive |          |   |
| Deep sockets   | Regular sockets | 1/4" drive | 6 point  | 4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm                              |
| Accessories 3/8" drive FRP ratchet, universal joint, 3" and 6" extension bars, coupler adaptor, 16 and 21mm spark plug sockets, 3/8"F:1/4"M adaptor, 3/8"F:1/2"M adaptor adaptor, 3/8"F:1/2"M adaptor adaptor, 3/8"F:1/2"M adaptor be point 5/16", 3/8", 7/16", 1/2", 1/2, 13, 14, 15, 16, 17, 18, 19, 21, 22mm 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8" Accessories 1/2" drive 2½" and 10" extension bars, flex head adaptor, 1/2"F:3/8"M adaptor  Regular sockets 1/2" drive 12 point 19, 24, 27, 30, 32mm  Wrenches 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, spanner ring, 8" adjustable wrench Bits 1/4" hex Ratcheting bits driver, 4mm (x 2), 5.5mm (x 2) and 7mm flat (x 2), PH3, PT2 (x 2), PT2 (x 2), PT2 (x 2), PT3, 1/4"M adaptor, 3, 4, 5, 6, 8, 10mm hex, 1/8" 9/64", 5/32", 3/16", 1/4", 3/8" hex, TX8, TX10, TX15, |                 |            | 6 point  | 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"       |
| Coupler adaptor, 16 and 21mm spark plug sockets, 3/8"F:1/4"M adaptor, 3/8"F:1/2"M adaptor  | Deep sockets    | 1/4" drive | 6 point  | 6, 7, 8, 10, 12, 13mm   |
| 3/8"F:1/4"M adaptor, 3/8"F:1/2"M adaptor   Regular sockets   | Accessories     | 3/8" drive |          | FRP ratchet, universal joint, 3" and 6" extension bars,           |
| Regular sockets   3/8" drive   6 point   8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm  |                 |            |          | coupler adaptor, 16 and 21mm spark plug sockets,                  |
| 6 point 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"  Accessories 1/2" drive 2½" and 10" extension bars, flex head adaptor, 1/2"F:3/8"M adaptor  Regular sockets 1/2" drive 12 point 19, 24, 27, 30, 32mm  Wrenches 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, spanner ring, 8" adjustable wrench  Bits 1/4" hex Ratcheting bits driver, 4mm (x 2), 5.5mm (x 2) and 7mm flat (x 2), PH0, PH1 (x 2) PH2 (x 2), PH3, PZ1 (x 2), PZ2 (x 2), PZ3, 1/4"M adaptor, 3, 4, 5, 6, 8, 10mm hex, 1/8" 9/64", 5/32", 3/16", 1/4", 3/8" hex, TX8, TX10, TX15,  |                 |            |          | 3/8"F:1/4"M adaptor, 3/8"F:1/2"M adaptor                          |
| Accessories 1/2" drive 2½" and 10" extension bars, flex head adaptor, 1/2"F:3/8"M adaptor  Regular sockets 1/2" drive 12 point 19, 24, 27, 30, 32mm  Wrenches 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, spanner ring, 8" adjustable wrench  Bits 1/4" hex Ratcheting bits driver, 4mm (x 2), 5.5mm (x 2) and 7mm flat (x 2), PH0, PH1 (x 2) PH2 (x 2), PH3, PZ1 (x 2), PZ2 (x 2), PZ3, 1/4"M adaptor, 3, 4, 5, 6, 8, 10mm hex, 1/8" 9/64", 5/32", 3/16", 1/4", 3/8" hex, TX8, TX10, TX15,   | Regular sockets | 3/8" drive | 6 point  | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm            |
| 1/2"F:3/8"M adaptor   Regular sockets   1/2" drive   12 point   19, 24, 27, 30, 32mm   |                 |            | 6 point  | 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8" |
| Regular sockets  | Accessories     | 1/2" drive |          | 2½" and 10" extension bars, flex head adaptor,                    |
| Wrenches         8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, spanner ring, 8" adjustable wrench           Bits         1/4" hex         Ratcheting bits driver, 4mm (x 2), 5.5mm (x 2) and 7mm flat (x 2), PH0, PH1 (x 2) PH2 (x 2), PH3, PZ1 (x 2), PZ2 (x 2), PZ3, 1/4"M adaptor, 3, 4, 5, 6, 8, 10mm hex, 1/8" 9/64", 5/32", 3/16", 1/4", 3/8" hex, TX8, TX10, TX15,   |                 |            |          | 1/2"F:3/8"M adaptor   |
| spanners, spanner ring, 8" adjustable wrench  Bits 1/4" hex Ratcheting bits driver, 4mm (x 2), 5.5mm (x 2) and 7mr flat (x 2), PH0, PH1 (x 2) PH2 (x 2), PH3, PZ1 (x 2), PZ2 (x 2), PZ3, 1/4"M adaptor, 3, 4, 5, 6, 8, 10mm hex, 1/8" 9/64", 5/32", 3/16", 1/4", 3/8" hex, TX8, TX10, TX15,  | Regular sockets | 1/2" drive | 12 point | 19, 24, 27, 30, 32mm  |
| flat (x 2), PH0, PH1 (x 2), PH2 (x 2), PH3, PZ1 (x 2), PZ2 (x 2), PZ3, 1/4"M adaptor, 3, 4, 5, 6, 8, 10mm hex, 1/8" 9/64", 5/32", 3/16", 1/4", 3/8" hex, TX8, TX10, TX15,  | Wrenches        |            |          |   |
|  | Bits            | 1/4" hex   |          | (x 2), PZ3, 1/4"M adaptor, 3, 4, 5, 6, 8, 10mm hex, 1/8",         |
|  |                 |            |          |   |



#### TT3819 3/8" drive socket set

Set containing 13 regular 6 point sockets, ratchet handle, universal joint, 3" wobble extension bar, 10" spinner handle with 3/8" drive at both ends, 1/2"-3/8" adaptor and 1/4" coupler adaptor. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.0 kilos)

| Accessories    | 3/8" drive    | Ratchet, universal joint, 3" wobble extension, 10" rotating spinner handle, |  |  |  |  |
|----------------|---------------|---|--|--|--|--|
|                |               | 1/2" F:3/8" M T bar adaptor, coupler adaptor                                |  |  |  |  |
| Regular socket | ts 3/8" drive | 6 point 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm                  |  |  |  |  |



#### TT3816 3/8" drive deep sockets

Set containing 16 deep 6 point sockets 3/8" drive. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.5 kilos)

Deep sockets 3/8" drive 6 point 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm



#### TTAF32 1/4" & 3/8" AF socket set

Set containing 1/4" and 3/8" drive 6 point sockets, regular and deep. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.36 kilos)

| Regular sockets | 3 1/4" drive | 6 point | 3/16  | 7/32" | 1/4" | 9/32  | 5/16  | " 11/32 | 2" 3/8" | 7/16 | i" 1/2 |     |
|-----------------|--------------|---------|-------|-------|------|-------|-------|---------|---------|------|--------|-----|
| Deep sockets    | 1/4" drive   | 6 point | 3/16" | 7/32" | 1/4" | 9/32" | 5/16" | 11/32"  | 3/16"   | 3/8" | 7/16"  | 1/2 |
| Regular sockets | 3/8" drive   | 6 point | 3/8"  | 7/16" | 1/2" | 9/16" | 5/8"  | 11/16"  | 3/4     |      |        |     |
| Deep sockets    | 3/8" drive   | 6 point | 3/8"  | 7/16" | 1/2" | 9/16" | 5/8"  | 11/16"  | 3/4     |      |        |     |

164



#### TTTX30 3/8" drive TX/TPX/TXE socket set

30 piece 3/8" drive bit socket set containing 28 TX, TPX and TX-E socket bits for internal and external heads plus 3/8" -1/4" adaptor, and 3" extension bar 3/8" drive. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm. 1.1 kilos)

| 3/8" drive | 3" extension, 3/8"F:1/4"M adaptor      |
|------------|--|
| 3/8" drive | TX10, 15, 20, 25, 27, 30, 40, 45, 50   |
| 3/8" drive | TPX10, 15, 20, 25, 27, 30, 40, 45, 50  |
| 1/4" drive | E4, E5, E6, E7, E8                     |
| 3/8" drive | E10, E12, E14, E16, E18                |
|            | 3/8" drive<br>3/8" drive<br>1/4" drive |



#### TTBS35 1/4" & 3/8" drive bit socket set

35 piece 1/4" and 3/8" drive set containing 33 bits for hex, TX, PH, PZ and flat type, plus 2 adaptors. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.25 kilos)

| Bits sockets    | 1/4" drive        | PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 4.5mm flat,<br>7mm flat, TX10, TX15, TX20, TX25, TX27, TX30, TX40 |
|-----------------|-------------------|--|
| Hex bit sockets | 3/8" drive metric | 3, 4, 5, 5.5, 6, 7, 8, 10, 12mm  |
| Hex bit sockets | 3/8" drive AF     | 1/8" 5/32" 3/16" 7/32", 1/4" 5/16" 3/8"  |
| Accessories     |                   | 1/4"F:3/8"M adaptor, 3/8"F:1/4"M adaptor   |



#### TTXTB05 3/8" drive extra long swivel spark plug set

5 piece set with 3/8" drive extra long swivelling spark plug sockets and a T bar with handle. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.5 kilos)

| Spark plug sockets | 14, 16, 21mm         |  |
|--------------------|----------------------|--|
| Accessories        | 2 piece T bar handle |  |



#### TTXTB09 3/8" drive extra long socket set

9 piece set with 3/8" drive sockets and a T bar with handle. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.5 kilos)

| Extra long sockets | 8, 10, 12, 13, 14, 17, 19mm |  |
|--------------------|-----------------------------|--|
| Accessories        | 2 piece T bar handle        |  |





# Tools Teng

#### TED3836 3/8" Drive Socket Set

Set containing 3/8" drive regular and bit sockets and a range of accessories. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 2.49 kilos)

| Accessories     | 3/8" drive |         | 72 teeth ratchet, rotating spinner handle, 3" extension bar, |
|-----------------|------------|---------|--|
| D               | 0/011 -11  | 0!4     | universal joint, 1/2"F:3/8"M adaptor                         |
| Regular sockets |            | ь роіпт | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm           |
| Bit sockets     | 3/8" drive |         | TX10,TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50, 3, 4,   |
|                 |            |         | 5, 5.5, 6, 7, 8, 10, 12mm hex                                |





#### TTESK86 1/4" & 3/8" drive socket set

Set containing 1/4" and 3/8" drive regular and deep metric sockets and a comprehensive range of accessories. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 6.55 kilos)

| Accessories     | 1/4" drive |         | 72 teeth ratchet, 6" spinner handle, 2" 3" 4" 6" and 12" extension bars, universal joint, 1/4"F:3/8"M adaptor,                  |
|-----------------|------------|---------|---|
|                 |            |         | sliding T bar, coupler adaptor, T-HD T bar handle adaptor   |
| Regular sockets | 1/4" drive | 6 point | 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm  |
| Deep sockets    | 1/4" drive | 6 point | 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm   |
| Accessories     | 3/8" drive |         | 72 teeth ratchet, speed brace, spinner handle, 3", 5", 6", 10" and 20" extension bars, universal joint,                         |
|                 |            |         | 3/8"F:1/4"M adaptor, 3/8"F:1/2"M adaptor, 16mm, 18mm and 21mm spark plug sockets, coupler adaptor, 10" rotating spinner handle. |
| Regular sockets | 3/8" drive | 6 point | 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 and 22mm  |
| Deep sockets    | 3/8" drive | 6 point | 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 and 22mm  |

#### TTESK77 1/4" 3/8" 1/2" drive socket set

76 piece 1/4", 3/8" and 1/2" drive socket set containing 1/4", 3/8" and 1/2" drive sockets and accessories. Covers all the popular sizes from 4 to 24mm with selected sizes in deep and a range of 1/2" drive impact sockets. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 7.2 kilos)



| Accessories     | 1/4" drive |                 | FRP ratchet, 6" spinner handle, 6" and 12" extension bars, universal joint, T-bar and T-bar handle adaptor.          |
|-----------------|------------|-----------------|--|
| Regular Sockets | 1/4" drive | 6 point         | 4, 5, 5.5, 6, 7, 8, 9,10, 11, 12, 13mm   |
| Deep Sockets    | 1/4" drive | 6 point         | 7, 8, 10, 12, 13mm   |
| Accessories     | 3/8" drive |                 | FRP ratchet, 3" wobble extension bar, 6" extension bar, universal joint, 3/8" F:1/4" M adaptor, 3/8"F:1/2"M adaptor, |
|                 |            |                 | rotating spinner handle.   |
| Regular Sockets | 3/8" drive | 6 point         | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm.  |
| Accessories     | 1/2" drive |                 | FRP ratchet, 6" wobble extension bar, 10" extension bar, universal joint, 1/2"F:3/8"M adaptor.                       |
| Regular Sockets | 1/2" drive | 6 point         | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm   |
| Impact Sockets  | 1/2" drive | regular 6 point | 13, 15, 16, 17, 18, 19, 22, 24mm   |
| Impact Sockets  | 1/2" drive | deep 6 point    | 13, 15, 16, 17, 18, 19, 22, 24mm   |

#### TTESK85 85 Piece 1/4" 3/8" 1/2" drive socket set

85 piece socket bit set containing 1/4", 3/8" and 1/2" drive bit sockets. Covers all the popular types and sizes including screwdriver type, hex bits, TX and TPX, XZN. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 4.5 kilos)



| Flat bit sockets 1/4" drive 4, 5.5, 7mm  | PH bit sockets 1/4" drive PH0, PH1, PH2, PH3                                   |
|--|--|
| PZ bit sockets 1/4" drive PZ1, PZ2, PZ3  | TX-E sockets 1/4" drive E4, E5, E6, E7, E8                                     |
| TX bit sockets 1/4" drive TX10, TX15, TX20, TX25, TX27, TX30, TX40                       | Accessories 3/8" drive 3" extension bar  |
| TX-E sockets 3/8" drive E10, E12, E14, E16, E18  | TX bit sockets 3/8" drive TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50 |
| TPX bit sockets 3/8" drive TPX10, TPX15, TPX20, TPX25, TPX27, TPX30, TPX40, TPX45, TPX50 | Hex bit sockets 1/2" drive 3, 4, 5.5, 6, 7, 8, 10, 12mm                        |
| TX bit sockets 1/2" drive TX20,TX25,TX27,TX30,TX40,TX45,TX50,TX55,TX60                   | Hex bit sockets 1/2" drive 5 ,6, 7, 8, 10, 12mm                                |
| Ribe bit sockets 1/2" drive 4, 5, 6, 8, 10, 11, 12, 13                                   | XZN bit sockets 1/2" drive 5, 6, 8, 10, 12, 14, 16                             |

#### M3816 3/8" Drive regular sockets

16 piece 3/8" drive regular metric 6 point sockets supplied on a clip rail. Chrome vanadium steel. Satin finish.

| Accessories     | 1 clip rail | (370mm  | in length) complete with 16 3/8" drive socket clips           |
|-----------------|-------------|---------|---|
| Regular sockets | 3/8" drive  | 6 point | 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |



#### M3807 3/8" Drive deep sockets

7 piece 3/8" drive deep metric 6 point sockets supplied on a clip rail. Chrome vanadium steel. Satin finish.

| Accessories  | 1 clip rail | (165mm  | in length) complete with 7 3/8" drive socket clips |
|--------------|-------------|---------|--|
| Deep sockets | 3/8" drive  | 6 point | 10, 12, 13, 14, 15, 17, 19mm                       |



#### M3811 3/8" Drive AF hex bit sockets

8 piece 3/8" drive AF hex bit sockets supplied on a clip rail. Chrome vanadium sockets for internal hex holes.

| Accessories        | 1 clip rail (165 | mm in length | ) complete wit | th 8 3/8" | drive | socke | et clips |
|--------------------|------------------|--------------|----------------|-----------|-------|-------|----------|
| AF hex bit sockets | 3/8" drive       | 3/32" 1/8"   | 5/32" 3/16"    | 7/32" 1   | /4"   | 5/16" | 3/8"     |



#### M3812 3/8" Drive hex bit sockets

9 piece 3/8" drive metric hex bit socket supplied on a clip rail. Chrome vanadium sockets for internal hex holes.

| Accessories            | 1 clip rail (10 | 65mm in length) complete with 9 3/8" drive socket clips |
|------------------------|-----------------|---|
| Metric hex bit sockets | 3/8" drive      | 3, 4, 5, 5.5, 6, 7, 8, 10, 12mm                         |



#### M3813TPX 3/8" Drive TPX bit sockets

9 piece 3/8" drive TPX sockets

supplied on a clip rail for internal tamper TPX heads.

| Accessories     | 1 clip rail (10 | 65mm in length) complete with 9 3/8" drive socket clips        |
|-----------------|-----------------|--|
| TPX bit sockets | 3/8" drive      | TPX10, TPX15, TPX20, TPX 25, TPX27,TPX30, TPX 40, TPX45, TPX50 |



#### M3813TX 3/8" Drive TX bit sockets

9 piece 3/8" drive TX sockets supplied on a clip rail for internal TX heads.

| Accessories    | 1 clip rail (1 | 65mm in length) complete with 9 3/8" drive socket clips |  |
|----------------|----------------|---|--|
| TX bit sockets | 3/8" drive     | TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50    |  |



#### M3814 1/4" & 3/8" Drive TX-E sockets

10 piece 1/4" and 3/8" drive TX-E sockets supplied on a clip rail. Chrome vanadium steel. Satin finish.

| Accessories  | 1 clip rail (165mm in length) complete with 5 1/4" drive and 5 3/8" drive socket clips |                         |  |  |  |
|--------------|--|-------------------------|--|--|--|
| TX-E sockets | 1/4" drive   | E4, E5, E6, E7, E8      |  |  |  |
| TX-E sockets | 3/8" drive   | E10, E12, E14, E16, E18 |  |  |  |







166

## 1/2" Drive Socket Sets

#### M1212N1 12 Piece 1/2" Drive Socket Set

A basic no-nonsense 1/2" drive set of sockets with the FRP ratchet and an extension bar. Supplied in the Teng Tools clip box which stores the sockets and includes a clip rail facility for adding extra sockets.

 Accessories
 1/2" drive
 FRP ratchet, 5" extension bar

 Regular sockets
 1/2" drive
 8, 10, 12, 13, 14, 15, 17, 18, 19, 24mm



#### T1220AF 20 Piece 1/2" Drive AF Socket Set

20 piece 1/2" drive socket set containing 12 point regular AF sockets, 2  $\frac{1}{2}$ " and 6" extension bars, universal joint, 1/2"-3/8" adaptor as well as a FRP ratchet. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (369x198x62mm, 3.0 kilos)

| Accessories | 1/2" drive | FRP ratchet, universal joint, 2½" and 6" extensions, |
|-------------|------------|--|
|             |            |  |

3/8"F:1/2"M T-bar adaptor

Regular sockets 1/2" drive 12 point 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8"

15/16" 1" 1%" 1 %" 1 %" 1 %" 1 %"



#### T1221 21 Piece 1/2" Drive Socket Set

21 piece 1/2" drive socket set containing 12 point regular sockets, 2 ½" and 6" extension bars, universal joint, 1/2"-3/8" adaptor as well as a FRP ratchet. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (369x198x62mm, 3.1 kilos)

| Accessories 1/2" drive     |          | FRP ratchet, universal joint, 2½" and 6" extensions,            |
|----------------------------|----------|---|
|                            |          | 3/8"F"1/2"M T-bar adaptor                                       |
| Regular sockets 1/2" drive | 12 point | 10, 11, 12, 13, 14, 15, 16, 17, 18,19, 21, 22, 24, 27, 30, 32mm |



#### T1221-6 21 Piece 1/2" Drive Socket Set

21 piece 1/2" drive socket set containing 6 point regular sockets, 2  $\frac{1}{2}$ " and 6" extension bars, universal joint, 1/2"-3/8" adaptor as well as a FRP ratchet. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (369x198x62mm, 3.1 kilos)

| Accessories | 1/2" drive | FRP ratchet, universal joint, 2½" and 6" extensions, |
|-------------|------------|--|
|             |            | 3/8"F"1/2"M T-bar adaptor                            |
|             |            |  |

Regular sockets 1/2" drive 6 point 10, 11, 12, 13, 14, 15, 16, 17, 18,19, 21, 22, 24, 27, 30, 32mm



# TENGTOOLS

#### T1230 30 Piece 1/2" Drive Socket Set

30 piece 1/2" drive socket set containing 12 point regular metric and AF sockets, 3" extension bar, universal joint, 3/8"-1/2" adaptor as well as a FRP ratchet. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (369x198x62mm, 3.6 kilos)

| Accessories 1/2" drive        |          | FRP ratchet handle, 5" extension bar, universal joint, 3/8"F:1/2"M adaptor |
|-------------------------------|----------|--|
| Regular sockets MM 1/2" drive | 12 point | 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm               |
| Regular sockets AF 1/2" drive | 12 point | 3/8" 7/16" 1/2" 9/16" 5/8" 3/4" 13/16" 15/16" 1" 1 1/4" 1 1/4"             |



#### T1234 34 Piece 1/2" Drive Socket Set

34 piece 1/2" drive socket set containing 6 point regular and deep metric sockets, FRP ratchet, extension bars, universal joint, T bar adaptor and spark plug sockets. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (480x248x68mm, 5.4 kilos)

| Accessories        | 1/2" drive |         | FRP ratchet handle, 5" and 10" extension bars, universal joint, 3/8"F:1/2"M adaptor |
|--------------------|------------|---------|---|
| Regular sockets    | 1/2" drive | 6 point | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27mm                    |
| Deep sockets       | 1/2" drive | 6 point | 13, 14, 15, 16, 17, 18, 19, 24mm  |
| Spark plug sockets | 1/2" drive | 6 point | 16, 21mm  |
| Hexagon keys       |            |         | 1.5, 2.0, 2.5mm   |



#### T1268 1/2" Drive Tool Set

68 piece 1/2" drive tool set, containing 16 regular 12 point metric sockets, FRP ratchet, universal joint, 2 ½" and 6" extension bars, adaptor 3/8" F -1/2" M, bits holder with magnetic bits holder, 10 combination spanners, 6 screwdrivers, 4 pliers as well as 26 bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding, (466x258x103mm, 6.72 kilos)



| Accessories          | 1/2" drive |          | FRP ratchet, 2½" & 6"extensions, universal joint, 1/2"F:3/8"M T-bar adaptor, bits driver handle with magnetic bits holder |
|----------------------|------------|----------|---|
| Regular sockets      | 1/2" drive | 12 point | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 27, 30, 32mm  |
| Combination spanners |            |          | 8, 10, 11, 12, 13, 14, 15, 16, 17, 19mm   |
| Screwdrivers         |            |          | 3.0mm flat, 5.5mm flat, 6.6mm flat, PH0, PH1, PH2,  |
| Pliers               |            |          | 6" side cutter, 7" combination, 8" long nose, 10" water pump  |
| Bits 25mm            | 1/4" hex   |          | TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50, 3mm hex, 4mm hex, 5mm hex, 6mm hex, 8mm hex,                   |
|                      |            |          | PHO.PH1. PH2.PH3. PZ1. PZ2. PZ3. 4mm flat. 5.5mm flat. 7mm flat   |



# siool Bu

#### T1272 72 Piece 1/4' & 1/2" Socket Set

72 piece socket set containing 1/4" and 1/2" drive regular sockets and accessories together with a comprehensive range of socket accessories. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges.

The underside of the case is fitted with rubber feet to prevent it from sliding. (480x248x68mm, 4.6 kilos)



| Accessories     | 1/4" drive          | FRP ratchet, bi-flex wrench, 4" extension bar, coupler adaptor  |
|-----------------|---------------------|---|
| Accessories     | 1/2" drive          | FRP ratchet, 5" & 10" extension bars, 3/8"F:1/2"M T bar adaptor, flex head adaptor, universal joint                                   |
| Regular sockets | 1/4" drive 6 point  | 4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm  |
| Regular sockets | 1/2" drive 12 point | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27mm  |
| Bits            | 1/4" hex            | TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, 3mm hex, 4mm hex, 5mm hex, 6mm hex, 8mm hex, 10mm hex, 1/8" hex, 9/64" hex,            |
|                 |                     | 5/32 hex, 3/16" hex, 7/32" hex, 1/4" hex, 3/8" hex, PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 5.5mm flat, 7mm flat, XZN M5, XZN M6 |
| Hex keys        |                     | 1.5, 2.0, 2.5mm   |

#### TM095 1/4" and 1/2" Drive Socket and Tool Set

95 piece ¼" and ½" drive socket set containing regular and deep ¼" drive metric sockets, ½" drive regular 6 point sockets, FRP ratchets, universal joints, extension bars, ½" drive spark plug sockets and other socket accessories and screwdriver bits. The set also includes combination spanners and screwdrivers. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 6.3 kilos)

| Accessories      | 1/4" drive |         | FRP ratchet, universal joint, 2" and 4" extensions sliding T bar, spinner handle, coupler adaptor, 50mm magnetic bit holder |
|------------------|------------|---------|---|
| Regular sockets  | 1/4" drive | 6 point | 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm  |
| Deep sockets     | 1/4" drive | 6 point | 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm  |
| Regular sockets  | ½" drive   | 6 point | 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32mm  |
| Accessories      | ½" drive   |         | FRP ratchet, 5" and 10" extensions, 3/8"F:1/2"M   |
|                  |            |         | T bar adaptor, universal joint, 5/16" hex coupler   |
|                  |            |         | Adaptor, 21mm spark plug socket   |
| Combination span | ners       |         | 8, 10, 12, 13, 14, 17mm   |
| Screwdrivers     |            |         | PH1x75mm, PH2x100mm, PZ1x75mm, PZ2x100mm  |
|                  |            |         | 3mm flat x 75mm, 4mm flat x 100mm   |
| Bits (25mm)      | 1/4" hex   |         | 4, 5.5 and 7mm flat, PH0,PH1, PH2, PH3, PH4,  |
|                  |            |         | PZ0, PZ1, PZ2, PZ3, 3, 4, 5, 6, 8 and 10mm hexagon,   |
|                  |            |         | 1/4" male adaptor, TX8, TX10, TX15, TX20, TX25  |
|                  |            |         | TX27, TX30, TX40  |
|                  | 5/16" hex  |         | TX45, TX50, TX55  |



#### TM106 106 Piece 1/4" 3/8" & 1/2" Drive Socket Set

106 piece professional tool set, containing 1/4" and 3/8" drive regular 6 point sockets, 1/4" drive deep sockets, 3/8" drive spark plug sockets, 1/2" drive regular 12 point sockets, FRP ratchets, universal joints coupler adaptors, extension bars, bi-flex wrench, bit driver, adaptors, double flex wrenches, combination spanners, ring holder, adjustable wrench and a full range of screwdriver bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding, (466x258x103mm, 7.85 kilos)



| Accessories       | 1/4" drive          | FRP ratchet, bi-flex wrench, universal joint,2" & 3" extensions, coupler adaptor, bits driver handle with magnetic bits holder |
|-------------------|---------------------|--|
| Accessories       | 3/8" drive          | FRP ratchet, 3" & 6" extensions, universal joint, 3/8"F:1/4"MT bar adaptor, 3/8"F:1/2"M T bar adaptor, coupler adaptor         |
| Accessories       | 1/2" drive          | 2½" & 10" extensions, 1/2"F:3/8"M T bar adaptor, flex head adaptor   |
| Regular sockets   | 1/4" drive 6 point  | 4, 5, 6, 7, 8, 10, 12, 13mm  |
| Deep sockets      | 1/4" drive 6 point  | 6, 7, 8, 10, 12, 13mm  |
| Regular sockets   | 3/8" drive 6 point  | 8, 9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm   |
| Spark plug socket | s 3/8" drive        | 16, 21mm   |
| Regular sockets   | 1/2" drive 12 point | 19, 24, 27, 30, 32mm   |
| Bits (25mm)       | 1/4" hex            | TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, TPX10, TPX15, TPX20, TPX25, TPX27, TPX30, TPX40 3mm hex, 4mm hex,               |
|                   |                     | 5mm, 6mm hex, 8mm hex, 10mm hex, PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 5.5mm flat, 7mm flat, XZN M5, XZN M6             |
| Wrenches          |                     | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, ring holder, 8x9mm, 10x11mm, 12x13mm,                     |
|                   |                     | 14x15mm double flex wrenches, 10" adjustable   |



#### TM111 111 Piece Socket Set

111 piece socket set containing 1/4", 3/8" and 1/2" drive regular sockets and accessories, 3/8" drive deep sockets, spark plug sockets plus 1/4" and 5/16" hex bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 8.1 kilos)



| Accessories   | 1/4" drive   |                         | FRP ratchet, 5/16" hex coupler adaptor, 6" flexible extension, 2" and 4" extension bars, spinner handle, universal joint, 1/4"Fx38"M adaptor, 4" T bar   |
|---|--|-------------------------|--|
| Accessories   | 3/8" drive   |                         | FRP ratchet, bits holder 1/4" hex, 3" and 6" extensin bars, spinner handle, universal joint, 3/8"Fx1/2"M adaptor, spin disc  |
| Accessories   | 1/2" drive   |                         | FRP ratchet, 5/16" hex coupler, 2 1/2" and 10" extension bars, 1/2"Fx3/8"M adaptor, spin disc  |
| Regular sockets                                     | 1/4" drive   | 6 point                 | 4, 5, 6, 7, 8, 10, 12mm  |
|   |  |                         | 3/16" 7/32" 1/4" 9/32" 3/8" 7/16"  |
| Regular sockets                                     | 3/8" drive   | 6 point                 | 8, 9, 10, 12, 13, 14, 15, 16, 17mm   |
|   |  |                         | 3/8" 7/16" 1/2" 9/16" 11/16" 3/4" 13/16" 7/8"  |
| Deep sockets  | 3/8" drive   | 6 point                 | 8, 9, 10, 12, 13, 14, 15, 16, 17mm   |
|   |  |                         | 3/8" 7/16" 1/2" 9/16" 11/16" 3/4" 13/16" 7/8"  |
| Regular socket                                      | 1/2" drive   | 6 point                 | 17, 24, 27, 32mm   |
|   |  |                         | 11/16" 3/4" 13/16" 7/8" 1" 1 <sup>3</sup> /6"  |
| Spark plug sockets                                  | 3/8" drive   | 6 point                 | 16, 21mm   |
| Bits  | 5/16" hex co   | upler adaptor           | 3mm hex, 4mm hex, 5mm hex, 6mm hex, 7mm hex, 10mm hex, 1/8" hex, 9/64" hex, 5/32" hex, 3/16" hex, 1/4" hex, 5/16" hex,   |
|   |  |                         | TX10, TX15, TX20, TX25, TX30, TX40, 4mm, 5.5mm, 7mm flat, PH1, PH2, PH3, PZ1, PZ2, PZ3   |
| Bits  | 5/16" hex  |                         | TX45, TX50   |
| Deep sockets Regular socket Spark plug sockets Bits | 3/8" drive<br>1/2" drive<br>3/8" drive<br>5/16" hex co | 6 point 6 point 6 point | 3/8" 7/16" 1/2" 9/16" 11/16" 3/4" 13/16" 7/8"  8, 9, 10, 12, 13, 14, 15, 16, 17mm 3/8" 7/16" 1/2" 9/16" 11/16" 3/4" 13/16" 7/8"  17, 24, 27, 32mm 17, 13/16" 7/8" 1" 1 3/4" 16, 21mm 3mm hex, 4mm hex, 5mm hex, 6mm hex, 7mm hex, 10mm hex, 1/8" hex, 9/64" hex, 5/32" hex, 3/16" hex, 1/4" hex, 5/16" h |

#### TM127 1/4", 3/8" and 1 /2" Drive Metric and AF Socket and Tool Set

127 piece 1/4", 3/8" and 1/2" drive socket set containing regular and deep ¼" drive sockets, 3/8" and 1/2" drive regular sockets, FRP ratchets, extension bars, universal joints, spark plug sockets, adaptors and screwdriver bits. The set also includes combination spanners, an adjustable wrench and a ratcheting bits driver. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x105mm, 7.5 kilos)



| Accessories     | 1/4" drive |          | FRP ratchet, universal joint, 2" and 3" extension bars, coupler adaptor   |
|-----------------|------------|----------|---|
| Regular sockets | 1/4" drive | 6 point  | 4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm  |
|                 |            | 6 point  | 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"   |
| Deep sockets    | 1/4" drive | 6 point  | 6, 7, 8, 10, 12, 13mm   |
| Accessories     | 3/8" drive |          | FRP ratchet, universal joint, 3" and 6" extension bars,   |
|                 |            |          | coupler adaptor, 16 and 21mm spark plug sockets,  |
| Regular sockets | 3/8" drive | 6 point  | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm  |
|                 |            | 6 point  | 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16",  |
|                 |            |          | 7/8"  |
| Accessories     | 1/2" drive |          | 2½" and 10" extension bars, flex head adaptor,  |
|                 |            |          | 1/2"F:3/8"M adaptor   |
| Regular sockets | 1/2" drive | 12 point | 19, 24, 27, 30, 32mm  |
| Wrenches        |            |          | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, spanner ring, 8" adjustable wrench                 |
| Bits            | 1/4" hex   |          | Ratcheting bits driver, 4mm (x 2), 5.5mm (x 2) and 7mm flat (x 2), PH0, PH1 (x 2) PH2 (x 2), PH3, PZ1 (x 2), PZ2 (x 2), |
|                 |            |          | PZ3, 1/4"M adaptor, 3, 4, 5, 6, 8, 10mm hex, 1/8", 9/64", 5/32", 3/16", 1/4", 3/8" hex, TX8, TX10, TX15, TX20, TX25,    |
|                 |            |          | TX27,TX30, TX40, 5 and 6 XZN.   |



#### TT1205 1/2" drive ratchet & accessories

1/2" drive accessories set containing ratchet handle with quick release and twist reverse. Also includes universal joint and 5" and 10" extensions. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

Accessories 1/2" drive Ratchet, universal joint, 5" and 10" extensions, 3/8" F:1/2"M T bar adaptor



#### TT1211 1/2" drive deep socket set

Set containing 10 12 point deep 1/2" drive sockets and 10" flex handle. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 2.0 kilos)

| Accessories  | 1/2" drive |          | 10" flex handle                          |
|--------------|------------|----------|--|
| Deep sockets | 1/2" drive | 12 point | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
|              |            |          |  |



#### TT1217 1/2" drive socket set (12 point)

Socket set containing 12 point sockets. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.8 kilos)

Regular sockets 1/2" drive 12 point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm



#### TT1217-6 1/2" drive socket set (6 point)

Tools

Teng

Socket set containing 6 point sockets. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.8 kilos)

Regular sockets 1/2" drive 6 point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm



#### TT1218 1/2" drive socket set (12 point)

17 piece metric socket set containing 12 point sockets . Also contains ratchet handle with guick release and twist reverse, 2 1/2" and 6" extension bars, 3/8-1/2" adaptor as well as a universal joint. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 2.2 kilos)

| Accessories     | 1/2" drive | Ratchet, univer | rsal joint, 2½" and 6" extensions, 3/8" F:1/2" M T bar adaptor |
|-----------------|------------|-----------------|--|
| Regular sockets | 1/2" drive | 12 point        | 10, 11, 12, 13, 14, 15, 16,17, 18, 19, 22, 24mm                |



#### TT1218-6 1/2" drive socket set (6 point)

17 piece metric socket set containing 6 point sockets. Also contains ratchet handle with quick release and twist reverse, 2 1/2" and 6" extension bars, 3/8-1/2" adaptor as well as a universal joint. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 2,2 kilos)

| Accessories     | 1/2" drive | Ratchet, unive | rsal joint, 2½" and 6" extensions, 3/8" F:1/2" M T bar adaptor |
|-----------------|------------|----------------|--|
| Regular sockets | 1/2" drive | 6 point        | 10, 11, 12, 13, 14, 15, 16,17, 18, 19, 22, 24mm                |



#### TT1215AF 1/2" Drive AF socket set

Socket set containing 15 regular AF 12 point sockets. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.7 kilos)

| Regular sockets 1/2" drive | 12 point | 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16 | " |
|----------------------------|----------|--|---|
|                            |          | 7/8" 15/16" 1" 11/." 11/." 13/." 11/."       |   |



#### TTHEX16 1/2" drive hex bit socket set

Set containing 16 1/2" drive bit sockets for internal hex holes. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.5 kilos)

| 55mm  | hex bit sockets | 5, 6, 7, 8, 9, 10, 12, 14, 17mm |  |
|-------|-----------------|---------------------------------|--|
| 100mm | hex bit sockets | 5, 6, 10, 12, 14, 17mm          |  |
| 115mm | hex bit sockets | 8mm                             |  |

#### TTHEX23 1/2" drive hex bit socket set

Set containing 20 bits, regular and long, for internal hex holes. Also includes 2 adaptors and a 2mm hex mini screwdriver for tightening the retaining grub screw in the adaptors. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

| Adaptors      | 1/2" drive     | 10mm hex bit adaptor, 12mm hex bit adaptor |
|---------------|----------------|--|
| Hex bits 40mm | 10mm hex drive | 5, 6, 7, 8, 9, 10mm                        |
| Hex bits 40mm | 12mm hex drive | 12, 14, 17, 19mm                           |
| Hex bits 75mm | 10mm hex drive | 5, 6, 7, 8, 9, 10mm                        |
| Hex bits 75mm | 12mm hex drive | 12, 14, 17, 19mm                           |
| Accessories   |                | 2mm hex mini screwdriver                   |



#### TTTX18 1/2" drive TX bit socket set

Set containing 18 1/2" drive bit sockets for internal TX holes. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.5 kilos)

| nm TX bit sockets   | TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60 |
|---------------------|--|
| IIII IA DIL SOCKETS | 1AZU, 1AZO, 1AZ1, 1A3U, 1A4U, 1A45, 1A5U, 1A55, 1A6  |



Set containing 20 bits. regular and long for internal TX heads. Also includes 2 adaptors and a 2mm hex mini screwdriver for tightening the retaining grub screws in the adaptors. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

| Adaptors      | 1/2" drive | 10mm hex adaptor                 |  |
|---------------|------------|----------------------------------|--|
|               |            | 12mm hex adaptor                 |  |
| Hex bits 40mm | 10mm drive | TX20, 25, 27, 30, 40, 45, 50, 55 |  |
|               | 12mm drive | TX60, 70                         |  |
| Hex bits 75mm | 10mm drive | TX20, 25, 27, 30, 40, 45, 50, 55 |  |
|               | 12mm drive | TX60, 70                         |  |
| Accessories   |            | 2mm hex mini screwdriver         |  |











# **Teng Tools**

#### TTRS15 1/2" Ribe & XZN socket set

Set containing 15 1/2" drive Ribe and XZN bit sockets with a satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.66 kilos)

| Ribe bit sockets | 100mm | No. 4, 5, 6, 8, 10, 11, 12, 13 |
|------------------|-------|--------------------------------|
| XZN bit sockets  | 100mm | No. 5, 6, 8, 10, 12, 14, 16    |



#### TTTXH15 1/2" drive hex & TX bit socket set

15 piece set containing 100mm long bit sockets. 9 pieces for internal TX heads and 6 pieces for internal hex holes. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.40 kilos)

| TX bit sockets  | 1/2" drive | TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60 |
|-----------------|------------|--|
| Hex hit sockets | 1/2" drive | 5mm, 6mm, 7mm, 8mm, 10mm, 12mm                       |



#### TED1227 1/2" Drive Socket Set

Set containing 1/2" drive regular and deep 12 point sockets and a range of accessories. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 3.59 kilos)

| Accessories     | 1/2" drive | 72 teeth ratchet, 2½" and 6" extension bars, universal joint, 3/8"F:1/2"M adaptor |
|-----------------|------------|---|
| Regular sockets | 1/2" drive | 12 point10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24mm                          |
| Deep sockets    | 1/2" drive | 12 point10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm                                  |



#### TTESK63 1/2" drive socket set

Set containing 1/2" drive regular and deep metric sockets and a comprehensive range of accessories. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 11.03 kilos)



| Accessories 1/2" driv     | е          | 72 teeth ratchet, speed brace, sliding T bar, 2½ 5" 6" and 20" extension bars, 3" 6" and 10" wobble extension bars,               |
|---------------------------|------------|---|
|                           |            | universal joint, 1/2"F:3/8"M T bar adaptor, 1/2"F:3/4"M adaptor, 16mm, 18mm, 21mm spark plug sockets, coupler adaptors for 5/16", |
|                           |            | 10mm and 12mm hex bits, flex head adaptor   |
| Regular sockets 1/2" driv | e 12 point | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 29, 30, 32, 34mm                                    |
| Deep sockets 1/2" driv    | e 12 point | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32, 36mm  |



#### TTESK77 1/4" 3/8" 1/2" drive socket set

76 piece 1/4", 3/8" and 1/2" drive socket set containing 1/4", 3/8" and 1/2" drive sockets and accessories. Covers all the popular sizes from 4 to 24mm with selected sizes in deep and a range of 1/2" drive impact sockets. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 7.2 kilos)



| Accessories     | 1/4" drive |                 | FRP ratchet, 6" spinner handle, 6" and 12" extension bars, universal joint, T-bar and T-bar handle adaptor.          |
|-----------------|------------|-----------------|--|
| Regular Sockets | 1/4" drive | 6 point         | 4, 5, 5.5, 6, 7, 8, 9,10, 11, 12, 13mm   |
| Deep Sockets    | 1/4" drive | 6 point         | 7, 8, 10, 12, 13mm   |
| Accessories     | 3/8" drive |                 | FRP ratchet, 3" wobble extension bar, 6" extension bar, universal joint, 3/8" F:1/4" M adaptor, 3/8"F:1/2"M adaptor, |
|                 |            |                 | rotating spinner handle.   |
| Regular Sockets | 3/8" drive | 6 point         | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm.  |
| Accessories     | 1/2" drive |                 | FRP ratchet, 6" wobble extension bar, 10" extension bar, universal joint, 1/2"F:3/8"M adaptor.                       |
| Regular Sockets | 1/2" drive | 6 point         | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm   |
| Impact Sockets  | 1/2" drive | regular 6 point | 13, 15, 16, 17, 18, 19, 22, 24mm   |
| Impact Sockets  | 1/2" drive | deep 6 point    | 13, 15, 16, 17, 18, 19, 22, 24mm   |

#### TTESK85 85 Piece 1/4" 3/8" 1/2" drive socket set

85 piece socket bit set containing 1/4", 3/8" and 1/2" drive bit sockets. Covers all the popular types and sizes including screwdriver type, hex bits, TX and TPX, Ribe and XZN. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 4.5 kilos)



| Flat bit sockets 1/4" drive 4, 5.5, 7mm  | PH bit sockets 1/4" drive PH0, PH1, PH2, PH3                                   |
|--|--|
| PZ bit sockets 1/4" drive PZ1, PZ2, PZ3  | TX-E sockets 1/4" drive E4, E5, E6, E7, E8                                     |
| TX bit sockets 1/4" drive TX10, TX15, TX20, TX25, TX27, TX30, TX40                       | Accessories 3/8" drive 3" extension bar  |
| TX-E sockets 3/8" drive E10, E12, E14, E16, E18  | TX bit sockets 3/8" drive TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50 |
| TPX bit sockets 3/8" drive TPX10, TPX15, TPX20, TPX25, TPX27, TPX30, TPX40, TPX45, TPX50 | Hex bit sockets 1/2" drive 3, 4, 5.5, 6, 7, 8, 10, 12mm                        |
| TX bit sockets 1/2" drive TX20,TX25,TX27,TX30,TX40,TX45,TX50,TX55,TX60                   | Hex bit sockets 1/2" drive 5,6, 7, 8, 10, 12mm                                 |
| Ribe bit sockets 1/2" drive 4, 5, 6, 8, 10, 11, 12, 13                                   | XZN bit sockets 1/2" drive 5, 6, 8, 10, 12, 14, 16                             |

#### M1215AF 1/2" Drive regular AF sockets

Set of 15 12 point AF sockets of chrome vanadium steel. Supplied on a clip rail with socket clips. Satin finish.



#### M1215MM 1/2" Drive regular sockets

Set of 15 12 point metric sockets of chrome vanadium steel. Supplied on a clip rail with socket clips. Satin finish.

Accessories 1 clip rail (430mm in length) complete with 15 1/2" drive socket clips

Regular sockets 1/2" drive 12 point 10, 12, 13, 14, 15, 16, 17,18, 19, 21, 22, 24, 27, 30, 32mm



#### M1207 1/2" Drive deep 12 point sockets

Set of 8 deep 12 point metric sockets supplied on a clip rail. Chrome vanadium steel. Satin finish.

| Accessories                      | 1 clip rail (210mm in length) complete with 8 1/2" drive socket clips |
|----------------------------------|---|
| Deep sockets 1/2" drive 12 point | 13, 14, 15, 17, 19, 21, 22, 24mm                                      |





Set of 8 deep 6 point metric sockets supplied on a clip rail. Chrome vanadium steel. Satin finish.

| Accessories                     | 1 clip rail (210mm in length) complete with 8 1/2" drive socket clips |
|---------------------------------|---|
| Deep sockets 1/2" drive 6 point | 13, 14, 15, 16, 17, 18, 19, 24mm                                      |



#### M1210 1/2" Drive TX-E sockets

Set of 9 1/2" drive TX-E sockets supplied on a clip rail for external TX heads.

| Accessories  |            | 1 clip rail (230mm in length) complete with 9 1/2" drive socket clips |  |
|--------------|------------|---|--|
| TX-E sockets | 1/2" drive | E10, E11, E12, E14, E16, E18, E20, E22, E24                           |  |
|              |            |   |  |



#### M1212 1/2" Drive hex bit sockets

Set of 9 1/2" drive metric hex bit sockets for internal hex holes supplied on a clip rail. Satin finish.

| Accessories     |            | 1 clip rail (220mm in length) complete with 9 1/2" drive socket clips |  |
|-----------------|------------|---|--|
| Hex bit sockets | 1/2" drive | 5, 6, 7, 8, 9, 10, 12, 14, 17mm                                       |  |





#### M1211 1/2" Drive hex bit sockets

**Teng Tools** 

Set of 6 100mm long 1/2" drive hex bit sockets supplied on a clip rail. Chrome vanadium. Satin finish.

| Accessories     |            | 1 clip rail (160mm in length) complete with 6 1/2" drive socket clips |  |
|-----------------|------------|---|--|
| Hex bit sockets | 1/2" drive | 5, 6, 7, 8, 10, 12mm  |  |



#### M1209AF 1/2" Drive AF hex bit sockets

Set of 9 1/2" drive AF hex bit sockets for internal hex holes supplied on a clip rail. Satin finish.

| Accessories              |          | 1 clip rail (220mm in length) completer with 9 1/2" drive socket clips |  |  |
|--------------------------|----------|--|--|--|
| Hex bit sockets ½" drive |          | 3/16", 7/32", 1/4", 9/32", 5/16", 3/8", 1/2", 9/16", 5/8"              |  |  |
| TICK DIT SOCKCES         | /2 UIIVC | 3/10 , 1/32 , 1/4 , 3/32 , 3/10 , 3/0 , 1/2 , 3/10 , 3/0               |  |  |



#### M1213TX 1/2" Drive TX bit sockets

M1213TPX 1/2" Drive TPX bit sockets Set of 9 1/2" drive TPX bit sockets for internal TPX heads

TPX bit sockets 1/2" drive

(also for tamper proof screws) supplied on a clip rail. Satin finish.

Set of 9 1/2" drive TX bit sockets for internal TX heads supplied on a clip rail. Satin finish.

| Accessories               | 1 clip rail (220mm in length) complete with 9 1/2" drive socket clips |  |  |  |  |
|---------------------------|---|--|--|--|--|
| TX bit sockets 1/2" drive | TX20, TX25, TX27, TX30, TX40,TX45, TX50, TX55, TX60                   |  |  |  |  |

1 clip rail (220mm in length) complete with 9 1/2" drive socket clips TPX20, TPX25, TPX27, TPX30, TPX40, TPX45, TPX50, TPX55, TPX60



# 3/4" Drive Socket Sets

#### T3418-6 3/4" drive Socket Set

18 piece 3/4" drive socket set containing 6 point sockets, 450mm T handle, 200 and 400mm extension bars as well as a 72 teeth ratchet with quick release and twist reverse. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (580x325x96mm, 14.2 kilos)

| 4" drive   |         | Quick release 72 teeth ratchet, 200 & 400mm extensions, |
|------------|---------|---|
|            |         | sliding T-bar   |
| 4" drive 6 | 6 point | 19, 21, 22, 24, 27, 30, 32, 33,34, 36, 38, 41, 46, 50mm |
|            |         |   |



#### T3422S 3/4" drive Socket Set

22 piece 3/4" drive socket set containing 8 metric 6 point sockets and 9 AF 12 point sockets, ratchet handle with 72 teeth and quick release button, 100, 200 and 400mm extension bars with security locking mechanism and a sliding T bar. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (580x325x96mm, 15.0 kilos)

| Accessories     | 3/4" drive |          | Quick release 72 teeth ratchet, 100, 200 and      |
|-----------------|------------|----------|---|
|                 |            |          | 400mm extension bars, sliding T bar               |
| Regular sockets | 3/4" drive | 6 point  | 19, 21, 24, 27, 32, 34, 36, 50mm                  |
| Regular sockets | 3/4" drive | 12 point | 7/8" (22mm), 1" 11/4", 13/4" (30mm) 15/4" (33mm), |
|                 |            |          | 1½" (38mm), 154" (41mm), 1136" (46mm), 2"         |







### **Socket Sets**



Accessories 3/4" drive Ouick release ratchet handle

200 and 400mm extensions, sliding T bar

14 piece set containing 12 point AF sockets. Chrome vanadium steel. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC



Regular sockets 3/4" drive 12 point

7/8" 15/16" 1" 1%" 1%" 1%" 11/4" 15/6" 11/4" 11/4" 11/4" 11/4" 11/4"

#### **TEX3403** 3/4" Drive Ratchet and Accessories

3 piece 3/4" drive set containing a 72 teeth ratchet handle with quick release and twist reverse together with a 16" extension width TTX tray for use on it's own or as part of the Teng Tools TC



Accessories 3/4" drive

Ouick release ratchet handle, 400mm, extension bar sliding T bar

#### TTESK32 3/4" drive socket set

Set containing 3/4" drive regular metric and AF sockets together with a 72 teeth



| Accessories     | 3/4" drive | 72 teeth ratch | net, sliding T bar, 16" extension bar, 19" flex handle - all accessories with safety locking. |
|-----------------|------------|----------------|---|
| Regular sockets | 3/4" drive | 6 point        | 19, 21, 22, 24, 27, 30, 32, 33, 34, 36, 38, 41, 46, 50mm                                      |
| Regular sockets | 3/4" drive | 12 point       | %" 1%" 1" 1%" 1%" 1%" 1%" 1%" 1%" 1%" 1%  |

#### TTX3404S 3/4" drive ratchet and accessories with safety locking mechanism

4 piece 3/4" drive set containing 72 teeth ratchet handle with guick release and twist reverse, two extension bars 200mm and 400mm as well as a sliding T bar. The accessories incorporate a safety locking mechanism to avoid tools being dropped. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.5 kilos)



Accessories 3/4" drive

Quick release ratchet handle.

200 and 400mm extensions, sliding T bar

metal case with carrying handles. (680x210x110mm, 27.6 kilos)

| Accessories     | 1" drive |          | ratchet head with quick release, 22" handle bar,T bar adaptor,<br>Omm extension bars |
|-----------------|----------|----------|--|
| Regular sockets | 1" drive | 12 point | 36, 41, 46, 50, 55, 60, 65, 70, 75, 80mm   |



leng

lools

#### TTX3414 3/4" drive socket set

14 piece set containing 6 point metric sockets. Chrome vanadium steel. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x74mm, 5.5 kilos)



Regular sockets 3/4" drive 6 point 19, 21, 22, 24, 27, 30, 32, 33, 34, 36, 38, 41, 46, 50mm

#### TEX3410 3/4" Drive Socket Set

10 piece set containing 6 point metric sockets. Chrome vanadium steel. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x70mm, 4.6 kilos)



Regular sockets

22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm

178



bar and sliding T bar, supplied in the unique Teng Tools drawer control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x70mm, 5.3 kilos)



ratchet, extension bar, sliding T bar and flex handle – all with safety locking mechanism to hold sockets on tightly. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system, (570x375x75mm, 17.27 kilos)

| Accessories     | 3/4" drive | 72 teeth ratche | t, sliding T bar, 16" extension bar, 19" flex handle - all accessories with safety locking. |
|-----------------|------------|-----------------|---|
| Regular sockets | 3/4" drive | 6 point         | 19, 21, 22, 24, 27, 30, 32, 33, 34, 36, 38, 41, 46, 50mm                                    |
| Regular sockets | 3/4" drive | 12 point        | %" ½" 1" 1½" 1½" 1½" 1½" 1½" 1½" 1½" 1½"  |

# 1" Drive Socket Sets

#### M1115MM 1" Drive socket set

15 piece 1" drive metric 12 point socket set containing 560mm handle bar, 200 and 400mm extension bars as well as a ratchet head and T bar adaptor. Supplied in

| Accessories 1" drive  Regular sockets 1" drive | Flip reverse ratchet head with quick release, 22" handle bar,T bar adaptor, 200 and 400mm extension bars |          |  |
|--|--|----------|--|
| Regular sockets                                | 1" drive   | 12 point | 36, 41, 46, 50, 55, 60, 65, 70, 75, 80mm |



Teng Tools - proud sponsors of speedway around the world.

# **RATCHETS** A selection of ratchet handles are available, including everything from a short 1/4" ratchet **FRP** ratchets with T-handle to heavy duty ratchets with 1" drive. Several different types are available for 1/4", 3/8 and 1/2" drives. Teng Tools 72 teeth ratchets and the FRP ratchet all have buttons for the quick release of sockets and a lever or knob for reversing. You can choose · Fibre ratchet handle with steel reinforcement that is lighter than standard ratchet handles, but just as strong. the handle and head according to your taste and needs. Ratchet mechanism with 45 teeth (8 degree interval). The 1" drive ratchets are manufactured fully in accordance with professional quality Quick release mechanism that makes it possible to standards and have features such as removable heads and reversing lever. 3/4" and 1" release sockets and accessories with one hand. ratchet wrenches with 72 teeth are also available and have a reversing disc and quick release for easier use. · Lever for quick reversing between left and right-hand Design protected (24583ROC). · Bi-material handle with an ergonomic design that makes the ratchet very comfortable to use, especially in cold environments. All individual parts and service kits are available and easy to fit. 72 teeth ratchets 72 teeth give a working arc of just 5 degrees, resulting in outstanding accessibility in confined areas. More teeth are engaged simultaneously – which means you can use greater force without the mechanism failing. The rotation disc, to change direction, has a good grip for oily fingers or gloves. The ratchet head is sealed, which prevents dirt and dust from entering the mechanism - giving a longer life and trouble-free use. Now available with a swivel ratchet head!

#### 1400B Mini Bits Ratchet

A 1/4" hex drive reversible ratchet with 8mm 12 point ring spanner. Drop forged. Chrome vanadium. Satin finish. Overall length 90mm



#### 1400M Mini Palm Ratchet

Mini palm ratchet in 1/4" drive - ideal for use where space is very restricted. Reversible action. 45 teeth for 8 degree increments. Overall length 76mm, height 29mm, weight 90g.



#### 72 Teeth Ratchets

The latest generation of industrial style 1/4", 3/8" and 1/2" drive ratchets from Teng Tools with 72 teeth to give a 5° increment between clicks for good access in confined spaces. A slim design together with a bi-material grip, quick release (on 3/8" and 1/2" drive versions) and twist reverse all combine to make a comfortable to use ratchet. An uncomplicated mechanism with several teeth engaging simultaneously for higher torque capacity, extended life and easier servicing. Ideal for use in confined spaces and where a smooth action is required.



#### 72 Teeth Ratchets →

| Stock<br>No. | Drive | DIN   | Description                | Number of teeth | Length<br>mm | Weight<br>g |  |
|--------------|-------|-------|----------------------------|-----------------|--------------|-------------|--|
| 1400-72N     | 1/4"  | 3122D | ratchet                    | 72              | 150          | 110         |  |
| 3800-72N     | 3/8"  | 3122D | ratchet with quick release | 72              | 203          | 265         |  |
| 1200-72N     | 1/2"  | 3122D | ratchet with quick release | 72              | 250          | 400         |  |

#### 72 Teeth Flex Head Ratchets

Flexible head ratchets in 1/4" 3/8" and 1/2" drive from Teng Tools with 72 teeth to give a 5° increment between clicks. A slim design together with a bi-material grip, quick release and twist reverse on the 3/8" and 1/2" drive versions and twist reverse on the 1/4" drive model all combine to make a comfortable to use ratchet. An uncomplicated mechanism for extended life and easier servicing, Ideal for use in confined spaces and where a smooth action is required.



#### 72 Teeth Flex Head Ratchets →

| Stock     | Drive | Description                | Number of | Length | Weight |  |
|-----------|-------|----------------------------|-----------|--------|--------|--|
| No.       |       |                            | teeth     | mm     | g      |  |
| 1400-72SN | 1/4"  | ratchet                    | 72        | 121    | 114    |  |
| 3800-72SN | 3/8"  | ratchet with quick release | 72        | 178    | 270    |  |
| 1200-72SN | 1/2"  | ratchet with quick release | 72        | 190    | 395    |  |

#### **FRP Ratchets**

<u>C</u>

Teng Tools steel reinforced fibre ratchets have been designed to create a 45 teeth (8 degree increment) ratchet with quick release and flip reverse to meet or exceed all internationally recognised quality and torque specifications. The design protected ratchet (24583ROC) is not only lighter and just as strong but is also much more comfortable to use than regular ratchets. New style bi-material handles for a more comfortable grip.



#### FRP Ratchets →

| Stock<br>No | Drive | DIN                            | Description                             | Maximun<br>recommended |    | length<br>mm | Weight<br>a |
|-------------|-------|--------------------------------|---|------------------------|----|--------------|-------------|
| 1400FRP     | 1/4"  | 3122D1/4" drive fibre reinford | ed ratchet handle with flip reverse and | quick release 62Nm     | 45 | 150          | 96          |
| 3800FRP     | 3/8"  | 3122D3/8" drive fibre reinford | ed ratchet handle with flip reverse and | quick release 202Nm    | 45 | 203          | 227         |
| 1200FRP     | 1/2"  | 3122D1/2" drive fibre reinford | ed ratchet handle with flip reverse and | quick release 512Nm    | 45 | 255          | 358         |



#### Stainless Steel Ratchets

Stainless steel ratchet with 36 teeth with flip reverse and quick release button. Ideal for the food, medical, aerospace and marine industries or for use in any acidic environment.

| Stock  | Drive | No of teeth | Overall length | Weight |  |
|--------|-------|-------------|----------------|--------|--|
| No.    |       |             | mm             | g      |  |
| MS3800 | 3/8"  | 36          | 204            | 424    |  |
| MS1200 | 1/2"  | 36          | 266            | 900    |  |

# TENGLOOIS 450

#### Stainless Steel Ratchets →

#### 72 Teeth Ratchets

The heavy duty 3/4" and 1" drive ratchets with 72 teeth are manufactured to full professional quality standards and feature twist reverse action. They also feature a quick release button for added convenience.



#### 72 Teeth Ratchets →

| Stock<br>No | Drive | Description   | Number of teeth | length<br>mm | Weight<br>g |  |
|-------------|-------|---|-----------------|--------------|-------------|--|
| M3400-72    | 3/4"  | 3/4" drive ratchet with twist reverse and quick release | 72              | 505          | 2000        |  |
| M1100-72    | 1"    | 1" drive ratchet with twist reverse and quick release   | 72              | 800          | 4060        |  |

#### **Heavy Duty 1" Drive Ratchets**

The heavy duty 1" drive ratchets are manufactured to full professional quality standards and feature removable heads and flip reverse action. Knurled handle.



#### Heavy Duty Ratchets →

| Stock<br>No | Drive | DIN   | Description                        | Number of teeth | length<br>mm | Weight<br>g |  |
|-------------|-------|-------|------------------------------------|-----------------|--------------|-------------|--|
| M1100       | 1"    | 3122D | ratchet with detachable head       | 24              | 665          | 4410        |  |
| M110010     | 1"    | 3122D | detachable ratchet head            | 24              | 165          | 1740        |  |
| M110020     | 1"    | -     | 22" power bar for use with M110010 | -               | 560          | 2670        |  |

#### Long arm flexible ratchet

This 400mm long 1/2" drive flexible ratchet features twist reverse and quick release function and a 45 teeth ratchet. Two component non slip handle. Satin finish.



#### Long arm ratchet

400mm long 1/2" drive ratchet featuring twist reverse and quick release function and a 45 teeth ratchet. Two component non slip handle. Satin finish.



#### Service Kits for Ratchets

| Stock No.  | Suitable for                    | Drive |
|------------|---------------------------------|-------|
| 1400-72NRK | Service kit for 1400-72N        | 1/4"  |
| 1400-72NRK | Service kit for 1400-72SN       | 1/4"  |
| 1400FRPRK  | Service Kit for 1400FRP         | 1/4"  |
| 3800-72NRK | Service kit for 3800-72N        | 3/8"  |
| 3800-72NRK | Service kit for 3800-72SN       | 3/8"  |
| 3800FRPRK  | Service Kit for 3800FRP         | 3/8"  |
| MS3800RK   | Service kit for MS3800          | 3/8"  |
| 1200-72NRK | Service kit for 1200-72N        | 1/2"  |
| 1200-72NRK | Service Kit for 1200-72SN       | 1/2"  |
| 1200FRPRK  | Service Kit for 1200FRP         | 1/2"  |
| MS1200RK   | Service kit for MS1200          | 1/2"  |
| 1201RK     | Service Kit for 1201            | 1/2"  |
| 1201ARK    | Service kit for 1201A           | 1/2"  |
| 1200FRK    | Service Kit for 1200F and 1200L | 1/2"  |
| M3400-72RK | Service Kit for M3400-72        | 3/4"  |
| M1100-72RK | Service Kit for M1100-72        | 1"    |
| M1100RK    | Service Kit for M1100           | 1"    |

All Teng Tools ratchets should be cleaned and maintained on a regular basis to reduce wear and to prolong life. However, with all tools involving moving parts some wear will occur with time.

Teng Tools offer a full range of complete service kits and spare parts for their ratchets – full details available from your local Teng Tools stockist.



 All Teng Tools sockets and accessories are individually marked and manufactured from high quality chrome vanadium steel to comply with the latest DIN and ISO standards.






- All sockets are produced according to Teng Tools "hip grip" system, which means the socket grips on the flat surfaces of the nut rather than on the corner. This system helps to prevent damage to nuts and bolts and makes it possible to grip nuts and bolts which already have damaged corners.
- The range includes standard extensions and swivel extensions in lengths from 50 mm to 500 mm.
- The safety lock system on the <sup>3</sup>/<sub>4</sub>" extension bars prevents sockets from loosening unintentionally while working.
- All sockets and accessories are supplied on a hanging card, which for ¼", ³/8" and ½" drives includes a socket clip for use on the Teng Tools aluminium clip rail.
  This allows users to put together their own individual clip rail sets designed to suit their own needs.
- Retaining grub screws are fitted to many accessories for extra safety when working in confined areas.
- 3 function adaptors that increase or decrease as well as including the possibility of a T-handle together with an extension bar.
- Screwdriver handle with square drive at the end of the handle to create a T handle that gives extra torque.



#### **Extension bars**

Chrome vanadium steel. Satin finish.



### TENG TOOLS SAFETY LOCKING MECHANISM

3/4" drive sockets can be heavy and if they drop from the ratchet or an extension bar or accessory it can be a health and safety risk. To reduce the likelihood of this happening Teng Tools have introduced a range of 3/4" drive extension bars, a sliding T bar and a universal joint with a safety locking mechanism. This is a simple design which effectively locks the socket in place to prevent it falling off under it's own weight. The safety locking accessories are available individually or as part of a 22 piece socket set or an EVA tray set One more example of how Teng Tools works to create user friendly tools.







#### TTXEXT13 Extension bar set

Set containing 6 extension bars (1/4", 3/8" and 1/2" drive), universal joints 1/4", 3/8" and 1/2", 3/8"-1/4" adaptor, as well as a T handle and mini screwdrivers for tightening the retaining grub screws in the adaptors. The unique T handle can be used in conjuction with the extension bars to create a comfortable T handle grip for added torque and ease of use. Supplied in the unique Teng Tools TC tray for use on it's own or as part of the Teng Tools TC control system. (570x115x40mm, 2.0 kilos)



| Accessories | 1/4" drive | 6" and 12" extensions, universal joint                   |
|-------------|------------|--|
|             | 3/8" drive | 3" wobble extension, 20" extension, universal joint,     |
|             |            | 3/8"F:1/4"M T bar adaptor                                |
|             | 1/2" drive | 3" wobble extension, 20" extension, universal joint      |
| Accessories |            | T handle grip, 2.0mm hex and 2.5mm hex mini screwdrivers |

#### **TEXEXT13 Socket Accessories Set**

13 piece extension and socket accessory set. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x40mm, 2.20 kilos)



| Accessories | 1/4" drive | 6" and 12" extension bars, universal joint                  |
|-------------|------------|---|
|             | 3/8" drive | 3"wobble extension bar, 20" extension bar, universal joint, |
|             |            | 3/8"F:1/4"M T bar adaptor                                   |
|             | 1/2" drive | 3" wobble extension bar, 20" extension bar, universal joint |
|             |            | T handle grip, 2 and 2.5mm mini hex drivers                 |

#### **Wobble Extension Bars**

Chrome vanadium steel. Satin finish wobble bars that allow sockets to be turned at an angle, particularly useful in confined spaces.



#### Extension Bars →

| Stock      | Drive | Type | DIN | Description              | Length | Weight |  |
|------------|-------|------|-----|--------------------------|--------|--------|--|
| SIUCK      | Dilve | rype | DIN | Description              | Lengui | weigin |  |
| No.        |       |      |     |                          | mm     | g      |  |
| M380020W-C | 3/8"  | В    | -   | 3" wobble extension bar  | 75     | 63     |  |
| M380021W-C | 3/8"  | В    | -   | 6" wobble extension bar  | 150    | 145    |  |
| M380022W-C | 3/8"  | В    | -   | 10" wobble extension bar | 255    | 234    |  |
|            |       |      |     |                          |        |        |  |
| M120020W-C | 1/2"  | В    | -   | 3" wobble extension bar  | 75     | 105    |  |
| M120021W-C | 1/2"  | В    | -   | 6" wobble extension bar  | 150    | 240    |  |
| M120022W-C | 1/2"  | В    | -   | 10" wobble extension bar | 255    | 420    |  |

#### **Extension Bars**

TYPE C



| Stock     | Drive | Туре | DIN   | Description       | Length | Weight |
|-----------|-------|------|-------|-------------------|--------|--------|
| No.       |       |      |       |                   | mm     | g      |
| M140024-C | 1/4"  | C    | 3123B | 12" extension bar | 305    | 126    |
| M380024-C | 3/8"  | C    | 3123B | 20" extension bar | 500    | 506    |
| M120024-C | 1/2"  | C    | 3123B | 20" extension bar | 500    | 855    |

#### **Universal Joints**

Chrome vanadium steel. Satin finish.

| Stock     | Drive | DIN   | Description                | Length | Weight |
|-----------|-------|-------|----------------------------|--------|--------|
| No.       |       |       |                            | mm     | g      |
| M140030-C | 1/4"  | 3123C | 1/4" drive universal joint | 33     | 23     |
| M380030-C | 3/8"  | 3123C | 3/8" drive universal joint | 50     | 65     |
| M120030-C | 1/2"  | 3123C | 1/2" drive universal joint | 69     | 165    |
| M340030-C | 3/4"  | 3123C | 3/4" drive universal joint | 108    | 570    |

## Universal Joints →

#### Adaptors

Chrome vanadium. Socket converters with T handle hole facility on most popular sizes. Satin finish.

| Stock     | DIN   | Drive | Description                    | T drive  | Length | Weight |  |
|-----------|-------|-------|--------------------------------|----------|--------|--------|--|
| No.       |       |       |                                | facility | mm     | g      |  |
| M140036-C | -     | 1/4"  | 1/4" female: 3/8" male adaptor | No       | 25.0   | 20     |  |
| M140037   | -     | 1/4"  | 1/4" male: 1/4" hex adaptor    | No       | 25.0   | 7      |  |
| M380035-C | 3123A | 3/8"  | 3/8" female: 1/4" male adaptor | Yes      | 25.4   | 20     |  |
| M380036-C | 3123A | 3/8"  | 3/8" female: 1/2" male adaptor | Yes      | 36.0   | 45     |  |
| M380037   | -     | 3/8"  | hex:3/8" male adaptor          | No       | 32.0   | 14     |  |
| M120036-C | 3123A | 1/2"  | 1/2" female: 3/8" male adaptor | Yes      | 39.5   | 55     |  |
| M120037-C | 3123A | 1/2"  | 1/2" female: 3/4" male adaptor | No       | 39.5   | 55     |  |
| M340085-C | -     | 3/4"  | 3/4" female: 1" male adaptor   | No       | 62.0   | 370    |  |
| M340086-C | 3123A | 3/4"  | 3/4" female: 1/2" male adaptor | Yes      | 40.0   | 52     |  |
| M110030   | -     | 1"    | 1" drive T bar adaptor         | Yes      | 82.0   | 620    |  |



Adaptors →





186

#### **TTADP17** Adaptor set

A set of 17 different adaptors for use with 1/4", 3/8", 1/2" and 3/4" drive sockets and accessories as well as 1/4" hex drive bits. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.3 kilos)

| Step up adaptors      | 3/4"F:1"M, 1/2"F:3/4"M, 3/8"F:1/2"M, 1/4"F:3/8"M |
|-----------------------|--|
| Reducing adaptors     | 3/4"F:1/2"M, 1/2"F:3/8M, 3/8"F:1/4"M             |
| Coupler bit adaptors  | 1/4" and 3/8" drive for 1/4" hexagon bits        |
| Hexagon bit adaptors  | 1/4" and 3/8" drive male adaptors                |
| 50mm hex bit adaptors | 1/4", 3/8" and 1/2" drive male adaptors          |
| Magnetic bit holders  | 50 and 70mm length                               |
| Chuck bit holders     | 50mm length with quick release                   |
|                       |  |



#### **MX04** Insert Adaptor Set

Insert adaptors for converting up and with magnets in the drive disc. Available both as a set or individually covering 1/4" to 1" drive sizes. Ideal for where space is limited or a regular adaptor is not suitable.

| A set of four insert a | daptors     |             |             |         |
|------------------------|-------------|-------------|-------------|---------|
| Insert adaptors        | 1/4"F:3/8"M | 3/8"F·1/2"M | 1/2"F·3/4"M | 3/4"F·1 |



## **Insert Adaptors**

Individual insert adaptors for converting up and with magnets in the drive disc. Ideal for where space is limited or a regular adaptor is not suitable. Also available as a set.

#### Insert Adaptors →

| Stock    | Drive    | Drive    | Dimensions | Dimensions | Dimensions | Weight |  |
|----------|----------|----------|------------|------------|------------|--------|--|
| No.      | Internal | External | Depth      | Width      | Height     | g      |  |
| M140036M | 1/4"     | 3/8"     | 28         | 28         | 15         | 18     |  |
| M380036M | 3/8"     | 1/2"     | 30         | 30         | 20         | 30     |  |
| M120037M | 1/2"     | 3/4"     | 45         | 45         | 30         | 86     |  |
| M340085M | 3/4"     | 1"       | 54         | 54         | 35         | 130    |  |

188

#### Coupler Adaptors

Coupler adaptors for Teng Tools bits.

| Stock     | Drive | DIN  | Description                        | Length | Weight |  |
|-----------|-------|------|------------------------------------|--------|--------|--|
| No.       |       |      |                                    | mm     | g      |  |
| M140060-C | 1/4"  | 3126 | coupler adaptor for 1/4" hex bits  | 25     | 20     |  |
| M380060-C | 3/8"  | 3126 | coupler adaptor for 1/4" hex bits  | 28     | 32     |  |
| M380061-C | 3/8"  | 3126 | coupler adaptor for 10mm hex bits  | 28     | 32     |  |
| M120060-C | 1/2"  | 3126 | coupler adaptor for 5/16" hex bits | 38     | 88     |  |
| M120061-C | 1/2"  | 3126 | coupler adaptor for 10mm hex bits  | 38     | 56     |  |
| M120062-C | 1/2"  | 3126 | coupler adaptor for 12mm hex bits  | 38     | 62     |  |
| M120063-C | 1/2"  | 3126 | coupler adaptor for 1/4" hex bits  | 25     | 88     |  |



#### Coupler Adaptors →









#### Sliding T Bars

Chrome vanadium steel. Satin finish.

#### Sliding T Bars →

| Stock      | Drive | DIN   | Description                                 | Length | Weight |  |
|------------|-------|-------|---|--------|--------|--|
| No.        |       |       |   | mm     | g      |  |
| M140050-C  | 1/4"  | 3122A | 1/4" drive sliding T Bar                    | 106    | 40     |  |
| M380050-C  | 3/8"  | 3122A | 3/8" drive sliding T Bar                    | 170    | 122    |  |
| M120050-C  | 1/2"  | 3122A | 1/2" drive sliding T Bar                    | 243    | 300    |  |
| M340050-C  | 3/4"  | 3122A | 3/4" drive sliding T Bar                    | 450    | 450    |  |
| M340050S-C | 3/4"  | 3122A | Sliding T Bar with safety locking mechanism | 450    | 450    |  |

#### **Speed Braces**

Chrome vanadium steel. Satin finish. Plastic handle.

#### Speed Braces →

| Stock     | Drive | DIN | Description | Length | Weight |  |
|-----------|-------|-----|-------------|--------|--------|--|
| No.       |       |     |             | mm     | g      |  |
| M380011-C | 3/8"  | -   | speed brace | 380    | 310    |  |
| M120011-C | 1/2"  | -   | speed brace | 420    | 585    |  |

#### **Drivers**

MD514N Flexible screwdriver handle with 1/4" square drive for bit sockets and standard sockets. Ergonomic TPR grip. Only for right hand action, i.e. clock wise turning (permitted load 5 Nm). M140015-C and M380015-C with square drive for sockets and socket tools the handle part has internal square drive for connection,

PT3810R with 3/8" square drive for sockets and socket tools. Two part plastic handle. Handle part has internal 3/8" square drive for connection to a ratchet handle or sliding T bar.

#### Drivers →

| Stock     | Drive | DIN   | Description  | Length | Weight |  |
|-----------|-------|-------|--|--------|--------|--|
| No.       |       |       |  | mm     | g      |  |
| MD514N    | 1/4"  | -     | flexi handle                                       | 275    | 100    |  |
| M140015-C | 1/4"  | 3122E | 6" spinner handle                                  | 150    | 80     |  |
| M380015-C | 3/8"  | 3122E | 10" spinner handle                                 | 255    | 280    |  |
| PT3810R   | 3/8"  | 3122E | rotating spinner handle extension with power drive | 253    | 302    |  |

#### MD514L Flexible 1/4" Drive Spinner Handle

A 555mm long flexible 1/4" drive spinner handle. The spring wound flexible shaft is protected by a plastic sleeve. The bi-material grip includes a T drive facility for added torque or for use as a hanging hole. The hole can also be used for securing the tool to a safety wire. Overall length 555mm, weight 213g).







leng

Tools

#### TT1211 1/2" drive deep socket set

Set containing 10 12 point deep 1/2" drive sockets and 10" flex handle. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 2.0 kilos)

| Accessories  | 1/2" drive |          | 10" flex handle                          |
|--------------|------------|----------|--|
| Deep sockets | 1/2" drive | 12 point | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |





#### Flex Handles

Chrome vanadium steel. Satin finish. Two component handle.

| Flex | Hand | les | $\rightarrow$ |
|------|------|-----|---------------|
|      |      |     |               |

| Stock      | Drive | DIN   | Description                                   | Length | Weight |  |
|------------|-------|-------|---|--------|--------|--|
| No.        |       |       |   | mm     | g      |  |
| M380010A-C | 3/8"  | -     | Offset 10" flex handle                        | 250    | 375    |  |
| M120010-C  | 1/2"  | 3122F | 10" flex handle                               | 265    | 492    |  |
| 1201       | 1/2"  | -     | 17" flex handle                               | 450    | 894    |  |
| 1201A      | 1/2"  | -     | 24" flex handle                               | 600    | 1198   |  |
| M340070-C  | 3/4"  | 3122F | 19" flex handle                               | 480    | 1880   |  |
| M340070S-C | 3/4"  | 3122F | 19" flex handle with safety locking mechanism | 480    | 1880   |  |
| M110070    | 1"    | -     | 25" flex handle                               | 650    | 3550   |  |

#### Service Kits

| Stock No.  | Suitable for | Drive |
|------------|--------------|-------|
| 1201RK     | 1201         | 1/2"  |
| 1201ARK    | 1201A        | 1/2"  |
| M340070RK  | M340070-C    | 3/4"  |
| M340070SRK | M340070S-C   | 3/4"  |
| M110070RK  | M110070      | 1"    |

#### Spark Plug Sockets

Stock No.

M380039-C

M380040-0

M380041-C

M380042-C M380046-0

M380047-C

M120040-C

M120042-C M120046-C

Spark Plug Sockets →

6 point chrome vanadium sockets, with rubber insert Satin finish.



| Drive | Description                             | Thread | Length | Weight |  |
|-------|---|--------|--------|--------|--|
|       |   | size   | mm     | g      |  |
| 3/8"  | 6 point 14mm spark plug socket          | 8      | 64     | 73     |  |
| 3/8"  | 6 point 16mm spark plug socket          | 10     | 64     | 100    |  |
| 3/8"  | 6 point 16mm flexible spark plug socket | 10     | 85     | 117    |  |
| 3/8"  | 6 point 18mm spark plug socket          | 12     | 70     | 130    |  |
| 3/8"  | 6 point 21mm spark plug socket          | 14     | 70     | 160    |  |
| 3/8"  | 6 point 21mm flexible spark plug socket | 14     | 91     | 169    |  |
| 1/2"  | 6 point 16mm spark plug socket          | 10     | 70     | 165    |  |
| 1/2"  | 6 point 18mm spark plug socket          | 12     | 70     | 165    |  |
| 1/2"  | 6 noint 21mm enark nlug cocket          | 1/     | 70     | 165    |  |





All Teng Tools flex handles should be cleaned and maintained on a regular basis to reduce wear and to prolong life. However, with all tools involving moving parts some wear will occur with time.

Teng Tools offer a full range of complete service kits and spare parts for their ratchets - full details available from your local Teng Tools stockist.

### DO'S AND DONT'S OF SOCKETRY

The right drive

Use the correct drive of ratchet or accessory to suit the size of fastening you need to turn and how much torque you need to apply. The larger the drive the more torque can be applied, particularly for stubborn or over tightened fastenings.

The right size socket

Use the correct size socket, the wrong size socket will damage the fastening making it more difficult to tighten or loosen. It might also damage the socket.

The weakest point

Remember that when trying to turn a stubborn nut or bolt it is the weakest point that will give first - chose the correct tool so that the weakest point is the rust, friction or adhesive that is holding the fastening in place.

Thread direction

Check that you are turning the correct way – on some engines and wheel assemblies the thread may be the opposite to normal

Keep it clean and dry

After use always check the tools are clean and dry before putting them away, this will help to avoid problems such as corrosion and moving parts seizing or becoming tight.

Regularly use a light oil to keep ratchet mechanisms in good working order and free from corrosion. Do not use heavy oils or greases as these tend to attract dirt which may cause the ratchet mechanism to slip.

② Do not use chrome sockets with impact tools

Chrome sockets and accessories are designed to be used where pressure or torque is applied evenly, impact tools can damage regular sockets. Use impact sockets with impact tools.

On not use TPX on TX type fastenings

Use the correct type as the shape is designed to fit tightly, if not the material is stressed and may fail

O not use scaffolding poles or similar

If the fastening will not turn with the tools you are using you need to use a more powerful tool such as a larger drive ratchet, a flex handle or even an impact power tool. Do not use bars to increase the leverage - it is dangerous and can break the tool.

Do not use a vehicle to turn the socket

Do not fix the socket with a ratchet and then drive the vehicle to force the socket to turn - needless to say it is dangerous and can break the tools.



# **Tool**

#### Accessories

| Stock<br>No. | Drive | DIN | Description  | Length<br>mm | Weight<br>g |
|--------------|-------|-----|--|--------------|-------------|
| M120080-C    | 1/2"  | -   | 1/2" drive flex head adaptor   | 70           | 188         |
| T-HD         | 3/8"  | -   | for use with Type C extension bars to form a comfortable to use T hand | e 120        | 32          |



#### TTXTB05 3/8" Drive extra long swivel spark plug set

5 piece set with 3/8" drive extra long swivelling spark plug sockets and a T bar with handle. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.5 kilos)

| Spark plug sockets | 14, 16, 21mm         |
|--------------------|----------------------|
| Accessories        | 2 piece T bar handle |
|                    |                      |



#### TEXTB05 T bar Spark Plug Socket Set NEW!

5 piece T bar spark plug socket set supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x40mm, 1.4 kilos)




| Accessories                         | T bar handle and T bar handle adaptor |
|-------------------------------------|---------------------------------------|
| 520mm long T bar spark plug sockets | 14, 16, 21mm                          |

#### T bar universal joint spark plug sockets

520mm long with universal joint 6 point spark plug sockets, a T bar handle and 3/8" drive.

T bar universal joint spark plug sockets →



| Stock No | Size mm | Thread mm         | L mm        | C mm          | D mm           | Weight g       |  |
|----------|---------|-------------------|-------------|---------------|----------------|----------------|--|
| TBUSP14  | 14      | 8                 | 520         | 60            | 18.8           | 380            |  |
| TBUSP16  | 16      | 10                | 520         | 60            | 21.8           | 400            |  |
| TBUSP21  | 21      | 14                | 520         | 60            | 27.8           | 440            |  |
| T-HD01   | 200mm   | x 8mm spare bar f | or use with | T bar univers | al joint sparl | k plug sockets |  |


# TENGIOOLS

# 1/4" Drive Sockets

#### 1/4" Drive Metric Sockets

1/4" drive metric sockets, regular, 6 point, DIN 3120/3124/ISO 2725 Chrome vanadium. Satin Finish.

| Stock no.  | Size | L    | Т   | D1   | D2   | Weight |  |
|------------|------|------|-----|------|------|--------|--|
|            | mm   | mm   | mm  | mm   | mm   | g      |  |
| M140504-C  | 4    | 25.0 | 3.6 | 6.9  | 12.0 | 10     |  |
| M1405045-C | 4.5  | 25.0 | 3.6 | 7.5  | 12.0 | 12     |  |
| M140505-C  | 5    | 25.0 | 4.2 | 8.1  | 12.0 | 12     |  |
| M1405055-C | 5.5  | 25.0 | 4.2 | 8.8  | 12.0 | 12     |  |
| M140506-C  | 6    | 25.0 | 4.8 | 9.4  | 12.0 | 12     |  |
| M140507-C  | 7    | 25.0 | 4.0 | 10.9 | 12.0 | 13     |  |
| M140508-C  | 8    | 25.0 | 4.0 | 12.0 | 12.0 | 13     |  |
| M140509-C  | 9    | 25.0 | 4.5 | 13.2 | 13.2 | 13     |  |
| M140510-C  | 10   | 25.0 | 6.0 | 14.7 | 14.7 | 17     |  |
| M140511-C  | 11   | 25.0 | 6.0 | 16.0 | 16.0 | 20     |  |
| M140512-C  | 12   | 25.0 | 7.0 | 16.9 | 16.9 | 21     |  |
| M140513-C  | 13   | 25.0 | 7.5 | 17.7 | 17.7 | 24     |  |





#### 1/4" Drive Metric Sockets →

#### 1/4" Drive AF Sockets

1/4" drive AF sockets, regular 6 point, DIN 3120/3124/ISO 2725 Chrome vanadium. Satin Finish

| Stock no. | Size   | L    | T   | D1   | D2   | Weight |
|-----------|--------|------|-----|------|------|--------|
|           |        | mm   | mm  | mm   | mm   | g      |
| M140106-C | 3/16"  | 25.0 | 3.6 | 8.0  | 12.0 | 12     |
| M140107-C | 7/32"  | 25.0 | 4.2 | 8.8  | 12.0 | 12     |
| M140108-C | 1/4"   | 25.0 | 4.8 | 10.0 | 12.0 | 12     |
| M140109-C | 9/32"  | 25.0 | 4.0 | 10.9 | 12.0 | 13     |
| M140110-C | 5/16"  | 25.0 | 4.0 | 12.0 | 12.0 | 13     |
| M140111-C | 11/32" | 25.0 | 4.5 | 13.2 | 13.2 | 18     |
| M140112-C | 3/8"   | 25.0 | 4.5 | 14.7 | 14.4 | 19     |
| M140114-C | 7/16"  | 25.0 | 6.0 | 16.0 | 16.0 | 22     |
| M140116-C | 1/2"   | 25.0 | 7.2 | 17.7 | 17.7 | 28     |







1/4" Drive AF Sockets →

#### 1/4" Drive Deep Metric Sockets

1/4" drive metric sockets, deep 6 point, DIN 3120/3124/ISO 2725 Chrome vanadium, Satin Finish.

| tock no.   | Size | L    | T    | D1   | D2   | Weight |
|------------|------|------|------|------|------|--------|
|            | mm   | mm   | mm   | mm   | mm   | g      |
| 1140604-C  | 4    | 49.5 | 5.0  | 8.0  | 11.8 | 23     |
| 1140605-C  | 5    | 49.5 | 5.5  | 8.0  | 11.8 | 25     |
| 11406055-C | 5.5  | 49.5 | 5.5  | 8.8  | 11.8 | 26     |
| 1140606-C  | 6    | 49.5 | 6.5  | 9.4  | 11.8 | 26     |
| 1140607-C  | 7    | 49.5 | 10.5 | 10.9 | 11.8 | 27     |
| 1140608-C  | 8    | 49.5 | 10.5 | 11.8 | 11.8 | 30     |
| 1140609-C  | 9    | 49.5 | 11.5 | 12.8 | 12.8 | 37     |
| 1140610-C  | 10   | 49.5 | 13.0 | 14.5 | 14.5 | 38     |
| 1140611-C  | 11   | 49.5 | 14.0 | 15.6 | 15.6 | 43     |
| 1140612-C  | 12   | 49.5 | 15.0 | 16.6 | 16.6 | 46     |
| 1140613-C  | 13   | 49.5 | 17.0 | 17.6 | 17.6 | 48     |








**1/4" Drive Deep AF Sockets** 1/4" drive AF sockets, deep 6 point, DIN 3120/3124/ISO 2725 Chrome vanadium. Satin Finish.

| Stock no. | Size   | L    | T    | D1   | D2   | Weight |  |
|-----------|--------|------|------|------|------|--------|--|
|           |        | mm   | mm   | mm   | mm   | g      |  |
| M140206-C | 3/16"  | 49.5 | 5.0  | 8.0  | 11.8 | 24     |  |
| M140207-C | 7/32"  | 49.5 | 5.5  | 8.8  | 11.8 | 26     |  |
| M140208-C | 1/4"   | 49.5 | 6.5  | 10.0 | 11.8 | 27     |  |
| M140209-C | 9/32"  | 49.5 | 5.5  | 10.8 | 11.8 | 26     |  |
| M140210-C | 5/16"  | 49.5 | 10.5 | 11.8 | 11.8 | 30     |  |
| M140211-C | 11/32" | 49.5 | 11.5 | 12.8 | 11.8 | 34     |  |
| M140212-C | 3/8"   | 49.5 | 12.5 | 14.5 | 14.5 | 37     |  |
| M140214-C | 7/16"  | 49.5 | 14.5 | 15.8 | 15.8 | 44     |  |
| M140216-C | 1/2"   | 49.5 | 16.5 | 17.6 | 17.6 | 48     |  |

1/4" Drive Deep AF Sockets →



#### 1/4" Drive TX-E Sockets

1/4" drive TX-E sockets. Chrome vanadium. Satin Finish.

| Stock no. | Size       | Size | L    | T   | D1   | D2   | Weiaht |
|-----------|------------|------|------|-----|------|------|--------|
|           |            | mm   | mm   | mm  | mm   | mm   | g      |
| M140704-C | E4         | 3.83 | 23.1 | 3.5 | 5.8  | 12.0 | 7      |
| M140705-C | <b>E</b> 5 | 4.73 | 24.8 | 4.5 | 6.8  | 12.0 | 8      |
| M140706-C | <b>E</b> 6 | 5.74 | 24.8 | 4.5 | 8.0  | 12.0 | 9      |
| M140707-C | E7         | 6.16 | 24.8 | 5.6 | 9.4  | 12.0 | 10     |
| M140708-C | E8         | 7.52 | 24.8 | 6.0 | 10.4 | 12.0 | 10     |

1/4" Drive TX-E Sockets →




#### 1/4" Drive PH Sockets

1/4" drive PH S2 socket bits DIN 5260 Chrome vanadium. Satin Finish.

|           | -    |      |      |      |        |  |
|-----------|------|------|------|------|--------|--|
| Stock no. | Size | L1   | L2   | D    | Weight |  |
|           |      | mm   | mm   | mm   | g      |  |
| M141300-C | PH0  | 32.0 | 15.0 | 12.0 | 13     |  |
| M141301-C | PH1  | 32.0 | 15.0 | 12.0 | 13     |  |
| M141302-C | PH2  | 32.0 | 15.0 | 12.0 | 13     |  |
| M141303-C | PH3  | 32.0 | 15.0 | 12.0 | 13     |  |

1/4" Drive PH Sockets →



#### 1/4" Drive Flat Sockets


1/4" drive flat S2 socket bits DIN 5264. Chrome vanadium.

| Stock no.  | Width | Thickness | L1   | L2   | D    | Weight |
|------------|-------|-----------|------|------|------|--------|
|            | mm    | mm        | mm   | mm   | mm   | g      |
| M141404-C  | 4.0   | 0.76      | 32.0 | 15.0 | 12.0 | 13     |
| M1414055-0 | 5.5   | 0.99      | 32.0 | 15.0 | 12.0 | 13     |
| M141407-C  | 7.0   | 1.4       | 32.0 | 15.0 | 12.0 | 14     |

194

1/4" Drive Flat Sockets →





#### 1/4" Drive PZ Sockets

1/4" drive PZ S2 socket bits. Chrome vanadium. Satin Finish.

|                                  | Stock     | Size | L1   | L2   | D    | Weight |  |
|----------------------------------|-----------|------|------|------|------|--------|--|
|                                  | No.       |      | mm   | mm   | mm   | g      |  |
| FE4 44 000 0 PT0 000 4F 0 400 40 | M141601-C | PZ1  | 32.0 | 15.0 | 12.0 | 13     |  |
| M141602-C PZ2 32.0 15.0 12.0 13  | M141602-C | PZ2  | 32.0 | 15.0 | 12.0 | 13     |  |
| M141603-C PZ3 32.0 15.0 12.0 13  | M141603-C | PZ3  | 32.0 | 15.0 | 12.0 | 13     |  |


#### 1/4" Drive PZ Sockets →

#### 1/4" Drive TX Sockets

1/4" drive TX S2 socket bits. Chrome vanadium. Satin Finish.

|            |      |      |      |      | _    |        |  |
|------------|------|------|------|------|------|--------|--|
| Stock no.  | Size | Size | L1   | L2   | D    | Weight |  |
|            |      | mm   | mm   | mm   | mm   | g      |  |
| M141210T-C | TX10 | 2.5  | 32.0 | 15.0 | 12.0 | 13     |  |
| M141215T-C | TX15 | 3.0  | 32.0 | 15.0 | 12.0 | 13     |  |
| M141220T-C | TX20 | 3.5  | 32.0 | 15.0 | 12.0 | 13     |  |
| M141225T-C | TX25 | 4.5  | 32.0 | 15.0 | 12.0 | 13     |  |
| M141227T-C | TX27 | 5.0  | 32.0 | 15.0 | 12.0 | 14     |  |
| M141230T-C | TX30 | 5.5  | 32.0 | 15.0 | 12.0 | 14     |  |
| M141240T-C | TX40 | 6.5  | 32.0 | 15.0 | 12.0 | 14     |  |

1/4" Drive TX Sockets →






# 3/8" Drive Sockets

| Stock no. | Size | L    | Т    | D1   | D2   | Weight |
|-----------|------|------|------|------|------|--------|
|           | mm   | mm   | mm   | mm   | mm   | g      |
| M380507-C | 7    | 25.7 | 4.0  | 10.8 | 17.1 | 21     |
| M380508-C | 8    | 25.7 | 4.5  | 12.0 | 17.1 | 25     |
| M380509-C | 9    | 25.7 | 5.0. | 13.1 | 17.1 | 26     |
| M380510-C | 10   | 25.7 | 5.0  | 14.7 | 17.1 | 26     |
| M380511-C | 11   | 25.7 | 7.0  | 16.0 | 17.1 | 26     |
| M380512-C | 12   | 25.7 | 7.0  | 17.1 | 17.1 | 29     |
| M380513-C | 13   | 25.7 | 7.0  | 18.3 | 18.3 | 32     |
| M380514-C | 14   | 25.7 | 9.0  | 19.5 | 19.5 | 40     |
| M380515-C | 15   | 25.7 | 10.0 | 20.4 | 20.4 | 43     |
| M380516-C | 16   | 29.0 | 10.0 | 22.1 | 22.1 | 43     |
| M380517-C | 17   | 29.0 | 10.0 | 23.3 | 23.3 | 50     |
| M380518-C | 18   | 29.0 | 15.5 | 24.2 | 20.0 | 56     |
| M380519-C | 19   | 29.0 | 15.5 | 25.7 | 21.0 | 64     |
| M380520-C | 20   | 29.0 | 15.5 | 26.7 | 22.0 | 71     |
| M380521-C | 21   | 29.0 | 15.5 | 27.7 | 23.0 | 78     |
| M380522-C | 22   | 29.0 | 15.5 | 29.8 | 24.0 | 82     |

# 3/8" Drive Metric Sockets

3/8" drive metric sockets regular 6 point, DIN 3120/3124/ISO 2725. Chrome vanadium. Satin Finish.




#### 3/8" Drive Metric Sockets →

#### 3/8" Drive AF Sockets

3/8" drive AF sockets regular 6 point, DIN 3120/3124/ISO 2725. Chrome vanadium. Satin Finish.

| Stock no. | Size   | L    | T    | D1   | D2   | Weight |  |
|-----------|--------|------|------|------|------|--------|--|
|           |        | mm   | mm   | mm   | mm   | g      |  |
| M380110-C | 5/16"  | 25.7 | 4.5  | 11.7 | 17.1 | 23     |  |
| M380112-C | 3/8"   | 25.7 | 5.0  | 14.2 | 17.1 | 24     |  |
| M380114-C | 7/16"  | 25.7 | 7.0  | 16.3 | 17.1 | 26     |  |
| M380116-C | 1/2"   | 25.7 | 7.0  | 18.3 | 18.3 | 34     |  |
| M380118-C | 9/16"  | 25.7 | 9.0  | 19.5 | 19.5 | 38     |  |
| M380120-C | 5/8"   | 29.0 | 10.0 | 22.1 | 22.1 | 46     |  |
| M380122-C | 11/16" | 29.0 | 10.0 | 24.2 | 20.0 | 50     |  |
| M380124-C | 3/4"   | 29.0 | 12.0 | 25.7 | 21.0 | 60     |  |
| M380126-C | 13/16" | 29.0 | 13.0 | 27.7 | 23.0 | 68     |  |
| M380128-C | 7/8"   | 29.0 | 13.0 | 29.5 | 24.0 | 75     |  |







## **Sockets and Accessories**

#### 3/8" Drive Deep Metric Sockets

3/8" drive metric sockets deep 6 point, DIN 3120/3124/ISO 2725. Chrome vanadium. Satin Finish.

| Stock no. | Size | L    | Т    | D1   | D2   | Weight |  |
|-----------|------|------|------|------|------|--------|--|
|           | mm   | mm   | mm   | mm   | mm   | g      |  |
| M380607-C | 7    | 45.5 | 10.0 | 10.8 | 16.5 | 40     |  |
| M380608-C | 8    | 45.5 | 12.0 | 12.0 | 16.5 | 50     |  |
| M380609-C | 9    | 45.5 | 14.0 | 13.1 | 16.5 | 55     |  |
| M380610-C | 10   | 45.5 | 15.0 | 14.7 | 16.5 | 60     |  |
| M380611-C | 11   | 45.5 | 17.0 | 16.5 | 16.5 | 70     |  |
| M380612-C | 12   | 45.5 | 18.0 | 17.1 | 17.1 | 75     |  |
| M380613-C | 13   | 45.5 | 18.0 | 18.5 | 18.5 | 85     |  |
| M380614-C | 14   | 50.0 | 18.0 | 19.5 | 19.5 | 95     |  |
| M380615-C | 15   | 53.0 | 20.0 | 20.4 | 20.4 | 100    |  |
| M380616-C | 16   | 53.0 | 20.0 | 22.0 | 22.0 | 105    |  |
| M380617-C | 17   | 56.0 | 20.0 | 23.3 | 23.3 | 120    |  |
| M380618-C | 18   | 56.0 | 20.0 | 24.2 | 24.2 | 125    |  |
| M380619-C | 19   | 56.0 | 20.0 | 25.7 | 25.7 | 130    |  |
| M380620-C | 20   | 63.5 | 22.0 | 26.8 | 26.8 | 140    |  |
| M380621-C | 21   | 63.5 | 22.0 | 27.7 | 27.7 | 165    |  |
| M380622-C | 22   | 63.5 | 22.0 | 29.5 | 29.5 | 165    |  |

#### 3/8" Drive Metric Deep Sockets →

3/8" Drive Deep AF Sockets 3/8" drive AF sockets deep 6 point, DIN 3120/3124/ISO 2725. Chrome vanadium, Satin Finish.

| Stock no. | Size   | L    | Т    | D1   | D2   | Weight |
|-----------|--------|------|------|------|------|--------|
|           |        | mm   | mm   | mm   | mm   | g      |
| M380212-C | 3/8"   | 45.5 | 15.0 | 14.2 | 16.5 | 43     |
| M380214-C | 7/16"  | 45.5 | 17.0 | 16.5 | 16.5 | 50     |
| M380216-C | 1/2"   | 45.5 | 18.0 | 18.5 | 18.5 | 62     |
| M380218-C | 9/16"  | 50.0 | 18.0 | 19.5 | 19.5 | 72     |
| M380220-C | 5/8"   | 53.0 | 20.0 | 22.0 | 22.0 | 97     |
| M380222-C | 11/16" | 56.0 | 20.0 | 24.2 | 24.2 | 125    |
| M380224-C | 3/4"   | 56.0 | 22.0 | 25.7 | 25.7 | 130    |
| M380226-C | 13/16" | 63.5 | 22.0 | 27.7 | 27.7 | 140    |
| M380228-C | 7/8"   | 63.5 | 22.0 | 29.5 | 29.5 | 165    |

#### 3/8" Drive Deep AF Sockets →

TTXTB09 3/8" Drive extra long socket set 9 piece set with 3/8" drive sockets and a T bar with handle. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.5 kilos)

| Extra long sockets | 8, 10, 12, 13, 14, 17, 19mm |  |
|--------------------|-----------------------------|--|
| Accessories        | 2 piece T bar handle        |  |
|                    |                             |  |





### TBW10 3/8" Drive T Bar Deep Metric Socket Set

A 10 piece set of deep sockets with a T bar handle and 3/8" drive. Supplied with a T bar and plastic T handle grip in a handy storage wallet. (2.33 kilos).

| 300mm long deep sockets | 3/8" drive | 7, 8, 10, 12, 13, 14, 17, 19mm |
|-------------------------|------------|--------------------------------|
| Accessories             |            | 2 piece T bar handle           |









### **Sockets and Accessories**

#### 3/8" Drive T bar deep sockets

300mm long deep sockets with a T bar handle and 3/8" drive.

| Stock No. | Size    | Drive          | L               | D                | Weight      |  |
|-----------|---------|----------------|-----------------|------------------|-------------|--|
|           | mm      |                | mm              | mm               | g           |  |
| TBSKT07   | 7       | 3/8"           | 300             | 10               | 200         |  |
| TBSKT08   | 8       | 3/8"           | 300             | 10               | 200         |  |
| TBSKT10   | 10      | 3/8"           | 300             | 10               | 220         |  |
| TBSKT12   | 12      | 3/8"           | 300             | 10               | 240         |  |
| TBSKT13   | 13      | 3/8"           | 300             | 10               | 240         |  |
| TBSKT14   | 14      | 3/8"           | 300             | 10               | 240         |  |
| TBSKT17   | 17      | 3/8"           | 300             | 12               | 340         |  |
| TBSKT19   | 19      | 3/8"           | 300             | 12               | 360         |  |
| T-HD01    | 200mm   | ı x 8mm replac | ement bar for u | se with T Bar d  | eep sockets |  |
| T-HD      | for use | with T-HD01 to | o form a comfoi | table to use T h | andle       |  |

## 3/8" Drive TX-E Sockets

3/8" drive T bar deep sockets →

3/8" drive TX-E sockets, Chrome vanadium. Satin Finish.

| Stock no. | Size | Size  | L    | Т    | D1   | D2   | Weight |  |
|-----------|------|-------|------|------|------|------|--------|--|
|           |      | mm    | mm   | mm   | mm   | mm   | g      |  |
| M380710-C | E10  | 9.42  | 28.0 | 7.2  | 13.0 | 17.0 | 25     |  |
| M380712-C | E12  | 11.17 | 28.0 | 7.7  | 15.0 | 17.0 | 25     |  |
| M380714-C | E14  | 12.90 | 28.0 | 9.6  | 16.3 | 18.0 | 30     |  |
| M380716-C | E16  | 14.76 | 28.0 | 10.8 | 20.0 | 20.0 | 35     |  |
| M380718-C | E18  | 16.70 | 28.0 | 12.0 | 22.0 | 22.0 | 40     |  |
|           |      |       |      |      |      |      |        |  |

#### 3/8" Drive TX-E Sockets →

#### 3/8" Drive Metric Hex Bit Sockets

3/8" drive hex S2 socket bits. DIN 7422 Chrome vanadium. Satin Finish.

| oatiii i ii iioii. |      |      |      |      |        |  |
|--------------------|------|------|------|------|--------|--|
| Stock no.          | Size | L1   | L2   | D    | Weight |  |
|                    |      | mm   | mm   | mm   | g      |  |
| M381503-C          | 3    | 49.5 | 23.0 | 17.9 | 38     |  |
| M381504-C          | 4    | 49.5 | 23.0 | 17.9 | 38     |  |
| M381505-C          | 5    | 49.5 | 23.0 | 17.9 | 38     |  |
| M3815055-C         | 5.5  | 49.5 | 23.0 | 17.9 | 38     |  |
| M381506-C          | 6    | 49.5 | 23.0 | 17.9 | 38     |  |
| M381507-C          | 7    | 49.5 | 23.0 | 17.9 | 40     |  |
| M381508-C          | 8    | 49.5 | 23.0 | 17.9 | 44     |  |
| M381510-C          | 10   | 49.5 | 23.0 | 17.9 | 52     |  |
| M381512-C          | 12   | 49.5 | 23.0 | 22.0 | 56     |  |
|                    |      |      |      |      |        |  |


#### 3/8" Drive Metric Hex Bit Sockets →


#### 3/8" Drive AF Hex Bit Sockets


3/8" drive hex S2 socket bits. Chrome vanadium. Satin Finish.


| Stock no. | Size  | L1   | L2   | D    | Weight |
|-----------|-------|------|------|------|--------|
|           | AF    | mm   | mm   | mm   | g      |
| M381103-C | 3/32" | 49.5 | 23.0 | 17.9 | 38     |
| M381104-C | 1/8"  | 49.5 | 23.0 | 17.9 | 38     |
| M381105-C | 5/32" | 49.5 | 23.0 | 17.9 | 38     |
| M381106-C | 3/16" | 49.5 | 23.0 | 17.9 | 38     |
| M381107-C | 7/32" | 49.5 | 23.0 | 17.9 | 38     |
| M381108-C | 1/4"  | 49.5 | 23.0 | 17.9 | 38     |
| M381110-C | 5/16" | 49.5 | 23.0 | 17.9 | 44     |
| M381112-C | 3/8"  | 49.5 | 23.0 | 17.9 | 44     |

#### 3/8" Drive AF Hex Bit Sockets →












196

#### 3/8" Drive TPX Sockets

3/8" drive TPX socket bits. Chrome vanadium. Satin Finish.

| Stock no. | Size  | Size | L1   | L2   | D    | Weight |
|-----------|-------|------|------|------|------|--------|
|           |       |      | mm   | mm   | mm   | g      |
| M381210-C | TPX10 | 2.5  | 49.5 | 23.0 | 17.9 | 38     |
| M381215-C | TPX15 | 3.0  | 49.5 | 23.0 | 17.9 | 38     |
| M381220-C | TPX20 | 3.5  | 49.5 | 23.0 | 17.9 | 38     |
| M381225-C | TPX25 | 4.5  | 49.5 | 23.0 | 17.9 | 38     |
| M381227-C | TPX27 | 5.0  | 49.5 | 23.0 | 17.9 | 38     |
| M381230-C | TPX30 | 5.5  | 49.5 | 23.0 | 17.9 | 38     |
| M381240-C | TPX40 | 6.5  | 49.5 | 23.0 | 17.9 | 38     |
| M381245-C | TPX45 | 7.5  | 49.5 | 23.0 | 17.9 | 38     |
| M381250-C | TPX50 | 8.8  | 49.5 | 23.0 | 17.9 | 38     |




3/8" Drive TPX Sockets →

#### 3/8" Drive TX Sockets

3/8" drive TX socket bits. Chrome vanadium. Satin Finish.

| Stock no.  | Size | Size | L1   | L2   | D    | Weight |  |
|------------|------|------|------|------|------|--------|--|
|            |      |      | mm   | mm   | mm   | g      |  |
| M381210T-C | TX10 | 2.5  | 49.5 | 23.0 | 17.9 | 38     |  |
| M381215T-C | TX15 | 3.0  | 49.5 | 23.0 | 17.9 | 38     |  |
| M381220T-C | TX20 | 3.5  | 49.5 | 23.0 | 17.9 | 38     |  |
| M381225T-C | TX25 | 4.5  | 49.5 | 23.0 | 17.9 | 38     |  |
| M381227T-C | TX27 | 5.0  | 49.5 | 23.0 | 17.9 | 38     |  |
| M381230T-C | TX30 | 5.5  | 49.5 | 23.0 | 17.9 | 38     |  |
| M381240T-C | TX40 | 6.5  | 49.5 | 23.0 | 17.9 | 38     |  |
| M381245T-C | TX45 | 7.5  | 49.5 | 23.0 | 17.9 | 38     |  |
| M381250T-C | TX50 | 8.8  | 49.5 | 23.0 | 17.9 | 38     |  |



3/8" Drive TX Sockets →


# 1/2" Drive Sockets

198

#### 1/2" Drive Metric 12 Point Sockets

1/2" drive metric sockets regular 12 point, DIN 3120/3124/ISO 2725 Chrome vanadium. Satin Finish.

| Stock no. | Size | L    | T    | D1   | D2   | Weight |  |
|-----------|------|------|------|------|------|--------|--|
|           |      | mm   | mm   | mm   | mm   | g      |  |
| M120508-C | 8    | 38.0 | 9.0  | 13.0 | 21.8 | 43     |  |
| M120509-C | 9    | 38.0 | 10.0 | 14.5 | 21.8 | 45     |  |
| M120510-C | 10   | 38.0 | 10.0 | 15.5 | 21.8 | 47     |  |
| M120511-C | 11   | 38.0 | 10.0 | 16.7 | 21.8 | 49     |  |
| M120512-C | 12   | 38.0 | 10.0 | 18.0 | 21.8 | 51     |  |
| M120513-C | 13   | 38.0 | 10.0 | 19.2 | 21.8 | 52     |  |
| M120514-C | 14   | 38.0 | 10.0 | 20.5 | 21.8 | 52     |  |
| M120515-C | 15   | 38.0 | 14.0 | 21.0 | 21.8 | 53     |  |
| M120516-C | 16   | 38.0 | 14.3 | 22.5 | 23.3 | 62     |  |
| M120517-C | 17   | 38.0 | 15.3 | 24.2 | 23.0 | 80     |  |
| M120518-C | 18   | 38.0 | 16.7 | 24.7 | 23.0 | 82     |  |
| M120519-C | 19   | 38.0 | 17.3 | 26.3 | 24.0 | 88     |  |
| M120520-C | 20   | 38.0 | 18.0 | 27.0 | 23.7 | 96     |  |
| M120521-C | 21   | 38.0 | 18.0 | 28.0 | 24.0 | 104    |  |
| M120522-C | 22   | 40.0 | 18.0 | 29.8 | 26.0 | 113    |  |
| M120523-C | 23   | 40.0 | 18.0 | 30.8 | 27.0 | 120    |  |
| M120524-C | 24   | 40.0 | 20.0 | 31.8 | 26.0 | 126    |  |
| M120525-C | 25   | 40.0 | 20.0 | 33.4 | 28.0 | 136    |  |
| M120526-C | 26   | 40.0 | 20.0 | 34.8 | 29.0 | 140    |  |
| M120527-C | 27   | 43.0 | 20.0 | 35.8 | 30.0 | 166    |  |
| M120528-C | 28   | 43.0 | 20.0 | 37.8 | 31.0 | 172    |  |
| M120529-C | 29   | 43.0 | 20.0 | 38.8 | 32.0 | 180    |  |
| M120530-C | 30   | 43.0 | 22.0 | 39.8 | 33.0 | 191    |  |
| M120532-C | 32   | 43.0 | 23.0 | 41.8 | 35.0 | 212    |  |
| M120534-C | 34   | 45.5 | 23.0 | 43.8 | 36.0 | 223    |  |
|           |      |      |      |      |      |        |  |




1/2" Drive Metric 12 Point Sockets →



#### D2 Weight Stock no. mm mm mm M1205106-C 10 38 N 10 0 21 8 M1205116-C 38.0 10.0 16.7 21.8 11 10.0 21.8 10.0 19.2 21.8 21.8 62 38 N 14.3 22.5 23.3 23.0 80 17 38.0 14.3 24.2 15.3 24.7 23.0 82 38.0 16.7 26.3 24.0 38.0 17.3 27.0 24.0 22 40.0 18.0 29.8 26.0 113 23 40.0 18.0 30.8 27.0 120 40.0 18.0 31.8 26.0 126 40.0 20.0 33.4 28.0 40 O 20.0 29 N 43.0 20.0 43.0 20.0 38.8 32.0 180 29 43.0 20.0 39.8 33.0 M1205326-C 32 43.0 22.0 41.8 35.0 222 M1205336-C 33 45.5 42.8 235 23.5 35.0

1/2" drive metric sockets regular 6 point, DIN 3120/3124/ISO 2725 Chrome vanadium. Satin Finish.

1/2" Drive Metric 6 Point Sockets




#### 1/2" Drive Metric 6 point Sockets →

M1205346-C 34 45.5 23.5 43.8

| Stock no. | Size    | L    | Т    | D1   | D2   | Weight |  |
|-----------|---------|------|------|------|------|--------|--|
|           |         | mm   | mm   | mm   | mm   | g      |  |
| M120112-C | 3/8"    | 38.0 | 9.0  | 14.7 | 21.8 | 46     |  |
| M120114-C | 7/16"   | 38.0 | 9.0  | 17.0 | 21.8 | 50     |  |
| M120116-C | 1/2"    | 38.0 | 10.0 | 19.0 | 21.8 | 52     |  |
| M120118-C | 9/16"   | 38.0 | 12.5 | 20.8 | 21.8 | 55     |  |
| M120120-C | 5/8"    | 38.0 | 14.3 | 23.3 | 22.5 | 62     |  |
| M120122-C | 11/16"  | 38.0 | 14.3 | 24.7 | 23.0 | 72     |  |
| M120124-C | 3/4"    | 38.0 | 20.0 | 26.3 | 24.0 | 76     |  |
| M120126-C | 13/16"  | 38.0 | 20.0 | 28.8 | 24.0 | 80     |  |
| M120128-C | 7/8"    | 40.0 | 21.0 | 29.8 | 26.0 | 95     |  |
| M120130-C | 15/16"  | 40.0 | 21.0 | 31.8 | 26.0 | 110    |  |
| M120132-C | 1"      | 43.0 | 21.0 | 33.4 | 27.3 | 120    |  |
| M120134-C | 1 1/16" | 43.0 | 23.0 | 35.8 | 28.7 | 145    |  |
| M120136-C | 1½"     | 43.0 | 23.0 | 37.8 | 31.0 | 150    |  |
| M120138-C | 13/16"  | 43.0 | 23.0 | 39.8 | 33.0 | 190    |  |
| M120140-C | 1¼"     | 43.0 | 23.0 | 41.8 | 34.0 | 205    |  |
|           |         |      |      |      |      |        |  |

#### 1/2" Drive AF Sockets

1/2" drive AF sockets regular 12 point, DIN 3120/3124/ISO 2725 Chrome vanadium. Satin Finish.




#### 1/2" Drive AF Sockets →

| Stock no. | Size | L    | Т    | D1   | D2   | Weight |  |
|-----------|------|------|------|------|------|--------|--|
|           |      | mm   | mm   | mm   | mm   | g      |  |
| M120610-C | 10   | 79.0 | 17.0 | 15.5 | 22.0 | 125    |  |
| M120611-C | 11   | 79.0 | 18.0 | 16.7 | 22.0 | 130    |  |
| M120612-C | 12   | 79.0 | 19.0 | 18.0 | 22.0 | 130    |  |
| M120613-C | 13   | 79.0 | 21.0 | 19.2 | 22.0 | 135    |  |
| M120614-C | 14   | 79.0 | 25.0 | 20.5 | 22.0 | 135    |  |
| M120615-C | 15   | 79.0 | 28.0 | 21.5 | 22.0 | 135    |  |
| M120616-C | 16   | 79.0 | 31.0 | 22.5 | 23.3 | 150    |  |
| M120617-C | 17   | 79.0 | 24.0 | 24.2 | 24.2 | 155    |  |
| M120618-C | 18   | 79.0 | 34.0 | 25.4 | 25.4 | 165    |  |
| M120619-C | 19   | 79.0 | 34.0 | 26.7 | 26.7 | 190    |  |
| M120620-C | 20   | 79.0 | 34.0 | 27.8 | 27.8 | 195    |  |
| M120621-C | 21   | 79.0 | 34.0 | 27.8 | 27.8 | 200    |  |
| M120622-C | 22   | 79.0 | 34.0 | 29.8 | 29.8 | 230    |  |
| M120624-C | 24   | 79.0 | 34.0 | 31.8 | 28.5 | 240    |  |
| M120627-C | 27   | 79.0 | 34.0 | 35.8 | 32.0 | 280    |  |
| M120630-C | 30   | 79.0 | 34.0 | 39.8 | 35.0 | 360    |  |
| M120632-C | 32   | 79.0 | 34.0 | 41.3 | 36.5 | 380    |  |
| M120636-C | 36   | 79.0 | 34.0 | 46.0 | 41.0 | 390    |  |
|           |      |      |      |      |      |        |  |

#### 1/2" Drive Deep Metric 12 Point Sockets →

#### 1/2" Drive Deep Metric 12 Point Sockets


1/2" drive metric sockets deep 12 point, DIN 3120/3124/ISO 2725. Chrome vanadium. Satin Finish.





### **Sockets and Accessories**

|            |      |      | _    |      |      |        |
|------------|------|------|------|------|------|--------|
| Stock no.  | Size | L    | Т    | D1   | D2   | Weight |
|            |      | mm   | mm   | mm   | mm   | g      |
| M1206136-C | 13   | 79.0 | 21.0 | 19.2 | 22.0 | 135    |
| M1206146-C | 14   | 79.0 | 25.0 | 20.5 | 22.0 | 135    |
| M1206156-C | 15   | 79.0 | 28.0 | 21.5 | 22.0 | 135    |
| M1206166-C | 16   | 79.0 | 31.0 | 22.5 | 23.3 | 150    |
| M1206176-C | 17   | 79.0 | 34.0 | 24.2 | 24.2 | 155    |
| M1206186-C | 18   | 79.0 | 34.0 | 25.4 | 25.4 | 165    |
| M1206196-C | 19   | 79.0 | 34.0 | 26.7 | 26.7 | 190    |
| M1206246-C | 24   | 79.0 | 34.0 | 31.8 | 31.8 | 240    |




1/2" Drive Deep Metric 6 Point Sockets →

#### 1/2" Drive Metric Hex Bit Sockets

1/2" drive hex S2 socket bits DIN 7422 Chrome vanadium. Satin Finish.

| d         | OL 00 | 01101 0110 | , 5  |      | mo ramaan | iiii. Jalii |
|-----------|-------|------------|------|------|-----------|-------------|
| Stock no. | Size  | L1         | L2   | D    | Weight    |             |
|           |       | mm         | mm   | mm   | g         |             |
| M121505-C | 5     | 55.0       | 20.5 | 22.0 | 52        |             |
| M121506-C | 6     | 55.0       | 20.5 | 22.0 | 54        |             |
| M121507-C | 7     | 55.0       | 20.5 | 22.0 | 60        |             |
| M121508-C | 8     | 55.0       | 20.5 | 22.0 | 62        |             |
| M121509-C | 9     | 55.0       | 20.5 | 22.0 | 66        |             |
| M121510-C | 10    | 55.0       | 20.5 | 22.0 | 72        |             |
| M121512-C | 12    | 55.0       | 20.5 | 22.0 | 80        |             |
| M121514-C | 14    | 55.0       | 20.5 | 22.0 | 96        |             |
| M121517-C | 17    | 55.0       | 20.5 | 25.0 | 154       |             |
| M121519-C | 19    | 60.0       | 23.0 | 25.9 | 182       |             |




1/2" Drive Metric Hex Bit Sockets →

#### 1/2" Drive Long Hex Sockets

1/2" drive long hex S2 socket bits DIN 7422 Chrome vanadium.

| Satin Finish. |      |       |      |      |        |  |
|---------------|------|-------|------|------|--------|--|
| Stock no.     | Size | L1    | L2   | D    | Weight |  |
|               |      | mm    | mm   | mm   | g      |  |
| M122505-C     | 5    | 100.0 | 65.5 | 22.0 | 60     |  |
| M122506-C     | 6    | 100.0 | 65.5 | 22.0 | 60     |  |
| M122507-C     | 7    | 100.0 | 65.5 | 22.0 | 80     |  |
| M122508-C     | 8    | 100.0 | 65.5 | 22.0 | 80     |  |
| M122510-C     | 10   | 100.0 | 65.5 | 22.0 | 100    |  |
| M122512-C     | 12   | 100.0 | 65.5 | 22.0 | 120    |  |
| M122514-C     | 14   | 100.0 | 65.5 | 22.0 | 153    |  |
| M122517-C     | 17   | 100.0 | 65.5 | 25.0 | 225    |  |




1/2" Drive Long Hex Sockets →

#### 1/2" Drive Extra Long Hex Sockets

1/2" drive extra long S2 socket bits. DIN7422. Chrome Vanadium. Satin Finish.

| Stock no.  | Size | L1  | L2  | D  | Weight |  |
|------------|------|-----|-----|----|--------|--|
|            |      | mm  | mm  | mm | g      |  |
| M122506A-C | 6    | 115 | 80  | 22 | 100    |  |
| M122508A-C | 8    | 115 | 80  | 22 | 120    |  |
| M122510L-C | 10   | 175 | 140 | 22 | 150    |  |



200


1/2" Drive Extra Long Hex Sockets →



1/2" Drive AF Hex Bit Sockets

1/2" drive hex S2 socket bits DIN 7422 Chrome vanadium. Satin Finish.

| Stock no. | Size  | L1   | L2   | D    | Weight |  |
|-----------|-------|------|------|------|--------|--|
|           |       | mm   | mm   | mm   | g      |  |
| M121106-C | 3/16" | 55.0 | 20.0 | 22.0 | 55     |  |
| M121107-C | 7/32" | 55.0 | 20.0 | 22.0 | 55     |  |
| M121108-C | 1/4"  | 55.0 | 20.0 | 22.0 | 55     |  |
| M121109-C | 9/32" | 55.0 | 20.0 | 22.0 | 60     |  |
| M121110-C | 5/16" | 55.0 | 20.0 | 22.0 | 62     |  |
| M121112-C | 3/8"  | 55.0 | 20.0 | 22.0 | 67     |  |
| M121116-C | 1/2"  | 55.0 | 20.0 | 22.0 | 85     |  |
| M121118-C | 9/16" | 55.0 | 20.0 | 22.0 | 100    |  |
| M121120-C | 5/8"  | 55.0 | 20.0 | 22.0 | 120    |  |



1/2" Drive AF Hex Bit Sockets →

#### 1/2" Drive XZN Socket Bits

1/2" drive 100mm long XZN socket bits. Chrome vanadium.


| Stock no. | Size | L1  | L2   | D    | Weight |
|-----------|------|-----|------|------|--------|
|           |      | mm  | mm   | mm   | g      |
| M122805-C | 05   | 100 | 65.0 | 22.0 | 70     |
| M122806-C | 06   | 100 | 65.0 | 22.0 | 70     |
| M122808-C | 08   | 100 | 65.0 | 22.0 | 70     |
| M122809-C | 09   | 100 | 65.0 | 22.0 | 70     |
| M122810-C | 10   | 100 | 65.0 | 22.0 | 90     |
| M122812-C | 12   | 100 | 65.0 | 22.0 | 110    |
| M122814-C | 14   | 100 | 65.0 | 22.0 | 130    |
| M122816-C | 16   | 100 | 65.0 | 22.0 | 160    |



1/2" Drive Spline Socket Bits →

#### 1/2" Drive Long Ribe Socket Bits

| Stock no. | Size | L1  | L2   | D    | Weight |  |
|-----------|------|-----|------|------|--------|--|
|           |      | mm  | mm   | mm   | g      |  |
| M122704-C | 04   | 100 | 65.0 | 22.0 | 70     |  |
| M122705-C | 05   | 100 | 65.0 | 22.0 | 70     |  |
| M122706-C | 06   | 100 | 65.0 | 22.0 | 70     |  |
| M122708-C | 08   | 100 | 65.0 | 22.0 | 70     |  |
| M122709-C | 09   | 100 | 65.0 | 22.0 | 70     |  |
| M122710-C | 10   | 100 | 65.0 | 22.0 | 90     |  |
| M122711-C | 11   | 100 | 65.0 | 22.0 | 100    |  |
| M122712-C | 12   | 100 | 65.0 | 22.0 | 110    |  |
| M122713-C | 13   | 100 | 65.0 | 22.0 | 120    |  |



1/2" Drive Long Ribe Socket Bits →

#### 1/2" Drive TPX Socket Bits

1/2" drive TPX socket bits. Chrome vanadium. Satin finish.

| Stock     | Size  | Size | L1   | L2   | D    | Weight |
|-----------|-------|------|------|------|------|--------|
|           |       | mm   | mm   | mm   | mm   | g      |
| /121220-C | TPX20 | 3.5  | 55.0 | 20.5 | 22.0 | 60     |
| V121225-C | TPX25 | 4.5  | 55.0 | 20.5 | 22.0 | 60     |
| M121227-C | TPX27 | 5.0  | 55.0 | 20.5 | 22.0 | 60     |
| M121230-C | TPX30 | 5.5  | 55.0 | 20.5 | 22.0 | 60     |
| M121240-C | TPX40 | 6.5  | 55.0 | 20.5 | 22.0 | 68     |
| M121245-C | TPX45 | 7.5  | 55.0 | 20.5 | 22.0 | 68     |
| M121250-C | TPX50 | 8.8  | 55.0 | 20.5 | 22.0 | 68     |
| M121255-C | TPX55 | 11.1 | 55.0 | 20.5 | 22.0 | 68     |
| M121260-C | TPX60 | 13.1 | 55.0 | 20.5 | 22.0 | 68     |

1/2" Drive TPX Socket Bits →







#### 1/2" Drive TX Socket Bits

1/2" drive TX socket bits. Chrome vanadium. Satin Finish.

**Sockets and Accessories** 

| Stock no.  | Size | Size | L1   | L2   | D    | Weight |
|------------|------|------|------|------|------|--------|
|            |      | mm   | mm   | mm   | mm   | g      |
| M121220T-C | TX20 | 3.5  | 55.0 | 20.5 | 22.0 | 60     |
| M121225T-C | TX25 | 4.5  | 55.0 | 20.5 | 22.0 | 60     |
| M121227T-C | TX27 | 5.0  | 55.0 | 20.5 | 22.0 | 60     |
| M121230T-C | TX30 | 5.5  | 55.0 | 20.5 | 22.0 | 60     |
| M121240T-C | TX40 | 6.5  | 55.0 | 20.5 | 22.0 | 60     |
| M121245T-C | TX45 | 7.5  | 55.0 | 20.5 | 22.0 | 68     |
| M121250T-C | TX50 | 8.8  | 55.0 | 20.5 | 22.0 | 68     |
| M121255T-C | TX55 | 11.1 | 55.0 | 20.5 | 22.0 | 68     |
| M121260T-C | TX60 | 13.1 | 55.0 | 20.5 | 22.0 | 68     |






1/2" Drive Long TX Socket Bits
1/2" drive 100mm long TX S2 socket bits. Chrome vanadium. Satin Finish.

| Stock no.   | Size | Size | L1    | L2   | D    | Weight |
|-------------|------|------|-------|------|------|--------|
|             |      | mm   | mm    | mm   | mm   | g      |
| /1122220T-C | TX20 | 3.5  | 100.0 | 65.5 | 22.0 | 60     |
| //122225T-C | TX25 | 4.5  | 100.0 | 65.5 | 22.0 | 60     |
| /1122227T-C | TX27 | 5.0  | 100.0 | 65.5 | 22.0 | 60     |
| /1122230T-C | TX30 | 5.5  | 100.0 | 65.5 | 22.0 | 60     |
| /1122240T-C | TX40 | 6.5  | 100.0 | 65.5 | 22.0 | 60     |
| //122245T-C | TX45 | 7.5  | 100.0 | 65.5 | 22.0 | 80     |
| /122250T-C  | TX50 | 8.8  | 100.0 | 65.5 | 22.0 | 100    |
| //122255T-C | TX55 | 11.1 | 100.0 | 65.5 | 22.0 | 100    |
| /1122260T-C | TX60 | 13.1 | 100.0 | 65.5 | 22.0 | 100    |
| /1122270T-C | TX70 | 15.5 | 100.0 | 65.5 | 22.0 | 100    |

1/2" Drive Long TX Socket Bits →



#### 1/2" Drive TX-E Sockets

1/2" drive TX-E sockets. Chrome vanadium. Satin Finish.

| Stock no. | Size | Size  | L    | Т    | D1   | D2   | Weight |  |
|-----------|------|-------|------|------|------|------|--------|--|
|           |      | mm    | mm   | mm   | mm   | mm   | g      |  |
| M120710-C | E10  | 9.42  | 37.8 | 9.5  | 13.1 | 23.5 | 39     |  |
| M120711-C | E11  | 10.08 | 37.8 | 9.5  | 14.1 | 23.5 | 42     |  |
| M120712-C | E12  | 11.17 | 37.8 | 9.5  | 14.9 | 23.5 | 43     |  |
| M120714-C | E14  | 12.90 | 37.8 | 12.3 | 16.7 | 23.5 | 44     |  |
| M120716-C | E16  | 14.76 | 37.8 | 13.0 | 19.1 | 23.5 | 49     |  |
| M120718-C | E18  | 16.70 | 37.8 | 13.0 | 20.9 | 23.5 | 52     |  |
| M120720-C | E20  | 18.45 | 37.8 | 13.0 | 23.7 | 23.5 | 60     |  |
| M120722-C | E22  | 20.30 | 37.8 | 16.1 | 26.1 | 26.1 | 82     |  |
| M120724-C | E24  | 22.16 | 37.8 | 16.4 | 28.0 | 28.0 | 102    |  |

1/2" Drive TX-E Sockets →



# 3/4" Drive Sockets

#### 3/4" Drive Metric 6 Point Sockets

3/4" drive sockets regular 6 point metric. Chrome vanadium. Satin Finish. DIN3120/3124.


| Stock no.  | Size | L    | T  | D1   | D2 | Weight |  |
|------------|------|------|----|------|----|--------|--|
|            |      | mm   | mm | mm   | mm | g      |  |
| M3405196-C | 19   | 50.0 | 14 | 29.2 | 33 | 180    |  |
| M3405216-C | 21   | 50.0 | 14 | 31.2 | 33 | 180    |  |
| M3405226-C | 22   | 50.0 | 14 | 32.2 | 36 | 220    |  |
| M3405246-C | 24   | 51.0 | 16 | 34.2 | 36 | 230    |  |
| M3405266-C | 26   | 52.0 | 18 | 36.0 | 36 | 240    |  |
| M3405276-C | 27   | 52.0 | 22 | 38.0 | 36 | 240    |  |
| M3405306-C | 30   | 54.0 | 24 | 42.0 | 38 | 260    |  |
| M3405326-C | 32   | 56.0 | 26 | 44.0 | 38 | 310    |  |
| M3405336-C | 33   | 56.0 | 26 | 46.0 | 38 | 330    |  |
| M3405346-C | 34   | 56.0 | 26 | 47.0 | 38 | 350    |  |
| M3405366-C | 36   | 58.0 | 28 | 50.0 | 38 | 430    |  |
| M3405386-C | 38   | 60.0 | 28 | 52.0 | 42 | 500    |  |
| M3405416-C | 41   | 64.0 | 30 | 56.0 | 45 | 570    |  |
| M3405466-C | 46   | 68.0 | 34 | 62.0 | 45 | 690    |  |
| M3405506-C | 50   | 72.0 | 36 | 68.0 | 48 | 830    |  |



#### 3/4" Drive Metric 6 Point Sockets →

#### 3/4" Drive AF 12 Point Sockets

| Stock no. | Size           | L    | T    | D1   | D2   | Weight |  |
|-----------|----------------|------|------|------|------|--------|--|
|           |                | mm   | mm   | mm   | mm   | g      |  |
| M340124-C | 3/4"           | 50.0 | 14.0 | 29.2 | 33.0 | 180    |  |
| M340128-C | 7/8"           | 51.0 | 18.1 | 32.2 | 36.2 | 195    |  |
| M340130-C | 15/16"         | 51.0 | 18.1 | 34.5 | 36.2 | 200    |  |
| M340132-C | 1"             | 51.0 | 24.0 | 37.0 | 37.0 | 200    |  |
| M340134-C | 11/16 "        | 51.0 | 24.0 | 38.3 | 37.0 | 200    |  |
| M340136-C | 1%"            | 51.0 | 24.3 | 40.0 | 38.5 | 230    |  |
| M340138-C | 1%°"           | 53.0 | 25.2 | 42.0 | 38.5 | 255    |  |
| M340140-C | 1¼"            | 55.0 | 28.0 | 44.0 | 38.5 | 275    |  |
| M340142-C | 1%"            | 55.0 | 28.0 | 46.0 | 38.5 | 300    |  |
| M340144-C | 1%"            | 57.0 | 29.7 | 48.0 | 42.3 | 360    |  |
| M340146-C | 1%"            | 57.0 | 29.7 | 50.0 | 42.3 | 380    |  |
| M340148-C | 1½"            | 60.0 | 31.1 | 52.1 | 45.2 | 440    |  |
| M340152-C | 1%"            | 63.0 | 33.7 | 56.1 | 45.2 | 515    |  |
| M340156-C | 1¾"            | 65.0 | 33.7 | 60.0 | 48.0 | 610    |  |
| M340158-C | <b>1</b> 13%6" | 67.0 | 35.7 | 62.0 | 48.0 | 635    |  |
| M340160-C | 1%"            | 69.0 | 37.2 | 64.0 | 48.3 | 690    |  |
| M340164-C | 2"             | 71.0 | 38.6 | 68.2 | 48.3 | 755    |  |




#### 3/4" Drive AF 12 Point Sockets →

#### 3/4" Drive Metric Hex Bit Sockets

3/4" drive hex socket bits. Satin Finish.

| Stock no. | Size | - 1  | т — | D  | Weight  |  |
|-----------|------|------|-----|----|---------|--|
| Stock Ho. | mm   | mm   | mm  | _  | Weigitt |  |
| M044544.0 |      |      |     | g  | 000     |  |
| M341514-C | 14   | 78.5 | 25  | 36 | 326     |  |
| M341517-C | 17   | 78.5 | 25  | 36 | 330     |  |
| M341519-C | 19   | 78.5 | 25  | 36 | 334     |  |
| M341522-C | 22   | 78.5 | 25  | 36 | 338     |  |

3/4" Drive Metric Hex Bit Sockets →









# 1" Drive Sockets

#### 1" Drive Metric 12 Point Sockets

1" drive sockets regular 12 point metric. Chrome vanadium.

| Stock no. | Size | L     | Т    | D1    | D2   | Weight |  |
|-----------|------|-------|------|-------|------|--------|--|
|           |      | mm    | mm   | mm    | mm   | g      |  |
| M110536   | 36   | 65.3  | 31.2 | 51.0  | 45.2 | 440    |  |
| M110541   | 41   | 70.2  | 33.8 | 57.1  | 45.2 | 550    |  |
| M110546   | 46   | 74.5  | 37.5 | 64.6  | 49.4 | 810    |  |
| M110550   | 50   | 75.3  | 38.1 | 69.9  | 55.2 | 995    |  |
| M110555   | 55   | 80.0  | 40.0 | 76.2  | 57.3 | 1160   |  |
| M110558   | 58   | 80.0  | 40.0 | 79.2  | 57.3 | 1250   |  |
| M110560   | 60   | 84.0  | 41.0 | 82.1  | 57.3 | 1410   |  |
| M110565   | 65   | 87.3  | 46.2 | 88.0  | 57.3 | 1540   |  |
| M110570   | 70   | 93.4  | 51.5 | 94.0  | 68.1 | 2020   |  |
| M110575   | 75   | 96.1  | 51.5 | 94.0  | 68.1 | 2020   |  |
| M110580   | 80   | 103.6 | 55.3 | 105.0 | 68.1 | 2500   |  |



1" Drive Metric 12 Point Sockets →

## **Stainless Steel Sockets**

#### TS3816 Stainless Steel Socket Set

16 piece 3/8" drive stainless steel socket set containing 6 point regular sockets, ratchet, 3" and 6" extension bars 3/8"F- 1/2"M adaptor. Supplied in a plastic case with latch lock, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding.

Ideal for the food, medical, aerospace and marine industries or for use in any acidic environment. The regular 6 point metric sockets are DIN 3120/3124/ISO 2725. 4430 STAINLESS STEEL Satin finish and laser marked. (369x198x62mm. 1.82 kilos)

Accessories 3/8" drive Stainless steel ratchet, 3" and 5" extension, bar, 3/8"Fx1/2"MT bar adaptor Regular sockets 3/8" drive 6 point 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### TS1218 Stainless Steel Socket Set

18 piece stainless steel socket set, containing 12 regular metric sockets, 3 deep metric sockets, ratchet with 36 teeth, 5" extension, adaptor 1/2/"F x 3/8"M. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding.

Ideal for the food, medical, aerospace and marine industries or for use in any acidic environment. The regular 6 point metric sockets are DIN 3120/3124/ISO 2725. 4430 STAINLESS STEEL Satin finish and laser marked. (369x198x62mm, 3.28 kilos)

Accessories 1/2" drive Stainless steel ratchet, 5" extension,bar, 1/2"Fx3/8"M T bar adaptor
Regular sockets 1/2" drive 6 point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21,22, 23, 24mm

Deep sockets 1/2" drive 6 point 17, 19, 21mm



#### MS3814 3/8" Drive Stainless steel sockets

14 piece 3/8" drive stainless steel sockets and extension bars supplied on a clip rail.

Accessories 1 clip rail complete with 14 3/8" drive socket clips
3/8" drive 3" and 5" extension bars

Regular sockets 3/8" drive 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### MS1203 1/2" drive Stainless steel deep wheel nut sockets

3 piece 1/2" drive stainless steel 6 point sockets for most common wheel nut sizes. Suitable for use with impact guns.

| Accessories  |            | 1 clip rail complete with 3 1/2" drive socket clips |
|--------------|------------|---|
| Deep sockets | 1/2" drive | 17, 19, 21mm  |



#### MS1213 1/2" drive stainless steel sockets

13 piece 1/2" drive stainless steel 6 point sockets and extension bar supplied on a clip rail.

| Accessories                | 1 clip rail complete with 13 1/2" drive socket clips |
|----------------------------|--|
| 1/2" drive                 | 5" extension bar                                     |
| Regular sockets 1/2" drive | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 24mm     |
|                            |  |





From the smallest to the largest Teng Tools has the tools you need.





## **Sockets and Accessories**

#### **Stainless Steel Ratchets**

Stainless steel ratchet with 36 teeth with flip reverse and quick release button. Ideal for the food, medical, aerospace and marine industries or for use in any acidic environment.

| Stock<br>No. | Drive | No of teeth | Overall length<br>mm | Weight<br>g |  |
|--------------|-------|-------------|----------------------|-------------|--|
| MS3800       | 3/8"  | 36          | 204                  | 424         |  |
| MS1200       | 1/2"  | 36          | 266                  | 900         |  |





#### Service Kits for Ratchets

All the replacement parts required to service the ratchet mechanism

| Stock<br>No. | Description            | Drive |  |
|--------------|------------------------|-------|--|
| MS3800RK     | Service kit for MS3800 | 3/8"  |  |
| MS1200RK     | Service kit for MS1200 | 1/2"  |  |

#### **Stainless Steel Extension Bars**

Stainless steel extension bars for use with the Teng Tools stainless sockets and ratchets

| ooonoto am   |       | .0.0 |                               |            |             |  |
|--------------|-------|------|-------------------------------|------------|-------------|--|
| Stock<br>No. | Drive | Туре | •                             | ngth<br>nm | Weight<br>g |  |
| MS380020-C   | 3/8"  | A 3" | stainless steel extension bar | 75         | 72          |  |
| MS380023-C   | 3/8"  | A 5" | stainless steel extension bar | 125        | 118         |  |
| MS120021-C   | 1/2"  | A 5" | stainless steel extension bar | 125        | 222         |  |


#### Stainless Steel Extension Bars →



#### **Stainless Steel Socket Adaptors**

Stainless steel T bar adaptors and drive adaptors for use with the Teng Tools stainless sockets and ratchets

| Stock    | Drive         | Description        | T Drive  | •    | Weight |
|----------|---------------|--------------------|----------|------|--------|
| No.      |               |                    | Facility | mm   | g      |
| MS380036 | 6-C 3/8" 3/8  | "F:1/2"M T bar ada | ptor Yes | 36.0 | 45     |
| MS120036 | 6-C 1/2" 1/2' | F:3/8"M T bar adap | tor Yes  | 39.5 | 55     |





#### 3/8" Drive Stainless Steel Sockets

3/8" drive metric stainless steel sockets. 6 point

Produced in accordance with DIN3120/3124/ISO2725. Satin finish and laser marked for brand and size. Ideal for the food, medical, aerospace and marine industries or for use in any acidic environment.

| Stock      | Size | D2   | L    | D1   | Т    | Weight |  |
|------------|------|------|------|------|------|--------|--|
| No.        | mm   | mm   | mm   | mm   | mm   | g      |  |
| MS380508-C | 8    | 16.8 | 26.0 | 12.1 | 6.0  | 22     |  |
| MS380509-C | 9    | 16.8 | 26.0 | 13.0 | 6.0  | 22     |  |
| MS380510-C | 10   | 16.8 | 26.0 | 14.6 | 6.0  | 23     |  |
| MS380511-C | 11   | 16.8 | 26.0 | 16.0 | 7.0  | 25     |  |
| MS380512-C | 12   | 16.5 | 26.0 | 16.8 | 7.4  | 24     |  |
| MS380513-C | 13   | 17.5 | 26.0 | 18.0 | 7.4  | 28     |  |
| MS380514-C | 14   | 17.8 | 26.0 | 19.2 | 10.5 | 29     |  |
| MS380515-C | 15   | 18.0 | 26.0 | 20.5 | 11.5 | 30     |  |
| MS380516-C | 16   | 18.5 | 29.0 | 21.8 | 13.0 | 41     |  |
| MS380517-C | 17   | 19.0 | 29.0 | 23.0 | 13.0 | 44     |  |
| MS380518-C | 18   | 20.0 | 29.0 | 24.2 | 13.0 | 47     |  |
| MS380519-C | 19   | 21.0 | 29.0 | 25.4 | 13.5 | 54     |  |

#### 3/8" Drive Stainless Steel Sockets →

#### 1/2" Drive Stainless Steel Sockets

1/2" drive stainless steel metric sockets regular, 6 point. Produced in accordance with DIN3120/3124/ISO2725. Satin finish and laser marked for brand and size. Ideal for the food, medical, aerospace and marine industries or for use in any acidic environment.

| Stock       | Size | D1   | D2   | L    | Т    | Weight |  |
|-------------|------|------|------|------|------|--------|--|
| No.         |      | mm   | mm   | mm   | mm   | g      |  |
| MS1205106-C | 10   | 15.5 | 21.5 | 38.5 | 10.0 | 50     |  |
| MS1205116-C | 11   | 16.7 | 21.5 | 38.5 | 10.0 | 51     |  |
| MS1205126-C | 12   | 18.0 | 21.5 | 38.5 | 10.0 | 51     |  |
| MS1205136-C | 13   | 19.2 | 21.5 | 38.5 | 10.0 | 53     |  |
| MS1205146-C | 14   | 20.5 | 21.5 | 38.5 | 10.0 | 55     |  |
| MS1205156-C | 15   | 21.1 | 21.6 | 38.5 | 13.0 | 55     |  |
| MS1205166-C | 16   | 22.5 | 23.0 | 38.5 | 13.0 | 65     |  |
| MS1205176-C | 17   | 24.2 | 23.0 | 38.5 | 13.0 | 75     |  |
| MS1205186-C | 18   | 25.5 | 23.5 | 38.5 | 13.0 | 83     |  |
| MS1205196-C | 19   | 26.0 | 24.0 | 38.5 | 16.7 | 76     |  |
| MS1205216-C | 21   | 27.5 | 79.0 | 39.0 | 17.0 | 76     |  |
| MS1205246-C | 24   | 31.5 | 26.0 | 39.5 | 18.0 | 102    |  |

#### 1/2" Drive Stainless Steel Metric Sockets →

#### 1/2" Drive Deep Stainless Steel Sockets

1/2" drive stainless steel metric sockets deep, 6 point. Produced in accordance with DIN3120/3124/ISO2725. Satin finish and laser marked for brand and size. Ideal for the food, medical, aerospace and marine industries or for use in any acidic environment.

| Stock       | Size | D1   | D2   | L  | T  | Weight |
|-------------|------|------|------|----|----|--------|
| No.         |      | mm   | mm   | mm | mm | g      |
| MS1206176-C | 17   | 24.2 | 24.2 | 79 | 33 | 149    |
| MS1206196-C | 19   | 26.5 | 26.5 | 79 | 33 | 183    |
| MS1206216-C | 21   | 27.5 | 27.5 | 79 | 33 | 187    |







#### Impact sockets

An extensive range of impact sockets and accessories, especially designed for use together with pneumatic tools.

- Manufactured of chrome-molybdenum according to GGG-W-6608 to guarantee the highest material quality.
- Available with ¼", ³/8", ½", ¾" and 1"drives for all standard metric sizes and imperial sizes, from 6 mm to 95 mm and <sup>7</sup>/16" to 1½" with standard, deep and thin walled options.
- Full range of accessories including extension bars, adapter drives and universal joints.
- Can be ordered individually or in sets for DIN or ANSI standards to suit all applications within the workshop and automotive industry.
- All sockets are marked with the size for quick identification.
- The ½", ¾", 1" and 1½" versions in the DINstandard are designed for use with a locking pin and ring to increase safety when working with pneumatic tools.
- A full range of bits for impact screwdrivers and bit holders are also included in the range.





# 3/8" Drive Impact Socket Sets

#### 9381 3/8" drive impact Socket Set

Set containing 8 metric 3/8" drive 6 point impact sockets. Supplied on a clip rail.

Regular impact sockets 3/8" drive 6 point 8, 10, 11, 13, 14, 16, 17, 19mm



#### 9386 3/8" drive deep impact Socket Set

Set containing 8 metric deep 3/8" drive 6 point impact sockets.

Supplied on a clip rail.

Tools

Deep impact sockets 3/8" drive 6 point 8, 10, 11, 13, 14, 16, 17, 19mm



#### TT9024 1/4" & 3/8" drive impact socket set

24 piece set containing 1/4" drive regular and 3/8" drive regular and deep impact sockets plus an adaptor. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.07 kilos)

| Accessories            | 3/8" drive |         | 3/8"Fx1/4"M adaptor                 |
|------------------------|------------|---------|-------------------------------------|
| Regular impact sockets | 1/4" drive | 6 point | 6, 7, 8, 10, 13mm                   |
| Regular impact sockets | 3/8" drive | 6 point | 8, 10, 11, 12, 13, 14, 16, 17, 19mm |
| Deep impact sockets    | 3/8" drive | 6 point | 8, 10, 11, 12, 13, 14, 16, 17, 19mm |
|                        |            |         |                                     |



# 1/2" Drive Impact Socket Sets

#### 9121 1/2" drive impact Socket Set

Set containing 10 regular metric 1/2" drive 6 point impact sockets. Supplied on a clip rail. ANSI standard sockets suitable for automotive use

Regular impact sockets 1/2" drive 6 point 10, 11, 12, 13, 14, 17, 19, 21, 22, 24mm



#### 9126 1/2" drive deep impact Socket Set

Set containing 10 deep metric 1/2" drive 6 point impact sockets. Supplied on a clip rail. ANSI standard sockets suitable for automotive use.

Deep impact sockets 1/2" drive 6 point 10, 11, 12, 13, 14, 17, 19, 21, 22, 24mm




#### 9207S12 1/2" Drive Stubby Impact Socket Set

Set containing 12 metric 1/2" drive stubby 6 point impact sockets. Supplied on a clip rail.

Stubby Impact sockets 1/2" drive 6 point 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm





1/2" drive impact socket accessory set containing extension bars, universal joint and adaptors. For use with retaining pins and rings. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.05 kilos)

| Adaptors        |            | 3/8"Fx1/2"M, 1/2"Fx3/4"M, 1/2"Fx3/8"M |
|-----------------|------------|---------------------------------------|
| Extension Bars  | 1/2" drive | 3", 5" and 10                         |
| Universal Joint | 1/2" drive |                                       |
|                 |            |                                       |



#### TT9207A 1/2" drive impact accessories

1/2" drive impact socket accessory set containing extension bars, universal joint and adaptors. ANSI standard type impact accessories for automotive use. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.05 kilos)

| Adaptors        |            | 3/8"Fx1/2"M, 1/2"Fx3/4"M, 1/2"Fx3/8"M |
|-----------------|------------|---------------------------------------|
| Extension Bars  | 1/2" drive | 3", 5" and 10                         |
| Universal Joint | 1/2" drive |                                       |
|                 |            |                                       |



#### TT9116 1/2" drive impact socket set

Set containing 16 1/2" drive impact sockets, regular and deep. ANSI Standard suitable for automotive use. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 2.2 kilos)

| Regular impact sockets | 1/2" drive | 6 point | 13, 15, 16, 17, 18, 19, 22, 24mm |
|------------------------|------------|---------|----------------------------------|
| Deep impact sockets    | 1/2" drive | 6 point | 13, 15, 16, 17, 18, 19, 22, 24mm |



#### TT9120D 1/2" drive impact socket set

Set containing 20 1/2" drive impact sockets, regular and deep plus locking pins and O-Rings. DIN Standard suitable for industrial use with retaining rings and pins. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 3.2 kilos)

| Regular impact sockets | 1/2" drive | 6 point | 13, 15, 16, 17, 18, 19, 22, 24mm |
|------------------------|------------|---------|----------------------------------|
| Deep impact sockets    | 1/2" drive | 6 point | 13, 15, 16, 17, 18, 19, 22, 24mm |
| Locking pins           |            |         | 20x3.5mm, 25x3.5mm               |
| 0-Rings                |            |         | 3x20mm, 3x24mm                   |



#### T1206 1/2" drive XZN Spline impact bit socket set NEW!

Set containing six 1/2" drive impact socket bits. Chrome molybdenum with manganese phosphate finish for added corrosion resistance. Supplied in a storage case with snap lock and a metal pin hinge. (170x90x35mm, 0.64 kilos).

| XZN impact bit sockets | 1/2" drive | 43mm length | 14, 16, 18 |  |
|------------------------|------------|-------------|------------|--|
| XZN impact bit sockets | 1/2" drive | 78mm length | 14, 16, 18 |  |







# TT9212TX 1/2" drive impact TX bit socket set

Set containing 12 1/2" drive TX impact sockets. Suitable for use with retaining rings and pins. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control sytem. (265x142x50mm, 1.36 kilos)

TX impact sockets 1/2" drive TX 10, 15, 20, 25, 27, 30, 40, 45, 50, 55, 60, 70



#### TT9015HX 3/8" & 1/2" drive impact hex bit socket set

15 piece 3/8" and 1/2" drive hex impact socket bit set. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.49 kilos)

| Hex impact socket bits | 3/8" drive | 4, 5, 6, 7, 8, 10, 12mm   |
|------------------------|------------|---------------------------|
| Hex impact socket bits | 1/2" drive | 5. 6. 8. 10. 12. 14. 17mm |



#### TED9121 1/2" Drive Impact Socket Set

Teng

Set containing 1/2" drive regular and deep ANSI standard 6 point impact sockets and a range of accessories. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 4.18 kilos)

| Accessories     | 1/2" drive |         | 3" and 10" extension bars, universal joint, 3/8"F:1/2"M Adaptor, 1/2"F:3/4"M adaptor |
|-----------------|------------|---------|--|
| Regular sockets | 1/2" drive | 6 point | 13, 15, 16, 17, 18, 19, 22, 24mm   |
| Deep sockets    | 1/2" drive | 6 point | 13, 15, 16, 17, 18, 19, 22, 24mm   |



#### TTEISK73 3/8" & 1/2" drive Impact socket set

Set containing 3/8" and 1/2" drive regular and deep metric impact sockets and a comprehensive range of accessories. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 12.34 kilos)



| Accessories            | 3/8" drive |         | 3" extension bar, 3/8"F:1/4"M adaptor, 3/8"F:1/2"M adaptor, coupler adaptor for 1/4" hex bits                                 |
|------------------------|------------|---------|---|
| Regular impact sockets | 3/8" drive | 6 point | 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm   |
| Deep impact sockets    | 3/8" drive | 6 point | 8, 10, 11, 12, 13, 14, 16, 17, 19mm   |
| Accessories            | 1/2" drive |         | 3", 5" and 10" extension bars, universal joint, 1/2"F:3/8"M adaptor, 1/2" F:3/4"M adaptor, coupler adaptor for 5/16" hex bits |
| Regular impact sockets | 1/2" drive | 6 point | 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32mm                                   |
| Deep impact sockets    | 1/2" drive | 6 point | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 28, 29, 30, 32, 35, 36mm  |



#### **TTTS08** Torque Stick Set

8 piece torque stick and wheel nut set, for tightening wheel nuts on cars. When the intended tightening torque is reached, the socket end stops while the drive end springs back between each stroke. Reduces the risk of sheared wheel bolts or deformed rims. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 2.0 kilos)

| 1/2" Torque sticks     | Nm   | 90, 110, 120, 140 |
|------------------------|------|-------------------|
| 1/2" Wheel nut sockets | mm   | 17, 19, 21        |
| Torque step up adaptor | inch | 3/8 x 1/2         |



## 3/4" Drive Impact Socket Sets

#### TTD9416 3/4" drive impact socket set

3/4" drive impact socket set containing regular sockets 19 to 38mm, plus accessories including extension bar and retaining rings and pins. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x284x50mm, 5.6kilos)

| Accessories            | 3/4" drive         | 7" impact extension bar, 3 retaining rings, 3 retaining pins |
|------------------------|--------------------|--|
| Regular impact sockets | 3/4" drive 6 point | 19 (3/4"), 24, 27 (1%"), 30 (1%"), 32, 33, 34, 36, 38mm      |



#### TTX9415 3/4" drive impact socket set

15 piece set containing 15 metric regular and deep impact sockets to DIN standard. Suitable for use with retaining rings and pins. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TXX control system. (570x115x60mm, 9.0 kilos)



Regular impact sockets3/4" drive 6 point 19, 24, 27, 28, 30, 32, 34, 36mm Deep impact sockets 3/4" drive 6 point 19 (3/4"), 24, 27 (11/16"), 30 (13/16"), 32, 33, 36mm

#### TTEISK33 3/4" drive impact socket set

Set containing 3/4" drive regular and deep metric impact sockets and a comprehensive range of accessories. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 20.92 kilos)

| Accessories            | 3/4" drive | 7" extens | sion bar, universal joint, 3/4"F:1/2"M adaptor, 3/4"F:1"M adaptor |
|------------------------|------------|-----------|---|
| Regular impact sockets | 3/4" drive | 6 point   | 19, 21, 22, 23, 24, 27, 28, 30, 32, 33, 34, 36, 38, 41, 46mm      |
| Deep impact sockets    | 3/4" drive | 6 point   | 19. 21. 22. 23. 24. 27. 30. 32. 33. 34. 36. 38. 41. 46mm          |





#### 1/2" Drive Impact Driver Sets

TTID20 1/2" drive impact driver set
Set containing 1/2" impact driver, coupler adaptor, 5/16"-3/8" hex adaptor as well as 17 bits. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.3 kilos)

| Accessories   | 1/2" drive  | reversible impact driver, coupler adaptor, 5/16" hex:3/8" M adaptor   |
|---------------|-------------|---|
| 36mm hex bits | 5/16" drive | 6mm flat, 8mm flat, 10mm flat,12mm flat, PH1, PH2, PH3, PH4, 4mm hex, |
|               |             | 5mm hex, 6mm hex, 8mm hex, TX30, TX40, TX45, TX50, TX55               |



#### TEDSD95 Torque Screwdriver, Impact Driver and Bit Set

1/4" drive 1-5Nm torque screwdriver and 1/2" drive impact driver together with assorted bits to suit most types of fastenings. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 2.40 kilos)



| Accession           | 1/4" drive | 1 Sharkayaya ayayadaiyay ayiak yalaasa abuuk alidina Thay Cil Sayibla aykayaiga Dakabakkina bika daiyaa      |
|---------------------|------------|--|
| Accessories         | 1/4" drive | 1-5Nm torque screwdriver, quick release chuck, sliding T bar, 6" flexible extension,. Ratchetting bits drive |
|                     |            | with assorted bits in the handle (5, 7mm flat, PH1, PH2, PZ1, PZ2, 1/4"M:1/4" hex adaptor)                   |
|                     | 3/8" drive | 3/8"M:5/16" hex adaptor  |
|                     | 1/2" drive | impact driver, 5/16" hex bit adaptor   |
| 5/16" hex 36mm bits | flat type  | 1.4x6, 1.4x8, 2.2x10, 1.8x12mm   |
|                     | PH         | PH1, PH2, PH3, PH4   |
|                     | hex        | 4, 5, 6, 8mm   |
|                     | TX         | TX30, TX40, TX45, TX50, TX55   |
| 1/4" hex 25mm bits  | flat type  | 0.6x3.5, 0.6x4.5, 0.8x4.0, 0.8x5.5, 1.0x5.5, 1.2x6.5, 1.6x8.0mm  |
|                     | PH         | PH1 (x3), PH2 (x6), PH3  |
|                     | PZ         | PZ1 (x3), PZ2 (x6), PZ3  |
|                     | hex        | 2, 3, 4, 5, 6, 8mm   |
|                     | TX         | TX6, TX7, TX8, TX9, TX10, TX15, TX20 (x3), TX25 (x3), TX27, TX30, TX40                                       |
|                     | TPX        | TPX10, TPX15, TPX20 (x2), TPX25 (x2), TPX27, TPX30, TPX40  |
|                     | Square     | 1, 2, 3  |
|                     | GR         | 2 (x3)   |

#### ID506 1/2" drive impact driver set

Reversible action. Driver designed with 1/2" square drive, but also equipped with a chuck in which bits with 5/16" hex can be fitted. Supplied complete with chuck and four screwdriver bits for slotted heads and Phillips heads. Supplied in handy storage case. (195x66x45mm, 0.95 kilos)

| Accessories | 1/2" drive | Industrial quality reversible impact driver, impact coupler adaptor |
|-------------|------------|---|
| Impact bits | 5/16" hex  | 8x36mm flat, 10x36mm flat, PH2, PH3                                 |



#### **ID506BIT** Impact driver bits

Bit set for impact driver set ID506.

| Impact bits | 5/16" hex | 8x36mm flat, 10x36mm flat, PH2, PH3 |
|-------------|-----------|-------------------------------------|
|             |           |                                     |



#### ID515 1/2" drive impact driver set

Reversible action. Driver designed with 1/2" square drive, but also equipped with a chuck in which bits with 5/16" hex can be fitted. Supplied complete with 12 screwdriver bits for slotted heads, Phillips heads and internal hex screw heads. Supplied in a handy storage case. (223x115x52mm, 1,0 kilos)

| Accessories | 1/2" drive | Heavy duty reversible impact driver, impact coupler adaptor, 5/16" hex x 3/8"M adaptor                         |
|-------------|------------|--|
| Impact bits | 5/16"" hex | 6x36mm flat, 8x36mm flat, 10x36mm flat,12x36mm flat,<br>PH1, PH2, PH3, PH4, 4mm hex, 5mm hex, 6mm hex, 8mm hex |



#### **ID515BIT** Impact driver set

Bit set for impact driver set ID515.

| Impact bits | 5/16" hex | 6x36mm flat, 8x36mm flat, 10x36mm flat,12x36mm flat, PH1, PH2, |
|-------------|-----------|--|
|             |           | PH3, PH4, 4mm hex,5mm hex, 6mm hex, 8mm hex,                   |
|             |           | adaptor 5/16" hex:3/8" drive                                   |



#### **Impact Bits**

act hits 5/16" hex for use with 1/2" drive impact drivers

| Stock<br>No. | Drive     | Description          | Length<br>mm |
|--------------|-----------|----------------------|--------------|
| 910504       | 5/16" hex | 4mm hex impact bit   | 36.0         |
| 910505       | 5/16" hex | 5mm hex impact bit   | 36.0         |
| 910506       | 5/16" hex | 6mm hex impact bit   | 36.0         |
| 910508       | 5/16" hex | 8mm hex impact bit   | 36.0         |
| 910510       | 5/16" hex | 10mm hex impact bit  | 36.0         |
| 920001       | 5/16" hex | PZ1 impact bit       | 36.0         |
| 920002       | 5/16" hex | PZ2 impact bit       | 36.0         |
| 920003       | 5/16" hex | PZ3 impact bit       | 36.0         |
| 940006       | 5/16" hex | 6mm flat impact bit  | 36.0         |
| 940008       | 5/16" hex | 8mm flat impact bit  | 36.0         |
| 940010       | 5/16" hex | 10mm flat impact bit | 36.0         |
| 940012       | 5/16" hex | 12mm flat impact bit | 36.0         |
| 930001       | 5/16" hex | PH1 impact bit       | 36.0         |
| 930002       | 5/16" hex | PH2 impact bit       | 36.0         |
| 930003       | 5/16" hex | PH3 impact bit       | 36.0         |
| 930004       | 5/16" hex | PH4 impact bit       | 36.0         |
| 970030       | 5/16" hex | TX30 impact bit      | 36.0         |
| 970040       | 5/16" hex | TX40 impact bit      | 36.0         |
| 970045       | 5/16" hex | TX45 impact bit      | 36.0         |
| 970050       | 5/16" hex | TX50 impact bit      | 36.0         |
| 970055       | 5/16" hex | TX55 impact bit      | 36.0         |



Impact Bits →





**Teng Tools** 

#### Impact Bits NEW!

A new range of 1/4" hex drive impact bits with a range of lengths that includes 30, 50 and 89mm. Available individually with the 30mm length range also available in packs of 5.



#### Impact bits - PH type

New design impact bits for higher torsion

| Stock No.  | Size | Drive    | Pack<br>qty | Length<br>mm |  |
|------------|------|----------|-------------|--------------|--|
| PHP3000101 | PH1  | 1/4" hex | 1           | 30           |  |
|            |      | .,       |             |              |  |
| PHP3000105 | PH1  | 1/4" hex | 5           | 30           |  |
| PHP3000201 | PH2  | 1/4" hex | 1           | 30           |  |
| PHP3000205 | PH2  | 1/4" hex | 5           | 30           |  |
| PHP3000301 | PH3  | 1/4" hex | 1           | 30           |  |
| PHP3000305 | PH3  | 1/4" hex | 5           | 30           |  |
| PHP5000101 | PH1  | 1/4" hex | 1           | 50           |  |
| PHP5000201 | PH2  | 1/4" hex | 1           | 50           |  |
| PHP5000301 | PH3  | 1/4" hex | 1           | 50           |  |
| PHP8900201 | PH2  | 1/4" hex | 1           | 89           |  |



#### Impact bits - GR type

New design impact bits for higher torsion

| l |  |  |  |
|---|--|--|--|
|   |  |  |  |
|   |  |  |  |

| BUNDAM! | No. | 5 |
|---------|-----|---|
| _       | _   | 8 |



| Stock No.   | Size | Drive     | Pack<br>qty | Length<br>mm |
|-------------|------|-----------|-------------|--------------|
| GRP3000201  | GR2  | 1/4" hex  | 1           | 30           |
| GRP3000205  | GR2  | 1/4" hex  | 5           | 30           |
| CDDECOCOOCO | CD2  | 1///" hov | 1           | 50           |



#### Impact bits - PZ type


New design impact bits for higher torsion



| 100000 | -     |
|--------|-------|
|        |       |
|        | 100 C |
|        |       |

|  | ndxx |      |     |
|--|------|------|-----|
|  |      |      |     |
|  | di   | nati | wo. |

| Stock No.  | Size | Drive    | Pack<br>qty | Length<br>mm |  |
|------------|------|----------|-------------|--------------|--|
| PZP3000101 | PZ1  | 1/4" hex | 1           | 30           |  |
| PZP3000105 | PZ1  | 1/4" hex | 5           | 30           |  |
| PZP3000201 | PZ2  | 1/4" hex | 1           | 30           |  |
| PZP3000205 | PZ2  | 1/4" hex | 5           | 30           |  |
| PZP3000301 | PZ3  | 1/4" hex | 1           | 30           |  |
| PZP3000305 | PZ3  | 1/4" hex | 5           | 30           |  |
| PZP5000101 | PZ1  | 1/4" hex | 1           | 50           |  |
| PZP5000201 | PZ2  | 1/4" hex | 1           | 50           |  |
| PZP5000301 | PZ3  | 1/4" hex | 1           | 50           |  |
| PZP8900201 | PZ2  | 1/4" hex | 1           | 89           |  |



216





| Stock No.   | Size | Drive    | Pack<br>qty | Length<br>mm |
|-------------|------|----------|-------------|--------------|
| HEXP3000301 | 3mm  | 1/4" hex | 1           | 30           |
| HEXP3000305 | 3mm  | 1/4" hex | 5           | 30           |
| HEXP3000401 | 4mm  | 1/4" hex | 1           | 30           |
| HEXP3000405 | 4mm  | 1/4" hex | 5           | 30           |
| HEXP3000501 | 5mm  | 1/4" hex | 1           | 30           |
| HEXP3000505 | 5mm  | 1/4" hex | 5           | 30           |
| HEXP3000601 | 6mm  | 1/4" hex | 1           | 30           |
| HEXP3000605 | 6mm  | 1/4" hex | 5           | 30           |
| HEXP5000301 | 3mm  | 1/4" hex | 1           | 50           |
| HEXP5000401 | 4mm  | 1/4" hex | 1           | 50           |
| HEXP5000501 | 5mm  | 1/4" hex | 1           | 50           |
| HEXP5000601 | 6mm  | 1/4" hex | 1           | 50           |



#### Impact bits - TX type

New design impact bits for higher torsion



| TXP3001001         TX10         1/4" hex         1         30           TXP3001005         TX10         1/4" hex         5         30           TXP3001501         TX15         1/4" hex         1         30           TXP3001505         TX15         1/4" hex         5         30           TXP3002001         TX20         1/4" hex         1         30           TXP3002005         TX20         1/4" hex         5         30           TXP3002501         TX25         1/4" hex         1         30           TXP3002505         TX25         1/4" hex         5         30           TXP3002701         TX27         1/4" hex         1         30           TXP3002705         TX27         1/4" hex         5         30           TXP3003001         TX30         1/4" hex         5         30           TXP3003005         TX30         1/4" hex         5         30 |  |
|---|--|
| TXP3001501 TX15 1/4" hex 1 30  TXP3001505 TX15 1/4" hex 5 30  TXP3002001 TX20 1/4" hex 1 30  TXP3002005 TX20 1/4" hex 5 30  TXP3002501 TX25 1/4" hex 1 30  TXP3002505 TX25 1/4" hex 1 30  TXP3002701 TX27 1/4" hex 1 30  TXP3002705 TX27 1/4" hex 1 30  TXP3002705 TX27 1/4" hex 1 30  TXP3002705 TX27 1/4" hex 1 30  TXP3003001 TX30 1/4" hex 1 30   |  |
| TXP3001505         TX15         1/4" hex         5         30           TXP3002001         TX20         1/4" hex         1         30           TXP3002005         TX20         1/4" hex         5         30           TXP3002501         TX25         1/4" hex         1         30           TXP3002505         TX25         1/4" hex         5         30           TXP3002701         TX27         1/4" hex         1         30           TXP3002705         TX27         1/4" hex         5         30           TXP3003001         TX30         1/4" hex         5         30   |  |
| TXP3002001         TX20         1/4" hex         1         30           TXP3002005         TX20         1/4" hex         5         30           TXP3002501         TX25         1/4" hex         1         30           TXP3002505         TX25         1/4" hex         5         30           TXP3002701         TX27         1/4" hex         1         30           TXP3002705         TX27         1/4" hex         5         30           TXP3003001         TX30         1/4" hex         1         30   |  |
| TXP3002005         TX20         1/4" hex         5         30           TXP3002501         TX25         1/4" hex         1         30           TXP3002505         TX25         1/4" hex         5         30           TXP3002701         TX27         1/4" hex         1         30           TXP3002705         TX27         1/4" hex         5         30           TXP3003001         TX30         1/4" hex         5         30   |  |
| TXP3002501     TX25     1/4" hex     1     30       TXP3002505     TX25     1/4" hex     5     30       TXP3002701     TX27     1/4" hex     1     30       TXP3002705     TX27     1/4" hex     5     30       TXP3003001     TX30     1/4" hex     1     30   |  |
| TXP3002505     TX25     1/4" hex     5     30       TXP3002701     TX27     1/4" hex     1     30       TXP3002705     TX27     1/4" hex     5     30       TXP3003001     TX30     1/4" hex     5     30   |  |
| TXP3002701     TX27     1/4" hex     1     30       TXP3002705     TX27     1/4" hex     5     30       TXP3003001     TX30     1/4" hex     1     30   |  |
| TXP3002705 TX27 1/4" hex 5 30 TXP3003001 TX30 1/4" hex 1 30   |  |
| TXP3003001 TX30 1/4" hex 1 30   |  |
|   |  |
| TXP3003005 TX30 1/4" hex 5 30   |  |
|   |  |
| TXP3004001 TX40 1/4" hex 1 30   |  |
| TXP3004005 TX40 1/4" hex 5 30   |  |
| TXP5001001 TX10 1/4" hex 1 50   |  |
| TXP5001501 TX15 1/4" hex 1 50   |  |
| TXP5002001 TX20 1/4" hex 1 50   |  |
| TXP5002501 TX25 1/4" hex 1 50   |  |
| TXP5002701 TX27 1/4" hex 1 50   |  |
| TXP5003001 TX30 1/4" hex 1 50   |  |
| TXP5004001 TX40 1/4" hex 1 50   |  |
| TXP8902001 TX20 1/4" hex 1 89   |  |
| TXP8902501 TX25 1/4" hex 1 89   |  |
| TXP8903001 TX30 1/4" hex 1 89   |  |



#### Impact bits - ROB type

New design impact bits for higher torsion



| Stock No.   | Size | Drive    | Pack<br>qty | Length<br>mm |  |
|-------------|------|----------|-------------|--------------|--|
| ROBP3000101 | RS1  | 1/4" hex | 1           | 30           |  |
| ROBP3000105 | RS1  | 1/4" hex | 5           | 30           |  |
| ROBP3000201 | RS2  | 1/4" hex | 1           | 30           |  |
| ROBP3000205 | RS2  | 1/4" hex | 5           | 30           |  |
| ROBP5000101 | RS1  | 1/4" hex | 1           | 50           |  |
| ROBP5000201 | RS2  | 1/4" hex | 1           | 50           |  |
| ROBP5000301 | RS3  | 1/4" hex | 1           | 50           |  |





#### **Impact Accessories**

217

#### Impact Accessories - 3/8" Drive

| Stock     | Drive | Description                           | Retaining | Retaining |
|-----------|-------|---------------------------------------|-----------|-----------|
| No.       |       |                                       | ring      | pin       |
| 980020-C  | 3/8"  | 3" impact extension bar. DIN standard | 092416    | P902515   |
| 980035-C  | 3/8"  | 3/8"F:1/4"M adaptor                   | 092416    | P902515   |
| 980036-C  | 3/8"  | 3/8"F:1/2"M adaptor. DIN standard     | 092416    | P902515   |
| 980036A-C | 3/8"  | 3/8"F:1/2"M adaptor. ANSI standard    | -         | -         |
| 980060-C  | 3/8"  | Coupler adaptor for 1/4" hex          | -         | -         |
| 980086    | 3/8"  | 3/8"M:5/16"hex                        | -         | -         |





# Teng Tools

#### Impact Accessories - 1/2" Drive

| Stock     | Drive | Description                                 | Retaining | Retaining |
|-----------|-------|---|-----------|-----------|
| No.       |       |   | ring      | pin       |
| 920020-C  | 1/2"  | 3" impact extension bar. DIN standard       | 0935202   | P90320    |
| 920020A-C | 1/2"  | 3" impact extension bar. ANSI standard      | -         |           |
| 920021-C  | 1/2"  | 5" impact extension bar. DIN standard       | 0935202   | P90320    |
| 920021A-C | 1/2"  | 5" impact extension bar. ANSI standard      | -         | -         |
| 920023-C  | 1/2"  | 10" impact extension bar. DIN standard      | 0935202   | P90320    |
| 920023A-C | 1/2"  | 10" impact extension bar. ANSI standard     | -         |           |
| 920030-C  | 1/2"  | impact universal joint. DIN standard        | 0935202   | P90320    |
| 920030A-C | 1/2"  | impact universal joint. ANSI standard       | -         | -         |
| 920036-C  | 1/2"  | impact 1/2"F:3/8"M adaptor. DIN standard    | 0935202   | P90320    |
| 920036A-C | 1/2"  | impact 1/2"F:3/8"M adaptor. ANSI standard   | -         | -         |
| 920037-C  | 1/2"  | impact 1/2"F:3/4"M adaptor. DIN standard    | 0935202   | P90320    |
| 920037A-C | 1/2"  | impact 1/2"F:3/4"M impact adaptor. ANSI sta | ndard     | -         |
| 920060-C  | 1/2"  | coupler adaptor for 5/16" hex               | -         | -         |



#### Impact Accessories →

#### Impact Accessories - 3/4" Drive

| Stock    | Drive | Description                | Retaining | Retaining |
|----------|-------|----------------------------|-----------|-----------|
| No.      |       |                            | ring      | pin       |
| 940022-C | 3/4"  | 7" impact extension bar    | 095036    | P90435    |
| 940030-C | 3/4"  | impact universal joint     | 093538    | P90437    |
| 940037-C | 3/4"  | impact 3/4"F:1/2"M adaptor | 095036    | P90435    |
| 940085-C | 3/4"  | impact 3/4"F:1"M adaptor   | 095036    | P90435    |

#### Impact Accessories - 1" Drive

Description

Retaining ring 38x3.5mm Retaining ring 43x7mm

Retaining ring 46x3.5mm

Retaining ring 48x3.5mm Retaining ring 51x7mm Retaining ring 75x5.7mm Retaining ring 75x10mm 09100115 Retaining ring 115x10mm

Tools

Stock No.

093538

097045 093546

093548

| Stock  | Drive | Description              | Retaining Retaining |
|--------|-------|--------------------------|---------------------|
| No.    |       |                          | ring pin            |
| 910086 | 1"    | impact 1"F:3/4"M adaptor | 097045 P90545       |
|        |       |                          |                     |

Stock No.





| 092416  | Retaining ring 16x2.4mm | P902515 | F |
|---------|-------------------------|---------|---|
| 092419  | Retaining ring 19x2.4mm | P902518 | F |
| 0935202 | Retaining ring 20x3.5mm | P90320  |   |
| 093525  | Retaining ring 25x3.5mm | P90324  |   |
| 093528  | Retaining ring 28x3.5mm | P90328  |   |
| 093530  | Retaining ring 30x3.5mm | P90332  |   |
| 093532  | Retaining ring 32x3.5mm | P90437  |   |
| 093534  | Retaining ring 34x3.5mm | P90433  |   |
| 095034  | Retaining ring 34x5mm   | P90435  |   |
| 005036  | Dataining ring 26vEmm   | DOUVAR  |   |


|         | •                      |
|---------|------------------------|
| P902515 | Retaining pin 2.5x15mm |
| P902518 | Retaining pin 2.5x18mm |
| P90320  | Retaining pin 3x20mm   |
| P90324  | Retaining pin 3x24mm   |
| P90328  | Retaining pin 3x28mm   |
| P90332  | Retaining pin 3x32mm   |
| P90437  | Retaining pin 4x37mm   |
| P90433  | Retaining pin 4x33mm   |
| P90435  | Retaining pin 4x35mm   |
| P90445  | Retaining pin 4x45mm   |
| P90543  | Retaining pin 5x43mm   |
| P90545  | Retaining pin 5x45mm   |
| P90551  | Retaining pin 5x51mm   |
| P90675  | Retaining pin 6x75mm   |
| P906110 | Retaining pin 6x110mm  |

218

Description

#### **Retaining Rings and Pins**

Retaining rings and pins for use with DIN standard impact sockets and accessories.



#### Retaining Rings & Pins →



#### 1/4" Drive Impact Sockets

#### 1/4" Drive Metric Impact Sockets

1/4" drive impact sockets regular 6 point metric. Chrome molybdenum. DIN3129.

| Stock    | Size | L    | T    | D1   | D2   | Weight |  |
|----------|------|------|------|------|------|--------|--|
| No       | mm   | mm   | mm   | mm   | mm   | g      |  |
| 960506-C | 6    | 21.2 | 10.0 | 9.5  | 12.0 | 20     |  |
| 960507-C | 7    | 21.2 | 11.0 | 11.0 | 12.0 | 20     |  |
| 960508-C | 8    | 21.2 | 11.0 | 12.0 | 12.0 | 20     |  |
| 960510-C | 10   | 21.2 | 12.5 | 14.0 | 12.0 | 30     |  |
| 960513-C | 13   | 21.2 | 12.0 | 18.0 | 18.0 | 30     |  |



1/4" Drive Metric Impact Sockets →

#### 3/8" Drive Impact Sockets

219

#### 3/8" Drive Metric Impact Sockets

3/8" drive impact sockets regular 6 point metric. Chrome molybdenum.

| Stock    | Size | L    | T    | D1   | D2   | Weight |  |
|----------|------|------|------|------|------|--------|--|
| No       | mm   | mm   | mm   | mm   | mm   | g      |  |
| 980508-C | 8    | 30.0 | 8.0  | 12.5 | 19.0 | 33     |  |
| 980510-C | 10   | 30.0 | 8.0  | 15.0 | 19.0 | 34     |  |
| 980511-C | 11   | 30.0 | 9.0  | 17.0 | 19.0 | 37     |  |
| 980512-C | 12   | 30.0 | 9.0  | 19.0 | 19.0 | 40     |  |
| 980513-C | 13   | 30.0 | 9.0  | 19.0 | 19.0 | 41     |  |
| 980514-C | 14   | 30.0 | 9.0  | 20.0 | 20.0 | 41     |  |
| 980515-C | 15   | 30.0 | 11.0 | 22.0 | 22.0 | 64     |  |
| 980516-C | 16   | 30.0 | 11.0 | 24.0 | 24.0 | 64     |  |
| 980517-C | 17   | 30.0 | 11.0 | 24.0 | 24.0 | 64     |  |
| 980519-C | 19   | 30.0 | 11.0 | 26.0 | 26.0 | 72     |  |




#### 3/8" Drive Metric Impact Sockets →

#### 3/8" Drive Deep Impact Sockets

3/8" drive impact sockets deep 6 point metric.

| Stock    | Size | L    | T    | D1   | D2   | Weight |  |
|----------|------|------|------|------|------|--------|--|
| No       | mm   | mm   | mm   | mm   | mm   | g      |  |
| 980608-C | 8    | 65.0 | 12.8 | 12.6 | 19.0 | 95     |  |
| 980610-C | 10   | 65.0 | 26.0 | 15.2 | 19.0 | 89     |  |
| 980611-C | 11   | 65.0 | 27.0 | 17.0 | 19.0 | 87     |  |
| 980612-C | 12   | 65.0 | 27.0 | 19.0 | 19.0 | 85     |  |
| 980613-C | 13   | 65.0 | 27.0 | 19.0 | 19.0 | 80     |  |
| 980614-C | 14   | 65.0 | 27.0 | 20.0 | 20.0 | 87     |  |
| 980616-C | 16   | 65.0 | 27.0 | 24.0 | 24.0 | 144    |  |
| 980617-C | 17   | 65.0 | 27.0 | 24.0 | 24.0 | 130    |  |
| 980619-C | 19   | 65.0 | 27.0 | 26.0 | 26.0 | 143    |  |



#### 3/8" Drive Deep Impact Sockets →

#### 3/8" Drive Hex Bit Impact Sockets

3/8" drive hex impact socket bits. Made of chrome molydenum. With locking pin and retaining ring facility, DIN3129.

| Stock    | Size | L1   | D1   | Weight | Retaining | Retaining |  |
|----------|------|------|------|--------|-----------|-----------|--|
| No       | mm   | mm   | mm   | g      | Ring      | Pin       |  |
| 981504-C | 4    | 52.0 | 20.8 | 55     | 0935202   | P90320    |  |
| 981505-C | 5    | 52.0 | 20.8 | 57     | 0935202   | P90320    |  |
| 981506-C | 6    | 52.0 | 20.8 | 60     | 0935202   | P90320    |  |
| 981507-C | 7    | 52.0 | 20.8 | 63     | 0935202   | P90320    |  |
| 981508-C | 8    | 52.0 | 20.8 | 67     | 0935202   | P90320    |  |
| 981510-C | 10   | 52.0 | 20.8 | 74     | 0935202   | P90320    |  |
| 981512-C | 12   | 52.0 | 20.8 | 85     | 0935202   | P90320    |  |



3/8" Drive Hex Bit Impact Sockets →



#### 1/2" Drive Impact Sockets


220

#### 1/2" Drive Metric Impact Sockets DIN Standard

1/2" drive impact sockets regular 6 point metric.

Chrome molybdenum DIN standard for industrial use. DIN3129.

| tock    | Size | L    | T     | D1   | D2   | Weight | Retaining | Retaining |
|---------|------|------|-------|------|------|--------|-----------|-----------|
| lo      | mm   | mm   | mm    | mm   | mm   | g      | Ring      | Pin       |
| 20508-C | 8    | 38.0 | 9.0   | 15.0 | 25.0 | 90     | 0935202   | P90320    |
| 20510-C | 10   | 38.0 | 12.0  | 17.5 | 25.0 | 90     | 0935202   | P90320    |
| 20511-C | 11   | 38.0 | 12.0  | 18.7 | 25.0 | 90     | 0935202   | P90320    |
| 20512-C | 12   | 38.0 | 12.0  | 20.0 | 25.0 | 90     | 0935202   | P90320    |
| 20513-C | 13   | 38.0 | 12.0  | 21.0 | 25.0 | 90     | 0935202   | P90320    |
| 20514-C | 14   | 38.0 | 12.0  | 22.5 | 25.0 | 90     | 0935202   | P90320    |
| 20515-C | 15   | 38.0 | 12.0  | 23.7 | 30.0 | 130    | 093525    | P90324    |
| 20516-C | 16   | 38.0 | 12.0  | 25.0 | 30.0 | 130    | 093525    | P90324    |
| 20517-C | 17   | 38.0 | 13.0  | 26.0 | 30.0 | 130    | 093525    | P90324    |
| 20518-C | 18   | 38.0 | 13.0  | 27.5 | 30.0 | 130    | 093525    | P90324    |
| 20519-C | 19   | 38.0 | 13.0  | 28.7 | 30.0 | 130    | 093525    | P90324    |
| 20520-C | 20   | 38.0 | 13.0  | 32.0 | 30.0 | 130    | 093525    | P90324    |
| 20521-C | 21   | 38.0 | 13.0  | 32.0 | 30.0 | 130    | 093525    | P90324    |
| 20522-C | 22   | 38.0 | 13.0  | 32.0 | 30.0 | 130    | 093525    | P90324    |
| 20523-C | 23   | 38.0 | 13.0  | 32.0 | 30.0 | 130    | 093525    | P90324    |
| 20524-C | 24   | 45.0 | 20.0  | 35.0 | 30.0 | 130    | 093525    | P90324    |
| 20525-C | 25   | 45.0 | 20.0  | 36.0 | 30.0 | 160    | 093525    | P90324    |
| 20526-C | 26   | 50.0 | 22.0  | 38.0 | 30.0 | 170    | 093525    | P90324    |
| 20527-C | 27   | 50.0 | 22.0  | 38.7 | 30.0 | 210    | 093525    | P90324    |
| 20528-C | 28   | 50.0 | 22.0  | 40.0 | 30.0 | 210    | 093525    | P90324    |
| 20529-C | 29   | 50.0 | 22.0  | 40.0 | 30.0 | 210    | 093525    | P90324    |
| 20530-C | 30   | 50.0 | 22.0  | 42.0 | 30.0 | 220    | 093525    | P90324    |
| 20532-C | 32   | 50.0 | 280.0 | 44.0 | 30.0 | 260    | 093525    | P90324    |




1/2" Drive Metric Impact Sockets DIN Standard →

#### 1/2" Drive Metric Impact Sockets ANSI Standard

1/2" drive impact sockets regular 6 point metric. ANSI standard suitable for automotive use. Chrome molybdenum.


| Stock     | Size | L    | Т    | D1   | D2   | Weight |  |
|-----------|------|------|------|------|------|--------|--|
| No        | mm   | mm   | mm   | mm   | mm   | g      |  |
| 920510A-C | 10   | 38.0 | 12.0 | 17.0 | 22.0 | 69     |  |
| 920511A-C | 11   | 38.0 | 12.0 | 18.0 | 22.0 | 69     |  |
| 920512A-C | 12   | 38.0 | 12.0 | 19.0 | 22.0 | 69     |  |
| 920513A-C | 13   | 38.0 | 12.0 | 19.0 | 24.0 | 90     |  |
| 920514A-C | 14   | 38.0 | 12.0 | 22.0 | 24.0 | 83     |  |
| 920515A-C | 15   | 38.0 | 12.0 | 21.0 | 25.0 | 130    |  |
| 920516A-C | 16   | 38.0 | 12.0 | 25.0 | 25.0 | 130    |  |
| 920517A-C | 17   | 38.0 | 12.0 | 26.0 | 26.0 | 130    |  |
| 920518A-C | 18   | 38.0 | 13.0 | 26.0 | 26.0 | 130    |  |
| 920519A-C | 19   | 38.0 | 13.0 | 28.0 | 28.0 | 130    |  |
| 920521A-C | 21   | 38.0 | 13.0 | 30.0 | 30.0 | 127    |  |
| 920522A-C | 22   | 38.0 | 13.0 | 32.0 | 32.0 | 130    |  |
| 920524A-C | 24   | 45.0 | 13.0 | 34.0 | 34.0 | 150    |  |




#### 1/2" Drive Metric Impact Sockets →

1/2" Drive Stubby Metric Impact Sockets DIN standard design 1/2" drive 6 point impact sockets, short reach for use in confined spaces. Chrome molybdenum suitable for use with retaining rings and pins.

| Stock    | Size | L  | Т    | D1 | D2 | Weight | Retaining | Retaining |
|----------|------|----|------|----|----|--------|-----------|-----------|
| No       | mm   | mm | mm   | mm | mm | g      | Ring      | Pin       |
| 920710-C | 10   | 28 | 5.0  | 18 | 24 | 65     | 0935202   | P90320    |
| 920712-C | 12   | 28 | 5.0  | 20 | 24 | 65     | 0935202   | P90320    |
| 920713-C | 13   | 28 | 5.0  | 20 | 24 | 65     | 0935202   | P90320    |
| 920714-C | 14   | 28 | 5.0  | 22 | 24 | 65     | 0935202   | P90320    |
| 920715-C | 15   | 28 | 5.0  | 24 | 24 | 65     | 0935202   | P90320    |
| 920716-C | 16   | 28 | 5.0  | 24 | 24 | 66     | 0935202   | P90320    |
| 920717-C | 17   | 28 | 10.0 | 26 | 26 | 66     | 093525    | P90320    |
| 920718-C | 18   | 28 | 10.0 | 28 | 28 | 73     | 093525    | P90320    |
| 920719-C | 19   | 28 | 10.0 | 28 | 28 | 75     | 093525    | P90320    |
| 920721-C | 21   | 28 | 10.0 | 30 | 30 | 82     | 093525    | P90324    |
| 920722-C | 22   | 28 | 10.0 | 32 | 30 | 88     | 093525    | P90324    |
| 920724-C | 24   | 28 | 10.0 | 34 | 30 | 97     | 093525    | P90324    |
|          |      |    |      |    |    |        |           |           |








#### 1/2" Drive double ended sockets for wheel nuts

1/2" drive double ended impact sockets for wheel nuts

| Stock   | Size  | D1 | D2 | L  |  |
|---------|-------|----|----|----|--|
| No      | mm    | mm | mm | mm |  |
| 9291719 | 17/19 | 28 | 28 | 58 |  |
| 9292122 | 21/22 | 32 | 32 | 58 |  |






#### 1/2" Drive For Wheel Nuts →

#### 1/2" Drive AF Impact Sockets DIN Standard

1/2" drive impact sockets regular 6 point AF. Chrome molybdenum. DIN standard for industrial use.

| Stock    | Size   | L    | Т    | D1   | D2   | 14/-:  | Deteining | Deteining |
|----------|--------|------|------|------|------|--------|-----------|-----------|
| Stock    | Size   | L    | ,    | DΙ   | DZ   | Weight |           | Retaining |
| No       | mm     | mm   | mm   | mm   | mm   | g      | Ring      | Pin       |
| 920114-C | 7/16"  | 38.0 | 12.0 | 18.0 | 22.0 | 70     | 0935202   | P90320    |
| 920116-C | 1/2"   | 38.0 | 12.0 | 20.0 | 22.0 | 70     | 0935202   | P90320    |
| 920118-C | 9/16"  | 38.0 | 12.0 | 22.0 | 24.0 | 70     | 0935202   | P90320    |
| 920120-C | 5/8"   | 38.0 | 12.0 | 25.0 | 25.0 | 80     | 0935202   | P90320    |
| 920122-C | 11/16" | 38.0 | 13.0 | 26.0 | 26.0 | 90     | 0935202   | P90320    |
| 920124-C | 3/4"   | 38.0 | 13.0 | 28.0 | 28.0 | 110    | 0935202   | P90320    |
| 920126-C | 13/16" | 38.0 | 13.0 | 30.0 | 30.0 | 120    | 0935202   | P90320    |
| 920128-C | 7/8"   | 38.0 | 13.0 | 32.0 | 32.0 | 140    | 0935202   | P90320    |
| 920130-C | 15/16" | 38.0 | 13.0 | 34.0 | 34.0 | 160    | 093530    | P90328    |
| 920132-C | 1"     | 38.0 | 14.0 | 36.0 | 36.0 | 180    | 093532    | P90328    |
| 920136-C | 1½"    | 40.0 | 16.0 | 40.0 | 38.0 | 200    | 093532    | P90328    |





#### 1/2" Drive AF Impact Sockets DIN Standard →

#### 1/2" drive XZN Spline impact bit sockets


1/2" drive impact bit sockets. Chrome molybdenum with manganese phosphate finish for added corrosion resistance.

| Stock     | Size | L1   | L2   | D    | Weight |
|-----------|------|------|------|------|--------|
| No        | mm   | mm   | mm   | mm   | g      |
| M121814-C | 14   | 43.0 | 23.0 | 25.0 | 73.0   |
| M121816-C | 16   | 43.0 | 23.0 | 25.0 | 77.0   |
| M121818-C | 18   | 43.0 | 23.0 | 25.0 | 82.0   |
| M123814-C | 14   | 78.0 | 53.0 | 25.0 | 127.0  |
| M123816-C | 16   | 78.0 | 53.0 | 25.0 | 134.0  |
| M123818-C | 18   | 78.0 | 53.0 | 25.0 | 151.0  |
|           |      |      |      |      |        |



221







#### 1/2" Drive Deep Metric Impact Sockets DIN Standard

1/2" drive impact sockets deep 6 point metric. Chrome molybdenum. DIN standard suitable for industrial use. DIN3129.

| No         mm           920610-C         10           920611-C         11           920612-C         12           920613-C         13           920614-C         14           920615-C         15           920616-C         16           920617-C         17           920618-C         18           920619-C         19           920621-C         21 | 78.0<br>78.0<br>78.0<br>78.0<br>78.0 | mm<br>14.0<br>14.0<br>14.0<br>14.0<br>17.0 | mm<br>17.5<br>18.7<br>20.0<br>21.0<br>22.5 | mm<br>25.0<br>25.0<br>25.0<br>25.0 | 9<br>180<br>180<br>180 | Ring<br>0935202<br>0935202<br>0935202 | Pin<br>P90320<br>P90320<br>P90320 |  |
|---|--------------------------------------|--|--|------------------------------------|------------------------|---------------------------------------|-----------------------------------|--|
| 920611-C 11<br>920612-C 12<br>920613-C 13<br>920614-C 14<br>920615-C 15<br>920616-C 16<br>920617-C 17<br>920618-C 18<br>920619-C 19   | 78.0<br>78.0<br>78.0<br>78.0         | 14.0<br>14.0<br>14.0<br>17.0               | 18.7<br>20.0<br>21.0                       | 25.0<br>25.0                       | 180                    | 0935202                               | P90320                            |  |
| 920612-C 12<br>920613-C 13<br>920614-C 14<br>920615-C 15<br>920616-C 16<br>920617-C 17<br>920618-C 18<br>920619-C 19  | 78.0<br>78.0<br>78.0                 | 14.0<br>14.0<br>17.0                       | 20.0<br>21.0                               | 25.0                               |                        |                                       |                                   |  |
| 920613-C 13<br>920614-C 14<br>920615-C 15<br>920616-C 16<br>920617-C 17<br>920618-C 18<br>920619-C 19   | 78.0<br>78.0                         | 14.0<br>17.0                               | 21.0                                       |                                    | 180                    | 0035202                               | DOUSSU                            |  |
| 920614-C 14<br>920615-C 15<br>920616-C 16<br>920617-C 17<br>920618-C 18<br>920619-C 19  | 78.0                                 | 17.0                                       |  | 25.0                               |                        | 0303202                               | r 50320                           |  |
| 920615-C 15<br>920616-C 16<br>920617-C 17<br>920618-C 18<br>920619-C 19   |                                      |  | 22 5                                       | _5.0                               | 180                    | 0935202                               | P90320                            |  |
| 920616-C 16<br>920617-C 17<br>920618-C 18<br>920619-C 19  | 78.0                                 |  | 22.3                                       | 25.0                               | 180                    | 0935202                               | P90320                            |  |
| 920617-C 17<br>920618-C 18<br>920619-C 19   |                                      | 17.0                                       | 23.7                                       | 30.0                               | 210                    | 093525                                | P90324                            |  |
| 920618-C 18<br>920619-C 19  | 78.0                                 | 17.0                                       | 25.0                                       | 30.0                               | 210                    | 093525                                | P90324                            |  |
| 920619-C 19   | 78.0                                 | 17.0                                       | 26.0                                       | 30.0                               | 240                    | 093525                                | P90324                            |  |
|   | 78.0                                 | 17.0                                       | 27.5                                       | 30.0                               | 260                    | 093525                                | P90324                            |  |
| 920621-C 21   | 78.0                                 | 19.0                                       | 28.7                                       | 30.0                               | 260                    | 093525                                | P90324                            |  |
|   | 78.0                                 | 24.0                                       | 30.0                                       | 30.0                               | 260                    | 093525                                | P90324                            |  |
| 920622-C 22   | 78.0                                 | 24.0                                       | 32.0                                       | 30.0                               | 240                    | 093525                                | P90324                            |  |
| 920624-C 24   | 78.0                                 | 24.0                                       | 35.0                                       | 30.0                               | 270                    | 093525                                | P90324                            |  |
| 920627-C 27   | 78.0                                 | 24.0                                       | 38.7                                       | 30.0                               | 400                    | 093525                                | P90324                            |  |
| 920628-C 28   | 78.0                                 | 24.0                                       | 40.0                                       | 30.0                               | 400                    | 093525                                | P90324                            |  |
| 920629-C 29   | 78.0                                 | 24.0                                       | 40.0                                       | 30.0                               | 400                    | 093525                                | P90324                            |  |
| 920630-C 30   | 78.0                                 | 24.0                                       | 42.0                                       | 30.0                               | 400                    | 093525                                | P90324                            |  |
| 920632-C 32   | 78.0                                 | 24.0                                       | 44.0                                       | 30.0                               | 500                    | 093525                                | P90324                            |  |
| 920635-C 35   | 90.0                                 | 24.0                                       | 49.5                                       | 30.0                               | 500                    | 093525                                | P90324                            |  |
| 920636-C 36   | 90.0                                 | 24.0                                       | 50.5                                       | 30.0                               | 500                    | 093525                                | P90324                            |  |



1/2" Drive Deep Metric Impact Sockets →

1/2" Drive Deep Metric Impact Sockets ANSI Standard
1/2" drive impact sockets deep 6 point metric. ANSI standard suitable for automotive use. Chrome molybdenum.

| Stock     | Size | L    | Т    | D1   | D2   | Weight |
|-----------|------|------|------|------|------|--------|
| No        | mm   | mm   | mm   | mm   | mm   | g      |
| 920610A-C | 10   | 78.0 | 14.0 | 17.0 | 22.0 | 157    |
| 920611A-C | 11   | 78.0 | 14.0 | 18.0 | 22.0 | 157    |
| 920612A-C | 12   | 78.0 | 14.0 | 19.0 | 22.0 | 157    |
| 920613A-C | 13   | 78.0 | 18.0 | 20.0 | 24.0 | 174    |
| 920614A-C | 14   | 78.0 | 18.0 | 22.0 | 24.0 | 177    |
| 920615A-C | 15   | 78.0 | 18.0 | 24.0 | 24.0 | 177    |
| 920616A-C | 16   | 78.0 | 18.0 | 24.0 | 24.0 | 168    |
| 920617A-C | 17   | 78.0 | 18.0 | 26.0 | 26.0 | 198    |
| 920618A-C | 18   | 78.0 | 18.0 | 26.0 | 26.0 | 198    |
| 920619A-C | 19   | 78.0 | 20.0 | 28.0 | 28.0 | 231    |
| 920621A-C | 21   | 78.0 | 24.0 | 30.0 | 30.0 | 257    |
| 920622A-C | 22   | 78.0 | 25.0 | 32.0 | 32.0 | 297    |
| 920624A-C | 24   | 78.0 | 26.0 | 34.0 | 34.0 | 332    |



1/2" Drive Deep Metric Impact Sockets →

#### 1/2" Drive AF Deep Impact Sockets DIN Standard

1/2" drive impact sockets deep 6 point AF. Chrome Molybdenum. DIN standard for industrial use.

| Stock    | Size   | L    | Т    | D1   | D2   | Weiaht | Retaining | Retaining |  |
|----------|--------|------|------|------|------|--------|-----------|-----------|--|
| No       | mm     | mm   | mm   | mm   | mm   | g      | Ring      | Pin       |  |
| 920214-C | 7/16"  | 78.0 | 14.0 | 18.0 | 22.0 | 140    | 0935202   | P90320    |  |
| 920216-C | 1/2"   | 78.0 | 14.0 | 20.0 | 22.0 | 140    | 0935202   | P90320    |  |
| 920218-C | 9/16"  | 78.0 | 17.0 | 22.0 | 24.0 | 170    | 0935202   | P90320    |  |
| 920220-C | 5/8"   | 78.0 | 17.0 | 24.0 | 24.0 | 170    | 0935202   | P90320    |  |
| 920222-C | 11/16" | 78.0 | 17.0 | 26.0 | 26.0 | 180    | 0935202   | P90320    |  |
| 920224-C | 3/4"   | 78.0 | 19.0 | 28.0 | 28.0 | 220    | 0935202   | P90320    |  |
| 920226-C | 13/16" | 78.0 | 24.0 | 30.0 | 30.0 | 230    | 0935202   | P90320    |  |
| 920228-C | 7/8"   | 78.0 | 24.0 | 32.0 | 32.0 | 280    | 0935202   | P90320    |  |
| 920230-C | 15/16" | 78.0 | 24.0 | 34.0 | 34.0 | 310    | 093530    | P90328    |  |
| 920232-C | 1"     | 78.0 | 24.0 | 36.0 | 36.0 | 350    | 093532    | P90328    |  |
| 920242-C | 1%"    | 78.0 | 24.0 | 45.0 | 38.0 | 500    | 093534    | P90332    |  |
| 920248-C | 1½"    | 78.0 | 24.0 | 52.5 | 38.0 | 500    | 093534    | P90332    |  |




#### 1/2" Drive AF Deep Impact Sockets →

#### 1/2" Drive TX Impact Sockets

1/2" drive TX impact sockets regular. Chrome molybdenum.

| Stock      | Size | L    | D1   | D2   | Weight | Retaining | Retaining |  |
|------------|------|------|------|------|--------|-----------|-----------|--|
| No         | mm   | mm   | mm   | mm   | g      | Ring      | Pin       |  |
| 921210TX-C | 10   | 78.0 | 6.5  | 25.0 | 73     | 0935202   | P90320    |  |
| 921215TX-C | 15   | 78.0 | 6.5  | 25.0 | 74     | 0935202   | P90320    |  |
| 921220TX-C | 20   | 78.0 | 6.5  | 25.0 | 74     | 0935202   | P90320    |  |
| 921225TX-C | 25   | 78.0 | 6.5  | 25.0 | 74     | 0935202   | P90320    |  |
| 921227TX-C | 27   | 78.0 | 6.5  | 25.0 | 78     | 0935202   | P93020    |  |
| 921230TX-C | 30   | 78.0 | 6.5  | 25.0 | 79     | 093525    | P90324    |  |
| 921240TX-C | 40   | 78.0 | 8.0  | 25.0 | 86     | 093525    | P90324    |  |
| 921245TX-C | 45   | 78.0 | 9.0  | 25.0 | 93     | 093525    | P90324    |  |
| 921250TX-C | 50   | 78.0 | 10.0 | 25.0 | 98     | 093525    | P90324    |  |
| 921255TX-C | 55   | 78.0 | 12.0 | 25.0 | 109    | 093525    | P90324    |  |
| 921260TX-C | 60   | 78.0 | 14.0 | 25.0 | 122    | 093525    | P93024    |  |
| 921270TX-C | 70   | 78.0 | 16.0 | 25.0 | 148    | 093525    | P90324    |  |






#### 1/2" Drive Hex Bit Impact Sockets

1/2" drive hex impact socket bits. Made of chrome molydenum with locking pin and retaining ring facility. DIN3129.

| Stock         Size         L1         D1         Weight Metaining Retaining Retaining Pin         Retaining Pin           921505-C         5         78.0         25.0         81         0935202         P90320           921506-C         6         78.0         25.0         86         0935202         P90320           921508-C         8         78.0         25.0         100         0935202         P90320           921510-C         10         78.0         25.0         114         0935202         P90320           921512-C         12         78.0         25.0         132         0935202         P90320           921514-C         14         78.0         25.0         155         0935202         P90320           921517-C         17         78.0         25.0         191         0935202         P90320           921519-C         19         78.0         25.0         191         0935202         P90320 |          |      |      | -    |        |           |           |
|--|----------|------|------|------|--------|-----------|-----------|
| 921505-C         5         78.0         25.0         81         0935202         P90320           921506-C         6         78.0         25.0         86         0935202         P90320           921508-C         8         78.0         25.0         100         0935202         P90320           921510-C         10         78.0         25.0         114         0935202         P90320           921512-C         12         78.0         25.0         132         0935202         P90320           921514-C         14         78.0         25.0         155         0935202         P90320           921517-C         17         78.0         25.0         191         0935202         P90320  | Stock    | Size | L1   | D1   | Weight | Retaining | Retaining |
| 921506-C         6         78.0         25.0         86         0935202         P90320           921508-C         8         78.0         25.0         100         0935202         P90320           921510-C         10         78.0         25.0         114         0935202         P90320           921512-C         12         78.0         25.0         132         0935202         P90320           921514-C         14         78.0         25.0         155         0935202         P90320           921517-C         17         78.0         25.0         191         0935202         P90320   | No.      | mm   | mm   | mm   | g      | Ring      | Pin       |
| 921508-C         8         78.0         25.0         100         0935202         P90320           921510-C         10         78.0         25.0         114         0935202         P90320           921512-C         12         78.0         25.0         132         0935202         P90320           921514-C         14         78.0         25.0         155         0935202         P90320           921517-C         17         78.0         25.0         191         0935202         P90320  | 921505-C | 5    | 78.0 | 25.0 | 81     | 0935202   | P90320    |
| 921510-C         10         78.0         25.0         114         0935202         P90320           921512-C         12         78.0         25.0         132         0935202         P90320           921514-C         14         78.0         25.0         155         0935202         P90320           921517-C         17         78.0         25.0         191         0935202         P90320  | 921506-C | 6    | 78.0 | 25.0 | 86     | 0935202   | P90320    |
| 921512-C         12         78.0         25.0         132         0935202         P90320           921514-C         14         78.0         25.0         155         0935202         P90320           921517-C         17         78.0         25.0         191         0935202         P90320   | 921508-C | 8    | 78.0 | 25.0 | 100    | 0935202   | P90320    |
| 921514-C 14 78.0 25.0 155 0935202 P90320<br>921517-C 17 78.0 25.0 191 0935202 P90320   | 921510-C | 10   | 78.0 | 25.0 | 114    | 0935202   | P90320    |
| 921517-C 17 78.0 25.0 191 0935202 P90320   | 921512-C | 12   | 78.0 | 25.0 | 132    | 0935202   | P90320    |
|  | 921514-C | 14   | 78.0 | 25.0 | 155    | 0935202   | P90320    |
| 921519-C 19 78.0 25.0 216 0935202 P90320   | 921517-C | 17   | 78.0 | 25.0 | 191    | 0935202   | P90320    |
|  | 921519-C | 19   | 78.0 | 25.0 | 216    | 0935202   | P90320    |





#### **TTTS08** Torque Stick Set

8 piece torque stick and wheel nut set, for tightening wheel nuts on cars. When the intended tightening torque is reached, the socket end stops while the drive end springs back between each stroke. Reduces the risk of sheared wheel bolts or deformed rims. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 2.0 kilos)

| 1/2" Torque sticks     | Nm   | 90, 110, 120, 140 |
|------------------------|------|-------------------|
| 1/2" Wheel nut sockets | mm   | 17, 19, 21        |
| Torque step up adaptor | inch | 3/8 x 1/2         |



#### 1/2" Drive Torque Sticks

1/2" drive torqe sticks for tightening wheel nuts using percussive nut runners. When the intended tightening torque is reached the socket end stops while the drive end springs back between each stroke. Reduces the risk of sheared wheel bolts or deformed rims. Suitable for retaining rings and pins.

| Stock  | Drive | Torque | Length | Retaining | Retaining |
|--------|-------|--------|--------|-----------|-----------|
| No.    |       | Nm     | mm     | Ring      | Pin       |
| 923090 | 1/2"  | 90     | 200    | 0935202   | P90320    |
| 923110 | 1/2"  | 110    | 200    | 0935202   | P90320    |
| 923120 | 1/2"  | 120    | 200    | 0935202   | P90320    |
| 923140 | 1/2"  | 140    | 200    | 0935202   | P90320    |


1/2" Drive Torque Sticks →





222

223



#### 3/4" Drive Impact Sockets

#### 3/4" Drive Metric Impact Sockets

3/4" drive impact sockets regular 6 point metric, with locking pin and retaining ring facility. Chrome molybdenum.

| Stock    | Size | L    | T    | D1   | D2   | Weight | Retaining | Retaining |
|----------|------|------|------|------|------|--------|-----------|-----------|
| No.      | mm   | mm   | mm   | mm   | mm   | g      | Ring      | Pin       |
| 940519-C | 19   | 50.0 | 13.0 | 33.0 | 44.0 | 247    | 095036    | P90435    |
| 940521-C | 21   | 50.0 | 15.0 | 35.0 | 44.0 | 250    | 095036    | P90435    |
| 940522-C | 22   | 50.0 | 15.0 | 37.0 | 44.0 | 252    | 095036    | P90435    |
| 940523-C | 23   | 50.0 | 16.0 | 38.0 | 44.0 | 252    | 095036    | P90435    |
| 940524-C | 24   | 50.0 | 16.0 | 39.0 | 44.0 | 255    | 095036    | P90435    |
| 940527-C | 27   | 54.0 | 19.0 | 43.0 | 44.0 | 270    | 095036    | P90435    |
| 940528-C | 28   | 54.0 | 19.0 | 44.0 | 44.0 | 300    | 095036    | P90435    |
| 940530-C | 30   | 54.0 | 21.0 | 47.0 | 44.0 | 330    | 095036    | P90435    |
| 940532-C | 32   | 56.0 | 22.0 | 48.0 | 44.0 | 330    | 095036    | P90435    |
| 940533-C | 33   | 56.0 | 22.0 | 51.0 | 44.0 | 395    | 095036    | P90435    |
| 940534-C | 34   | 56.0 | 22.0 | 52.0 | 44.0 | 420    | 095036    | P90435    |
| 940536-C | 36   | 56.0 | 25.0 | 54.0 | 44.0 | 455    | 095036    | P90435    |
| 940538-C | 38   | 58.0 | 25.0 | 57.0 | 44.0 | 465    | 095036    | P90435    |
| 940540-C | 40   | 58.0 | 25.0 | 58.0 | 44.0 | 530    | 095036    | P90435    |
| 940541-C | 41   | 58.0 | 27.0 | 60.0 | 44.0 | 610    | 095036    | P90435    |
| 940546-C | 46   | 63.0 | 30.0 | 67.0 | 44.0 | 775    | 095036    | P90435    |
| 940550-C | 50   | 68.0 | 30.0 | 71.0 | 44.0 | 839    | 095036    | P90435    |



3/4" Drive Metric Impact Sockets →

#### 3/4" Drive Deep Metric Impact Sockets

3/4" drive impact sockets deep 6 point metric with locking pin and retaining ring facility. Chrome molybdenum.

| tock    | Size | L    | T  | D1   | D2   | Weight | Retaining | Retaining |
|---------|------|------|----|------|------|--------|-----------|-----------|
| lo.     | mm   | mm   | mm | mm   | mm   | g      | Ring      | Pin       |
| 40619-C | 19   | 95.0 | 31 | 33.0 | 44.0 | 595    | 095036    | P90435    |
| 40621-C | 21   | 95.0 | 31 | 35.0 | 44.0 | 610    | 095036    | P90435    |
| 40622-C | 22   | 95.0 | 31 | 37.0 | 44.0 | 620    | 095036    | P90435    |
| 40623-C | 23   | 95.0 | 31 | 38.0 | 44.0 | 630    | 095036    | P90435    |
| 40624-C | 24   | 95.0 | 31 | 39.0 | 44.0 | 640    | 095036    | P90435    |
| 40627-C | 27   | 95.0 | 31 | 43.0 | 44.0 | 680    | 095036    | P90435    |
| 40630-C | 30   | 95.0 | 33 | 47.0 | 44.0 | 720    | 095036    | P90435    |
| 40632-C | 32   | 95.0 | 33 | 49.0 | 44.0 | 870    | 095036    | P90435    |
| 40633-C | 33   | 95.0 | 34 | 51.0 | 44.0 | 860    | 095036    | P90435    |
| 40634-C | 34   | 95.0 | 34 | 52.0 | 44.0 | 810    | 095036    | P90435    |
| 40636-C | 36   | 95.0 | 36 | 54.0 | 44.0 | 830    | 095036    | P90435    |
| 40638-C | 38   | 95.0 | 36 | 57.0 | 44.0 | 920    | 095036    | P90435    |
| 40641-C | 41   | 95.0 | 36 | 58.0 | 44.0 | 790    | 095036    | P90435    |
| 40646-C | 46   | 95.0 | 36 | 67.0 | 44.0 | 900    | 095036    | P90435    |
| 40650-C | 50   | 95.0 | 36 | 71.0 | 44.0 | 1,227  | 095036    | P90435    |

3/4" Drive Deep Metric Impact Sockets →




#### 3/4" Drive Hex Bit Impact Sockets

3/4" drive impact hex socket bit, with locking pin and retaining ring facility. Chrome molybdenum.

| Stock    | Size | L    | T    | D1   | Weight | Retaining | Retaining |
|----------|------|------|------|------|--------|-----------|-----------|
| No.      | mm   | mm   | mm   | mm   | g      | Ring      | Pin       |
| 941519-C | 19   | 90.0 | 20.0 | 44.0 | 600    | 095036    | P90435    |
| 941522-C | 22   | 90.0 | 22.5 | 44.0 | 600    | 095036    | P90435    |
| 941524-C | 24   | 90.0 | 22.5 | 44.0 | 600    | 095036    | P90435    |

3/4" Drive Hex Bit Impact Sockets →










#### 940732-C 3/4" Drive Long Reach Impact Socket

400mm long 3/4" drive 32mm impact socket,

ideal for wheel nuts on recessed truck wheels.

| Stock    | Size | L   | T  | D1 | D2 | Weight | Retaining | Retaining |
|----------|------|-----|----|----|----|--------|-----------|-----------|
| No.      | mm   | mm  | mm | mm | mm | g      | Ring      | Pin       |
| 940732-C | 32   | 400 | 22 | 48 | 44 | 1850   | 095036    | P90435    |



#### 1" Drive Impact Sockets

#### 1" Drive Regular Impact Sockets

1" drive impact sockets regular, metric with locking pin and retaining ring facility. DIN standard for industrial use.

| ock  | Size | L     | T    | D1    | D2   | Weight | Retaining | Retaining |
|------|------|-------|------|-------|------|--------|-----------|-----------|
| )    | mm   | mm    | mm   | mm    | mm   | g      | Ring      | Pin       |
| 0524 | 24   | 58.0  | 18.0 | 41.0  | 54.0 | 640    | 097045    | P90545    |
| 0527 | 27   | 58.0  | 20.0 | 46.0  | 54.0 | 645    | 097045    | P90545    |
| 0530 | 30   | 60.0  | 21.0 | 49.0  | 54.0 | 680    | 097045    | P90545    |
| 0532 | 32   | 60.0  | 21.0 | 52.0  | 54.0 | 700    | 097045    | P90545    |
| 0533 | 33   | 60.0  | 21.0 | 53.0  | 54.0 | 700    | 097045    | P90545    |
| 0534 | 34   | 60.0  | 21.0 | 55.0  | 54.0 | 690    | 097045    | P90545    |
| 0536 | 36   | 65.0  | 30.0 | 56.0  | 54.0 | 700    | 097045    | P90545    |
| 0538 | 38   | 65.0  | 30.0 | 59.0  | 54.0 | 750    | 097045    | P90545    |
| 0541 | 41   | 67.0  | 30.0 | 63.0  | 54.0 | 850    | 097045    | P90545    |
| 0546 | 46   | 74.0  | 40.0 | 69.0  | 54.0 | 1005   | 097045    | P90545    |
| 0550 | 50   | 80.0  | 43.0 | 74.0  | 54.0 | 1220   | 097045    | P90545    |
| 0555 | 55   | 84.0  | 43.0 | 80.0  | 54.0 | 1470   | 097045    | P90545    |
| 0560 | 60   | 87.0  | 46.0 | 86.0  | 54.0 | 1610   | 097045    | P90545    |
| 0565 | 65   | 90.0  | 49.0 | 92.0  | 54.0 | 1890   | 097045    | P90545    |
| 0570 | 70   | 96.0  | 51.0 | 99.0  | 54.0 | 2355   | 097045    | P90545    |
| 0575 | 75   | 98.0  | 52.0 | 104.0 | 54.0 | 2455   | 097051    | P90551    |
| 0580 | 80   | 100.0 | 52.0 | 109.0 | 86.0 | 3750   | 097051    | P90551    |
| 0585 | 85   | 100.0 | 52.0 | 115.0 | 86.0 | 4750   | 0910075   | P90675    |
| 0590 | 90   | 100.0 | 55.0 | 119.0 | 86.0 | 6000   | 0910075   | P90675    |
| 0595 | 95   | 100.0 | 55.0 | 130.0 | 86.0 | 6500   | 097045    | P90545    |




#### 1" Drive Impact Sockets →

#### 1" Drive Deep Thinwall Impact Sockets

1" drive impact sockets thinwall deep 6 point metric, with locking pin and retaining ring facility. Chrome molybdenum. DIN standard for industrial use.

| Stock  | Size | L     | T    | D1   | D2   | Weight | Retaining | Retaining |
|--------|------|-------|------|------|------|--------|-----------|-----------|
| No.    | mm   | mm    | mm   | mm   | mm   | g      | Ring      | Pin       |
| 910624 | 24   | 100.0 | 28.0 | 38.0 | 54.0 | 830    | 097045    | P90545    |
| 910627 | 27   | 100.0 | 28.0 | 43.0 | 54.0 | 895    | 097045    | P90545    |
| 910628 | 28   | 100.0 | 28.0 | 43.0 | 54.0 | 895    | 097045    | P90545    |
| 910630 | 30   | 100.0 | 42.0 | 45.0 | 54.0 | 945    | 097045    | P90545    |
| 910632 | 32   | 100.0 | 45.0 | 47.0 | 54.0 | 935    | 097045    | P90545    |
| 910633 | 33   | 100.0 | 45.0 | 49.0 | 54.0 | 980    | 097045    | P90545    |
| 910636 | 36   | 100.0 | 66.0 | 52.0 | 54.0 | 870    | 097045    | P90545    |





#### 1" Drive Deep Impact Sockets

1" drive impact sockets deep 6 point metric, wih locking pin and retaining ring facility. Chrome molybdenum.

| Stock   | Size | L     | T    | D1   | D2   | Weight | Retaining | Retaining |
|---------|------|-------|------|------|------|--------|-----------|-----------|
| No      | mm   | mm    | mm   | mm   | mm   | g      | Ring      | Pin       |
| 910627R | 27   | 100.0 | 50.0 | 46.0 | 54.0 | 990    | 097045    | P90545    |
| 910630R | 30   | 100.0 | 50.0 | 50.0 | 54.0 | 1040   | 097045    | P90545    |
| 910632R | 32   | 100.0 | 50.0 | 52.0 | 54.0 | 1060   | 097045    | P90545    |
| 910633R | 33   | 100.0 | 50.0 | 53.0 | 54.0 | 1070   | 097045    | P90545    |

1" Drive Impact Sockets →




#### 910732 1" Drive Long Reach Impact Socket

400mm long 1" drive 32mm impact socket,

ideal for wheel nuts on recessed truck wheels.

| Stock  | Size | L   | T  | D1 | D2 | Weight | Retaining | Retaining |
|--------|------|-----|----|----|----|--------|-----------|-----------|
| No.    | mm   | mm  | mm | mm | mm | g      | Ring      | Pin       |
| 910732 | 32   | 270 | 28 | 48 | 54 | 1840   | 097045    | P90545    |



#### 1 1/2" Drive Metric Impact Sockets

#### 1 1/2" Drive Metric Impact Sockets

1 1/2" drive impact sockets, regular, metric with locking pion and retaining ring facility.

| Stock  | Size | L     | Т    | D1    | D2    | Weight | Retaining | Retaining |  |
|--------|------|-------|------|-------|-------|--------|-----------|-----------|--|
| No     | mm   | mm    | mm   | mm    | mm    | g      | Ring      | Pin       |  |
| 912041 | 41   | 80.0  | 27.0 | 69.0  | 86.0  | 1,800  | 0910075   | P90675    |  |
| 912046 | 46   | 84.0  | 29.0 | 75.0  | 86.0  | 2,000  | 0910075   | P90675    |  |
| 912050 | 50   | 87.0  | 30.0 | 80.0  | 86.0  | 2,400  | 0910075   | P90675    |  |
| 912055 | 55   | 90.0  | 32.0 | 86.0  | 86.0  | 2,600  | 0910075   | P90675    |  |
| 912060 | 60   | 95.0  | 35.0 | 91.0  | 86.0  | 2,870  | 0910075   | P90675    |  |
| 912065 | 65   | 100.0 | 38.0 | 100.0 | 86.0  | 3,230  | 0910075   | P90675    |  |
| 912070 | 70   | 105.0 | 40.0 | 104.0 | 86.0  | 3,670  | 0910075   | P90675    |  |
| 912075 | 75   | 105.0 | 42.0 | 105.0 | 86.0  | 4.000  | 0910075   | P90675    |  |
| 912080 | 80   | 110.0 | 46.0 | 116.0 | 86.0  | 4,300  | 0910075   | P90675    |  |
| 912085 | 85   | 110.0 | 46.0 | 123.0 | 86.0  | 4,600  | 0910075   | P90675    |  |
| 912090 | 90   | 112.0 | 48.0 | 129.0 | 86.0  | 5,100  | 0910075   | P90675    |  |
| 912095 | 95   | 112.0 | 48.0 | 136.0 | 127.0 | 7,700  | 09100115  | P906110   |  |
| 912100 | 100  | 115.0 | 50.0 | 142.0 | 127.0 | 8,200  | 09100115  | P906110   |  |
| 912105 | 105  | 120.0 | 52.0 | 148.0 | 127.0 | 8,600  | 09100115  | P906110   |  |
| 912110 | 110  | 124.0 | 54.0 | 154.0 | 127.0 | 9,100  | 09100115  | P906110   |  |
| 912115 | 115  | 128.0 | 56.0 | 161.0 | 127.0 | 10,300 | 09100115  | P906110   |  |
| 912120 | 120  | 132.0 | 58.0 | 167.0 | 127.0 | 11,500 | 09100115  | P906110   |  |
| 912125 | 125  | 136.0 | 60.0 | 173.0 | 127.0 | 12,500 | 09100115  | P906110   |  |
| 912130 | 130  | 140.0 | 60.0 | 180.0 | 127.0 | 13,500 | 09100115  | P906110   |  |







#### **Combination spanners**

- Manufactured and designed in accordance with DIN3113A in high grade chrome vanadium steel.
- The ring head is offset 15 degrees to facilitate use even on flat surfaces.
- All ring heads are equipped with Teng Tools "hip grip" system, which means the contact surface grips on the flat surfaces of the nut or bolt head rather than on the corner. This system helps to prevent damage to nuts and bolts and makes it possible to grip nuts and bolts which already have damaged corners.

#### Newly developed series of non slip combination spanners

- The ring head is offset 15 degrees and is also countersunk so you can gain access in confined areas.
- The ring head is equipped with Teng Tools "hip grip" system that prevents damage to nuts and makes it possible to grip already damaged nuts.
- Hole in the handle for tool securing.
- The design of the shaft ensures an improved grip to avoid slipping and cause injury.
- The new design includes an anti-slip grip at the open end.

#### Ring ratchet spanners

- Ratchet spanners with 15 degree offset head for easier use against flat surfaces.
- Lever for quick reversing between left and righthand action.
- 72 teeth give an arc of 5 degrees for smooth handling.

#### Ring ratchet spanners with flexible head

- Ring ratchet spanner with 180 degree flexible pivot to gain access to even the most hard to reach nuts and bolts.
- 72 teeth give an arc of 5 degrees for smooth operation.



#### TT8012 Anti slip Combination Spanner Set

12 piece metric combination spanner set featuring a typically Teng new design in combination spanners that gives an anti slip grip on the open end as well as the Teng Tools hip grip function where the spanner drives on the flank of the fastening rather than the corner, two design features that combine to give a much better grip with much less risk of damage to the fastening. The design also gives grip on fastenings with worn or rounded corners. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.2 kilos)



Combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### TED8012 Anti slip Combination Spanner Set

12 piece metric combination spanner set featuring a typically Teng new design in combination spanners that gives an anti slip grip on the open end as well as the Teng Tools hip grip function where the spanner drives on the flank of the fastening rather than the corner, two design features that combine to give a much better grip with much less risk of damage to the fastening. The design also gives grip on fastenings with worn or rounded corners. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.50 kilos)

Combination spanners

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### WR8012 Anti slip Combination Spanner Set

12 piece metric combination spanner set featuring a typically Teng new design in combination spanners that gives an anti slip grip on the open end as well as the Teng Tools hip grip function where the spanner drives on the flank of the fastening rather than the corner, two design features that combine to give a much better grip with much less risk of damage to the fastening. The design also gives grip on fastenings with worn or rounded corners. Complete with a wall rack for fixing to the wall or a work bench.

O

e e u

Combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### TT1236 Metric combination spanner set

12 piece metric spanner set, chrome vanadium steel. Same dimension at both ends. The 12 point ring head is set at a 15° angle. Polished heads. Satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.7 kilos)

Combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### TT3592 AF Combination spanner set

8 piece AF spanner set, chrome vanadium steel. Same dimension at both ends. The 12 point ring head is set at a 15° angle. Polished heads. Satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.0 kilos)

Combination spanners 5/16" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4"



#### TTX2032 Metric combination spanner set

7 piece metric combination spanner set ranging from 20 to 32mm. Chrome vanadium steel. The 12 point ring head is angled at a 15° angle. Satin finish. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x60mm, 2.6 kilos)



**Combination spanners** 

20, 21, 22, 24, 27, 30, 32mm

#### TTX2640 AF combination spanner set

7 piece combination spanner set ranging from 13/16" to 1 1/4". Chrome vanadium steel. The 12 point ring head is angled at a 15° angle. Satin finish. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x72mm, 2.6 kilos)



13/16" 7/8" 15/16" 1" 11/4" 11/4"

#### **WRSP12** Combination Spanner Set

12 piece metric combination spanner set. Satin finish. Chrome vanadium. Complete with a wall rack for fixing to the wall or a work bench.

Combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### TED6515 Combination Spanner Set

15 piece metric combination spanner set covering 5.5 to 19mm. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.61 kilos)

Combination spanners 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### **TEX2032** Combination Spanner Set

7 piece metric combination spanner set covering 20 to 32mm. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x60mm, 2.77 kilos)



Combination spanners

20, 21, 22, 24, 27, 30, 32mm





Tools

#### TTESP31 Metric combination spanner set

Set containing metric combination spanners covering 5.5mm to 38mm. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 8.47 kilos)

5.5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. Combination snanners

25, 26, 27, 28, 29, 30, 32, 33, 34, 36, 38mm



#### **TTESP37** Metric spanner set

Set containing metric ratcheting combination spanners, metric double open ended spanners and double ring spanners. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 7.62 kilos)

| Ratcheting combination spanners | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27mm                |
|---------------------------------|---|
| Double open ended spanners      | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm |
| Double ring spanners            | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm |

#### TTEX32 32 piece spanner and file set

Teng

Set containing a complete range of combination spanners, ratcheting combination spanners and engineers files. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 5.65 kilos)



| Combination spanners            | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm |
|---------------------------------|--|
| Ratcheting combination spanners | 8, 10, 11, 12, 13, 14, 17, 19mm  |
| 10" engineers files             | flat, round, half round, three square and hand type flat                   |

#### TTEAF62 AF socket & spanner set

Set containing AF combination spanners and socketry covering 3/16" to 11/4". Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 5.9 kilos)



| Combination spanners | inch       |          | 5/16" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8" 15/16" 1" 11/4" 11/4" |
|----------------------|------------|----------|--|
| Regular sockets      | 1/4" drive | 6 point  | 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2"                            |
| Deep sockets         | 1/4" drive | 6 point  | 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16", 1/2"                           |
| Regular sockets      | 3/8" drive | 6 point  | 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4"   |
| Deep sockets         | 3/8" drive | 6 point  | 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4"   |
| Regular sockets      | 1/2" drive | 12 point | 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8" 15/16" 1" 11/4" 11/4" 11/4" |



#### 8512MM Anti Slip Combination Spanner Set

12 piece metric combination spanner set featuring a typically Teng new design in combination spanners that gives an anti slip grip on the open end as well as the Teng Tools hip grip function where the spanner drives on the flank of the fastening rather than the corner, two design features that combine to give a much better grip with much less risk of damage to the fastening. The design also gives grip on fastenings with worn or rounded corners. Supplied in a handy tool roll.



8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

#### 8512A Anti Slip Combination Spanner Set

12 piece metric combination spanner set featuring a typically Teng new design in combination spanners that gives an anti slip grip on the open end as well as the Teng Tools hip grip function where the spanner drives on the flank of the fastening rather than the corner, two design features that combine to give a much better grip with much less risk of damage to the fastening. The design also gives grip on fastenings with worn or rounded corners. Supplied in a handy fold out storage case with magnetic fixing.





#### 6510A Combination Spanner Set

A set of 10 metric combination spanners. Chrome vanadium. Satin Finish. In a plastic holder for carrying away or fixing on the wall or on a work bench panel, DIN 3113A.

Combination spanners 8, 10, 11, 12, 13, 14, 15, 16, 17, 19mm



#### **6510MM** Combination Spanner Set

10 piece metric combination spanner set with the same dimension at both ends. The 12 point ring end is set at 15 angle. Polished heads with satin finish. Supplied in a handy tool roll.

Combination spanners 8. 9, 10, 11, 12, 13, 14, 15, 17, 19mm





232

233

## Tools

Teng

# Tools

#### 6512N 12 Piece Combination spanner set

12 piece metric combination spanner set with the same dimension at both ends. The 12 point ring end is set at a 15° angle. Polished heads with satin finish. Supplied in a coloured display box only.

Combination spanners

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

#### 6512 12 Piece Combination Spanner Set

12 piece metric combination spanner set with the same dimension at both ends. The 12 point ring end is set at a 15° angle. Polished heads with satin finish. Supplied in a coloured display box only.

Combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22mm



#### 6512MM1 Combination spanner set

12 piece metric combination spanner set with the same dimension at both ends. The 12 point ring end is set at a 15° angle. Polished heads with satin finish. Supplied in a handy tool roll.

Combination spanners

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

#### **6515MM** Combination Spanner Set 15 piece metric combination spanner set with the same dimension at both ends. The 12 point ring head is set at a 15° angle. Polished heads with satin finish.

Combination spanners

Supplied in a handy tool roll.

5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

#### 6517MM Combination Spanner Set

17 piece metric combination spanner set with the same dimension at both ends. The 12 point ring head is set at a 15° angle. Polished heads with satin finish. Supplied in a handy tool roll.

Combination spanners 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm



#### 6517 17 Piece Combination spanner set

17 piece metric combination spanner set with the same dimension at both ends. The 12 point ring end is set at a 15° angle. Polished heads with satin finish. Supplied in a coloured display box only.

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm



#### 6512MM Combination Spanner Set

12 piece metric combination spanner set with the same dimension at both ends. The 12 point ring head is set at a 15° angle. Polished heads with satin finish. Supplied in a handy tool roll.

**Combination spanners** 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32mm



#### 6521 21 Piece Combination spanner set

21 piece metric combination spanner set with the same dimension at both ends. The 12 point ring end is set at a 15° angle. Polished heads with satin finish. Supplied in a coloured display box only.

Combination spanners 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm



#### 6526MM Combination spanner set

26 piece metric combination spanner set with the same dimension at both ends. The 12 point ring head is set at a 15° angle. Polished heads with satin finish. Supplied in a handy tool roll.

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,

20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32mm









## Tools

#### 6507JMM Combination Spanner Set

7 piece metric combination spanner set with the same dimension at both ends. The 12 point ring head is set at a 15° angle. Polished heads with satin finish. Supplied in a handy tool roll.

Combination spanners 33, 34, 36, 38, 41, 46, 50mm



Supplied in a handy tool roll.

Combination spanners 1/4" 5/16" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4"

#### 6507AF Combination Spanner Set

7 piece AF combination spanner set with the same dimension at both ends. The 12 point ring head is set at a 15° angle. Polished heads with satin finish. Supplied in a handy tool roll.

Combination spanners 13/16" 7/8" 15/16" 1" 11/6" 11/4"

7 piece AF combination spanner set with the same dimension at both ends. The 12 point ring head is set at a 15° angle. Polished heads with satin finish. Supplied in a handy tool roll.

Combination spanners 1%" 1%" 1%" 1½" 1%", 1%", 1%"

**6507JAF** Combination Spanner Set









#### 6515MMA Combination Spanner Set

15 piece metric combination spanner set with the same dimension at both ends. The 12 point ring head is set at a 15° angle. Polished heads with satin finish. Supplied in a special holder so that it can be connected with set 6512MMA.

Combination spanners 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### **6512MMA** Combination Spanner Set

12 piece metric combination spanner set with the same dimension at both ends. The 12 point ring head is set at a 15° angle. Polished heads with satin finish. .... Experiencing near is set at a 15° angle. Polished heads with satin finish. Supplied in a special holder so that it can be connected with sets 6515MMA and 6507JMMA.

Combination spanners 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32mm



#### 6507JMMA Combination Spanner Set

7 piece metric combination spanner set with the same dimension at both ends. The 12 point ring head is set at a 15° angle. Polished heads with satin finish. Supplied in a special holder so that it can be connected with set 6512MMA.

Combination spanners 33, 34, 36, 38, 41, 46, 50mm



#### Non slip combination spanners


A typically Teng new design in combination spanners that gives an anti slip grip on the open end as well as the Teng Tools hip grip function where the spanner drives on the flank of the fastening rather than the corner, two design features that combine to give a much better grip with much less risk of damage to the fastening. The design also gives grip on fastenings with worn or rounded corners.

| Stock no. | Size | L   | H1   | H2  | D1   | D2   | Т   | Weight |  |
|-----------|------|-----|------|-----|------|------|-----|--------|--|
|           |      | mm  | mm   | mm  | mm   | mm   | mm  | g      |  |
| 800608    | 8    | 120 | 6.6  | 4.5 | 12.8 | 18.9 | 3.2 | 24     |  |
| 800609    | 9    | 130 | 7.0  | 4.5 | 14.2 | 20.8 | 3.2 | 28     |  |
| 800610    | 10   | 140 | 7.7  | 5.0 | 15.6 | 22.5 | 3.6 | 36     |  |
| 800611    | 11   | 150 | 8.4  | 5.4 | 16.9 | 24.5 | 3.6 | 46     |  |
| 800612    | 12   | 160 | 8.5  | 5.5 | 18.0 | 27.2 | 3.6 | 58     |  |
| 800613    | 13   | 170 | 8.8  | 5.9 | 19.5 | 29.6 | 3.9 | 71     |  |
| 800614    | 14   | 180 | 9.6  | 6.2 | 21.5 | 31.1 | 4.0 | 81     |  |
| 800615    | 15   | 185 | 10.1 | 6.4 | 22.8 | 32.5 | 4.2 | 93     |  |
| 800616    | 16   | 195 | 10.5 | 6.5 | 24.2 | 35.0 | 4.5 | 110    |  |
| 800617    | 17   | 202 | 11.0 | 6.9 | 25.2 | 37.0 | 4.5 | 123    |  |
| 800618    | 18   | 208 | 11.5 | 7.1 | 26.8 | 39.0 | 4.8 | 135    |  |
| 800619    | 19   | 218 | 12.2 | 7.5 | 28.4 | 41.1 | 5.0 | 156    |  |

Non slip combination spanners →














#### **Spanners**

Metric Combination Spanners Combination Spanners, Metric, DIN 3113A, Offset 15 degrees, Chrome vanadium. Satin Finish. Same dimension at both ends. The 12 point ring end is set at a 15° angle

| Stock no. | Size | L   | H1   | H2   | D1    | D2    | T    | Weight |
|-----------|------|-----|------|------|-------|-------|------|--------|
|           | mm   | mm  | mm   | mm   | mm    | mm    | mm   | g      |
| 6005055   | 5.5  | 95  | 4.1  | 3.5  | 8.9   | 13.6  | 2.4  | 11     |
| 600506    | 6    | 100 | 4.7  | 4.0  | 10.1  | 15.5  | 2.7  | 17     |
| 600507    | 7    | 110 | 5.0  | 4.0  | 11.5  | 17.0  | 2.8  | 23     |
| 600508    | 8    | 120 | 5.5  | 4.5  | 12.8  | 19.2  | 3.0  | 25     |
| 600509    | 9    | 130 | 5.9  | 4.5  | 14.2  | 21.2  | 3.3  | 28     |
| 600510    | 10   | 140 | 6.5  | 5.0  | 15.6  | 23.2  | 3.5  | 38     |
| 600511    | 11   | 150 | 6.9  | 5.4  | 16.9  | 25.3  | 3.7  | 47     |
| 600512    | 12   | 160 | 7.3  | 5.5  | 18.3  | 27.2  | 3.9  | 60     |
| 600513    | 13   | 170 | 7.8  | 5.9  | 19.7  | 29.4  | 4.1  | 68     |
| 600514    | 14   | 180 | 8.3  | 6.2  | 21.2  | 31.5  | 4.4  | 84     |
| 600515    | 15   | 190 | 8.6  | 6.4  | 22.5  | 33.2  | 4.6  | 98     |
| 600516    | 16   | 200 | 8.9  | 6.7  | 24.0  | 34.7  | 4.8  | 104    |
| 600517    | 17   | 210 | 9.3  | 6.9  | 25.3  | 36.5  | 5.0  | 124    |
| 600518    | 18   | 220 | 9.9  | 7.2  | 26.8  | 38.7  | 5.2  | 141    |
| 600519    | 19   | 230 | 10.5 | 7.4  | 28.1  | 40.7  | 5.4  | 158    |
| 600520    | 20   | 240 | 10.9 | 7.7  | 29.7  | 43.1  | 5.6  | 184    |
| 600521    | 21   | 250 | 11.3 | 8.0  | 31.3  | 44.8  | 5.7  | 209    |
| 600522    | 22   | 260 | 11.5 | 8.2  | 32.6  | 46.9  | 5.8  | 216    |
| 600523    | 23   | 270 | 11.8 | 8.4  | 34.2  | 48.3  | 5.9  | 258    |
| 600524    | 24   | 280 | 12.1 | 8.7  | 35.5  | 50.4  | 6.0  | 265    |
| 600525    | 25   | 290 | 12.5 | 8.9  | 36.9  | 52.0  | 6.2  | 296    |
| 600526    | 26   | 300 | 12.8 | 9.2  | 38.2  | 53.6  | 6.4  | 342    |
| 600527    | 27   | 310 | 13.1 | 9.4  | 39.6  | 55.7  | 6.6  | 385    |
| 600528    | 28   | 320 | 13.3 | 9.7  | 40.9  | 57.6  | 6.8  | 397    |
| 600529    | 29   | 330 | 13.5 | 9.9  | 42.3  | 59.7  | 7.0  | 435    |
| 600530    | 30   | 340 | 13.7 | 10.1 | 43.7  | 61.8  | 7.1  | 459    |
| 600532    | 32   | 360 | 14.3 | 10.4 | 46.4  | 65.8  | 7.3  | 527    |
| 600533    | 33   | 380 | 15.0 | 10.7 | 48.8  | 69.2  | 7.5  | 654    |
| 600534    | 34   | 380 | 15.0 | 10.7 | 48.8  | 69.2  | 7.5  | 674    |
| 600536    | 36   | 410 | 19.2 | 13.5 | 53.5  | 74.0  | 8.0  | 831    |
| 600538    | 38   | 430 | 20.4 | 15.0 | 56.0  | 77.0  | 9.0  | 967    |
| 600541    | 41   | 460 | 21.6 | 16.0 | 61.0  | 84.0  | 10.0 | 1257   |
| 600546    | 46   | 500 | 23.0 | 17.0 | 66.0  | 92.0  | 11.0 | 1693   |
| 600550    | 50   | 540 | 24.6 | 18.0 | 73.0  | 102.0 | 12.0 | 2048   |
| 600555    | 55   | 560 | 21.5 | 28.0 | 86.0  | 118.0 | 14.5 | 2800   |
| 600558    | 58   | 600 | 23.5 | 30.0 | 94.0  | 126.0 | 16.0 | 3900   |
| 600560    | 60   | 600 | 23.5 | 30.0 | 94.0  | 126.0 | 16.0 | 3900   |
| 600565    | 65   | 680 | 25.0 | 32.0 | 108.0 | 148.0 | 18.0 | 5800   |
| 600570    | 70   | 680 | 25.0 | 32.0 | 108.0 | 148.0 | 18.0 | 5800   |





Metric Combination Spanners →

#### DO'S AND DONT'S OF SPANNERS

The right size spanner

Use the correct size spanner, the wrong size spanner will damage the fastening making it more difficult to tighten or loosen. It might also damage the spanner.

The right type of spanner

Use the spanner type that gives you the best access, the most secure hold on the fastening and best turns the fastening (e.g. ratcheting spanners are very good for turning quickly but fixed spanners can give much more torque

After use always check the tools are clean and dry before putting them away, this will help to avoid problems such as corrosion and moving parts seizing or becoming tight.

Do not use scaffolding poles or similar

If the fastening will not turn with the tools you are using you need to use a more powerful tool such as a larger tool or even an impact power tool. Do not use bars to increase the leverage - it is dangerous and can break the tool.


Do not use a vehicle to turn the nut

Do not fix a spanner or wrench on to a fastening and then drive the vehicle to force it to turn - needless to say it is dangerous and can break the tools.

#### **AF Combination Spanners**

Combination Spanners, AF (SAE), DIN 3113A. Chrome vanadium. Satin Finish. Same dimension at both ends. The 12 point ring is at a 15° angle.

| Stock no. | Size   | L   | H1   | H2   | D1   | D2    | Т    | Weight |  |
|-----------|--------|-----|------|------|------|-------|------|--------|--|
|           |        | mm  | mm   | mm   | mm   | mm    | mm   | g      |  |
| 600108    | 1/4"   | 100 | 4.7  | 4.0  | 10.1 | 15.5  | 2.7  | 16     |  |
| 600110    | 5/16"  | 120 | 5.5  | 4.5  | 12.8 | 19.2  | 3.0  | 25     |  |
| 600112    | 3/8"   | 140 | 6.5  | 5.0  | 15.6 | 23.2  | 3.5  | 37     |  |
| 600114    | 7/16"  | 150 | 6.9  | 5.4  | 16.9 | 25.3  | 3.7  | 50     |  |
| 600116    | 1/2"   | 170 | 7.8  | 5.9  | 19.7 | 29.4  | 4.1  | 69     |  |
| 600118    | 9/16"  | 180 | 8.3  | 6.2  | 21.2 | 31.5  | 4.4  | 80     |  |
| 600120    | 5/8"   | 200 | 8.9  | 6.7  | 24.0 | 34.7  | 4.8  | 107    |  |
| 600122    | 11/16" | 210 | 9.3  | 6.9  | 25.3 | 36.5  | 5.0  | 127    |  |
| 600124    | 3/4"   | 230 | 10.5 | 7.4  | 28.1 | 40.7  | 5.4  | 157    |  |
| 600126    | 13/16" | 250 | 11.3 | 8.0  | 31.3 | 44.8  | 5.7  | 212    |  |
| 600128    | 7/8"   | 260 | 11.5 | 8.2  | 32.6 | 46.9  | 5.8  | 204    |  |
| 600130    | 15/16" | 280 | 12.1 | 8.7  | 35.5 | 50.4  | 6.0  | 264    |  |
| 600132    | 1"     | 290 | 12.5 | 8.9  | 36.9 | 52.0  | 6.2  | 310    |  |
| 600134    | 11/16" | 310 | 13.1 | 9.4  | 39.6 | 55.7  | 6.6  | 400    |  |
| 600136    | 1½"    | 330 | 13.3 | 9.7  | 40.9 | 57.6  | 6.8  | 415    |  |
| 600140    | 1¼"    | 360 | 14.3 | 10.4 | 46.4 | 65.8  | 7.3  | 540    |  |
| 600142    | 15/16" | 380 | 15.0 | 10.7 | 48.8 | 69.2  | 7.5  | 649    |  |
| 600144    | 1%"    | 410 | 19.2 | 13.5 | 53.0 | 74.0  | 8.0  | 858    |  |
| 600146    | 1716"  | 410 | 19.2 | 13.5 | 53.0 | 74.0  | 8.0  | 838    |  |
| 600148    | 1½"    | 430 | 20.4 | 15.0 | 56.0 | 77.0  | 9.0  | 1002   |  |
| 600152    | 1%"    | 460 | 21.6 | 16.0 | 61.0 | 84.0  | 10.0 | 1309   |  |
| 600156    | 1¾"    | 500 | 23.0 | 17.0 | 66.0 | 92.0  | 11.0 | 1595   |  |
| 600160    | 1%"    | 540 | 24.6 | 18.0 | 73.0 | 102.0 | 12.0 | 2097   |  |



AF Combination Spanners →

#### TT6508R Ratcheting combination spanner set

8 piece ratcheting combination spanner set. Combined ring/open ended spanners with 12 point ring. Ratchet with flip reverse and offset by 13° for use on flat surfaces. Same size at both ends. Chrome vanadium. Satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.0 kilos)

8, 10, 11, 12, 13, 14, 17, 19mm



leng

Tools

#### TT6511R Ratcheting combination spanner set

11 piece ratcheting combination spanner set. Combined ring/open ended spanners with 12 point ring. Ratchet with flip reverse and offset by 13° for use on flat surfaces. Same size at both ends. Chrome vanadium. Satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.34 kilos)

8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### **TED6512R** Ratcheting Combination Spanner Set

12 piece set of metric ratcheting combination spanners with flip reverse. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.83 kilos)

Ratcheting combination spanners

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm





# TENGTOOLS STOCK NO. ASSESSMENT

#### 6508RMM Ratcheting Spanner Set

8 piece ratcheting combination spanner set. Combined ring/open ended spanners with 12 point ring. Ratchet with flip reverse and offset by 13° for use on flat surfaces. Same size at both ends. Chrome vanadium. Satin finish.

Ratchet spanners 8, 10, 11, 12, 13, 14, 17, 19mm

#### 6510RMM Ratcheting Spanner Set

10 piece ratcheting combination spanner set. Combined ring/open ended spanners with a 12 point ring. Ratchet with flip reverse and offset by 13° for use on flat surfaces. Same size at both ends. Chrome vanadium. Satin finish. Supplied in a handy storage wallet.

Ratchet spanners 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### **Ratcheting Metric Combination Spanner Range**

Ratcheting Combination Spanners. Combined ring/open ended spanner with 72 teeth and 12 point ring ratchet with flip reverse. Same size at both ends. The 12 point ratcheting ring end is offset at a 13° angle. Chrome vanadium. Satin Finish. DIN3113A.

| Stock no. | Size | L   | H1   | H2   | D1   | D2   | Т   | Weight |  |
|-----------|------|-----|------|------|------|------|-----|--------|--|
|           | mm   | mm  | mm   | mm   | mm   | mm   | mm  | g      |  |
| 600508R   | 8    | 140 | 6.5  | 4.0  | 17.0 | 17.0 | 2.8 | 30     |  |
| 600509R   | 9    | 150 | 6.9  | 4.4  | 18.5 | 19.0 | 2.7 | 30     |  |
| 600510R   | 10   | 159 | 7.3  | 4.8  | 20.0 | 21.0 | 3.3 | 50     |  |
| 600511R   | 11   | 165 | 7.7  | 5.2  | 22.0 | 23.0 | 3.6 | 70     |  |
| 600512R   | 12   | 172 | 8.2  | 5.5  | 23.0 | 25.0 | 3.9 | 80     |  |
| 600513R   | 13   | 178 | 8.5  | 5.8  | 25.0 | 27.0 | 4.0 | 100    |  |
| 600514R   | 14   | 191 | 9.0  | 6.2  | 27.0 | 29.0 | 4.3 | 120    |  |
| 600515R   | 15   | 200 | 9.4  | 6.5  | 28.0 | 31.0 | 4.5 | 140    |  |
| 600516R   | 16   | 208 | 9.9  | 6.8  | 30.0 | 33.0 | 4.7 | 170    |  |
| 600517R   | 17   | 226 | 10.3 | 7.2  | 32.0 | 36.0 | 5.0 | 200    |  |
| 600518R   | 18   | 237 | 10.7 | 7.7  | 33.0 | 38.0 | 5.2 | 210    |  |
| 600519R   | 19   | 248 | 11.2 | 8.2  | 34.0 | 40.0 | 5.5 | 220    |  |
| 600522R   | 22   | 290 | 13.0 | 9.0  | 38.4 | 45.0 | 6.0 | 360    |  |
| 600524R   | 24   | 323 | 14.5 | 9.8  | 43.6 | 52.0 | 6.5 | 510    |  |
| 600527R   | 27   | 359 | 15.5 | 10.5 | 52.5 | 56.0 | 7.7 | 640    |  |
| 600530R   | 30   | 403 | 17.0 | 11.4 | 58.5 | 59.0 | 8.2 | 880    |  |
| 600532R   | 32   | 425 | 17.5 | 12.5 | 62.5 | 63.0 | 8.7 | 1080   |  |
|           |      |     |      |      |      |      |     |        |  |

Ratcheting Metric Combination Spanner Range →

#### TT6508RS Ratcheting combination spanner set

8 piece ratcheting combination spanner set. Combined ring/open ended spanners with 12 point ring. 72 teeth ratchet action for rapid tightening and loosening. Same size at both ends. Chrome vanadium. Satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.14 kilos)

Ratchet spanners 8, 10, 11, 12, 13, 14, 17, 19mm



#### TT6511RS Ratcheting combination spanner set

11 piece ratcheting combination spanner set. Combined ring/open ended spanners with 12 point ring. 72 teeth ratchet action for rapid tightening and loosening. Same size at both ends. Chrome vanadium. Satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.34 kilos)

8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### TED6512RS Ratcheting Combination Spanner Set

12 piece set of metric ratcheting combination spanners. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.91 kilos)

Ratcheting combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### WRSP12RS Ratcheting Combination Spanner Set

12 piece ratcheting combination spanner set. Satin finish. Chrome vanadium. Complete with a wall rack for fixing to the wall or a work bench.

Combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### 6508RSMM Ratcheting spanner set

8 piece ratcheting combination spanner set. Combined ring/open ended spanners with 12 point ring. 72 teeth ratchet action for rapid tightening and loosening. Same size at both ends. Chrome vanadium. Satin finish.

Ratchet spanners 8, 10, 11, 12, 13, 14, 17, 19mm



#### 65RS12 Ratcheting Combination Spanner Set

- 12 piece ratcheting combination spanner set.
- Combined ring/open ended spanners
- 72 teeth with 12 point ratcheting ring end
- Chrome vanadium
- · Supplied in plastic tray

Ratchet spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm









#### 6512RSMM Ratcheting Spanner Set

1 2 piece ratcheting combination spanner set. Combined ring/open ended spanners with 12 point ring. 72 teeth ratchet action for rapid tightening and loosening. Same size at both ends. Chrome vanadium. Satin finish.


Ratchet spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### **Ratcheting Combination Spanner Range**

Ratcheting combination spanners. Combined ring/open ended spanner with 72 teeth and 12 point ring ratchet. Same size at both ends. DIN899.

| Stock    | Ciro | L     | Α    | P    | С    | 0    | ш    | _   | Woight |
|----------|------|-------|------|------|------|------|------|-----|--------|
|          | Size | _     |      | В    |      | D    | Н    | Т   | Weight |
| No.      | mm   | mm    | mm   | mm   | mm   | mm   | mm   | mm  | g      |
| 600508RS | 8    | 111.0 | 19.6 | 17.0 | 4.0  | 6.8  | 8.0  | 2.8 | 30     |
| 600509RS | 9    | 123.0 | 20.8 | 19.0 | 4.4  | 7.2  | 9.0  | 2.9 | 41     |
| 600510RS | 10   | 131.0 | 22.0 | 20.0 | 4.8  | 7.6  | 9.5  | 3.3 | 48     |
| 600511RS | 11   | 147.0 | 24.2 | 21.0 | 5.2  | 8.0  | 10.0 | 3.6 | 62     |
| 600512RS | 12   | 155.0 | 25.7 | 23.0 | 5.5  | 8,5  | 11.0 | 3.9 | 78     |
| 600513RS | 13   | 164.0 | 27.2 | 25.0 | 5.8  | 8.9  | 12.0 | 4.0 | 88     |
| 600514RS | 14   | 182.0 | 30.8 | 27.0 | 6.2  | 9.3  | 13.0 | 4.3 | 112    |
| 600515RS | 15   | 192.0 | 32.4 | 28.0 | 6.5  | 9.7  | 13.6 | 4.5 | 123    |
| 600516RS | 16   | 202.0 | 34.0 | 30.0 | 6.8  | 10.2 | 14.4 | 4.7 | 144    |
| 600517RS | 17   | 223.0 | 37.7 | 32.0 | 7.2  | 10.6 | 15.3 | 5.0 | 192    |
| 600518RS | 18   | 234.0 | 39.3 | 33.0 | 7.7  | 11.0 | 16.2 | 5.2 | 207    |
| 600519RS | 19   | 246.0 | 40.8 | 34.0 | 8.2  | 11.5 | 17.0 | 5.5 | 233    |
| 600520RS | 20   | 285.0 | 46.0 | 42.0 | 10.0 | 13.0 | 18.8 | 6.4 | 385    |
| 600521RS | 21   | 285.0 | 46.0 | 42.0 | 10.0 | 13.0 | 18.8 | 6.4 | 385    |
| 600522RS | 22   | 285.0 | 46.0 | 42.0 | 10.0 | 13.0 | 18.8 | 6.4 | 387    |
| 600524RS | 24   | 325.0 | 51.5 | 47.5 | 11.0 | 14.5 | 20.6 | 7.0 | 511    |
|          |      |       |      |      |      |      |      |     |        |



#### TT6508RAF AF Ratcheting spanner set

Teng

8 piece ratcheting AF combination spanner set. Combined ring/open ended spanners with 12 point ring ratchet with flip reverse and offset at 13° for use on flat surfaces. Same size at both ends. Chrome vanadium. Satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.18 kilos)

Ratchet spanners 5/16" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4"



#### **Ratcheting AF Combination Spanner Range**

AF Ratcheting Combination Spanners. Combined ring/open ended spanner with 72 teeth and 12 point ring ratchet with flip reverse. Same size at both ends, offset at a 13° angle Chrome vanadium. Satin Finish. DIN3113A.

| Stock no. | Size   | L   | H1   | H2  | D1   | D2   | T   | Weight |
|-----------|--------|-----|------|-----|------|------|-----|--------|
|           |        | mm  | mm   | mm  | mm   | mm   | mm  | g      |
| 600110R   | 5/16"  | 140 | 6.5  | 4.6 | 16.6 | 16.7 | 3.0 | 30     |
| 600112R   | 3/8"   | 159 | 7.3  | 5.3 | 20.0 | 20.8 | 3.4 | 50     |
| 600114R   | 7/16"  | 165 | 7.7  | 5.6 | 21.8 | 23.0 | 3.7 | 70     |
| 600116R   | 1/2"   | 178 | 8.6  | 6.4 | 24.7 | 27.1 | 4.1 | 100    |
| 600118R   | 9/16"  | 191 | 9.0  | 6.8 | 27.0 | 29.2 | 4.4 | 120    |
| 600120R   | 5/8"   | 208 | 9.9  | 7.2 | 30.0 | 33.4 | 4.7 | 170    |
| 600122R   | 11/16" | 226 | 10.3 | 7.7 | 31.8 | 35.5 | 5.1 | 200    |
| 600124R   | 3/4"   | 248 | 11.2 | 8.8 | 33.8 | 39.7 | 5.6 | 320    |
| 600126R   | 13/16" | 290 | 13.0 | 9.0 | 40.0 | 46.0 | 6.0 | 360    |
| 600128R   | 7/8"   | 290 | 13.0 | 9.0 | 40.0 | 46.0 | 6.0 | 510    |

Ratcheting AF Combination Spanner Range →



#### TT6508RF Ratcheting combination spanner set

8 piece flexible ratcheting spanner set. Combined ring/open ended spanner and 12 point ring ratchet with 180° flexible joint. Same size at both ends, open end offset at a 13° angle. Chrome vanadium. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. Satin finish. (265x142x50mm, 1.1 kilos)


Ratchet spanners 8, 10, 11, 12, 13, 14, 17, 19mm



#### Flexible Ratchet Spanner Range

Flexible ratcheting wrenches. Combined ring/open ended spanner and 12 point ring ratchet with 180° flexible joint. Same dimensions at both ends. Chrome vanadium. Satin finish.

| Stock no. | Size | L   | H1   | H2  | D1 | D2   | Т   | Weight |  |
|-----------|------|-----|------|-----|----|------|-----|--------|--|
|           | mm   | mm  | mm   | mm  | mm | mm   | mm  | g      |  |
| 600507RF  | 7    | 127 | 6.8  | 4.0 | 17 | 17.6 | 2.8 | 50     |  |
| 600508RF  | 8    | 127 | 6.8  | 4.0 | 17 | 17.6 | 2.8 | 50     |  |
| 600509RF  | 9    | 131 | 7.2  | 4.4 | 19 | 19.8 | 2.9 | 50     |  |
| 600510RF  | 10   | 136 | 7.6  | 4.8 | 20 | 22.0 | 3.3 | 60     |  |
| 600511RF  | 11   | 141 | 8.0  | 5.2 | 21 | 24.1 | 3.6 | 60     |  |
| 600512RF  | 12   | 147 | 8.5  | 5.5 | 23 | 25.9 | 3.9 | 80     |  |
| 600513RF  | 13   | 154 | 9.0  | 5.8 | 25 | 27.3 | 4.0 | 100    |  |
| 600514RF  | 14   | 160 | 9.3  | 6.2 | 27 | 30.6 | 4.3 | 120    |  |
| 600515RF  | 15   | 169 | 9.7  | 6.5 | 28 | 32.2 | 4.3 | 120    |  |
| 600516RF  | 16   | 179 | 10.2 | 6.8 | 30 | 33.7 | 4.7 | 160    |  |
| 600517RF  | 17   | 190 | 10.6 | 7.2 | 32 | 36.6 | 5.0 | 190    |  |
| 600518RF  | 18   | 203 | 11.0 | 7.7 | 33 | 38.4 | 5.2 | 190    |  |
| 600519RF  | 19   | 215 | 11.5 | 8.2 | 34 | 40.2 | 5.5 | 200    |  |



#### TT6010M Stubby spanner set

Set of 10 stubby spanners made of chrome vanadium steel. Same dimension at both ends. The 12 point ring head is set at a 15° angle. Satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.0 kilos)

Midget combination spanners 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm




#### **Midget Combination Spanners**

Midget combination spanners The 12 point ring head is set at a 15° angle. Chrome vanadium. Satin Finish. Same dimension at both ends. DIN3113A.

| Stock no. | Size | L   | H1   | H2  | D1   | D2   | T   | Weight |  |
|-----------|------|-----|------|-----|------|------|-----|--------|--|
|           | mm   | mm  | mm   | mm  | mm   | mm   | mm  | g      |  |
| 6005M10   | 10   | 95  | 7.0  | 5.1 | 16.2 | 21.9 | 3.4 | 30     |  |
| 6005M11   | 11   | 100 | 7.8  | 5.9 | 17.9 | 23.8 | 4.0 | 42     |  |
| 6005M12   | 12   | 105 | 8.2  | 6.6 | 19.1 | 24.7 | 4.2 | 48     |  |
| 6005M13   | 13   | 110 | 8.8  | 6.7 | 19.3 | 27.1 | 5.0 | 55     |  |
| 6005M14   | 14   | 115 | 9.1  | 7.4 | 21.8 | 28.9 | 5.1 | 66     |  |
| 6005M15   | 15   | 120 | 9.2  | 7.5 | 22.6 | 31.1 | 5.1 | 71     |  |
| 6005M16   | 16   | 125 | 9.8  | 8.1 | 23.6 | 33.0 | 5.6 | 87     |  |
| 6005M17   | 17   | 130 | 10.3 | 8.3 | 25.9 | 36.0 | 5.6 | 105    |  |
| 6005M18   | 18   | 135 | 11.0 | 8.7 | 27.2 | 36.8 | 5.8 | 118    |  |
| 6005M19   | 19   | 140 | 11.2 | 9.4 | 28.7 | 38.1 | 6.0 | 130    |  |

Midget Combination Spanners →











#### 6059LMP Long Combination Spanner Set

Set of 9 long metric combination spanners. Chrome vanadium steel. Same dimensions at both ends. The 12 point ring head is angled at a 15° angle. Satin finish. Supplied in a handy tool roll.

Wrenches 8, 10, 11, 12, 13, 14, 15, 17, 19mm combination spanners

#### **TTXLMP12** Extra Long Combination Spanner Set

12 piece extra long combination spanner set ranging from 8 to 19mm. Chrome vanadium, satin finish. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.5 kilos)

Combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### WRSP12LMP Long Combination Spanner Set

12 piece extra long metric combination spanner set. Satin finish. Chrome vanadium. Complete with a wall rack for fixing to the wall or a work bench.

Combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



#### **Long Combination Spanner Range**

Tools

Teng

Long series metric Combination Spanners, Same dimension at both ends. The 12 point ring head is set at a 15° angle. Chrome vanadium. Satin finish. DIN3113A.

| Stock no. | Size | L   | H1   | H2  | D1   | D2   | Т   | Weight |  |
|-----------|------|-----|------|-----|------|------|-----|--------|--|
|           | mm   | mm  | mm   | mm  | mm   | mm   | mm  | g      |  |
| 605908    | 8    | 148 | 5.3  | 4.9 | 12.6 | 17.2 | 3.6 | 33     |  |
| 605909    | 9    | 158 | 6.2  | 5.0 | 13.7 | 19.4 | 3.8 | 40     |  |
| 605910    | 10   | 168 | 6.4  | 5.6 | 15.2 | 21.7 | 3.9 | 50     |  |
| 605911    | 11   | 188 | 7.3  | 5.6 | 16.7 | 23.1 | 4.2 | 62     |  |
| 605912    | 12   | 198 | 7.9  | 6.3 | 17.7 | 25.3 | 4.2 | 77     |  |
| 605913    | 13   | 208 | 8.6  | 6.7 | 19.8 | 26.6 | 4.5 | 87     |  |
| 605914    | 14   | 228 | 9.0  | 7.4 | 21.4 | 29.8 | 5.0 | 117    |  |
| 605915    | 15   | 238 | 9.9  | 7.6 | 22.5 | 32.4 | 5.0 | 142    |  |
| 605916    | 16   | 246 | 10.4 | 8.2 | 23.5 | 32.4 | 5.2 | 153    |  |
| 605917    | 17   | 266 | 10.5 | 8.2 | 25.4 | 36.0 | 5.8 | 174    |  |
| 605918    | 18   | 276 | 12.4 | 9.0 | 26.6 | 37.4 | 5.8 | 215    |  |
| 605919    | 19   | 285 | 12.6 | 9.1 | 28.3 | 39.8 | 6.1 | 220    |  |
|           |      |     |      |     |      |      |     |        |  |

Long Combination Spanner Range →

#### 601013 Compact Double Ring Spanner

The "Rigger Jigger". Angled, compact, special ring spanner with 12 point opening. The ideal compact ring spanner for the most popular fastening sizes (10/13mm). Total length 120mm. Ideal to keep in a pocket. DIN3113A.





#### 6308 Double Ring Spanner Set

An 8 piece metric double ring spanner set from 6x7mm to 20x22mm with different bi-hexagonal openings at each end, all the heads are offset by 75°. Supplied in a coloured display box only.



Double ring spanners 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm



#### 6311 Double Ring Spanner Set

An 11 piece metric double ring spanner set from 6x7mm to 20x22mm with different bi-hexagonal openings at each end, all the heads are offset by 75°. Supplied in a coloured display box only.

Double ring spanners

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm



#### 6308MM Double Ring Spanner Set

An 8 piece metric double ring spanner set from 6x7mm to 20x22mm with different bi-hexagonal openings at each end, all the heads are offset by 75°, comes complete in a handy tool roll. Satin finish. DIN 838.

Double ring spanners 6x7mm, 8x9mm, 10x11mm, 12x13mm, 14x15mm, 16x17mm, 18x19mm, 20x22mm



#### TTX6311 Double ring spanner set

11 piece double ring spanner set ranging from 6x7mm to 30x32mm. Chrome vanadium steel. DIN 838/ISO 3318. Satin finish. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x60mm, 2.9 kilos)

Double ring spanners 6 x 7mm, 8 x 9mm, 10 x 11mm, 12 x 13mm, 14 x 15mm, 16 x 17mm, 18 x 19mm, 20 x 22mm, 21 x 23mm, 24 x 27mm, 30 x 32mm





**NEW!** 

8 piece double ring spanner set supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system (570x115x60mm, 1.2 kilos)



Double ring spanners

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm

#### WRFLS05 Extra long double ring spanner Set

5 piece extra long double ring spanner set covering 8 to 24mm with different bi-hexagonal sizes at each end. Satin finish. Chrome vanadium. Complete with a wall rack for fixing to the wall or a work bench.


Double ring spanners 8x10, 11x13, 12x14, 17x19, 22x24mm



#### **Double Ring Spanner Range**

Double Ring spanners. With different size bi-hexagonal openings at each end. Double curved 75° - high angle. Metric, DIN 838. Chrome vanadium. Satin Finish. DIN3113A.

| Stock no. | Size  | L     | H1   | H2   | D1   | D2   | т   | Weight |  |
|-----------|-------|-------|------|------|------|------|-----|--------|--|
|           | mm    | mm    | mm   | mm   | mm   | mm   | mm  | g      |  |
| 630607    | 6x7   | 168   | 5.6  | 6.3  | 10.7 | 12.2 | 4.1 | 45     |  |
| 630809    | 8x9   | 183   | 6.6  | 7.0  | 13.6 | 15.1 | 4.5 | 60     |  |
| 631011    | 10x11 | 198   | 7.4  | 7.7  | 16.6 | 18.0 | 4.9 | 100    |  |
| 631213    | 12x13 | 217   | 8.1  | 8.4  | 19.5 | 20.9 | 5.4 | 105    |  |
| 631415    | 14x15 | 239   | 8.8  | 9.1  | 22.4 | 23.7 | 5.7 | 145    |  |
| 631617    | 16x17 | 260   | 9.5  | 9.8  | 25.3 | 26.7 | 6.2 | 195    |  |
| 631819    | 18x19 | 292   | 10.1 | 10.4 | 28.2 | 29.7 | 6.6 | 250    |  |
| 632022    | 20x22 | 318   | 10.9 | 11.4 | 31.1 | 34.0 | 7.1 | 320    |  |
| 632123    | 21x23 | 326.5 | 11.2 | 11.6 | 32.6 | 35.5 | 7.6 | 340    |  |
| 632427    | 24x27 | 329   | 12.4 | 13.4 | 36.9 | 41.0 | 8.1 | 475    |  |
| 633032    | 30x32 | 362   | 14.4 | 15.2 | 45.5 | 48.5 | 9.0 | 522    |  |





#### Double Ring Spanner Range →

#### Long Double Ring Spanners

Flat double ring spanners, with different size bi-hexagonal openings at each end.

| wictiic. Oa |       |     |      |      |      |      |        |  |
|-------------|-------|-----|------|------|------|------|--------|--|
| Stock       | Size  | L   | Α    | В    | С    | D    | Weight |  |
| No.         | mm    | mm  | mm   | mm   | mm   | mm   | g      |  |
| 630810FL    | 8x10  | 265 | 12.5 | 15.0 | 7.5  | 8.4  | 72     |  |
| 631113FL    | 11x13 | 328 | 17.8 | 20.3 | 10.4 | 11.3 | 155    |  |
| 631214FL    | 12x14 | 328 | 17.8 | 20.3 | 10.4 | 11.3 | 157    |  |
| 631618FL    | 16x18 | 408 | 23.4 | 26.3 | 12.8 | 14.4 | 284    |  |
| 631719FL    | 17x19 | 407 | 23.7 | 26.6 | 13.0 | 14.8 | 284    |  |
| 632224FL    | 22x24 | 430 | 31.3 | 34.0 | 15.4 | 17.7 | 482    |  |





#### TTXFLS06 Extra Long Double Ring Spanner Set

6 piece extra long double ring spanner set ranging from 8x10mm to 22x24mm. 12 point rings at each end. Chrome vanadium. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. (670x115x70mm, 6.5 kilos)

Double ring spanners 8x10, 11x13, 12x14, 16x18, 17x19, 22x24mm



#### 600 Spanner Ring

The Teng Tools spanner ring is ideal for storing combination and double ring spanners.



#### TEXFLS06 Extra Long Double Ring Spanner Set

6 piece extra long double ring spanner set supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x70mm, 1.2 kilos)



Double ring spanners

8x10, 11x13, 12x14, 16x18, 17x19, 22x24mm

#### 6208 Double Open Ended Spanner Set

An 8 piece metric double open ended spanner set from 6x7mm to 20x22mm with different openings at each end. DIN3110 ISO3318. Supplied in a coloured display box only.

Double open ended spanners 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm









#### TT6208 Double open ended spanner set

Set of 8 double open ended spanners. Chrome vanadium steel. Polished heads. DIN3110. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.8 kilos) (265x142x50mm, 0.8 kilos)

Double open ended spanners 6x7mm, 8x9mm, 10x11mm,12x13mm, 14x15mm,16x17mm, 18x19mm. 20x22mm



#### **6211MM** Double Open Spanner Set

11 piece double open ended spanner set with the different dimensions at each end. DIN 3110 ISO3318. Polished heads with satin finish. Supplied in a handy tool roll.

ouble open ended 6x7mm, 8x9mm, 10x11mm, 12x13mm, 14x15mm, 16x17mm, 18x19mm, 20x22mm, 21x23mm, 24x27mm, 30x32mm



#### 6211 11 Piece Double open ended spanner set

11 piece metric double open ended spanner set with the different dimension at each end. DIN3110 ISO3318. Polished heads with satin finish.

Supplied in a coloured display box only.


Ouble open ended 6x7mm, 8x9mm, 10x11mm, 12x13mm, 14x15mm, 16x17mm, 18x19mm, 20x22mm, 21x23mm, 24x27mm, 30x32mm



Double Open Ended Spanners, Metric, DIN 3110, Offset 15°. Different dimensions at each end. Chrome vanadium. Satin Finish. DIN3113A.

| Stock no. | Size  | L     | Н   | D1   | D2   | T   | Weight |  |
|-----------|-------|-------|-----|------|------|-----|--------|--|
|           | mm    | mm    | mm  | mm   | mm   | mm  | g      |  |
| 620607    | 6x7   | 123   | 3.7 | 18.0 | 15.5 | 3.7 | 25     |  |
| 620809    | 8x9   | 140   | 4.0 | 22.7 | 20.4 | 4.0 | 35     |  |
| 621011    | 10x11 | 156   | 5.0 | 27.1 | 24.9 | 5.0 | 50     |  |
| 621213    | 12x13 | 172   | 5.5 | 31.2 | 29.2 | 5.5 | 75     |  |
| 621415    | 14x15 | 188.5 | 5.9 | 35.3 | 33.3 | 5.9 | 105    |  |
| 621617    | 16x17 | 204   | 6.3 | 38.9 | 37.1 | 6.3 | 155    |  |
| 621819    | 18x19 | 221   | 6.7 | 42.8 | 40.9 | 6.7 | 190    |  |
| 622022    | 20x22 | 237   | 7.1 | 48.8 | 44.8 | 7.1 | 220    |  |
| 622123    | 21x23 | 247   | 7.7 | 50.8 | 46.8 | 7.7 | 245    |  |
| 622427    | 24x27 | 263   | 8.1 | 59.1 | 52.8 | 8.1 | 305    |  |
| 623032    | 30x32 | 298   | 9.0 | 69.8 | 65.4 | 9.0 | 465    |  |

Double Open Ended Spanners Range →





# EVERY SECOND COUNTS POLE POSITION ACCORDING TO TENG pesimple ies

#### **Double ring spanners**

- Double offset ring heads with a 75 degree angle gives excellent access.
- The best-selling "Rigger Jigger" combines 10 mm and 13 mm ring heads on a pocket-sized short spanner, ideal for the most common sizes of nuts and bolts.

#### Swivel head wrenches

- Twelve-point swivel head wrenches with one size at each end and 180 degree flexible pivot to gain access to even the most hard to reach nuts and bolts.
- Designed with thicker handles for a more comfortable grip.
- Ideal for quick tightening or loosening.
- Hole in the handle for tool securing or hanging.
- The range includes "Bi-Flex" wrenches with a 1/4" square drive for use with sockets and a 1/4" hexagonal drive for use with bits.

#### **Socket drivers**


- Made in TTMV steel for extra strength and hardness.
- Hex opening for safe use with nuts and bolts.
- Ergonomically designed bi-material handles with hole for tool-securing when working at height or for hanging.



#### **Open Ended Slogging Wrenches**

Open ended impact slogging wrenches. DIN3126. Chrome Molybdenum.

| Stock  | Size | L   | Α     | В    | С    | D    | L3    | Н    | Weight |
|--------|------|-----|-------|------|------|------|-------|------|--------|
| No     |      | mm  | mm    | mm   | mm   | mm   | mm    | mm   | g      |
| 902024 | 24   | 178 | 52.3  | 14.5 | 23.4 | 7.8  | 107.5 | 10.2 | 250    |
| 902027 | 27   | 180 | 55.0  | 15.5 | 25.2 | 8.6  | 107.5 | 10.2 | 350    |
| 902030 | 30   | 190 | 60.4  | 16.2 | 30.0 | 9.5  | 107.5 | 15.6 | 500    |
| 902032 | 32   | 190 | 60.5  | 16.7 | 30.5 | 9.8  | 108.0 | 14.8 | 480    |
| 902036 | 36   | 214 | 71.3  | 17.0 | 35.0 | 9.8  | 118.0 | 14.9 | 700    |
| 902038 | 38   | 215 | 72.0  | 17.3 | 37.0 | 9.8  | 118.0 | 16.2 | 750    |
| 902041 | 41   | 233 | 82.4  | 19.2 | 39.3 | 12.0 | 127.6 | 18.3 | 900    |
| 902046 | 46   | 252 | 93.2  | 20.4 | 44.2 | 12.8 | 135.6 | 18.8 | 1300   |
| 902050 | 50   | 275 | 104.0 | 21.3 | 48.0 | 13.2 | 140.8 | 19.6 | 1500   |
| 902055 | 55   | 295 | 114.4 | 23.8 | 54.2 | 15.3 | 158.6 | 24.2 | 1950   |
| 902060 | 60   | 315 | 125.1 | 26.6 | 58.8 | 17.3 | 166.2 | 24.8 | 2500   |
| 902065 | 65   | 340 | 138.0 | 28.8 | 55.0 | 17.6 | 175.0 | 25.1 | 3300   |
| 902070 | 70   | 370 | 152.7 | 30.6 | 69.0 | 19.0 | 190.0 | 32.0 | 4300   |
| 902075 | 75   | 370 | 152.7 | 31.0 | 69.0 | 19.0 | 190.0 | 33.4 | 4700   |
| 902080 | 80   | 397 | 175.0 | 33.2 | 71.5 | 19.0 | 180.0 | 46.6 | 5500   |
| 902085 | 85   | 397 | 175.0 | 33.2 | 71.5 | 19.0 | 180.0 | 46.6 | 5200   |
| 902090 | 90   | 444 | 191.0 | 34.7 | 80.0 | 19.6 | 190.0 | 51.7 | 7000   |
| 902095 | 95   | 444 | 191.3 | 36.3 | 80.0 | 21.0 | 190.0 | 52.2 | 6600   |
| 902100 | 100  | 488 | 225.0 | 42.3 | 85.0 | 21.8 | 205.0 | 55.5 | 10500  |




#### Open Ended Slogging Wrenches →

#### **Ring Type Slogging Wrenches**

Teng Tools

Ring type impact slogging wrenches. DIN3126. Chrome Molybdenum

| Stock  | Size | L   | ging wre | В    | С    | D    | L3    | Н    | Weight |  |
|--------|------|-----|----------|------|------|------|-------|------|--------|--|
|        | 0126 |     |          |      |      |      |       |      | Ū      |  |
| No     |      | mm  | mm       | mm   | mm   | mm   | mm    | mm   | g      |  |
| 903024 | 24   | 162 | 42.8     | 14.7 | 24.6 | 7.9  | 93.9  | 9.4  | 248    |  |
| 903027 | 27   | 180 | 45.2     | 15.4 | 25.0 | 8.6  | 107.3 | 9.4  | 260    |  |
| 903030 | 30   | 190 | 50.6     | 16.2 | 29.4 | 9.3  | 107.3 | 11.5 | 376    |  |
| 903032 | 32   | 190 | 53.7     | 16.4 | 31.7 | 10.0 | 107.3 | 12.3 | 480    |  |
| 903036 | 36   | 205 | 58.3     | 17.9 | 35.6 | 10.5 | 107.3 | 13.3 | 520    |  |
| 903038 | 38   | 229 | 63.7     | 19.9 | 36.9 | 12.0 | 130.3 | 13.3 | 660    |  |
| 903041 | 41   | 230 | 63.9     | 19.9 | 37.4 | 12.3 | 130.3 | 13.3 | 780    |  |
| 903046 | 46   | 240 | 73.5     | 21.8 | 43.9 | 12.5 | 130.9 | 14.5 | 1150   |  |
| 903050 | 50   | 255 | 78.5     | 23.2 | 46.3 | 13.0 | 134.5 | 17.0 | 1070   |  |
| 903055 | 55   | 266 | 85.1     | 25.0 | 49.4 | 15.5 | 141.2 | 19.3 | 1350   |  |
| 903060 | 60   | 280 | 91.7     | 26.5 | 52.2 | 16.5 | 150.0 | 22.7 | 1650   |  |
| 903065 | 65   | 298 | 100.0    | 27.5 | 54.0 | 16.5 | 150.0 | 23.2 | 1890   |  |
| 903070 | 70   | 330 | 109.5    | 32.8 | 62.0 | 20.0 | 165.0 | 24.6 | 2850   |  |
| 903075 | 75   | 330 | 110.0    | 32.8 | 62.2 | 20.0 | 154.0 | 24.6 | 2700   |  |
| 903080 | 80   | 355 | 129.4    | 37.0 | 82.3 | 23.8 | 170.0 | 40.0 | 3400   |  |
| 903085 | 85   | 355 | 129.5    | 37.3 | 82.0 | 23.4 | 170.0 | 40.0 | 4100   |  |
| 903090 | 90   | 395 | 143.5    | 40.0 | 72.7 | 24.2 | 170.0 | 47.5 | 5200   |  |
| 903095 | 95   | 390 | 144.0    | 37.1 | 72.8 | 20.8 | 165.0 | 47.5 | 5100   |  |
| 903100 | 100  | 420 | 155.0    | 41.6 | 80.0 | 23.6 | 175.0 | 50.0 | 6700   |  |
|        |      |     |          |      |      |      |       |      |        |  |



#### Ring Type Slogging Wrenches →

#### TT6506 Double flex wrench set

6 piece double flex wrench set, with different size 12 point sockets at each end. Satin finish. Chrome vanadium. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.57 kilos)

Double flex wrenches

8x9mm, 10x11mm, 12x13mm, 14x15mm, 16x17mm, 18x19mm



### TENGTOOLS

#### WRDF06 Double Flex Wrench Set

6 piece double flex wrench set, with different size swivelling 12 point sockets at each end. Satin finish. Chrome vanadium. Complete with a wall rack for fixing to the wall or a work bench.

Double flex wrenches 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm



#### Double flex wrenches

Double flex wrenches, with different sizes 12 point sockets at each end. Chrome vanadium. Satin finish. DIN3113A.

| Stock  | Size  | L   | D1   | D2   | W    | T   | Weight |
|--------|-------|-----|------|------|------|-----|--------|
| No.    | mm    | mm  | mm   | mm   | mm   | mm  | g      |
| 650809 | 8x9   | 192 | 12.2 | 13.5 | 10.0 | 4.6 | 95     |
| 651011 | 10x11 | 200 | 15.5 | 16.9 | 10.0 | 4.6 | 105    |
| 651013 | 10x13 | 213 | 14.5 | 18.2 | 12.5 | 5.0 | 140    |
| 651213 | 12x13 | 218 | 18.2 | 19.2 | 12.5 | 5.0 | 150    |
| 651415 | 14X15 | 243 | 20.5 | 21.7 | 14.0 | 5.8 | 215    |
| 651617 | 16X17 | 275 | 23.0 | 24.2 | 15.0 | 6.5 | 300    |
| 651819 | 18X19 | 284 | 25.5 | 26.7 | 16.0 | 7.5 | 382    |


| Stock  | Size        | L   | D1   | D2   | W    | T   | Weight |
|--------|-------------|-----|------|------|------|-----|--------|
| No.    |             | mm  | mm   | mm   | mm   | mm  | g      |
| 611214 | 3/8"x7/16   | 200 | 15.5 | 16.9 | 10.0 | 4.6 | 105    |
| 611618 | 1/2"x9/16"  | 218 | 18.2 | 19.2 | 12.5 | 5.0 | 150    |
| 612022 | 5/8"x11/16" | 275 | 23.0 | 24.2 | 14.0 | 6.5 | 300    |

#### Double Flex Wrenches →

#### 691406 Bi-Flex Wrench

Bi-Flex wrench with 1/4" bit socket at one end of the wrench (to suit most screwdriver bits) and with 1/4" drive at the other end (to suit 1/4" drive sockets). Chrome vanadium. Satin finish.

| Size              | L   | D1   | D2   | W    | T   | Weight |
|-------------------|-----|------|------|------|-----|--------|
|                   | mm  | mm   | mm   | mm   | mm  | g      |
| 1/4" hex x 1/4" M | 196 | 14.5 | 14.5 | 10.0 | 4.6 | 102    |



#### Flare Nut Wrenches Range

Double Flare Nut Wrenches with different openings at each end. DIN3113A Chrome vandium. Satin Finish.

| Stock  | Size  | L     | Н    | D1   | D2   | C1   | C2   | Т   | Weight |
|--------|-------|-------|------|------|------|------|------|-----|--------|
| No.    | mm    | mm    | mm   | mm   | mm   | mm   | mm   | mm  | g      |
| 641011 | 10x11 | 152.4 | 7.9  | 21.4 | 23.0 | 7.0  | 8.2  | 4.3 | 60     |
| 641213 | 12x13 | 178.6 | 10.0 | 25.0 | 27.4 | 9.0  | 10.3 | 5.7 | 113    |
| 641314 | 13x14 | 178.6 | 13.1 | 25.0 | 27.4 | 14.3 | 15.1 | 5.7 | 113    |
| 641617 | 16x17 | 196.0 | 15.1 | 29.9 | 31.9 | 15.4 | 17.0 | 6.4 | 113    |
| 641922 | 19x22 | 207.7 | 17.0 | 34.2 | 38.2 | 18.9 | 20.0 | 7.4 | 113    |
|        |       |       |      |      |      |      |      |     |        |

| Stock  | Size     | L     | Н    | D1   | D2   | C1  | C2  | T   | Weight |  |
|--------|----------|-------|------|------|------|-----|-----|-----|--------|--|
| No.    |          | mm    | mm   | mm   | mm   | mm  | mm  | mm  | g      |  |
| 661416 | 7/16x1/2 | 158.8 | 11.9 | 23.0 | 24.3 | 8.2 | 9.0 | 5.5 | 113    |  |


Flare Nut Wrenches →





#### **Door and Window Hinge Adjustment Wrenches**

Wrenches that are specifically designed for adjusting exterior door and window hinges. A range of sizes to suit different designs.





#### **TTRORS RORS wrench set**

6 fibre reinforced chrome vanadium steel ratcheting offset ring spanners. Double ended with 25° 12 point heads (6x8mm 6 point). Reversible action. Satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.26 kilos)

6 x 8mm, 7 x 9mm, 10 x 13mm, 12 x 14mm, 17 x 19mm, 21 x 22mm



#### **Ratcheting Offset Ring Spanners**

Tools

Double Ratcheting Offset Ring Spanners (RORS), Offset 25 degrees. Chrome vanadium. Satin Finish.

| Stock  | Size  | L   | Н    | D1   | D2   | Weight |  |
|--------|-------|-----|------|------|------|--------|--|
| No.    | mm    | mm  | mm   | mm   | mm   | g      |  |
| 680608 | 6x8   | 112 | 8.0  | 20.0 | 20.0 | 63     |  |
| 680709 | 7x9   | 133 | 8.4  | 21.0 | 23.0 | 81     |  |
| 681013 | 10x13 | 163 | 10.2 | 26.0 | 30.0 | 149    |  |
| 681214 | 12x14 | 172 | 10.2 | 30.0 | 32.0 | 169    |  |
| 681719 | 17x19 | 203 | 11.0 | 37.0 | 40.0 | 254    |  |
| 682122 | 21x22 | 235 | 11.4 | 41.0 | 45.0 | 290    |  |

Ratcheting Offset Ring Spanners →



#### 6503RX Multidrive Ratchet Ring Spanner Set

3 piece set of ratcheting ring spanners with two sizes at each end covering 12 sizes from 8mm to 19mm with just three spanners. 12 point with flip reverse at both ends. Satin finish. Supplied in a handy storage wallet.

Multidrive ring spanners 8x9 + 10x11, 12x13 + 14x15, 16x17+18x19



#### **Multidrive Ratchet Ring Spanners**

Ratcheting ring spanners with two sizes at each end. 12 point with flip reverse at both ends. Satin finish.

| Stock no.  | Sizes         | L   | D1   | D2   | Weight |  |
|------------|---------------|-----|------|------|--------|--|
|            |               | mm  | mm   | mm   | g      |  |
| 60050811RX | 8x9 + 10x11   | 150 | 19.2 | 22.0 | 13.5   |  |
| 60051215RX | 12x13 + 14x15 | 190 | 25.5 | 28.0 | 18.4   |  |
| 60051619RX | 16x17+18x19   | 320 | 31.7 | 34.0 | 20.8   |  |








Ratcheting Offset TX-E Spanners

Double offset ring spanner with different size sockets at each end, for TX-E heads. Angled 25° towards the handle. Reversible action. Chrome vanadium.

| Stock no. | Size    | L   | Н    | D1   | D2   | Weight |
|-----------|---------|-----|------|------|------|--------|
|           |         | mm  | mm   | mm   | mm   | g      |
| 680607E   | E6xE7   | 112 | 8.0  | 20.0 | 20.0 | 66     |
| 680810E   | E8xE10  | 133 | 8.2  | 21.0 | 23.0 | 84     |
| 681112E   | E11xE12 | 140 | 8.2  | 23.0 | 26.0 | 95     |
| 681416E   | E14xE16 | 172 | 10.2 | 30.0 | 32.0 | 174    |
| 681820E   | E18xE20 | 203 | 11.5 | 37.0 | 40.0 | 280    |
| 682224E   | E22xE24 | 235 | 11.5 | 41.0 | 44.0 | 330    |

Ratcheting Offset TX-E Spanners →





Teng Tools - The choice of champions including 2017 World Speedway Champion Jason Doyle.





#### Design

- Integral measurement scale on the jaws makes it easy to accurately measure the size of nuts.
- A wider jaw opening increases the bolt sizes that can be worked on.
- Bi-material handle gives extra comfort, especially when the adjustable wrench is used for long periods.
- Hole in the handle for tool-securing when working at height or for practical hanging.

#### Quality

- Exceeds specifications in the international standards: ISO6787-1982, ASME B.107.8M-1996, BS6333-1995, DIN3117-1988, JISB4604-1976, SABS1211-1984
- Made of high grade chrome vanadium steel with a phosphate surface.



#### Range

- Available from 4" (100 mm) to 24" (600 mm), which gives a tightening range on nuts from 0 to 70 mm.
- Adjustable wrenches with bi-material handles in 5 different sizes.
- A range of adjustable wrenches with bi-material handles and extra wide jaw opening.
- Now also an adjustable wrench with practical pipe grip at the end of the handle.

#### Where space is limited

- 15 degree jaw angle means that the adjustable wrench can be used in confined spaces where only 30 degree rotation is possible.
- · Thin heads give better access.
- The moving jaw does not protrude from the body making it easier to work in hard to reach areas.






#### Adjustable Wrenches with Graduated Scale

Industrial adjustable wrenches made of chrome vanadium. Exceeding international standards ISO 6787-1982, ASME B.107.8M-1996, BS 6333-1995, DIN 3117-1988, JIS B4604-1976. The 15° jaw allows the wrench to be used in narrow areas as only 30° turning is needed. The wider jaw opening increases the range of bolt sizes to be worked on. Non protruding on the movable jaw end gives better action when space is limited. The handle provides a comfortable hand fit. Phosphate finish.

| Stock | L     | L     | Capacity | Capacity | T    | D   | ISO Norm | Weight |  |
|-------|-------|-------|----------|----------|------|-----|----------|--------|--|
| No.   | mm    | inch  | mm       | af       | mm   | mm  | Nm       | g      |  |
| 4001  | 100   | 4     | 17       | 11/1639  | 14   | 31  | 33       | 50     |  |
| 4002  | 150   | 6     | 24       | 15/16**  | 19   | 44  | 85       | 140    |  |
| 4003  | 200   | 8     | 28       | 11/8"    | 26   | 57  | 180      | 260    |  |
| 4004  | 250   | 10    | 33       | 1¼"      | 31   | 68  | 320      | 440    |  |
| 4005  | 300   | 12    | 38       | 1½"      | 32   | 80  | 515      | 660    |  |
| 4006  | 375   | 15    | 50       | 1 %"     | 44   | 100 | 920      | 1200   |  |
| 4007  | 450   | 18    | 60       | 2¾"      | 53   | 122 | -        | 2000   |  |
| 4008  | 600   | 24    | 70       | 2¾"      | 62   | 144 | -        | 3700   |  |
| Adju  | ıstak | ole V | Vrenche  | es Rang  | je → |     |          |        |  |



#### Service Kits

Teng

All Teng Tools adjustable wrenches should be cleaned and maintained on a regular basis to reduce wear and to prolong life. However, with all tools involving moving parts some wear will occur with time. Teng Tools offer a full range of complete service kits and spare parts for all their adjustable wrenches – full details available from your local Teng Tools stockist but the table below lists the service kits for the most commonly used adjustable wrenches. Each service kit includes a replacement screw, knurl and spring.

| Stock no. |      | Suitable for          |  |
|-----------|------|-----------------------|--|
| 4001RK    | 4001 | 4" adjustable wrench  |  |
| 4002RK    | 4002 | 6" adjustable wrench  |  |
| 4003RK    | 4003 | 8" adjustable wrench  |  |
| 4004RK    | 4004 | 10" adjustable wrench |  |
| 4005RK    | 4005 | 12" adjustable wrench |  |
| 4006RK    | 4006 | 15" adjustable wrench |  |
| 4007RK    | 4007 | 18" adjustable wrench |  |
| 4008RK    | 4008 | 24" adjustable wrench |  |

#### TTADJ04 Adjustable wrench set

Set containing 3 Teng Tools adjustable wrenches with bi-material grip handles and the 8" wide jaw opening adjustable wrench with vinyl grip. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.37 kilos)

| Adjustable wrenches | 6" (23.9mm capacity)          |   |
|---------------------|-------------------------------|---|
|                     | 8" (28.6mm capacity)          |   |
|                     | 10" (32.8mm capacity)         |   |
|                     | 8" wide jaw (38.6mm capacity) | 1 |



#### TEDADJ4 Adjustable wrench Set

4 piece adjustable wrench set. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.58 kilos)

| Adjustable wrenches | 6" (150mm), 8" (200mm), 10" (250mm)  |
|---------------------|--------------------------------------|
|                     | Wide jaw adjustable wrench8" (200mm) |



#### Adjustable wrenches with Bi-material grip and graduated scale

Industrial adjustable wrenches made of chrome vanadium. Exceeding international standards ISOO6787-1982, ASME B.107.8M-1996, BS6333-1995, JISB4604-1976. The 15° jaw allows the wrench to be used in narrow areas as only 30° turning is needed. The wider jaw opening increases the range of bolt sizes that can be fitted. Non protruding on the moveable jaw end gives better access where space is limited. Phosphate finish with graduated scale and bi-material grip handle.

| Stock  | L   | L    | Capacity | Capacity        | Н    | W   | ISO Norm | Weight |  |
|--------|-----|------|----------|-----------------|------|-----|----------|--------|--|
| No.    | mm  | inch | mm       | inch            | mm   | mm  | Nm       | g      |  |
| 4002IQ | 157 | 6    | 24       | 15/16"          | 20.0 | 52  | 85       | 140    |  |
| 4003IQ | 206 | 8    | 28       | 1%"             | 25.3 | 62  | 180      | 260    |  |
| 4004IQ | 255 | 10   | 33       | 1¼"             | 29.5 | 72  | 320      | 440    |  |
| 4005IQ | 305 | 12   | 38       | 1½"             | 32.2 | 83  | 515      | 660    |  |
| 4006IQ | 380 | 15   | 50       | <b>1</b> 15/16" | 44.7 | 108 | 920      | 1200   |  |



#### Adjustable Wrenches →



#### Service Kits

All Teng Tools adjustable wrenches should be cleaned and maintained on a regular basis to reduce wear and to prolong life. However, with all tools involving moving parts some wear will occur with time. Teng Tools offer a full range of complete service kits and spare parts for all their adjustable wrenches – full details available from your local Teng Tools stockist but the table below lists the service kits for the most commonly used adjustable wrenches. Each service kit includes a replacement screw, knurl and spring.

| Stock No. |        | Suitable for          |  |
|-----------|--------|-----------------------|--|
| 4002IQRK  | 4002IQ | 6" adjustable wrench  |  |
| 4003IQRK  | 4003IQ | 8" adjustable wrench  |  |
| 4004IQRK  | 4004IQ | 10" adjustable wrench |  |
| 4005IQRK  | 4005IQ | 12" adjustable wrench |  |
| 4006IQRK  | 4006IQ | 15" adjustable wrench |  |

#### Wide jaw opening adjustable wrenches

Adjustable wrenches with an extra wide jaw opening. Chrome vanadium steel, a 15° jaw angle, ergonomically designed bi-material handle grip and phosphate finish with a graduated scale on the jaws. Exceeding international standards ISO6787-1982, ASME B.107.8-1996, BS6333-1995, DIN3117-1988, JIS B4604-1976.

| Stock<br>No. | Length<br>mm | Length<br>inch | Capacity<br>mm | Capacity<br>AF | T<br>mm | D<br>mm | Weight<br>g |  |
|--------------|--------------|----------------|----------------|----------------|---------|---------|-------------|--|
| 4002WT       | 172          | 7              | 34.0           | 1%"            | 30.0    | 63.5    | 185         |  |
| 4003WT       | 221          | 8              | 38.6           | 1½"            | 34.1    | 72.1    | 260         |  |
| 4004WT       | 275          | 10             | 50             | 2"             | 41.0    | 92.1    | 440         |  |
| 4005WT       | 317          | 12             | 60             | 2 %"           | 55.7    | 110.5   | 660         |  |



#### Adjustable Wrenches →

#### Service Kits

All Teng Tools adjustable wrenches should be cleaned and maintained on a regular basis to reduce wear and to prolong life. However, with all tools involving moving parts some wear will occur with time. Teng Tools offer a full range of complete service kits and spare parts for all their adjustable wrenches – full details available from your local Teng Tools stockist but the table below lists the service kits for the most commonly used adjustable wrenches. Each service kit includes a replacement screw, knurl and spring.

| Stock no. |        | Suitable for                   |  |
|-----------|--------|--------------------------------|--|
| 4002WTRK  | 4002WT | 6" wide jaw adjustable wrench  |  |
| 4003WTRK  | 4003WT | 8" wide jaw adjustable wrench  |  |
| 4004WTRK  | 4004WT | 10" wide jaw adjustable wrench |  |
| 4005WTRK  | 4005WT | 12" wide jaw adjustable wrench |  |

#### TTXMB02 Water Pump Plier and Adjustable Wrench Set

Two really handy tools in one TTX tray for use on it's own or as part of the Teng Tools TC control system. The set includes the MB482-10Q Quick adjust 10" water pump plier and the 4003J 10" "Alligator" adjustable wrench with pipe grip. (570x115x40mm, 0.97 kilos).



| Wrenches | 10" | Alligator adjustable    |
|----------|-----|-------------------------|
| Pliers   | 10" | Quick action water pump |

#### **TEXMB02** Water Pump Pliers & Alligator Adjustable Wrench Set

Two really handy tools in one TTX Tray for use on it's own or as part of the Teng Tools TC control system. The set includes the MB482-10Q quick adjustable water pump plier and the 4003J 10" "Alligator" adjustable wrench with pipe grip. The tools are held in place using the Teng Tools three colour precut EVA foam tool control system. (570x115x40mm, 0.97 kilos)



| Wrenches | 10" | Alligator adjustable    |
|----------|-----|-------------------------|
| Pliers   | 10" | Quick action water pipe |

#### 4003J "Alligator" Adjustable Wrench

A very handy 8" adjustable wrench with a practical pipe grip on one end with a capacity of M2 to M8 and a regular Teng Tools adjustable wrench jaw at the other with a jaw capacity of 32mm (1 3/8"). The jaw has a gauge and is set at a 15° angle for easier use. No part of the jaw movement protrudes making it ideal for use in confined areas. A hanging hole enables a safety hook to be fitted for fall arrest or for hanging on a work bench panel. Phosphate finish chrome vanadium.





#### **Pipe Wrenches**

Lightweight aluminium pipe wrenches in a sturdy design.
One hand operation leaving the other hand free.

| Stock | Capacity | Capacity | Overall length | Overall length | Weight |  |
|-------|----------|----------|----------------|----------------|--------|--|
| No.   | mm       | inches   | mm             | inches         | g      |  |
| PW12A | 39       | 1%"      | 300            | 12             | 710    |  |
| PW14A | 47       | 1%"      | 350            | 14             | 950    |  |
| PW18A | 63       | 2½"      | 450            | 18             | 1600   |  |
| PW24A | 76       | 3"       | 600            | 24             | 2450   |  |
| PW36A | 127      | 5"       | 900            | 36             | 4460   |  |
|       |          |          |                |                |        |  |



#### Pipe Wrenches →

#### **BWT406** Basin tap Wrench

A basin tap wrench for reaching behind the sink or bath. A spring loaded, serrated jaw quickly grips on nuts and pipes, etc. between 32 and 48mm diameter. A telescopic handle for even easier access in difficult to reach places giving an overall length of between 275 and 400mm.



#### TTX3892 3/8" Torque Wrench set

(1)

22 piece set consisting of a 3/8" drive torque wrench, 10 crow foot wrenches, bit adaptor, 8 TX bits, 3" and 5" extension bars. Supplied in the unique Teng Tools TC tray for use on it's own or as part of the Teng Tools TC control system. (570x115x60mm, 0.9 kilos)



| Torque wrench    | 3/8" drive     | angular gauge torque wrench(20-100Nm, 15-75 ft/lb) |
|------------------|----------------|--|
| Accessories      | 3/8" drive     | 3" and 5" extensions, adaptorfor 10mm hex bits     |
| TX bits          | 10mm hex drive | TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40      |
| Crow foot wrench | hes 3/8" drive | 10. 11. 12. 13. 14. 15. 16. 17. 18. 19mm           |

#### M3808MM Crow foot wrench set

3/8" drive metric crow foot wrenches. Set of 8 spanners. Satin finish. Chrome vanadium steel. The spanners are supplied on a clip rail with 3/8" drive. For tightening with socket tools e.g. extension bar and ratchet handle.

Crow foot wrenches 10, 11, 12, 13, 16, 17, 18, 19 mm




#### **Crow foot wrenches**

Metric Crow Foot Wrenches for tightening with socket tools, e.g. extension bar and ratchet handle. Chrome vanadium. Satin Finish.

260

| Stock no. | Drive | Size | L    | Н   | D    | Weight |
|-----------|-------|------|------|-----|------|--------|
|           |       | mm   | mm   | mm  | mm   | g      |
| M386510-C | 3/8"  | 10   | 32.3 | 4.8 | 21.3 | 36     |
| M386511-C | 3/8"  | 11   | 34.3 | 5.2 | 23.1 | 50     |
| M386512-C | 3/8"  | 12   | 36.2 | 5.6 | 25.5 | 58     |
| M386513-C | 3/8"  | 13   | 37.4 | 6.0 | 26.9 | 70     |
| M386514-C | 3/8"  | 14   | 40.0 | 6.2 | 30.2 | 86     |
| M386515-C | 3/8"  | 15   | 41.3 | 6.7 | 33.3 | 90     |
| M386516-C | 3/8"  | 16   | 41.3 | 6.7 | 33.3 | 114    |
| M386517-C | 3/8"  | 17   | 45.5 | 8.5 | 38.1 | 116    |
| M386518-C | 3/8"  | 18   | 45.5 | 8.5 | 38.1 | 140    |
| M386519-C | 3/8"  | 19   | 47.6 | 8.5 | 39.6 | 168    |
|           |       |      |      |     |      |        |



#### Crow Foot Wrenches →



#### TTXMDN Nut driver set

9 piece nut driver set with chrome vanadium steel blades, 6 point opening and ergonomically designed two component handles with hanging hole. Supplied in the unique Teng Tools TC tray for use on it's own or as part of the Teng Tools TC control system. (570x115x40mm, 1.6 kilos)




Nut drivers 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm

#### **TTEX23** Wrenches set

Set containing metric T handle nut drivers and metric hex and TX/TPX T handle drivers. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 2.47 kilos)

| Nut drivers             | 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm |
|-------------------------|-----------------------------------|
| T handle hex drivers    | 2.5, 3, 4, 5, 6, 7, 8mm           |
| T handle TX/TPX drivers | T10, T15, T20, T25, T27, T30, T40 |



#### **Nut Drivers**

Mega Drive nut drivers. Chrome vanadium steel shank. 6 point opening. Ergonomically designed bi-material handle with hanging hole. DIN3125.

| Stock   | Size | Shaft length | Overall length | Weight |  |
|---------|------|--------------|----------------|--------|--|
| No.     | mm   | mm           | mm             | g      |  |
| MDN405  | 5.0  | 125          | 245            | 120    |  |
| MDN4055 | 5.5  | 125          | 245            | 120    |  |
| MDN406  | 6.0  | 125          | 245            | 120    |  |
| MDN407  | 7.0  | 125          | 245            | 120    |  |
| MDN408  | 8.0  | 125          | 245            | 120    |  |
| MDN410  | 10.0 | 125          | 245            | 120    |  |
| MDN411  | 11.0 | 125          | 245            | 120    |  |
| MDN412  | 12.0 | 125          | 245            | 120    |  |
| MDN413  | 13.0 | 125          | 245            | 120    |  |



#### Nut Drivers →

### Stock No. Size mm Overall length mm MDNT405 5.0 288 Thandle nut drivers T handle nut drivers Mega Drive T Handle nut d point opening. Ergonomica DIN3125.

| MIDN 14055 | 5.5  | 288 |  |
|------------|------|-----|--|
| MDNT406    | 6.0  | 288 |  |
| MDNT407    | 7.0  | 288 |  |
| MDNT408    | 8.0  | 288 |  |
| MDNT409    | 9.0  | 288 |  |
| MDNT410    | 10.0 | 288 |  |
| MDNT411    | 11.0 | 288 |  |
| MDNT412    | 12.0 | 288 |  |
| MDNT413    | 13.0 | 288 |  |
| MDNT414    | 14.0 | 288 |  |

Mega Drive T Handle nut drivers with chrome vanadium steel shank with 6 point opening. Ergonomically designed bi-material handle with hanging hole. DIN3125.



#### T Handle Nut Drivers →



261



#### TTXTB09 3/8" drive extra long socket set

9 piece set with 3/8" drive sockets and a T bar with handle. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.5 kilos)

| Extra long sockets | 8, 10, 12, 13, 14, 17, 19mm |
|--------------------|-----------------------------|
| Accessories        | 2 piece T bar handle        |



#### TBW10 3/8" Drive T Bar Deep Metric Socket Set

A 10 piece set of deep sockets with a T bar handle and 3/8" drive. Supplied with a T bar and plastic T handle grip in a handy storage wallet. (2.33 kilos).


| 300mm long deep sockets | 3/8" drive | 7, 8, 10, 12, 13, 14, 17, 19mm |
|-------------------------|------------|--------------------------------|
| Accessories             |            | 2 piece T bar handle           |
|                         |            |                                |



#### 3/8" drive T bar deep sockets

300mm long deep sockets with a T bar handle and 3/8" drive.

|           | 5       |                |                 |                   |             |
|-----------|---------|----------------|-----------------|-------------------|-------------|
| Stock No. | Size    | Drive          | L               | D                 | Weight      |
|           | mm      |                | mm              | mm                | g           |
| TBSKT07   | 7       | 3/8"           | 300             | 10.8              | 200         |
| TBSKT08   | 8       | 3/8"           | 300             | 12.0              | 200         |
| TBSKT10   | 10      | 3/8"           | 300             | 14.7              | 220         |
| TBSKT12   | 12      | 3/8"           | 300             | 17.1              | 240         |
| TBSKT13   | 13      | 3/8"           | 300             | 18.5              | 240         |
| TBSKT14   | 14      | 3/8"           | 300             | 19.5              | 240         |
| TBSKT17   | 17      | 3/8"           | 300             | 23.3              | 340         |
| TBSKT19   | 19      | 3/8"           | 300             | 23.7              | 360         |
|           |         |                |                 |                   |             |
| T-HD01    | 200mm   | n x 8mm replac | ement bar for u | ise with T Bar d  | eep sockets |
| T-HD      | for use | with T-HD01 t  | o form a comfo  | rtable to use T h | andle       |



#### 3/8" drive T bar deep sockets →

#### TTHP08 Hook wrench set

Set consisting of 3 combined pin/hook spanners with 3 pin adaptors and 2 spare pins with 6 and 8mm diameters. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

| Hook handles | 3/4" to 2", 11/4" to 3", 2" to 41/4" |
|--------------|--------------------------------------|
| Pin adaptors | 4mm, 5mm, 6mm                        |
| Pins         | 6mm. 8mm                             |



#### **Hook Wrenches**

Adjustable Hook Wrenches. With hook for locking nuts according to DIN 1804. Chrome vanadium.

262

| Stock | Capacity  | Capacity  | Overall length | Overall length | Weight |
|-------|-----------|-----------|----------------|----------------|--------|
| NO.   | mm        | inch      | (closed) mm    | (closed) in    | g      |
| HP101 | 19 to 50  | 3/4" to 2 | 145            | 5¾             | 122    |
| HP102 | 32 to 75  | 1¼" to 3  | 178            | 7              | 234    |
| HP103 | 50 to 120 | 2" to 4%  | 247            | 9%             | 447    |



#### Hook Wrenches →



#### Pin Wrenches Adjustable Pin Wre

Adjustable Pin Wrenches. With fixed pin for locking nuts according to DIN 1816. Chrome vanadium.

| Stock<br>No. | Pin size | Capacity<br>mm | Capacity inch | Overall<br>length mm | Overall<br>length in | Weight<br>g |  |
|--------------|----------|----------------|---------------|----------------------|----------------------|-------------|--|
| HP2014       | 4        | 19 to 50       | 3/4" to 2     | 145                  | 5¾                   | 122         |  |
| HP2015       | 5        | 19 to 50       | 3/4" to 2     | 145                  | 5%                   | 122         |  |
| HP2025       | 5        | 32 to 75       | 1¼" to 3      | 178                  | 7                    | 227         |  |
| HP2026       | 6        | 32 to 75       | 1¼" to 3      | 178                  | 7                    | 227         |  |
| HP2036       | 6        | 50 to 120      | 2" to 4%      | 247                  | 9%                   | 451         |  |
| HP2038       | 8        | 50 to 120      | 2" to 4%      | 247                  | 9%                   | 451         |  |



Pin Wrenches

#### **Replacement Pins for Hook Wrenches**

Being small items the pins in the pin wrenches can be mislaid, Teng Tools can supply the individual pins as required.

| Stock No | Suitable for                  |  |
|----------|-------------------------------|--|
| HP2014-P | HP2014 hook wrench            |  |
| HP2015-P | HP2015 & HP2025 hook wrenches |  |
| HP2026-P | HP2026 hook wrench            |  |
| HP2036-P | HP2036 hook wrench            |  |
| HP2038-P | HP2038 hook wrench            |  |

#### **TTXQRS07** Quick wrench set

A set of 7 wrenches especially designed for loosening and tightening pipe and hose couplings. Ideal for use in confined spaces. The ring end has a clever design so that it opens up to easily access the nut on the coupling. Includes 13, 17, 19, 22, 24, 27, 32mm. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system (570x115x70mm, 1.88 kilos).



#### Quick wrenches for couplings and hose fittings

A wrench especially designed for loosening and tightening pipe and hose couplings. Ideal foruse in confined spaces. The ring end has a clever design so that it opens up to easily access the nut on the coupling.

| Stock  | Size | L   | D    | H1   | H2   | Weight |  |
|--------|------|-----|------|------|------|--------|--|
| No.    | mm   | mm  | mm   | mm   | mm   | g      |  |
| 600813 | 13   | 141 | 27.5 | 7.2  | 8.0  | 92     |  |
| 600814 | 14   | 191 | 35.7 | 10.0 | 9.0  | 165    |  |
| 600816 | 16   | 191 | 35.7 | 10.0 | 9.0  | 165    |  |
| 600817 | 17   | 191 | 35.7 | 10.0 | 9.0  | 180    |  |
| 600819 | 19   | 191 | 35.7 | 10.0 | 9.0  | 225    |  |
| 600822 | 22   | 233 | 40.7 | 13.0 | 12.0 | 294    |  |
| 600824 | 24   | 235 | 43.2 | 13.0 | 12.0 | 300    |  |
| 600827 | 27   | 325 | 54.2 | 14.1 | 14.4 | 625    |  |
| 600830 | 30   | 325 | 56.4 | 15.9 | 14.4 | 610    |  |
| 600832 | 32   | 325 | 58.5 | 15.9 | 14.4 | 625    |  |
|        |      |     |      |      |      |        |  |



**Quick Wrenches** 

#### **Ratcheting Podgers**

Podgers with two sizes per wrench. 12 point double ended sockets with a strong 32 tooth reversible ratchet mechanism.

| Sizes   | L                                   | Α  | В  | С   | D   | Weight  |  |
|---------|-------------------------------------|--|--|---|---|---|--|
| mm      | inch                                | mm   | mm   | mm  | mm  | g   |  |
| 17 x 19 | 315                                 | 42   | 50   | 26.0  | 26.3  | 450   |  |
| 19 x 22 | 315                                 | 42   | 50   | 26.0  | 29.5  | 450   |  |
| 21 x 24 | 315                                 | 42   | 50   | 28.0  | 32.0  | 462   |  |
| 27 x 30 | 366                                 | 65   | 63   | 36.6  | 40.0  | 1,350   |  |
|         | mm<br>17 x 19<br>19 x 22<br>21 x 24 | mm inch<br>17 x 19 315<br>19 x 22 315<br>21 x 24 315 | mm inch mm<br>17 x 19 315 42<br>19 x 22 315 42<br>21 x 24 315 42 | mm         inch         mm         mm           17 x 19         315         42         50           19 x 22         315         42         50           21 x 24         315         42         50 | mm         inch         mm         mm         mm           17 x 19         315         42         50         26.0           19 x 22         315         42         50         26.0           21 x 24         315         42         50         28.0 | mm         inch         mm         mm         mm         mm           17 x 19         315         42         50         26.0         26.3           19 x 22         315         42         50         26.0         29.5           21 x 24         315         42         50         28.0         32.0 | mm         inch         mm         mm         mm         mm         mm         g           17 x 19         315         42         50         26.0         26.3         450           19 x 22         315         42         50         26.0         29.5         450           21 x 24         315         42         50         28.0         32.0         462 |





263



#### Hex keys with ballpoint heads

- Available in sets with metric sizes, imperial sizes and TX, with different options in terms of content and design, up to 10 mm.
- Up to 25 degree angle entry gives easy access, quick insertion and fast removal.
- · Ideal for areas that are hard to reach.
- Ergonomic as they permit a natural hand and wrist movement.

#### Hex keys with T-handle

 Available in metric sizes, imperial sizes and TX, either individually or in TT sets or wall holder.

#### **Folding sets**

- Available in metric sizes, imperial sizes and TX.
- Anodised aluminium handle and plastic cores ensure stability and comfort in combination with a low weight.
- A stop mechanism means the keys can be opened out individually up to 90 degrees for easy and stable use even under torque.

#### Standard hex keys

 Available in sets in metric sizes, imperial sizes as well as individually up to 19 mm or ½" and in TX.





TTHT28 Hex key set
Set of 28 ball point hex keys, (metric and AF) and TX keys. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1,22 kilos)

| Hex keys | mm | 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 10.0  |
|----------|----|--|
| Hex keys | AF | 5/64" 3/32" 1/8" 5/32" 3/16" 7/32" 1/4" 5/16" 3/8" |
| TX key   | TX | TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40 |





#### TEDHT42 Hex and TX wrench Set

A comprehensive set of hex and TX keys and wrenches. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50m, 1.75 kilos)

| Hex key sets | metric | 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 and 7mm                     |
|--------------|--------|--|
|              | inch   | 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" |
| TX key set   | TX     | 8, 9, 10, 15, 20, 25, 27, 30, 40                           |
| Fold up set  |        | 4, 5, 6mm hex, TX25, TX30, 1.0x5.5 flat, PH2, PZ2          |
| Mini TX kevs | TX     | 6, 7, 8, 9, 10, 15   |











1425 Metric hex key set

Accessories

Set of 10 hex keys with ring holder. Chrome vanadium steel. Black.

Set of 10 hex keys with holding ring. Chrome vanadium steel. Black.

ring holder Individual hex keys 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 10.0mm

| Accessories         | ring holder |       |       |      |       |       |       |      |       |      |
|---------------------|-------------|-------|-------|------|-------|-------|-------|------|-------|------|
| Individual hex keys | 1/16"       | 5/64" | 3/32" | 1/8" | 5/32" | 3/16" | 7/32" | 1/4" | 5/16" | 3/8" |



#### 1479MMR Metric hex key set

Set of 9 hex keys. Chrome vanadium steel. Black. In folding plastic holder.

| Accessories         | folding holder                                 |
|---------------------|--|
| Individual hex keys | 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm |
|                     |  |



**1479MMRL Extra long metric hex key set** 9 piece extra long hex key set. Chrome vanadium steel. Individually size marked for easy identification. Supplied in folding plastic holder.

| Accessories         | folding holder                                 |
|---------------------|--|
| Individual hex keys | 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm |



#### 1476NMM metric hex key set

7 piece hex key set. Chrome vanadium steel. Retractable in aluminium case. DIN2936.

| Accessories         | ergonomically designed aluminium holder |
|---------------------|---|
| Individual hex keys | 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm     |





**1476NMM1 metric hex key set**7 piece hex key set. Chrome vanadium steel. Retractable in aluminium case. DIN2936.

| Accessories         | ergonomically designed aluminium holder |
|---------------------|---|
| Individual hex keys | 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm    |
|                     |   |



#### 1477NX Assorted Key Set

8 piece set including hexagon, TX and screwdriver keys. Chrome vanadium steel. Retractable in aluminium case.

| Accessories                 | ergonomically designed aluminium holder |
|-----------------------------|---|
| Individual hex keys         | 4, 5, 6mm                               |
| Individual TX keys          | TX25, TX30                              |
| Individual Screwdriver keys | 1.0x5.5mm flat, PH1, PZ2                |



#### 1473 Bicycle Tool Kit

11 piece set especially designed for cyclists and including hexagon, TX and screwdriver keys, a tyre lever and a chain tool. Chrome nickel finish. Retractable in aluminium case.

| Accessories                 | ergonomically designed aluminium holder, tyre lever and chain tool |
|-----------------------------|--|
| Individual hex keys         | 2, 2.5, 3, 4, 5, 6mm   |
| Individual TX keys          | TX25   |
| Individual Screwdriver keys | 1.0x5.5mm flat, PH2  |
|                             |  |











#### 1476NAF AF hex key set

7 piece hex key set. Chrome vanadium steel. Retractable in aluminium case. DIN2936.

| Accessories         | ergon | ergonomically designed aluminium holder |       |      |       |       |       |
|---------------------|-------|---|-------|------|-------|-------|-------|
| Individual hex keys | 1/16" | 5/64"                                   | 3/32" | 1/8" | 5/32" | 3/16" | 7/32" |



#### 1471MM Metric hex key set

7 piece hex key set. Chrome vanadium steel. Retractable in chromed case. Features a fold out ring connector for use with a safety wire such as the Teng Tools SSH range of safety wires included in the Service Tools section of this

| Accessories         | chrome plated metal holder with safety wire connector |
|---------------------|---|
| Individual hex keys | 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm                   |
|                     |   |



#### 1471MMA Metric hex key set 7 piece hex key set. Chrome vanadium steel. Retractable in chromed case. Features a fold out ring connector for use with a safety wire such as the Teng Tools SSH range of safety wires included in the Service Tools section of this

| Accessories         | chrome plated metal holder with safety wire connector |
|---------------------|---|
| Individual hex keys | 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm                  |



#### 1471AF AF hex key set

catalogue.

7 piece hex key set. Chrome vanadium steel. Retractable in chromed case. Features a fold out ring connector for use with a safety wire such as the Teng Tools SSH range of safety wires included in the Service Tools section of this catalogue.

| Accessories         | chrome plated metal holder with safety wire connector |
|---------------------|---|
| Individual hex keys | 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32"        |



#### 1471AFA AF hex key set

Tools SSH range of safety wires included in the Service Tools section of this catalogue.

| Accessories         | chrome plated metal holder with safety wire connector |
|---------------------|---|
| Individual hex keys | 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"                 |
|                     |   |



#### 1474 AF Ball point hex key set

Set of 7 hex keys. Chrome vanadium steel. Black. With ball point heads on the long key end which permits turning at a 30° angle. Supplied in plastic holder.

| Accessories | self locking plastic hand |
|-------------|---------------------------|
|-------------|---------------------------|

Individual hex keys 1/8" 5/32" 3/16" 7/32" 1/4" 5/16" 3/8"







#### 1475 Metric ball point hex key set

Set of 7 hex keys. Chrome vanadium steel. Black. With ball point heads on the long key end which permits turning at a 30° angle. Supplied in plastic holder.

| Accessories         | self locking plastic handle          |  |
|---------------------|--------------------------------------|--|
| Individual hex keys | 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm |  |







#### 1479MM Metric ball point hex key set

Set of 9 metric chrome vanadium steel hex keys.
With ball point head on the long key end for 30° access. Supplied in folding plastic holder.

|   | Accessories         | folding holder                                 |
|---|---------------------|--|
|   | Individual hex keys | 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm |
| ľ |                     |  |







#### 1479MMA Metric ball point hex key set

Set of 9 chrome vanadium steel hex keys. With ball point head on the long key end for 30° access. Supplied in folding plastic holder.

| Accessories         | folding holder                                 |
|---------------------|--|
| Individual hex keys | 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 7.0, 10.0mm |
|                     |  |







6 piece hex key set. Chrome vanadium steel. Retractable in chromed case. Features a fold out ring connector for use with a safety wire such as the Teng





strength. With ball point end on the long hex key end for 30° access. Supplied in folding plastic holder.

| Accessories         | folding holder                                 |
|---------------------|--|
| Individual hex keys | 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm |
|                     |  |









#### 1479AF AF ball point hex key set

Set of 9 AF chrome vanadium steel hex keys. With ball point head on the long key end for 30° access. Supplied in folding plastic holder.

folding holder Individual hex keys 5/64" 3/32" 1/8" 5/32" 3/16" 7/32" 1/4" 5/16" 3/8"







#### 1499AF chrome molybdenum hex key set

Set of 9 chrome molybdenum alloy steel hex keys for added strength. With ball point end on the long hex key end for 30° access. Supplied in folding plastic holder.

| Accessories         | folding holder   |
|---------------------|--|
| Individual hex keys | 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" |





#### **Individual Metric Hex Keys**

Individual metric hex keys with dimension marked on each black key. Individually carded. DIN2936.

| Stock   | Size | short arm | long arm  |
|---------|------|-----------|-----------|
| No.     | mm   | length mm | length mm |
| 3105007 | 0.7  | 8         | 35        |
| 3105009 | 0.9  | 10        | 38        |
| 3105013 | 1.3  | 12        | 41        |
| 3105015 | 1.5  | 14        | 45        |
| 310502  | 2.0  | 16        | 50        |
| 3105025 | 2.5  | 18        | 56        |
| 310503  | 3.0  | 20        | 63        |
| 310504  | 4.0  | 25        | 70        |
| 3105045 | 4.5  | 26        | 75        |
| 310505  | 5.0  | 28        | 80        |
| 3105055 | 5.5  | 30        | 85        |
| 310506  | 6.0  | 32        | 90        |
| 310507  | 7.0  | 34        | 95        |
| 310508  | 8.0  | 36        | 100       |
| 310509  | 9.0  | 38        | 106       |
| 310510  | 10.0 | 40        | 112       |
| 310512  | 12.0 | 45        | 125       |
| 310514  | 14.0 | 56        | 140       |
| 310517  | 17.0 | 63        | 160       |
| 310519  | 19.0 | 70        | 180       |
| 310522  | 22.0 | 80        | 200       |
| 310527  | 27.0 | 100       | 250       |
| 310532  | 32.0 | 125       | 315       |
| 310536  | 36.0 | 140       | 355       |





#### Individual extra long metric hex keys

Individual extra long metric hex keys each individually marked with the size. Chrome vanadium steel.

| Stock   | Size | short arm | long arm  |  |
|---------|------|-----------|-----------|--|
| No.     | mm   | length mm | length mm |  |
| 3205015 | 1.5  | 14        | 90        |  |
| 320502  | 2.0  | 16        | 100       |  |
| 3205025 | 2.5  | 18        | 112       |  |
| 320503  | 3.0  | 20        | 126       |  |
| 320504  | 4.0  | 25        | 140       |  |
| 320505  | 5.0  | 28        | 160       |  |
| 320506  | 6.0  | 32        | 180       |  |
| 320508  | 8.0  | 36        | 200       |  |
| 320510  | 10.0 | 40        | 224       |  |



#### Individual AF hex keys

Individual AF hex keys with dimension marked on each black key. Ground key ends. Loose. DIN2936.

| Stock   | Size  | short arm | long arm  |  |
|---------|-------|-----------|-----------|--|
| No.     | AF    | length mm | length mm |  |
| 310102  | 1/16" | 14        | 44        |  |
| 3101025 | 5/64" | 15        | 48        |  |
| 310103  | 3/32" | 17        | 51        |  |
| 3101035 | 7/64" | 18        | 54        |  |
| 310104  | 1/8"  | 19        | 57        |  |
| 3101045 | 9/64" | 20        | 60        |  |
| 310105  | 5/32" | 21        | 64        |  |
| 310106  | 3/16" | 24        | 70        |  |
| 310107  | 7/32" | 26        | 76        |  |
| 310108  | 1/4"  | 28        | 83        |  |
| 310110  | 5/16" | 32        | 95        |  |
| 310112  | 3/8"  | 35        | 108       |  |
| 310114  | 7/16" | 38        | 121       |  |
| 310116  | 1/2"  | 41        | 133       |  |



#### Individual AF Hex Keys →

#### Individual Metric ball point hex keys

Individual hex key wrenches. Chrome vanadium. Black.

With ball point heads on the long end which permits turning at a 30° angle. Individually carded.

| Stock       | Size | short arm | long arm  |  |
|-------------|------|-----------|-----------|--|
| No.         | mm   | length mm | length mm |  |
| 3105015BL-C | 1.5  | 17        | 76        |  |
| 310502BL-C  | 2.0  | 19        | 83        |  |
| 3105025BL-C | 2.5  | 20        | 90        |  |
| 310503BL-C  | 3.0  | 22        | 99        |  |
| 310504BL-C  | 4.0  | 28        | 111       |  |
| 310505BL-C  | 5.0  | 32        | 126       |  |
| 310506BL-C  | 6.0  | 38        | 143       |  |
| 310507BL-C  | 7.0  | 34        | 144       |  |
| 310508BL-C  | 8.0  | 44        | 160       |  |
| 310510BL-C  | 10.0 | 50        | 180       |  |



#### Individual Metric Ball Point Hex Keys →

Individual chrome molybdenum ball point metric hex keys
Individual chrome molybdenum hexagon keys for added strength. With ball point ends on the long end which permits turning at a 30° angle. Individually size marked for easy identification.

| Stock     | Size | short arm | long arm  |  |
|-----------|------|-----------|-----------|--|
| No.       | mm   | length mm | length mm |  |
| 3905015BL | 1.5  | 14        | 77        |  |
| 390502BL  | 2.0  | 16        | 83        |  |
| 3905025BL | 2.5  | 18        | 90        |  |
| 390503BL  | 3.0  | 20        | 98        |  |
| 390504BL  | 4.0  | 25        | 106       |  |
| 390505BL  | 5.0  | 28        | 118       |  |
| 390506BL  | 6.0  | 32        | 137       |  |
| 390508BL  | 8.0  | 36        | 156       |  |
| 390510BL  | 10.0 | 40        | 170       |  |



#### Individual AF ball point hex keys

Individual AF hex key wrenches. Chrome vanadium. Black.
With ball point heads on the long end which permits turning at a 30° angle. Individually carded.

| Stock    | Size  | Short arm | Long arm  |
|----------|-------|-----------|-----------|
| Vo.      | AF    | length mm | length mm |
| 101025BL | 5/64" | 15        | 82        |
| 10103BL  | 3/32" | 17        | 88        |
| 10104BL  | 1/8"  | 19        | 96        |
| 10105BL  | 5/32" | 21        | 105       |
| 10106BL  | 3/16" | 24        | 114       |
| 10107BL  | 7/32" | 26        | 124       |
| 10108BL  | 1/4"  | 28        | 135       |
| 10110BL  | 5/16" | 32        | 151       |
| 10112BL  | 3/8"  | 35        | 170       |



Individual Ball Point Hex Keys



#### Individual chrome molybdenum ball point AF hex keys

Individual chrome molybdenum hexagon keys for added strength. With ball point ends on the long end which permits turning at a 30° angle. Individually size marked for easy identification.

| Stock     | Size  | short arm | long arm  |
|-----------|-------|-----------|-----------|
| No.       | mm    | length mm | length mm |
| 3901025BL | 5/64" | 15        | 82        |
| 390103BL  | 3/32" | 17        | 88        |
| 390104BL  | 1/8"  | 19        | 96        |
| 390105BL  | 5/32" | 21        | 105       |
| 390106BL  | 3/16" | 24        | 114       |
| 390107BL  | 7/32" | 26        | 124       |
| 390108BL  | 1/4"  | 28        | 135       |
| 390110BL  | 5/16" | 32        | 151       |
| 390112BL  | 3/8"  | 35        | 170       |





#### TTHEX7 T Handle hex key set

Set of 7 hex keys with T handle. The ball point head on the long key end improves access. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.72 kilos)

| T handle driver | hex/ball point | 100mm (long arm) | 2.5, 3, 4mm |
|-----------------|----------------|------------------|-------------|
| T handle driver | hex/ball point | 150mm (long arm) | 5, 6, 7mm   |
| T handle driver | hex/ball point | 190mm (long arm) | 8mm         |





#### TTHEX7S Individual Metric T Handle Hex Drivers NEW!

Set of hex keys with T handle. Both ends with regular hexagon fitting. (ie. no ball point) Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.8 kilos)

| T handle driver | hex point | 100mm (long arm) | 2.5, 3, 4mm |
|-----------------|-----------|------------------|-------------|
| T handle driver | hex point | 150mm(long arm)  | 5, 6, 7mm   |
| T handle driver | hex point | 190mm(long arm)  | 8mm         |
|                 |           |                  |             |



#### **TEDHEX7** T handle Hex Key Set

7 piece set of T handle hex keys with ball point ends on the long key end. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.11 kilos)

T handle hex keys 2.5, 3, 4, 5, 6, 7, 8mm



#### WRHEX07 T handle hex key set

7 piece metric T handle hex key set with a ball point end on the long arm for 30° access. Complete with a wall rack for fixing to the wall or a work bench.


T handle hex keys 2.5, 3, 4, 5, 6, 7, 8mm



#### **TTEX23** Wrenches set

Set containing metric T handle nut drivers and metric hex and TX/TPX T handle drivers. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 2.47 kilos)


| Nut drivers             | 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm |
|-------------------------|-----------------------------------|
| T handle hex drivers    | 2.5, 3, 4, 5, 6, 7, 8mm           |
| T handle TX/TPX drivers | T10, T15, T20, T25, T27, T30, T40 |



#### Individual Metric T handle hex drivers

Hex keys with T handle. With ball point head on the long key end, which improves access.

| Stock   | Size | short arm | long arm  |  |
|---------|------|-----------|-----------|--|
| No.     | mm   | length mm | length mm |  |
| 510502  | 2.0  | 12        | 100       |  |
| 5105025 | 2.5  | 12        | 100       |  |
| 510503  | 3.0  | 12        | 100       |  |
| 510504  | 4.0  | 12        | 100       |  |
| 510505  | 5.0  | 15        | 150       |  |
| 510506  | 6.0  | 15        | 150       |  |
| 510507  | 7.0  | 15        | 150       |  |
| 510508  | 8.0  | 18        | 190       |  |
| 510510  | 10.0 | 20        | 200       |  |
| 510512  | 12.0 | 20        | 200       |  |



#### Individual Metric T handle Hex Drivers →

#### Individual Metric T Handle Hex Drivers NEW!

• Prevents wear inside hexagon socket screws.

Provides larger contact zones in the screw head
Ergonomically designed bi-material handle

| _       |      |           |           |        |  |
|---------|------|-----------|-----------|--------|--|
| Stock   | Size | Short arm | Short arm | Weight |  |
| No.     | mm   | length mm | length mm | g      |  |
| 5106025 | 2.5  | 15        | 100       | 20     |  |
| 510603  | 3.0  | 15        | 100       | 25     |  |
| 510604  | 4.0  | 15        | 100       | 37     |  |
| 510605  | 5.0  | 18        | 150       | 80     |  |
| 510606  | 6.0  | 18        | 150       | 100    |  |
| 510607  | 7.0  | 18        | 150       | 120    |  |
| 510609  | 8.0  | 10        | 100       | 190    |  |



#### Hex type screwdrivers

Hex type screwdrivers, with ergonomically designed bi-material handle with hanging hole. TT-MV plus steel, black tips.

| Stock         Size         shaft         Tip         L1         L2           No.         mm         type         mm         mm           MD7020HN         2         Round         hex         100         196 |
|---|
| 7/2   |
| MD7020HN 2 Round hex 100 196  |
|   |
| MD7025HN 2.5 Round hex 100 196  |
| MD7030HN 3 Round hex 100 196  |









#### Hex screwdrivers - ball type

Hex type screwdrivers with a ball pointed end, ergonomically designed bi-material handle with hanging hole. TT-MV plus steel, black tips.

| Stock     | Size | shaft | Tip      | L1  | L2  |  |
|-----------|------|-------|----------|-----|-----|--|
| No.       | mm   | type  |          | mm  | mm  |  |
| MD7020HBN | 2    | Round | hex ball | 100 | 196 |  |
| MD7025HBN | 2.5  | Round | hex ball | 100 | 196 |  |
| MD7030HBN | 3    | Round | hex ball | 150 | 246 |  |
| MD7040HBN | 4    | Round | hex ball | 150 | 258 |  |
| MD7050HBN | 5    | Round | hex ball | 150 | 266 |  |
| MD7060HBN | 6    | Round | hex ball | 150 | 266 |  |
| MD7080HBN | 8    | Round | hex ball | 150 | 275 |  |



#### Hex Screwdrivers - Ball Type →

TTHEX7AF T Handle AF hex key set
Set of 7 hex keys with T handle. The ball point head on
the long key end improves access. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.75 kilos)

| -,,                              |                                   |
|----------------------------------|-----------------------------------|
| T handle driver hex/ball point   | 100mm (long arm) 3/32" 1/8" 5/32" |
| T handle driver hex/ball point   | 150mm (long arm) 3/16" 7/32" 1/4" |
| The sale dates the first a state | 100 (1)                           |



Teng

WRHEX07AF T handle hex key set
7 piece imperial T handle hex key set with a ball point end on the long arm for
30° access. Complete with a wall rack for fixing to the wall or a work bench.


| T handle hex keys | 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" |
|-------------------|---|
|                   |   |



#### **Individual AF T Handle Hex Drivers**

Hex keys with T handle. With ball point head on the long key end, which improves access. CrMo alloy steel for extra strength.

| Stock<br>No. | Size<br>AF | short arm<br>length mm | long arm<br>length mm |  |
|--------------|------------|------------------------|-----------------------|--|
| 510103       | 3/32"      | 12                     | 100                   |  |
| 510104       | 1/8"       | 12                     | 100                   |  |
| 510105       | 5/32"      | 12                     | 100                   |  |
| 510106       | 3/16"      | 12                     | 100                   |  |
| 510107       | 7/32"      | 15                     | 150                   |  |
| 510108       | 1/4"       | 15                     | 150                   |  |
| 510110       | 5/16"      | 15                     | 150                   |  |



#### T handle Hex Drivers →

#### 1479TX TX key set


TX keys for internal TX heads. Chrome vanadium steel. Supplied in plastic holder.

| Accessories        | folding holder                                     |
|--------------------|--|
| Individual TX keys | TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40 |



Individual TX keys
TX keys for internal heads, made of chrome vanadium steel. DIN2936.

| Stock  | Size | Max head | For screws | Length |  |
|--------|------|----------|------------|--------|--|
| No.    | TX   | width mm | М          | mm     |  |
| 320008 | 8    | 2.31     | 2.5        | 16x80  |  |
| 320009 | 9    | 2.50     | 3.0        | 16x83  |  |
| 320010 | 10   | 2.74     | 3.0-3.5    | 17x86  |  |
| 320015 | 15   | 3.27     | 3.5-4.0    | 18x90  |  |
| 320020 | 20   | 3.86     | 4.0-5.0    | 19x95  |  |
| 320025 | 25   | 4.43     | 4.5-5.0    | 20x100 |  |
| 320027 | 27   | 4.99     | 4.5-6.0    | 22x105 |  |
| 320030 | 30   | 5.52     | 6.0-7.0    | 24x114 |  |
| 320040 | 40   | 6.65     | 7.0-8.0    | 26x124 |  |
| 320045 | 45   | 7.82     | 8.0-10.0   | 29x133 |  |
| 320050 | 50   | 8.83     | 10.0       | 32x152 |  |
|        |      |          |            |        |  |





TX Keys →

#### **1479TX1 TX key set with ball point heads**TX keys for internal TX heads with a ball point end for easier

access at an angle. Chrome vanadium steel. Supplied in a plastic holder.

|  | Accessories        | folding holder                                     |
|--|--------------------|--|
|  | Individual TX keys | TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40 |



Individual ball point TX keys
TX keys for internal heads with ball point ends, made of chrome vanadium steel.

| Stock    | Size | Max head | For screws | Length |
|----------|------|----------|------------|--------|
| No.      | TX   | width mm | М          | mm     |
| 320008BL | 8    | 2.31     | 2.5        | 16x80  |
| 320009BL | 9    | 2.50     | 3.0        | 16x83  |
| 320010BL | 10   | 2.74     | 3.0-3.5    | 17x86  |
| 320015BL | 15   | 3.27     | 3.5-4.0    | 18x90  |
| 320020BL | 20   | 3.86     | 4.0-5.0    | 19x95  |
| 320025BL | 25   | 4.43     | 4.5-5.0    | 20x100 |
| 320027BL | 27   | 4.99     | 4.5-6.0    | 22x105 |
| 320030BL | 30   | 5.52     | 6.0-7.0    | 24x114 |
| 320040BL | 40   | 6.65     | 7.0-8.0    | 26x124 |
| 320045BL | 45   | 7.82     | 8.0-10.0   | 29x133 |
| 320050BL | 50   | 8.83     | 10.0       | 32x152 |



Ball Point Hex Keys →

#### 1487 TX key set

Set of 7 TX keys with a ring holder. For internal TX heads. Chrome vanadium steel.

| Accessories        | ring holder                              |
|--------------------|--|
| Individual TX keys | TX10, TX15, TX20, TX25, TX27, TX30, TX40 |





#### 1476NTX TX key set

8 piece TX key set. Chrome vanadium steel. Retractable in aluminium case.

aluminium case with nylon inserts Accessories TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40 Individual TX keys



#### 1476NTX1 TX key set with ball point heads

8 piece TX key set with ball point heads for 20° access. Chrome vanadium steel. Retractable in aluminium case.

| Accessories        | ergonomically designed aluminium holder       |
|--------------------|---|
| Individual TX keys | TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40 |



#### 1476NTX2 chrome molybdenum TX key set

Tools

Teng

8 piece TX key set. Chrome molybdenum steel for added strength. Retractable in chromed case. Features a fold out ring connector for use with a safety wire such as the Teng Tools SSH range of safety wires included in the Service Tools section of this catalogue.

| Accessories        | chrome plated metal holder with safety wire connector |
|--------------------|---|
| Individual TX keys | TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40         |
|                    |   |



#### 1499TX chrome molybdenum TX key set

Set of 9 chrome molybdenum alloy steel TX keys for added strength. With ball point end on the long hex key end for 20° access. Supplied in folding plastic holder.

| Accessories        | folding holder                                     |
|--------------------|--|
| Individual TX keys | TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40 |
|                    |  |



#### Individual chrome molybdenum ball point TX keys

Individual chrome molybdenum TX keys for added strength. With ball point ends on the long end which permits turning at a 20° angle. Individually size marked for easy identification.

| Stock    | Size | short arm | long arm  |  |
|----------|------|-----------|-----------|--|
| No.      | TX   | length mm | length mm |  |
| 390908BL | 8    | 16        | 80        |  |
| 390909BL | 9    | 16        | 83        |  |
| 390910BL | 10   | 17        | 86        |  |
| 390915BL | 15   | 18        | 90        |  |
| 390920BL | 20   | 19        | 95        |  |
| 390925BL | 25   | 20        | 100       |  |
| 390927BL | 27   | 22        | 105       |  |
| 390930BL | 30   | 24        | 114       |  |
| 390940BL | 40   | 26        | 124       |  |





#### TTTX7 T Handle hex key set

Set of 7 TX keys with T handle. For internal TX heads (also for tamper proof screws). Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.72 kilos)

| T handle driver | TX/TPX | 100mm (long arm)TX/TPX10,TX/TPX15, TX/TPX20 |
|-----------------|--------|---|
| T handle driver | TX/TPX | 150mm (long arm)TX/TPX25, TX/TPX27,TX/TPX30 |
| T handle driver | TX/TPX | 190mm (long arm)TX/TPX40                    |
|                 |        |   |



**TEDTX7 T handle TX Key Set**7 piece set of T handle TX keys with TPX ends on the long key end. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 0.98 kilos)

| T handle TX kevs | TY10 | TX15 | TY20 | TY25 | TY27 | TX3U | TYAN |
|------------------|------|------|------|------|------|------|------|
|                  |      |      |      |      |      |      |      |



#### WRTX07 T handle TX key set

7 piece T handle TX key set with a TPX end on the long arm for tamper proof TX fastenings. Complete with a wall rack for fixing to the wall or a



#### T handle TX/TPX Drivers

TX keys with T handle for internal TX heads. Long key end also has a slot for tamper proof screws. CrMo alloy steel for extra strength.

| -      |          |           |           |  |
|--------|----------|-----------|-----------|--|
| Stock  | Size     | short arm | long arm  |  |
| No.    |          | length mm | length mm |  |
| 520009 | TX/TPX9  | 12        | 100       |  |
| 520010 | TX/TPX10 | 12        | 100       |  |
| 520015 | TX/TPX15 | 12        | 100       |  |
| 520020 | TX/TPX20 | 12        | 100       |  |
| 520025 | TX/TPX25 | 15        | 150       |  |
| 520027 | TX/TPX27 | 15        | 150       |  |
| 520030 | TX/TPX30 | 15        | 150       |  |
| 520040 | TX/TPX40 | 18        | 190       |  |
| 520045 | TX/TPX45 | 20        | 200       |  |
| 520050 | TX/TPX50 | 20        | 200       |  |
| 520055 | TX/TPX55 | 20        | 200       |  |

T handle TX/TPX drivers →





## TORQUE PLUS RANGE

Compact, lightweight and reliable

Forward/reverse function

Quick release mechanism

Teng Tools torque wrenches have quickly become one of the most used within the automotive sector as well as light industry. This new range of industrial quality 'Plus' torque wrenches are supplied with a fully traceable calibration certificate from the date of manufacture. They are 72 teeth which allows for accessibility in confined spaces and they perform to an accuracy of  $\pm$  4% which meets international standards.

## HOW TO USE A TORQUE WRENGH

#### Always:

- Always use a torque wrench to apply a specific torque value. Never use it as the primary means of tightening or loosening fasteners.
- Always clean dirty or rusted threads before tightening.
- Always carry a torque wrench with care. A single fall can knock the accuracy off by as much as 30
  percent. If you do drop it, get it recalibrated.
- . Always store a torque wrench in it's protective case when not in use.
- · Always apply torque in a slow, methodical manner. Avoid sudden, jerking movements.
- Always grasp a torque wrench in the centre of the handle. If two hands are needed, place one hand on top of the other.
- · Always return a torque wrench to the 'zero' setting before storage.
- Always use the correct drive of torque wrench to suit the size of the fastening you need to turn.

#### Never

Window scale in Nm

- Never use a torque wrench as a breaker bar. This will damage the torque mechanism.
- · Never exceed the recommended working range of a torque wrench.

Ergonomically designed handle featuring two component grip for comfort.

Safety lock button to enable reliable locking of the torque setting.

Hanging hook

| Stock No. | Drive | Range (Nm) | Scale (Nm) |
|-----------|-------|------------|------------|
| 3892P060  | 3/8"  | 12-60      | 0.5        |
| 3892P100  | 3/8"  | 20-100     | 0.5        |
| 1292P100  | 1/2"  | 20-100     | 0.5        |
| 1292P200  | 1/2"  | 40-200     | 1.0        |
| 1292P320  | 1/2"  | 60-320     | 2.0        |
| 3492P500  | 3/4"  | 100-500    | 2.5        |



त्रभा जातिवाप्रभव्

#### **Torque Tester**

A digital test instrument designed to check torque wrench readings. Robust and easy to use with fixing points for installation on a sold surface such as a work bench. Accuracy is +/-1% of the measurement value and a factory test certificate is included. For clockwise measurement.





#### **Torque Tester**

A digital test instrument designed to check torque wrench readings. Can also be connected to the Teng Tools TORP01 printer to print off a record of the readings taken. Robust and easy to use with fixing points for installation on a sold surface such as a work bench. Accuracy is +/-1% of the measurement value and a factory test certificate is included. For clockwise measurement.



| Stock   | Plug type | Range  | Depth | Width | Height | Weight |  |
|---------|-----------|--------|-------|-------|--------|--------|--|
| No.     |           | Nm     | mm    | mm    | mm     | g      |  |
| TORQ99E | Euro      | 10-400 | 200   | 160   | 85     | 2,500  |  |

#### **Torque Test Printer**

A printer to print off a record of the readings taken on the TORQ99 torque wrench tester.

| Stock   | Plug type | Depth | Width | Height | Weight |
|---------|-----------|-------|-------|--------|--------|
| No.     |           | mm    | mm    | mm     | g      |
| TORP01E | Euro      | 220   | 180   | 95     | 1,840  |





#### **TORQS01** Stand for Torque Wrench Tester and Printer

Metal stand designed specifically for the Teng Tools TORQ99 tester and TORP01 printer. Measures 570x340x950mm, weight 1.64 kilos.







Torque test centre complete with stand, printer and torque wrench tester (TORQ99)



#### **TTSD39** Torque screwdriver set

1/4" drive torque screwdriver with "slipper" mechanism for when torque is reached. Supplied with 36 bits, 4" extension bar and bit chuck holder. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.66 kilos)

| 25mm Bits   | 1/4" hex   | PH0, PH1, PH2, PH3                                 |
|-------------|------------|--|
|             |            | PZO, PZ1, PZ2, PZ3                                 |
|             |            | TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40 |
|             |            | TPX10, TPX15, TPX20, TPX25, TPX30                  |
|             |            | ROB1, ROB2, ROB3                                   |
|             |            | GR PH2x2 pc  |
|             |            | hex 2, 3, 4, 5, 6mm                                |
|             |            | flat 3.0x0.5mm, 4.5x0.6mm 5.5x0.8mm, 6.5x1.2mm     |
| Accessories | 1/4" drive | torque screwdriver 1-5Nm, 4" extension bar         |
|             | 1/4" hex   | bit chuck holder                                   |





Get Organised with Teng Tools - be more efficient and save time and money.





## Teng Tools

#### TEDSD95 Torque Screwdriver, Impact Driver and Bit Set

1/4" drive 1-5Nm torque screwdriver and 1/2" drive impact driver together with assorted bits to suit most types of fastenings. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 2.40 kilos)



| Accessories         | 1/4" drive | 1-5Nm torque screwdriver, quick release chuck, sliding T                              |
|---------------------|------------|---|
|                     |            | bar, 6" flexible extension,. Ratchetting bits driver with                             |
|                     |            | assorted bits in the handle (5, 7mm flat, PH1, PH2, PZ1, PZ2, 1/4"M:1/4" hex adaptor) |
|                     | 3/8" drive | 3/8"M:5/16" hex adaptor   |
|                     | 1/2" drive | impact driver, 5/16" hex bit adaptor  |
| 5/16" hex 36mm bits | flat type  | 1.4x6, 1.4x8, 2.2x10, 1.8x12mm  |
|                     | PH         | PH1, PH2, PH3, PH4  |
|                     | hex        | 4, 5, 6, 8mm  |
|                     | TX         | TX30, TX40, TX45, TX50, TX55  |
| 1/4" hex 25mm bits  | flat type  | 0.6x3.5, 0.6x4.5, 0.8x4.0, 0.8x5.5, 1.0x5.5, 1.2x6.5,                                 |
|                     |            | 1.6x8.0mm   |
|                     | PH         | PH1 (x3), PH2 (x6), PH3   |
|                     | PZ         | PZ1 (x3), PZ2 (x6), PZ3   |
|                     | hex        | 2, 3, 4, 5, 6, 8mm  |
|                     | TX         | TX6, TX7, TX8, TX9, TX10, TX15, TX20 (x3), TX25 (x3), TX27, TX30, TX40                |
|                     | TPX        | TPX10, TPX15, TPX20 (x2), TPX25 (x2), TPX27, TPX30, TPX40                             |
|                     | Square     | 1, 2, 3   |
|                     | GR         | 2 (x3)  |

#### **Torque Screwdrivers**

1/4" drive torque screwdriver with "slipper" mechanism for when torque is reached. Ranges covered 1-5 Nm and 2-8Nm.

| Stock No.             | Description        | Range NM |  |  |  |  |
|-----------------------|--------------------|----------|--|--|--|--|
| 1492SD                | torque screwdriver | 1-5      |  |  |  |  |
| Torque Screwdrivers → |                    |          |  |  |  |  |



#### Torque Screwdrivers - CT version

All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us. The cost of this service is included in the price of CT type torque wrenches as shown in the table.

| Stock No. | Description                   | Range NM |
|-----------|-------------------------------|----------|
| 1492SD-CT | torque screwdriver calibrated | 1-5      |
|           |                               |          |



#### 1492AG-E 1/4" Drive Torque Wrench

Torque Screwdrivers →

Torque wrench according to ISO6789. With ratchet the torque wrench can be used for both tightening, and final checking of the torque. Reversible with lever, but only for right-hand action for torque checking. Equipped with angular gauge for after tightening. Graduated in Nm and ft/lbs. Lockable setting. Accuracy +/-4%. Satin finish.

| Stock    | Range | Range | Scale | Scale | L   | W    | Н    | Weight |
|----------|-------|-------|-------|-------|-----|------|------|--------|
| No.      | Nm    | ft/lb | Nm    | ft/lb | mm  | mm   | mm   | g      |
| 1492AG-E | 5-25  | 4-18  | 0.4   | 0.4   | 277 | 27.6 | 20.6 | 580    |



#### 1492AG-CT 1/4" Drive Torque Wrench - CT version

All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us. The cost of this service is included in the price of CT type torque wrenches as shown in the table.



| Stock     | Range | Range | Scale | Scale | L   | W    | Н    | Weight |
|-----------|-------|-------|-------|-------|-----|------|------|--------|
| No.       | Nm    | ft/lb | Nm    | ft/lb | mm  | mm   | mm   | g      |
| 1492AG-CT | 5-25  | 4-18  | 0.4   | 0.4   | 277 | 27.6 | 20.6 | 580    |

#### TTX3892 3/8" Torque Wrench set

22 piece set consisting of a 3/8" drive torque wrench, 10 crow foot wrenches, bit adaptor, 8 TX bits, 3" and 5" extension bars. Supplied in the unique Teng Tools TC tray for use on it's own or as part of the Teng Tools TC control system. (570x115x60mm, 0.9 kilos)

| Torque wrench    | 3/8" drive     | angular gauge torque wrench(20-110Nm, 15-75 ft/lb) |
|------------------|----------------|--|
| Accessories      | 3/8" drive     | 3" and 5" extensions, adaptorfor 10mm hex bits     |
| TX bits          | 10mm hex drive | TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40      |
| Crow foot wrench | es 3/8" drive  | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm           |



#### **TEX1238** Torque Wrench Set

1/2" drive and 3/8" drive angular gauge torque wrenches covering 20-210Nm (15-150 ft/lb) in total. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x60mm, 2.77 kilos)

| Torque wrench | 3/8" drive | 20-110Nm (15-81ft/lb)   |
|---------------|------------|-------------------------|
|               | 1/2" drive | 40-210Nm (30-150 ft/lb) |



#### 3/8" Drive Torque Wrenches

Torque wrench according to ISO6789. With ratchet the torque wrench can be used for both tightening and final checking of the torque. Reversible with lever, but only for right hand action for torque checking. Equipped with angular gauge for after tightening. Graduated in Nm and ft/lbs. Lockable setting. Accuracy +/-4%. Satin finish.

#### 3/8" Drive Torque Wrenches →

| Stock<br>No. | Range<br>Nm | Range<br>ft/lb | Scale<br>Nm | Scale<br>ft/lb |     | W<br>mm |      | Weight<br>g |  |
|--------------|-------------|----------------|-------------|----------------|-----|---------|------|-------------|--|
| 3892AG-E1    | 5-25        | 4-18           | 0.4         | 0.4            | 277 | 27.6    | 20.6 | 580         |  |
| 3892AG-E3    | 20-110      | 15-75          | 1.0         | 1.0            | 368 | 35.9    | 27.7 | 580         |  |



#### 3/8" Drive Torque Wrenches - CT Version

All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from the our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us. The cost of this service is included in the price of CT type torque wrenches as shown in the table.

3/8" Drive Torque Wrenches - CT Version →

| Stock      |        | Range | Scale |       | L   | В    | Н    | Weight |  |
|------------|--------|-------|-------|-------|-----|------|------|--------|--|
| No.        | Nm     | ft/lb | Nm    | ft/lb | mm  | mm   | mm   | g      |  |
| 3892AG1-CT | 5-25   | 4-18  | 0.4   | 0.4   | 277 | 27.6 | 20.6 | 580    |  |
| 3892AG3-CT | 20-110 | 15-75 | 1.0   | 1.0   | 368 | 35.9 | 27.7 | 580    |  |







leng

Tools

#### 3/8" Drive Torque Plus Torque Wrenches

Industrial grade torque wrenches designed and manufactured to exceed ISO6789 with an accuracy of +/- 4% maximum. Each torque wrench is supplied with an individual, fully traceable calibration certificate from the date of manufacture. A 72 teeth ratchet mechanism allows for greater access even in confined spaces and incorporates a quick release mechanism and twist reverse for changing direction but torque is only measurable in the conventional right hand direction. The scale is an easy to read window style Nm scale while the handle has an eraonomically designed bi-material grip for added comfort and a hanging facility that can also be used in conjunction with a Teng Tools safety wire for added security when working at heights. The Plus torque wrenches also feature a safety locking button to enable reliable locking of the torque setting.

| Stock<br>No. | Range<br>Nm | Scale<br>Nm | L<br>mm | W<br>mm | H<br>mm | Weight<br>g |  |
|--------------|-------------|-------------|---------|---------|---------|-------------|--|
| 3892P060     | 12-60       | 0.5         | 380     | 36      | 36      | 930         |  |
| 3892P100     | 20-100      | 0.5         | 410     | 36      | 36      | 960         |  |



#### 3/8" Drive Torque Plus Torque Wrenches - CT version

All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us. The cost of this service is included in the price of CT type torque wrenches as shown in the table

| Stock    | Range      | Scale | L   | W  | Н  | Weight |  |
|----------|------------|-------|-----|----|----|--------|--|
| No.      | Nm         | Nm    | mm  | mm | mm | g      |  |
| 3892P060 | -CT 12-60  | 0.5   | 380 | 36 | 36 | 930    |  |
| 3892P100 | -CT 20-100 | 0.5   | 410 | 36 | 36 | 960    |  |



#### 3892D100 3/8" Drive Electronic/Digital Torque Wrench

An easy to use electronic, digital torque wrench. 9 separate torque settings with individual torque, percentage tolerance and unit settings to enable the torque wrench to be pre-programmed for different torque tolerances before use. An audio visual warning system alerts the user with an orange light before, a green light on and a red light after the target torque is reached. Accuracy +/- 1%, reading in Nm, ft/lb,

in/lb and kg/m. Quick release mechanism on the square drive and bi-directional torque facility. Each torque setting has an individual recallable memory storing the last nine settings. Uses standard AA batteries and supplied in a storage case for protection and convenient storage when not in use. The torque wrench meets or exceeds the demands according to ISO6789:2003 and is supplied with a certificate of calibration at the time of production.

| Stock    | Range  | Range | Scale | Scale | L   | W    | Н    | Weight |
|----------|--------|-------|-------|-------|-----|------|------|--------|
| No.      | Nm     | ft/lb | Nm    | ft/lb | mm  | mm   | mm   | g      |
| 3892D100 | 10-100 | 7-75  | 0.1   | 0.1   | 457 | 42.5 | 46.5 | 904    |



#### 3892D100-CT 3/8" Drive Electronic/Digital Torque Wrench - CT version

An easy to use electronic, digital torque wrench, 9 separate torque settings with individual torque, percentage tolerance and unit settings to enable the torque wrench to be pre-programmed for different torque tolerances before use. An audio visual warning system alerts the user with an orange light before, a green light on and a red light after the target torque is reached. Accuracy +/- 1%, reading in Nm, ft/lb, in/lb and kg/m. Quick release mechanism on the square drive and bi-directional torque facility.

Each torque setting has an individual recallable memory storing the last nine settings. Uses standard AA batteries and supplied in a storage case for protection and convenient storage when not in use. The torque wrench meets or exceeds the demands according to ISO6789:2003 and is supplied with a certificate of calibration issued at the time the order is placed with us.

| Stock      | Range    | Range | Scale | Scale | L   | W    | Н    | Weight |
|------------|----------|-------|-------|-------|-----|------|------|--------|
| No.        | Nm       | ft/lb | Nm    | ft/lb | mm  | mm   | mm   | g      |
| 3892D100-C | Г 10-100 | 7-75  | 0.1   | 0.1   | 457 | 42.5 | 46.5 | 904    |



#### TTX1292 1/2" Torque Wrench set

1/2" drive torque wrench with built in angular gauge (40-210Nm/30-150ft/lb) in a TTX tool tray. Supplied in the unique Teng Tools TC tray for use on it's own or as part of the Tena Tools TC control system. (570x115x60mm, 1.6 kilos)



Torque wrench 1/2" drive angular torque wrench (40-200Nm, 30-150ft/lb)

#### **TEX1238** Torque Wrench Set

½" drive and 3/8" drive angular gauge torque wrenches covering 20-210Nm (15-150 ft/lb) in total. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x60mm, 2.77 kilos)

| Torque wrench | 3/8" drive | 20-110Nm (15-81ft/lb)   |
|---------------|------------|-------------------------|
|               | 1/2" drive | 40-210Nm (30-150 ft/lb) |



#### 1/2" Drive Torque Wrenches

Torque wrench according to ISO6789. With ratchet the torque wrench can be used for both tightening and final checking of the torque. Reversible with lever, but only for right hand action for torque checking. Equipped with angular gauge for after tightening. Graduated in Nm and ft/lbs. Lockable setting. Accuracy +/-4%. Satin finish.

| 1/2" Drive Torque Wrenches - | 1/2" | Drive | Torque | Wrenches | - |
|------------------------------|------|-------|--------|----------|---|
|------------------------------|------|-------|--------|----------|---|


| Stock<br>No. | Range<br>Nm | Range<br>ft/lb | Scale<br>Nm |     |     |      |      | •    |  |
|--------------|-------------|----------------|-------------|-----|-----|------|------|------|--|
| 1292AG-EP    | 40-210      | 30-150         | 1.0         | 1.0 | 465 | 46.9 | 33.4 | 1340 |  |
| 1292AG-E4    | 70-350      | 50-250         | 5.0         | 5.0 | 632 | 47.1 | 37.1 | 2400 |  |
|              |             |                |             |     |     |      |      |      |  |



#### 1/2" Drive Torque Wrenches - CT Version

All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from the our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us. The cost of this service is included in the price of CT type torque wrenches as shown in the table.

#### 1/2" Drive Torque Wrenches →





#### Bi Directional 1/2" Drive Torque Wrenches

Torque wrench according to ISO6789. Bi-directional torque wrench for left/right hand threads with push through square drive and flip reverse ratchet action for torque checking. Equipped with angular gauge for after tightening. Graduated in Nm and ft/lbs. Lockable setting. Accuracy +/-4%. Satin finish.

| Stock<br>No. | Range<br>Nm | Range<br>ft/lb | Scale<br>Nm | Scale<br>ft/lb |     |      |      | Weight<br>g |  |
|--------------|-------------|----------------|-------------|----------------|-----|------|------|-------------|--|
| 1292AG-ER    | 40-200      | 30-150         | 1.0         | 1.0            | 465 | 49.6 | 33.4 | 1340        |  |
| 1292AG-E4R   | 70-350      | 50-250         | 5.0         | 5.0            | 632 | 47.1 | 37.1 | 2400        |  |







Tools

### Bi Directional 1/2" Drive Torque Wrenches - CT Version

All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from the our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us. The cost of this service is included in the price of CT type torque wrenches as shown in the table

1/2" Drive Torque Wrenches - CT Version →

| Stock       | Range  | Range  | Scale | Scale | L   | W    | Н    | Weight |
|-------------|--------|--------|-------|-------|-----|------|------|--------|
| No.         | Nm     | ft/lb  | Nm    | ft/lb | mm  | mm   | mm   | g      |
| 1292AGR-CT  | 40-210 | 30-150 | 1.0   | 1.0   | 465 | 49.6 | 33.4 | 1340   |
| 1292AG4R-CT | 70-350 | 50-250 | 5.0   | 5.0   | 632 | 47.1 | 37.1 | 2400   |



### 1/2" Drive Torque Plus Torque Wrenches

Industrial grade torque wrenches designed and manufactured to exceed DIN3122 with an accuracy of +/- 4% maximum. Each torque wrench is supplied with an individual, fully traceable calibration certificate from the date of manufacture. A 72 teeth ratchet mechanism allows for greater access even in confined spaces and incorporates a quick release mechanism and twist reverse for changing direction but torque is only measurable in the conventional right hand direction. The scale is an easy to read window style Nm scale while the handle has an ergonomically designed bi-material grip for added comfort and a hanging facility that can also be sued in conjunction with a Teng Tools safety wire for added security when working at heights. The Plus torque wrenches also feature a safety locking button to enable reliable locking of the torque setting.

| Stock<br>No. | Range<br>Nm | Scale<br>Nm | L<br>mm | W<br>mm | H<br>mm | Weight<br>g |
|--------------|-------------|-------------|---------|---------|---------|-------------|
| 1292P100     | 20-100      | 0.5         | 410     | 36      | 36      | 965         |
| 1292P200     | 40-200      | 1.0         | 490     | 42      | 44      | 1,465       |
| 1292P320     | 60-320      | 2.0         | 560     | 42      | 44      | 1,645       |



### 1/2" Drive Torque Plus Torque Wrenches - CT version

All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us. The cost of this service is included in the price of CT type torque wrenches as shown in the table.

| versi | JII IVI | _ vv: |  |
|-------|---------|-------|--|
| tock  | Range   | Scale |  |
| lo    | Nm      | Nm    |  |

| Stock      | Range     | Scale | L   | W  | Н  | Weight |  |
|------------|-----------|-------|-----|----|----|--------|--|
| No.        | Nm        | Nm    | mm  | mm | mm | g      |  |
| 1292P100-0 | CT 20-100 | 0.5   | 410 | 36 | 36 | 965    |  |
| 1292P200-0 | CT 40-200 | 1.0   | 490 | 42 | 44 | 1,465  |  |
| 1292P320-0 | CT 60-320 | 2.0   | 560 | 42 | 44 | 1,645  |  |





### **TTPSTQ04** Preset Torque Wrench set

4 piece 1/2" drive preset torque wrenches, set to 90, 110, 120 and 140Nm. Accuracy to +/- 4%, with rubber handle and supplied with a seperate wall rack. ISO6789. Supplied in the unique Teng Tools tray for use on it's own or as part of the Teng Tools TC control system. (570x262x73mm, 5.80 kilos)


1/2"drive preset torque wrenches 90, 110, 120, 140Nm





Pre set torque wrenches according to ISO6789. For continued use up to 5000 clicks. Equipped with angular gauge for after tightening. Settings in Nm. Lockable setting. Accuracy +/- 4%.

### 1/2" Drive Torque Wrenches →





### 1292D200 1/2" Drive Electronic/Digital Torque Wrench

An easy to use electronic, digital torque wrench. 9 separate torque settings with individual torque, percentage tolerance and unit settings to enable the torque wrench to be pre-programmed for different torque tolerances before use. An audio visual warning system alerts the user with an orange light before, a green light on and a red light after the target torque is reached. Accuracy +/- 1%, reading in Nm, ft/lb, in/lb and kg/m. Quick release mechanism on the

square drive and bi-directional torque facility. Each torque setting has an individual recallable memory storing the last nine settings. Uses standard AA batteries and supplied in a storage case for protection and convenient storage when not in use. The torque wrench meets or exceeds the demands according to ISO6789:2003 and is supplied with a certificate of calibration at the time of production.

| Stock    | Range  | Range  | Scale | Scale | L   | W    | Н    | Weight |
|----------|--------|--------|-------|-------|-----|------|------|--------|
| No.      | Nm     | ft/lb  | Nm    | ft/lb | mm  | mm   | mm   | g      |
| 1292D200 | 20-200 | 30-150 | 0.1   | 0.1   | 548 | 42.5 | 46.5 | 1200   |



### 1292D200-CT 1/2" Drive Electronic/Digital Torque Wrench - CT version

An easy to use electronic, digital torque wrench. 9 separate torque settings with individual torque, percentage tolerance and unit settings to enable the torque wrench to be pre-programmed for different torque tolerances before use. An audio visual warning system alerts the user with an orange light before, a green light on and a red light after the target torque is reached. Accuracy +/- 1%, reading in Nm, ft/lb, in/lb and kg/m. Quick release mechanism on the square drive and bi-directional torque facility.

Each torque setting has an individual recallable memory storing the last nine settings. Uses standard AA batteries and supplied in a storage case for protection and convenient storage when not in use. The torque wrench meets or exceeds the demands according to ISO6789:2003 and is supplied with a certificate of calibration issued at the time the order is placed with us.

| Stock       | Range  | Range  | Scale | Scale | L   | W    | Н    | Weight |
|-------------|--------|--------|-------|-------|-----|------|------|--------|
| No.         | Nm     | ft/lb  | Nm    | ft/lb | mm  | mm   | mm   | g      |
| 1292D200-CT | 20-200 | 30-150 | 0.1   | 0.1   | 548 | 42.5 | 46.5 | 1200   |



### 3/4" Drive Torque Wrenches

Torque wrench according to ISO6789. With ratchet the torque wrench can be used for both tightening, and final checking of the torque. Reversible with lever, but only for right hand action for torque checking. Equipped with angular gauge for after tightening. Graduated in Nm and ft/lbs. Lockable setting. Accuracy +/-4%. Satin finish.

| 2//" | Driva | Torque | Wronch | 200 |
|------|-------|--------|--------|-----|

| Stock<br>No. | Range<br>Nm | Range<br>ft/lb | Scale<br>Nm |     | L<br>mm |      |      | Weight<br>g |  |
|--------------|-------------|----------------|-------------|-----|---------|------|------|-------------|--|
| 3492AG-E     | 90-450      | 70-350         | 5.0         | 5.0 | 850     | 72.5 | 53.5 | 3840        |  |
| 3492AG-E1    | 140-700     | 100-500        | 2.5         | 2.5 | 1065    | 72.5 | 53.5 | 6160        |  |
| 3492AG-E2    | 200-980     | 140-700        | 2.5         | 2.5 | 1213    | 72.5 | 53.5 | 6160        |  |



### 3/4" Drive Torque Wrenches - CT Version

All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from the our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us. The cost of this service is included in the price of CT type torque wrenches as shown in the table.

|  | 3/4" | Drive | Torque | Wrenches | - CT | Version · | -) |
|--|------|-------|--------|----------|------|-----------|----|
|--|------|-------|--------|----------|------|-----------|----|

| Stock      | Range   | Range   | Scale | Scale | L    | W    | Н    | Weight |  |
|------------|---------|---------|-------|-------|------|------|------|--------|--|
| No.        | Nm      | ft/lb   | Nm    | ft/lb | mm   | mm   | mm   | g      |  |
| 3492AG-CT  | 90-450  | 70-350  | 5.0   | 5.0   | 850  | 72.5 | 53.5 | 3840   |  |
| 3492AG1-CT | 140-700 | 100-500 | 2.5   | 2.5   | 1065 | 72.5 | 53.5 | 6160   |  |
| 3492AG2-CT | 200-980 | 140-700 | 2.5   | 2.5   | 1213 | 72.5 | 53.5 | 6160   |  |







286

# 3/4" Drive Torque Plus Torque Wrenches

Industrial grade torque wrenches designed and manufactured to exceed ISO6789 with an accuracy of +/- 4% maximum. Each torque wrench is supplied with an individual, fully traceable calibration certificate from the date of manufacture. A 72 teeth ratchet mechanism allows for greater access even in confined spaces and incorporates a quick release mechanism and twist reverse for changing direction but torque is only measurable in the conventional right hand direction. The scale is an easy to read window style Nm scale while the handle has an ergonomically designed bi-material grip for added comfort and a hanging facility that can also be sued in conjunction with a Teng Tools safety wire for added security when working at heights. The Plus torque wrenches also feature a safety locking button to enable reliable locking of the torque setting.

### NFW

| Stock    | Range   | Scale | L   | W  | H  | Weight |  |
|----------|---------|-------|-----|----|----|--------|--|
| No.      | Nm      | Nm    | mm  | mm | mm | g      |  |
| 3492P500 | 100-500 | 2.5   | 790 | 68 | 62 | 3,100  |  |



### 3/4" Drive Torque Plus Torque Wrenches - CT version

All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us. The cost of this service is included in the price of CT type torque wrenches as shown in the table.

| Stoci | k Range<br>Nm  | Scale<br>Nm | L<br>mm | W  | H<br>mm | Weight<br>g |
|-------|----------------|-------------|---------|----|---------|-------------|
| 3492P | 500-CT 100-500 | 2.5         | 790     | 68 | 62      | 3,100       |



### 3492AG-ER Bi Directional 3/4" Drive Torque Wrenches

Torque wrench according to ISO6789. Bi-directional torque wrench for left/right hand threads with push through square drive and flip reverse ratchet action for torque checking. Equipped with angular gauge for after tightening. Graduated in Nm and ft/lbs. Lockable setting. Accuracy +/-4%. Satin finish.

| Range  | Range<br>ft/lb | Scale<br>Nm | Scale<br>ft/lb | L<br>mm | W<br>mm | H<br>mm | Weigh: |
|--------|----------------|-------------|----------------|---------|---------|---------|--------|
| 90-450 | 70-350         | 5.0         | 5.0            | 850     | 72.5    | 53.5    | 3840   |
| 0      | a HAGIO        | 013         |                | _       |         | -       |        |

### 3492AGR-CT Bi Directional 3/4" Drive Torque Wrenches - CT version

All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us. The cost of this service is included in the price of CT type torque wrenches as shown in the table.

| Range  | Range  | Scale | Scale | L   | W    | H    | Weight |
|--------|--------|-------|-------|-----|------|------|--------|
|        | ft/lb  | Nm    | ft/lb | mm  | mm   | mm   | g      |
| 90-450 | 70-350 | 5.0   | 5.0   | 850 | 72.5 | 53.5 | 3840   |



### Service kits

Service kits for torque wrenches.

| Stock No.  |      |  |
|------------|------|--|
| 1492AGERK  | 1/4" | Service kit for 1492AG-E   |
| 3892AG1RK  | 3/8" | Service kit for 3892AG-E1  |
| 3892AG3RK  | 3/8" | Service kit for 3892AG-E3  |
| 1292AGERK  | 1/2" | Service kit for 1292AG-E, 1292AG-EP and pre set range of torque wrenches |
| 1292AGERRK | 1/2" | Service kit for 1292AG-ER  |
| 1292AG4RK  | 1/2" | Service kit for 1292AG-E4  |
| 1292AG4RRK | 1/2" | Service kit for 1292AG-E4R   |
| 3492AGERRK | 3/4" | Service kit for 3492AG-ER  |
| 3492AGERK  | 3/4" | Service kit for 3492AG-E, 3492AG-E1 +3492AG-E2                           |



### ACD01

### **Torque Wrenches for Air Conditioning Engineers**

A set of four pre-set open jaw torque wrenches especially developed for use by air conditioning engineers. Supplied in a handy carrying case. ISO6789-1992. Accuracy +/-4%. (overall weight 1.40 kilos). Also available individually.

|                 | Spanner size | Preset torque |
|-----------------|--------------|---------------|
| Torque wrenches | 17           | 18            |
|                 | 22           | 42            |
|                 | 26           | 55            |
|                 | 29           | 65            |



### **Torque Wrenches for Air Conditioning Engineers**

Pre-set open jaw torque wrenches especially developed for use by air conditioning engineers. ISO6789-1992. Accuracy +/-4%.

| Stock  | Spanner size | Preset torque | Weight |
|--------|--------------|---------------|--------|
| No.    | mm           | Nm            | g      |
| TQS018 | 17           | 18            | 396    |
| TQS042 | 22           | 42            | 428    |
| TQS055 | 26           | 55            | 546    |
| TQS065 | 29           | 65            | 576    |



### TQAG Angular Gauge

For use with torque wrenches that do not have an in-built angular gauge. Enables the reading of the number of degrees of "after tightening" when tightening on certain applications where the angle needs to be measured (stretch bolts, etc). A static read off point, fixing magnet and a pair of angle scales make it possible to take a reading in most situations.



### TTXMP12 Torque Multiplier set

A 1292AG-EP 1/2" drive tested and certified torque wrench 200Nm together with an MP1400 torque multiplier that converts the torque at a ratio of 3:1 up to a maximum torque capacity of 1,500Nm with a 3/4" male square drive. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x60mm, 4.0 kilos)

| Torque wrench     | 1/2" drive angular gauge covering 40 to 210Nm (1292AG-EP) |
|-------------------|---|
| Torque multiplier | 1/2"F:3/4"M torque multiplier (3 to 1 ratio) and          |
|                   | maximum torque capacity 1.500Nm (MP1400)                  |



### TEXMP12 Torque Multiplier Set NEW!

A 1292AG-EP 1/2" drive tested and certified 200Nm torque wrench together with an MP1400 torque multiplier that converts the torque at a ratio of 3:1 up to a maximum capacity of 1500Nm with a 3/4" male square drive. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x60mm, 4.6 kilos)

| Torque wrench     | 1/2" drive angular gauge covering 40 to 210NM (1292AG-EP) |
|-------------------|---|
| Torque multiplier | 1/2"F:3/4"M torque multiplier (3 to 1 ratio) and maximum  |
|                   | torque capacity   |





# Teng Tools

### Torque Multipliers (1:3 ratio)

Designed for tightening and loosening nuts and bolts where extra torque is required. Use together with a torque wrench and impact sockets to convert torque at a ratio of 3 to 1.

| Stock No              |       | MP1400 | MP2700 |
|-----------------------|-------|--------|--------|
| Max tightening torque | Nm    | 1,500  | 3,000  |
| Max tightening torque | lb/ft | 1,100  | 2,200  |
| Torque multiplication |       | x 3    | х 3    |
| External diameter     | mm    | 69     | 92     |
| Input drive           |       | 1/2"   | 3/4"   |
| Output drive          |       | 3/4"   | 1"     |
| Weight                | kilos | 2.28   | 4.78   |

|             | Price    | £239.00    | £259.00    |
|-------------|----------|------------|------------|
| Service kit | Stock No | MP1400RK-1 | MP2700RK-1 |
|             |          |            |            |
| Support leg | Stock No | MPSL01     | MPSL02     |



### **Torque Multipliers (1:9 ratio)**

**Teng Tools** 

Designed for tightening and loosening nuts and bolts where extra torque is required. Use together with a torque wrench and impact sockets to convert torque at a ratio of 9 to 1.

| Stock No      |          |       | MP91500   |  |
|---------------|----------|-------|-----------|--|
| Max tightenin | g torque | Nm    | 1,500     |  |
| Max tightenin | g torque | lb/ft | 1,100     |  |
| Torque multip | lication |       | x 9       |  |
| Input drive   |          |       | 1/2"      |  |
| Output drive  |          |       | 3/4"      |  |
| Weight        |          | kilos | 3.18      |  |
|               |          |       |           |  |
|               |          |       |           |  |
|               |          |       |           |  |
| Service kit   | Stock No |       | MP91500RK |  |




## **Torque Wrenches** → **Insert tools with 9 x 12mm rectangular fitting**

### 3892CQ100R Insert Tool

Insert  $3/8^n$  drive ratchet adaptor with 45 teeth. With 9 x 12mm rectangular fitting. Use with regular or deep  $3/8^n$  drive sockets and socket accessories. Satin finish.

| W  | H    | L    | L1   | Weight |
|----|------|------|------|--------|
| mm | mm   | mm   | mm   | kilos  |
| 35 | 36.5 | 36.3 | 20.0 | 0.15   |






# TENGIOOLS

### Insert Tools - Open ended spanners

Insert tool open ended spanners with 9 x 12mm rectangular fitting. Satin finish

| Stock  | Size | Fitting | W  | Н  | L  | L1 | Weight |  |
|--------|------|---------|----|----|----|----|--------|--|
| no.    |      | mm      | mm | mm | mm | mm | g      |  |
| 690510 | 10   | 9 x 12  | 30 | 15 | 39 | 18 | 42     |  |
| 690511 | 11   | 9 x 12  | 30 | 15 | 39 | 18 | 43     |  |
| 690512 | 12   | 9 x 12  | 30 | 16 | 40 | 18 | 48     |  |
| 690513 | 13   | 9 x 12  | 30 | 16 | 42 | 20 | 52     |  |
| 690514 | 14   | 9 x 12  | 35 | 17 | 42 | 20 | 59     |  |
| 690515 | 15   | 9 x 12  | 35 | 17 | 43 | 20 | 59     |  |
| 690516 | 16   | 9 x 12  | 38 | 18 | 43 | 20 | 67     |  |
| 690517 | 17   | 9 x 12  | 38 | 18 | 44 | 20 | 67     |  |
| 690518 | 18   | 9 x 12  | 42 | 18 | 46 | 22 | 75     |  |
| 690519 | 19   | 9 x 12  | 42 | 18 | 46 | 22 | 75     |  |
|        |      |         |    |    |    |    |        |  |






### Insert Tools - Open ended spanners →

### **Insert Tools - Ring spanners**

Insert tool ring spanners with 9 x 12mm rectangular fitting. Satin finish

| Stock  | Size | Fitting | W    | Н  | L  | L1 | Weight |  |
|--------|------|---------|------|----|----|----|--------|--|
| no.    |      | mm      | mm   | mm | mm | mm | g      |  |
| 690710 | 10   | 9 x 12  | 26.5 | 16 | 45 | 18 | 52     |  |
| 690711 | 11   | 9 x 12  | 26.5 | 16 | 45 | 18 | 50     |  |
| 690712 | 12   | 9 x 12  | 26.7 | 16 | 46 | 18 | 48     |  |
| 690713 | 13   | 9 x 12  | 27.2 | 16 | 49 | 20 | 60     |  |
| 690714 | 14   | 9 x 12  | 27.0 | 18 | 50 | 20 | 64     |  |
| 690715 | 15   | 9 x 12  | 27.0 | 18 | 50 | 20 | 64     |  |
| 690716 | 16   | 9 x 12  | 27.0 | 18 | 50 | 20 | 62     |  |
| 690717 | 17   | 9 x 12  | 28.6 | 18 | 54 | 22 | 74     |  |
| 690718 | 18   | 9 x 12  | 28.6 | 18 | 54 | 22 | 74     |  |
| 690719 | 19   | 9 x 12  | 28.6 | 18 | 54 | 22 | 68     |  |
|        |      |         |      |    |    |    |        |  |






Insert Tools - Ring spanners →

## **Torque Wrenches** → **Insert tools with 14 x 18mm rectangular fitting**


### Insert Tools - Open ended spanners

Insert tool open ended spanners with 14 x 18mm rectangular fitting. Satin finish.

| Stock  | Size | Fitting | W  | Н  | L  | L1 | Weight |
|--------|------|---------|----|----|----|----|--------|
| 10.    |      | mm      | mm | mm | mm | mm | g      |
| 90613  | 13   | 14 x 18 | 35 | 21 | 63 | 32 | 148    |
| 690614 | 14   | 14 x 18 | 35 | 22 | 63 | 32 | 154    |
| 690615 | 15   | 14 x 18 | 35 | 23 | 64 | 32 | 154    |
| 690616 | 16   | 14 x 18 | 38 | 23 | 64 | 32 | 173    |
| 690617 | 17   | 14 x 18 | 38 | 23 | 64 | 32 | 173    |
| 690618 | 18   | 14 x 18 | 42 | 24 | 65 | 32 | 192    |
| 690619 | 19   | 14 x 18 | 42 | 25 | 65 | 32 | 193    |
| 690621 | 21   | 14 x 18 | 50 | 25 | 66 | 32 | 217    |
| 690622 | 22   | 14 x 18 | 53 | 26 | 66 | 32 | 222    |
| 690624 | 24   | 14 x 18 | 53 | 26 | 67 | 32 | 225    |
| 690626 | 26   | 14 x 18 | 60 | 27 | 70 | 33 | 273    |
| 90627  | 27   | 14 x 18 | 60 | 27 | 70 | 34 | 281    |
| 690629 | 29   | 14 x 18 | 66 | 28 | 74 | 36 | 312    |
| 690630 | 30   | 14 x 18 | 66 | 28 | 74 | 36 | 312    |
| 690632 | 32   | 14 x 18 | 66 | 29 | 77 | 38 | 322    |
| 690634 | 34   | 14 x 18 | 73 | 29 | 82 | 43 | 345    |
| 690636 | 36   | 14 x 18 | 73 | 29 | 82 | 42 | 368    |
| 690638 | 38   | 14 x 18 | 73 | 29 | 82 | 41 | 366    |
| 690640 | 40   | 14 x 18 | 82 | 29 | 83 | 42 | 383    |
| 690641 | 41   | 14 x 18 | 82 | 29 | 84 | 42 | 400    |
| 690642 | 42   | 14 x 18 | 82 | 29 | 83 | 42 | 410    |
| 690644 | 44   | 14 x 18 | 91 | 29 | 86 | 41 | 423    |
| 690646 | 46   | 14 x 18 | 91 | 29 | 86 | 43 | 436    |










# **Torque Wrenches**

### Insert Tools - Ring spanners

Insert tool ring spanners with 14 x 18mm rectangular fitting for use with TQWC200 or TQWC500 torque wrenches. Satin finish.

| Stock  | Size | Fitting | W    | Н  | L   | L1 | Weight |  |
|--------|------|---------|------|----|-----|----|--------|--|
| no.    |      | mm      | mm   | mm | mm  | mm | g      |  |
| 690813 | 13   | 14 x 18 | 38.0 | 22 | 72  | 32 | 200    |  |
| 690814 | 14   | 14 x 18 | 38.0 | 22 | 72  | 32 | 200    |  |
| 690815 | 15   | 14 x 18 | 38.0 | 22 | 73  | 32 | 194    |  |
| 690816 | 16   | 14 x 18 | 38.0 | 24 | 73  | 32 | 204    |  |
| 690817 | 17   | 14 x 18 | 38.0 | 24 | 73  | 32 | 194    |  |
| 690818 | 18   | 14 x 18 | 44.0 | 24 | 75  | 32 | 234    |  |
| 690819 | 19   | 14 x 18 | 44.0 | 24 | 75  | 32 | 230    |  |
| 690821 | 21   | 14 x 18 | 41.0 | 26 | 76  | 32 | 236    |  |
| 690822 | 22   | 14 x 18 | 42.0 | 25 | 77  | 32 | 250    |  |
| 690824 | 24   | 14 x 18 | 42.0 | 26 | 78  | 32 | 254    |  |
| 690826 | 26   | 14 x 18 | 42.0 | 26 | 78  | 32 | 240    |  |
| 690827 | 27   | 14 x 18 | 43.4 | 27 | 82  | 34 | 280    |  |
| 690829 | 29   | 14 x 18 | 43.3 | 28 | 85  | 36 | 306    |  |
| 690830 | 30   | 14 x 18 | 47.3 | 28 | 87  | 36 | 328    |  |
| 690832 | 32   | 14 x 18 | 47.3 | 29 | 87  | 36 | 312    |  |
| 690834 | 34   | 14 x 18 | 50.0 | 29 | 90  | 38 | 324    |  |
| 690836 | 36   | 14 x 18 | 52.0 | 29 | 91  | 38 | 316    |  |
| 690838 | 38   | 14 x 18 | 54.6 | 31 | 94  | 40 | 342    |  |
| 690840 | 40   | 14 x 18 | 54.6 | 30 | 93  | 40 | 367    |  |
| 690841 | 41   | 14 x 18 | 60.0 | 32 | 99  | 42 | 376    |  |
| 690842 | 42   | 14 x 18 | 60.0 | 32 | 99  | 42 | 376    |  |
| 690844 | 44   | 14 x 18 | 60.0 | 31 | 99  | 44 | 386    |  |
| 690846 | 46   | 14 x 18 | 64.8 | 32 | 103 | 42 | 396    |  |





Insert Tools - Ring spanners →

# DO'S AND DONT'S OF TORQUE

### The right drive

Use the correct drive of torque wrench to suit the size of fastening you need to turn and how much torque you need to apply. The larger the drive the more torque can be applied.

Keep it clean and dry
After use always check the tools are clean and dry before putting them away, this will help to avoid problems such as corrosion and moving parts seizing or becoming tight.

Store it properly
After use return the torque wrench setting to zero and store the tool in it's original case or a suitable case that will give adequate protection

All torque wrenches need to be checked periodically and sometimes adjusted.

Torque wrenches are a measuring instrument and need to be treated with care - if you drop it you should get the calibration checked before using the torque wrench again

Do not use scaffolding poles or similar
If the fastening will not turn with the tools you are using you need to use a more powerful tool such as a larger tool or even an impact power tool. Do not use bars to increase the leverage – it is dangerous and


### Do not use a vehicle to turn the nut

Do not fix a torque wrench on to a fastening and then drive the vehicle to force it to turn - needless to say it is dangerous and can break the tools.

### Do not use it as a breaker bar

Torque wrenches are for measuring and should not be used as a breaker bar to shift stubborn fastenings.







# Teng Tools screwdrivers

Screwdrivers in the Teng Tools range have steel alloy TT-MV plus blades. This makes the shaft harder, yet also more flexible. The bi-material handle is designed to suit either your need for power transfer or speed. The range includes more than 100 different screwdrivers and also a number of screwdriver sets.

## Range

- Complete range of screwdrivers that covers most needs of a professional user. More than 100 different screwdrivers are included and are available with slotted, PH, PZ, HEX, TX, TPX as well as square tips, both individually and in a number of sets.
- Screwdrivers with a power through blade and striking head, extra-long screwdrivers with PH and slotted tips.
- Flared or parallel phosphate tips to suit different applications.
- Select the handle for power, size L (triangular shaped) or speed, size M (round) in the most popular sizes: PH2, PZ 2 and slotted.


# SCREWDRIVERS

### Handle


- The handle has a unique, ergonomically designed two component grip with a greater volume to give better support, increased comfort and improved power transfer.
- The handle is moulded around the blade, this ensures that all Teng Tools screwdrivers are completely straight and permits much larger wings on the blade, which in turn allows a much greater torque.
- Hole in the handle for tool-securing when working at height, for hanging or for use as a T-handle.

### Blade

 steel alloy blade, TT-MV Plus, gives 20 % greater capacity than standard screwdrivers. Hardness is 59–61 HRC at the same time the material is more flexible.



The handle on the larger sizes has three different zones: speed, power, speed.
The speed zones are round and the power zone is triangular shaped



The smaller handles, where less force is required, have a round profile to make it easier to work quickly.



# Tools Teng

### MD9053N 53 Piece screwdriver set

A comprehensive screwdriver set including 19 screwdrivers and a ratcheting bits driver together with a selection of screwdriver bits. Features include screwdrivers with ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in a handy carrying case. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.

| Screwdrivers F     | lat type     |          | 3.0x75mm, 3.0x100mm, 4.0x100mm, 5.5x75mm,       |
|--------------------|--------------|----------|---|
|                    |              |          | 5.5x150mm, 6.0x38mm, 6.5x100mm, 6.5x150mm,      |
|                    |              |          | 8.0x150mm, 10.0x200mm                           |
| P                  | H type       |          | PH1x75mm, PH2x38mm, PH2x100mm, PH3x150mm        |
| P                  | Z type       |          | PZ0x75mm, PZ1x75mm, PZ2x38mm, PZ2x100mm,        |
|                    |              |          | PZ3x150mm                                       |
| Accessories        |              |          | Ratcheting bits driver with 1.2x5mm and 1.4x7mm |
|                    |              |          | flat bits, PH1, PH2, PZ1 and PZ2 bits           |
| 1/4" hex 25mm scre | wdriver bits | PZ type  | 0   |
|                    |              | TX type  | TX6, TX7, TX8, TX9, TX10, TX15 (x2), TX20 (x2)  |
|                    |              |          | TX25 (x2), TX27, TX30, TX40                     |
|                    |              | TPX type | TPX20, TPX25, TPX30                             |
|                    |              | Square   | 1, 2, 3   |
|                    |              | Hexagon  | 2, 3, 4, 5, 6, 8mm                              |



# MD910N 10 Piece screwdriver set

Set of 10 screwdrivers for slotted heads as well as Phillips and Pozi drive heads. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in a handy carrying case. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.

| Screwdrivers | Flat type       | 3.0x100mm, 5.5x75mm, 5.5x150mm, 6.5x150mm |
|--------------|-----------------|---|
|              | 1,000 volt flat | 3.0x100m                                  |
|              | PH type         | PH0x75mm, PH1x75mm, PH2x100mm             |
|              | PZ type         | PZ1x75mm, PZ2x100mm                       |



### MD912N 12 Piece screwdriver set

Set of 12 screwdrivers for slotted heads as well as Phillips and Pozi drive heads. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in a full colour display box with PS tray. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.

|   | Screwdrivers | Flat type | 2.5x75mm, 3.5x100mm, 4x150mm, 5.5x150mm, 6.5x150mm, 10x200mm |
|---|--------------|-----------|--|
|   |              | PH type   | PH0x75mm, PH1x75mm, PH2x100mm, PH2x200mm                     |
|   |              | PZ type   | PZ1x75mm, PZ2x100mm  |
| ĺ |              |           |  |



### MD912N1 12 Piece screwdriver set

Set of 12 screwdrivers for slotted heads as well as Phillips, Pozi and TX drive heads, including the most popular 1,000 volt insulated screwdrivers (produced and tested according to the EN60900 standard. Approved for working up to 1,000 volt AC). Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in a full colour display box with PS tray. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.

| Screwdrivers | Flat type | 3.0x75mm, 3.5x100mm, 5.5x150mm, 2.5x75mm insulated, 3.0x100mm insulated. |
|--------------|-----------|--|
|              | PH type   | PH1x75mm, PH2x100mm, PH1x80mm insulated                                  |
|              | PZ type   | PZ2x100mm  |
|              | TX type   | TX20x100mm, TX25x100mm, TX30x100mm                                       |
|              |           |  |



### MD906N 6 Piece screwdriver set

Set of 6 screwdrivers for slotted heads as well as Phillips and Pozi drive heads. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in a full colour display box with PS tray. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.

| Screwdrivers | Flat type | 3 x 75mm, 5.5 x 150mm   |  |
|--------------|-----------|-------------------------|--|
|              | PH type   | PH1 x 75mm, PH2 x 100mm |  |
|              | PZ type   | PZ1 x 75mm, PZ2 x 100mm |  |
|              |           |                         |  |

### MD906N2 6 Piece screwdriver set

Set of 6 screwdrivers for Pozi and TX drive heads. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in a full colour display box with PS tray. All Teng Tools screwdrivers are designed to have a hole in the handle which car also be used for securing the tool with a fall protection wire if needed.

| Screwdrivers | PZ type | PZ1 x 75mm, PZ2 x 100mm                                |
|--------------|---------|--|
|              | TX type | TX10 x 100mm, TX15 x 100mm, TX20 x 100mm, TX25 x 100mm |



### MD906N3 6 Piece screwdriver set

Set of 6 screwdrivers for slotted heads and Phillips type heads. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in a full colour display box with PS tray. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.

| S | crewdrivers | Flat type | 3 x 75mm, 4 x 100mm, 5.5 x 75mm, 6.5 x 100mm |
|---|-------------|-----------|--|
|   |             | PH type   | PH1 x 75mm, PH2 x 100mm                      |
|   |             |           |  |



### MD906N4 6 Piece screwdriver set

Set of 6 screwdrivers for slotted heads and Pozi type heads. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in a full colour display box with PS tray. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.

| Flat type | 3 x 75mm, 4 x 100mm, 5.5 x 75mm, 6.5 x 100mm |
|-----------|--|
| PZ type   | PZ1 x 75mm, PZ2 x 100mm                      |
|           |  |



### MDMC702N 2 Piece screwdriver set with pocket clips

A flat blade and PH type screwdriver together as a set. TT-MV PLUS steel, black tip, ergonomically designed bi-material handles with pocket clip. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.

| Flat type | 3.0 x 50mm |
|-----------|------------|
| PH type   | PH1 x 50mm |
|           | ••         |



### TT917N 7 Piece Screwdriver set

7 piece screwdriver set including flat as well as PH and PZ types. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Tena Tools TC control system. All Tena Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed. (265x142x50mm, 0.7 kilos)

| Screwdrivers | PH type | 3x75mm, 5.5x75mm,6.5x100mm<br>PH0x75mm. PH1x75mm.PH2x100mm |  |
|--------------|---------|--|--|
| Screwdrivers | PZ type | PZ2x100mm  |  |







# **TTX918N 8 Piece Screwdriver Set**

8 piece screwdriver set including flat, regular and PH types with ergonomically designed bi-material handle with hanging hole. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. Supplied in a handy carrying case. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.

(570x115x40mm, 1.0 kilos)



| Screwdrivers | Flat type | 6.5 x 38mm stubby, 3 x 100mm, 6.5 x 100mm, 10 x 200mm, |
|--------------|-----------|--|
|              |           | 5.5 x 150mm, 8 x 150mm                                 |
| Screwdrivers | PH type   | PH2 x 38mm stubby, PH3 x 150mm                         |

### TTD914N 14 Piece Screwdriver set

14 piece screwdriver set including flat as well as PH and PZ types. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in the unique Teng Tools double TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed. (265x248x50mm, 1,2 kilos)

| Screwdrivers | Flat type | 3x75mm, 3.5x100mm, 5.5x75mm, 5.5x125mm, 6.5x38mm stubby, 6.5x100mm |
|--------------|-----------|--|
| Screwdrivers | PH type   | PH0x75mm, PH1x75mm, PH2x38mm stubby, PH2x100mm                     |
| Screwdrivers | PZ type   | PZ0x75mm, PZ1x75mm, PZ2x38mm stubby, PZ2x100mm                     |



### **TED911N Screwdriver Set**

11 piece screwdriver set. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed. (265x284x50mm, 1.22 kilos)

| Screwdrivers | flat type | round shaft   | 3.5x100, 5.5x75mm, 6.5x38mm stubby |
|--------------|-----------|---------------|------------------------------------|
|              | flat type | hexagon shaft | 5.5x125, 6.5x100mm                 |
| Screwdrivers | PH type   | round shaft   | PH0x75, PH1x75, PH2x38mm stubby    |
|              | PH type   | hexagon shaft | PH2x100mm                          |
| Screwdrivers | PZ type   | round shaft   | PZ1x75mm                           |
|              | PZ type   | hexagon shaft | PZ2x100mm                          |



### **TEX915N Screwdriver Set**

5 piece screwdriver set. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed. (570x115x40mm, 1.22 kilos)

| Screwdrivers | Flat type | 5.5x150, 6.5x150, 8.0x150, 10.0x200mm |
|--------------|-----------|---------------------------------------|
| Screwdrivers | PH type   | PH3x150mm                             |
|              |           |                                       |





WRMD10N Screwdriver Set

10 piece screwdriver set. Screwdrivers have bi-material TPR grip for added comfort and grip. Complete with a wall rack for fixing to the wall or a work bench. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.

| Screwdrivers | Flat type | 0.5x3.0x100, 1.0x5.5x75, 1.0x5.5x150, 1.2x6.5x150, 1.2x8.0x150mm |
|--------------|-----------|--|
|              | PH        | PH0x75, PH1x75, PH2x100mm  |
|              | PZ        | PZ1x75, PZ2x100mm  |



### **TTEMD122N Screwdriver Set**

Set containing a comprehensive range of Mega Drive screwdrivers and bits. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed. (570x375x75mm, 3.13 kilos)



| Screwdrivers  | Flat type      | 2.5x75mm, 3.5x75mm, 3.0x100mm, 4.0x100mm, 5.5x75mm, 5.5x150mm, 6.5x38mm, 6.5x100mm, 6.5x150mm,  |
|---------------|----------------|---|
|               |                | 8.0x150mm, 10.0x200mm   |
| Screwdrivers  | PH type        | PH0X75mm, PH1x38mm, PH1x75mm, PH2x38mm, PH2x100mm, PH3x150mm, PH4x200mm   |
| Screwdrivers  | PZ type        | PZ0x75mm, PZ1x38mm, PZ1x100mm, PZ2x38mm, PZ2x100mm, PZ2x150mm, PZ3x150mm  |
| Accessories   | 1/4" hex drive | 6 in 1 ratchetting bits driver set, bit holders for 25mm bits   |
| 25mm hex bits | 1/4" hex drive | 0.6x3.5mm, 0.6x4.5mm, 0.8x4.0mm (x2), 0.8x5.5mm (x2), 1.2x6.5mm, 1.6x8.0mm flat, PH1 (x3), PH2 (x3), PH3 (x3), PZ1 (x3),  |
|               |                | PZ2 (X3), PZ3 (x3), TX6, 7, 8, 9, 10, 15, 20 (x3), 25 (x3), 27, 30, 40, 2, 3, 4, 5, 6, 8mm hex, ROB1, ROB2, ROB3, GR2 (x3), TPX10, 15, 20 (x2), 25 (x2), 27, 30, 40 |
| 50mm hex bits | 1/4" hex drive | 0.6x3.5mm, 0.8x4.0mm, 0.8x5.5mm, 1.0x5.5mm, 1.2x65mm flat (3 of each), 4, 5, 6, 8mm (3 of each), PH1, PH2 (x2), PH3, PZ1,   |
|               |                | PZ2 (x2), PZ3, TX8, 10 (x2), 15, 20 (x2), 25 (x2), 27, 30.  |

### TTEMD98N 98 piece screwdriver and bits driver set

Set containing a wide range of screwdrivers covering all types and including a range of 1,000 volt insulated screwdrivers (produced and tested according to the EN60900 standard. Approved for working up to 1,000 volt AC). Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed. (570x375x50mm, 2.83 kilos)



| Screwdrivers                   | TX type    | TX8x75, TX9x75mm  |
|--------------------------------|------------|---|
| Screwdrivers                   | TPX type   | TPX10x100, TPX15x100, TPX20x100, TPX25x100, TPX30x100mm   |
| Power thru screwdrivers        | Flat type  | 6.5x100, 8x150,10x200mm   |
| Power thru screwdrivers        | PH type    | PH2x100, PH3x150mm  |
| 1,000 volt screwdrivers        | Flat type  | 2.5x75, 4x100, 5.5x125mm  |
| 1,000 volt screwdrivers        | PH type    | PH0x60, PH1x8, PH2x100mm  |
| 1,000 volt screwdrivers        | PZ type    | PZ2x100mm   |
| Mini screwdrivers              | Flat type  | 2.0x40, 2.5x40, 3.0x40mm  |
| Mini screwdrivers              | PH type    | PH00x40, PH0x40, PH1x40mm   |
| Mini screwdrivers              | TX type    | TX6, TX7, TX8, TX9, TX10, TX15  |
| 1/4" hex 25mm screwdriver bits | Flat type  | 0.6x3.5, 0.6x4.5, 0.8x4.0(2pieces), 0.8x5.5, 1.0x5.5(2 pieces), 1.2x6.5, 1.6x8.0mm                                      |
| 1/4" hex 25mm screwdriver bits | GR type    | PH2 (3 pieces)  |
| 1/4" hex 25mm screwdriver bits | Hex type   | 2, 3, 4, 5, 6, 8mm  |
| 1/4" hex 25mm screwdriver bits | PH type    | PH1 (3 pieces), PH2 (3 pieces), PH3 (3 pieces),   |
| 1/4" hex 25mm screwdriver bits | PZ type    | PZ1 (3 pieces), PZ2 (3 pieces), PZ3 (4 pieces)  |
| 1/4" hex 25mm screwdriver bits | ROB type   | 1,2,3 square  |
| 1/4" hex 25mm screwdriver bits | TX type    | TX6, TX7, TX8, TX10, TX15, TX20 (3 pieces), TX25 (3 pieces), TX27, TX30, TX40   |
| 1/4" hex 25mm screwdriver bits | TPX type   | TPX10, TPX15, TPX20 (2 pieces), TPX25 (2 pieces), TPX27, TPX30, TPX40   |
| Ratchetting bits driver        |            | Reversible for use with 1/4" hexagon drive bits. Supplied with 6 assorted bits stored in slide out holder in the handle |
| Accessories                    |            | Magnetic charger and discharger for magnetising and/or demagnetising screwdriver tips, "bullet holders" for bits        |
| Accessories                    | 1/4" drive | 1/4"M:1/4" hexagon adaptor, coupler adaptor   |





### TTMD12D Screwdriver set

Set of 12 interchangeable screwdriver blades including TX, hex as well as Phillips and Pozidrive heads. With chrome vanadium steel blades. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed. (265x142x50mm, 0.6 kilos)

|           | Changeable handle for 1/4" shank                   |
|-----------|--|
| TX Type   | TX10xTX15, TX20xTX25,TX30xTX40                     |
| Hex type  | Hex ball 3.0 x Hex 3.0mm, Hex ball 4.0 x Hex 4.0mm |
|           | Hex ball 5.0 x Hex 5.0mm, Hex ball 6.0 x Hex 6.0mm |
| PH type   | PH1 x PH2, PH3 x Flat 6.5mm                        |
| Flat type | 4.0 x 5.5mm  |
|           | Hex type PH type                                   |



### **Double Ended Blades**

Double ended screwdriver blades with hexagon shape, to fit holder MD901, also replacement parts for set TTMD12D.

| Stock no. | Description        | Tips                       |
|-----------|--------------------|----------------------------|
| MD901     | Handle for TTMD12D | -                          |
| PZZ0102   | Combination blade  | PZ1 - PZ2                  |
| PHH0102   | Combination blade  | PH1 - PH2                  |
| FTF4055   | Combination blade  | flat 4.0mm - flat 5.5mm    |
| PHF0365   | Combination blade  | PH3 - flat 6.5mm           |
| TXX1015   | Combination blade  | TX10 - TX15                |
| TXX2025   | Combination blade  | TX20 - TX25                |
| TXX3040   | Combination blade  | TX30 - TX40                |
| HBH0303   | Combination blade  | hex ball 3.0mm - hex 3.0mm |
| HBH0404   | Combination blade  | hex ball 4.0mm - hex 4.0mm |
| HBH0505   | Combination blade  | hex ball 5.0mm - hex 5.0mm |
| HBH0606   | Combination blade  | hex ball 6.0mm - hex 6.0mm |
|           |                    |                            |



### Double Ended Blades →

### MR500 Magnetic Charger

Supplied on a key ring this tool can be used to magnetise and/or demagnetise any type of screwdriver.



# **GET A GRIP WITH TENG TOOLS!**

The two most important parts of any screwdriver are the tip and the handle. The length of the blade is chosen to suit the type of access needed but it is what you hold and what turns the screw that makes the difference between a good screwdriver and a not so good one.

If the tip is made from the correct material, to the right hardness and in the correct dimensions it will give a snug fit to the screw head which will make it much easier to apply torque without damaging the fastening or the blade slipping out of the screw. With our TT-MV material and exhaustive quality control tests you can be confident that a Teng Tools screwdriver will fit and fit securely.


When it comes to the design of the handle many screwdriver brands have gone off in all sorts of weird and wonderful directions with strange shapes, different materials and colour schemes that can look distinctly odd. Teng Tools have never ventured down this road, preferring instead to focus on the shape and function of the handle to create a screwdriver that fits the hand comfortably without slipping to allow more torque and fewer blisters.

The new range of Teng Tools screwdrivers has been developed in conjunction with experts in ergonomics and material technology but more importantly together with people who actually use screwdrivers to give a handle that really does give you a better grip.



Flat screwdrivers. DIN 5264, TT-MV PLUS steel, black tips, ergonomically designed bi-material handle with hanging hole. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.

| Stock no. | а   | b   | Shaft   | Tip      | L1  | L2  | Weight | Handle |  |
|-----------|-----|-----|---------|----------|-----|-----|--------|--------|--|
|           | mm  | mm  | type    |          | mm  | mm  | g      |        |  |
| MD914N    | 0.4 | 2.5 | round   | parallel | 50  | 146 | 24     | S      |  |
| MD915N    | 0.5 | 2.5 | round   | parallel | 75  | 171 | 24     | S      |  |
| MD915N1   | 0.5 | 2.5 | round   | parallel | 200 | 296 | 25     | S      |  |
| MD920N    | 0.5 | 3   | round   | parallel | 75  | 171 | 27     | S      |  |
| MD920N1   | 0.5 | 3   | round   | parallel | 100 | 196 | 31     | S      |  |
| MD916N    | 0.6 | 3.5 | round   | parallel | 75  | 171 | 29     | S      |  |
| MD916N1   | 0.6 | 3.5 | round   | parallel | 100 | 196 | 31     | S      |  |
| MD916N2   | 0.6 | 3.5 | round   | parallel | 150 | 246 | 38     | S      |  |
| MD917N    | 8.0 | 4.0 | round   | parallel | 100 | 196 | 31     | S      |  |
| MD917N1   | 0.8 | 4   | round   | parallel | 400 | 496 | 41     | S      |  |
| MD917N2   | 0.8 | 4   | round   | parallel | 150 | 246 | 38     | S      |  |
| MD922N    | 1.0 | 5.5 | round   | flared   | 75  | 246 | 38     | S      |  |
| MD923N    | 1.0 | 5.5 | round   | flared   | 150 | 258 | 64     | M      |  |
| MD923N1   | 1.0 | 5.5 | round   | flared   | 200 | 308 | 74     | M      |  |
| MD928N    | 1.2 | 6.5 | round   | flared   | 38  | 96  | 45     | XS     |  |
| MD928N1   | 1.2 | 6.5 | round   | flared   | 100 | 216 | 93     | L      |  |
| MD928N2   | 1.2 | 6.5 | round   | flared   | 150 | 266 | 105    | L      |  |
| MD928N3   | 1.2 | 6.5 | round   | flared   | 200 | 316 | 115    | L      |  |
| MD928N4   | 1.2 | 6.5 | round   | flared   | 100 | 208 | 105    | M      |  |
| MD928N5   | 1.2 | 6.5 | round   | flared   | 150 | 258 | 110    | M      |  |
| MD928N6   | 1.2 | 6.5 | round   | flared   | 200 | 308 | 113    | M      |  |
| MD928N7   | 1.2 | 6.5 | round   | flared   | 400 | 508 | 185    | M      |  |
| MD930N    | 1.6 | 10  | round   | flared   | 200 | 325 | 231    | XL     |  |
| MD931N    | 1.0 | 5.5 | hexagon | flared   | 125 | 253 | 96     | L      |  |
| MD932N    | 1.2 | 6.5 | hexagon | flared   | 100 | 216 | 101    | L      |  |
| MD932N1   | 1.2 | 6.5 | hexagon | flared   | 150 | 266 | 114    | L      |  |
| MD932N2   | 1.2 | 6.5 | hexagon | flared   | 400 | 516 | 181    | L      |  |
| MD934N    | 1.2 | 8   | hexagon | flared   | 150 | 275 | 156    | XL     |  |
| MD935N    | 1.6 | 10  | hexagon | flared   | 200 | 325 | 226    | XL     |  |



### Screwdrivers - Flat Type →

### MDMC718N Flat tip screwdriver with pocket clip

Flat blade screwdriver.TT-MV PLUS steel, black tip, ergonomically designed bi-material handle with pocket clip.

| Stock    | Tip width | Blade length | Overall length | Weight |
|----------|-----------|--------------|----------------|--------|
| No.      | mm        | mm           | mm             | g      |
| MDMC718N | 3.0       | 50           | 120            | 12     |










# leng Tools

# **Screwdrivers**

### Screwdrivers - PH type

PH type screwdrivers. DIN 5260. TT-MV PLUS steel, black tips, ergonomically designed bi-material handle with hanging hole. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.

| Stock no. | Size | Shaft   | Tip      | L1  | L2  | Weight | Handle |  |
|-----------|------|---------|----------|-----|-----|--------|--------|--|
|           |      | type    |          | mm  | mm  | g      |        |  |
| MD940N    | PH0  | round   | phillips | 75  | 171 | 27     | S      |  |
| MD940N1   | PH0  | round   | phillips | 300 | 369 | 41     | S      |  |
| MD947N    | PH1  | round   | phillips | 38  | 96  | 40     | XS     |  |
| MD947N1   | PH1  | round   | phillips | 75  | 183 | 29     | M      |  |
| MD947N2   | PH1  | round   | phillips | 150 | 258 | 61     | M      |  |
| MD948N    | PH2  | round   | phillips | 38  | 96  | 46     | XS     |  |
| MD948N1   | PH2  | round   | phillips | 100 | 216 | 93     | L      |  |
| MD948N2   | PH2  | round   | phillips | 200 | 316 | 115    | L      |  |
| MD948N3   | PH2  | round   | phillips | 400 | 516 | 153    | L      |  |
| MD948N4   | PH2  | round   | phillips | 100 | 208 | 90     | M      |  |
| MD948N5   | PH2  | round   | phillips | 200 | 308 | 110    | M      |  |
| MD948N8   | PH2  | round   | phillips | 300 | 408 | 114    | M      |  |
| MD948N6   | PH2  | round   | phillips | 400 | 508 | 148    | M      |  |
| MD949N    | PH3  | round   | phillips | 150 | 275 | 152    | XL     |  |
| MD950N    | PH4  | round   | phillips | 200 | 325 | 261    | XL     |  |
| MD952N    | PH2  | hexagon | phillips | 100 | 216 | 101    | L      |  |
| MD952N1   | PH2  | hexagon | phillips | 400 | 516 | 181    | L      |  |
| MD953N    | PH3  | hexagon | phillips | 150 | 275 | 159    | XL     |  |
| MD954N    | PH4  | hexagon | phillips | 200 | 325 | 231    | XL     |  |
|           |      |         |          |     |     |        |        |  |



Screwdrivers - PH Type →

### MDMC715N PH type screwdriver with pocket clip

PH type screwdriver.TT-MV PLUS steel, black tip, ergonomically designed bi-material handle with pocket clip.

| Stock    | Size | Blade length | Overall length | Weight |
|----------|------|--------------|----------------|--------|
| No.      |      | mm           | mm             | g      |
| MDMC715N | PH1  | 50           | 120            | 12     |




Screwdrivers - PZ type

Tools

Teng

PZ type screwdrivers. TT-MV PLUS steel, black tips,ergonomically designed bi-material handle with hanging hole. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.

| Stock no. | Size | Shaft   | Tip  | L1  | L2  | Weight | Handle |  |
|-----------|------|---------|------|-----|-----|--------|--------|--|
|           |      | type    |      | mm  | mm  | g      |        |  |
| MD960N    | PZ0  | round   | pozi | 75  | 171 | 27     | S      |  |
| MD961N    | PZ1  | round   | pozi | 75  | 183 | 29     | М      |  |
| MD961N1   | PZ1  | round   | pozi | 250 | 358 | 73     | М      |  |
| MD961N2   | PZ1  | round   | pozi | 38  | 96  | 40     | XS     |  |
| MD962N    | PZ2  | round   | pozi | 100 | 216 | 93     | L      |  |
| MD962N1   | PZ2  | round   | pozi | 150 | 266 | 105    | L      |  |
| MD962N2   | PZ2  | hexagon | pozi | 100 | 216 | 101    | L      |  |
| MD962N3   | PZ2  | round   | pozi | 38  | 96  | 45     | XS     |  |
| MD962N4   | PZ2  | round   | pozi | 100 | 208 | 98     | М      |  |
| MD962N5   | PZ2  | round   | pozi | 150 | 258 | 100    | М      |  |
| MD962N4A  | PZ2  | round   | pozi | 200 | 308 | 93     | М      |  |
| MD962N4C  | PZ2  | round   | pozi | 300 | 408 | 93     | М      |  |
| MD962N4D  | PZ2  | round   | pozi | 400 | 508 | 93     | M      |  |
| MD963N    | PZ3  | hexagon | pozi | 150 | 275 | 158    | XL     |  |
| MD964N    | PZ4  | hexagon | pozi | 200 | 325 | 231    | XL     |  |



Screwdrivers - PZ Type →

### MD906N1 6 Piece screwdriver set

Set of 6 TX drivers for TX drive heads. Features include TT-MV PLUS steel blades and ergonomically dsesigned bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in a full colour display box with PS tray. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.

| TX drivers | TX type | TX10x100mm, TX15x100mm, TX20x100mm, |
|------------|---------|-------------------------------------|
|            |         | TX25x100mm, TX30x100mm, TX40x100mm  |
|            |         |                                     |



# **Screwdrivers**

### MD906N2 6 Piece screwdriver set

Set of 6 screwdrivers for Pozi and TX drive heads. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in a full colour display box with PS tray. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.

| Screwdrivers | PZ type | PZ1 x 75mm, PZ2 x 100mm                                |
|--------------|---------|--|
|              | TX type | TX10 x 100mm, TX15 x 100mm, TX20 x 100mm, TX25 x 100mm |



### TT917TXN 7 Piece Driver set

7 piece driver set covering TX8 through to TPX30. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in the unique Teng
Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed. (265x142x50mm, 0.7 kilos)

| TX drivers | TX type | TX8x75mmTX9x75mm  |  |
|------------|---------|---|--|
|            |         | TPX10x100mm,TPX15x100mm,TPX20x100mm,TPX25x100mm,TPX30x100mm |  |



TTD912TXN 12 Piece Screwdriver set
12 piece TX driver set covering TX6 through to TX45. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in the unique Teng Tools double TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed. (265x284x50mm, 1.2 kilos)

| TX drivers | TX type | TX6x75mm, TX7x75mm, TX8x75mm, TX9x75mm         |
|------------|---------|--|
|            |         | TX10x100mm, TX15x100mm, TX20x100mm, TX25x100mm |
|            |         | TX27x100mm, TX30x100mm, TX40x100mm, TX45x125mm |



### TED909TXN TX driver Set

9 piece TX driver set. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed. (265x284x50mm, 1.10 kilos)

| TX drivers TX6, TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30 |
|--|
|--|








# **Screwdrivers**

| Stock no. | Size | Shaft | Tip | L1  | L2  | Weight | Handle |
|-----------|------|-------|-----|-----|-----|--------|--------|
|           |      | type  |     | mm  | mm  | g      |        |
| MD906TN   | TX6  | round | -   | 75  | 171 | 29     | S      |
| MD907TN   | TX7  | round | -   | 75  | 171 | 29     | S      |
| MD908TN   | TX8  | round | -   | 75  | 171 | 29     | S      |
| MD909TN   | TX9  | round | -   | 75  | 171 | 29     | S      |
| MD910TN   | TX10 | round | -   | 100 | 208 | 58     | M      |
| MD915TN   | TX15 | round | -   | 100 | 208 | 58     | M      |
| MD920TN   | TX20 | round | -   | 100 | 208 | 58     | М      |
| MD925TN   | TX25 | round | -   | 100 | 216 | 93     | L      |
| MD927TN   | TX27 | round | -   | 100 | 216 | 94     | L      |
| MD930TN   | TX30 | round | -   | 100 | 216 | 94     | L      |
| MD940TN   | TX40 | round | -   | 100 | 216 | 106    | L      |
| MD945TN   | TX45 | round | -   | 125 | 205 | 237    | XL     |




### TX Screwdrivers →

### **TPX Screwdrivers**

TPX screwdrivers. Chrome vanadium, black tips, ergonomically designed bi-material handle with hanging hole. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.

| Stock no.         Size type         Shaft type         Tip type         L1 type         L2 type         Weight type         Handle g           MD610TPN         TPX10         round         -         100         208         58         M           MD615TPN         TPX15         round         -         100         208         58         M           MD620TPN         TPX20         round         -         100         208         58         M           MD625TPN         TPX25         round         -         100         216         94         L           MD630TPN         TPX30         round         -         100         216         94         L           MD640TPN         TPX40         round         -         100         216         94         L           MD640TPN         TPX40         round         -         100         216         94         L |           |       |       |     | 9   |     |        |        |  |
|--|-----------|-------|-------|-----|-----|-----|--------|--------|--|
| MD610TPN         TPX10         round         -         100         208         58         M           MD615TPN         TPX15         round         -         100         208         58         M           MD620TPN         TPX20         round         -         100         208         58         M           MD625TPN         TPX25         round         -         100         216         94         L           MD627TPN         TPX27         round         -         100         216         94         L           MD630TPN         TPX30         round         -         100         216         94         L  | Stock no. | Size  | Shaft | Tip | L1  | L2  | Weight | Handle |  |
| MD615TPN         TPX15         round         -         100         208         58         M           MD620TPN         TPX20         round         -         100         208         58         M           MD625TPN         TPX25         round         -         100         216         94         L           MD627TPN         TPX27         round         -         100         216         94         L           MD630TPN         TPX30         round         -         100         216         94         L  |           |       | type  |     | mm  | mm  | g      |        |  |
| MD620TPN         TPX20         round         -         100         208         58         M           MD625TPN         TPX25         round         -         100         216         94         L           MD627TPN         TPX27         round         -         100         216         94         L           MD630TPN         TPX30         round         -         100         216         94         L  | MD610TPN  | TPX10 | round | -   | 100 | 208 | 58     | M      |  |
| MD625TPN         TPX25         round         -         100         216         94         L           MD627TPN         TPX27         round         -         100         216         94         L           MD630TPN         TPX30         round         -         100         216         94         L  | MD615TPN  | TPX15 | round | -   | 100 | 208 | 58     | M      |  |
| MD627TPN TPX27 round - 100 216 94 L<br>MD630TPN TPX30 round - 100 216 94 L   | MD620TPN  | TPX20 | round | -   | 100 | 208 | 58     | M      |  |
| MD630TPN TPX30 round - 100 216 94 L  | MD625TPN  | TPX25 | round | -   | 100 | 216 | 94     | L      |  |
|  | MD627TPN  | TPX27 | round | -   | 100 | 216 | 94     | L      |  |
| MD640TPN TPX40 round - 100 216 105 L   | MD630TPN  | TPX30 | round | -   | 100 | 216 | 94     | L      |  |
|  | MD640TPN  | TPX40 | round | -   | 100 | 216 | 105    | L      |  |




### TPX Screwdrivers →

### **ROB Screwdrivers**

**Teng Tools** 

ROB screwdrivers. Chrome vanadium, black tips, ergonomically designed bi-material handle with hanging hole. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.

| Stock no. | Size | Shaft | Tip    | L1  | L2  | Weight | Handle |
|-----------|------|-------|--------|-----|-----|--------|--------|
|           | No.  | type  |        | mm  | mm  | g      |        |
| MD801N    | 1    | round | square | 100 | 216 | 94     | L      |
| MD802N    | 2    | round | square | 100 | 216 | 94     | L      |
| MD803N    | 3    | round | square | 100 | 216 | 94     | L      |



### ROB Screwdrivers →

### TM708 Mini Screwdriver set

8 piece Mini Screwdriver set. Consisting of 7 double ended blades with one tip in each end and one universal screwdriver handle. Supplied in a handy storage box with click lock. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed. (170x90x35mm, 0.1 kilos)

| Screwdriver blades 120mm | 2.0mm flat x PH00, 3.0mm flat x PH0, 4.0mm flat x PH1, PZ0 x PZ1, |
|--------------------------|---|
|                          | TX5 x TX7, TX6 x TX8, TX9 x TX10                                  |
| Screwdriver handle       |   |



# TENGIOOLS

### Mini Screwdrivers

Double ended mini screwdriver blades with hexagon shape, to fit holder MDM700, also replacement parts for set MDM708.

| Stock no. | Description       | Tips              |
|-----------|-------------------|-------------------|
| MDM700    | Handle            | -                 |
| 2912512   | Combination blade | 2.0mm flat - PH00 |
| 2912513   | Combination blade | 3.0mm flat - PH0  |
| 2912514   | Combination blade | 4.0mm flat - PH1  |
| 2912520   | Combination blade | PZ0 - PZ1         |
| 2912535   | Combination blade | TX5 - TX7         |
| 2912537   | Combination blade | TX6 - TX8         |
| 2912539   | Combination blade | TX9 - TX10        |

### Mini Screwdriver Blades →

### TTMI16 Mini plier & screwdriver set

Set containing 12 mini screwdrivers and 4 mini pliers. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.71 kilos)

| Screwdrivers | Flat regular | 2.0, 2.4, 3.0   |
|--------------|--------------|---|
|              | PH type      | PH00, PH0, PH1  |
|              | TX type      | TX6, TX7, TX8, TX9, TX10, TX15                                    |
| Pliers       |              | 4 1/2" side cutter. 4 1/2" end cutter. 5" long nose, 5" flat nose |



### MDM706 Mini Screwdriver set

Set of 6 mini screwdrivers. Supplied with rack/holder for wall mounting or for free standing. Made from CrMo alloy steel for extra strength. All Teng Tools screwdrivers are designed to have a hole in the handle which can also be used for securing the tool with a fall protection wire if needed.


| Screwdrivers | Flat regular | 2.0x40mm, 2.4x40mm, 3.0x40mm  |
|--------------|--------------|-------------------------------|
|              | PH type      | PH00x40mm, PH0x40mm, PH1x40mm |



# Mini Screwdrivers - hex type

Mini Hex Type Screwdrivers. Chrome vanadium, black tips. Made from CrMo alloy steel for extra strength.

| Stock no. | Size | Shaft | Tip | L1 | L2  | Weight |
|-----------|------|-------|-----|----|-----|--------|
|           | mm   | type  |     | mm | mm  | g      |
| MDM711    | 2.0  | round | -   | 40 | 122 | 12     |
| MDM712    | 2.5  | round | -   | 40 | 122 | 12     |




# Mini Screwdrivers - Hex Type →

### Mini Screwdrivers - flat type

Mini Flat Type Screwdrivers. Chrome vanadium, black tips. Made from CrMo alloy steel for extra strength.

|           |      | ,     |          | 0  |     |        |  |
|-----------|------|-------|----------|----|-----|--------|--|
| Stock no. | Size | Shaft | Tip      | L1 | L2  | Weight |  |
|           | mm   | type  |          | mm | mm  | g      |  |
| MDM713    | 2.0  | round | parallel | 40 | 122 | 12     |  |
| MDM714    | 2.4  | round | parallel | 40 | 122 | 12     |  |
| MDM715    | 3.0  | round | parallel | 40 | 122 | 12     |  |








306

### Mini Screwdrivers - PH type

Mini PH Type Screwdrivers. Chrome vanadium, black tips. Made from CrMo alloy steel for extra strength.

| Stock no. | Size | Shaft | Tip | L1 | L2  | Weight |  |
|-----------|------|-------|-----|----|-----|--------|--|
|           |      | type  |     | mm | mm  | g      |  |
| MDM716    | PH00 | round | -   | 40 | 122 | 12     |  |
| MDM717    | PH0  | round | -   | 40 | 122 | 12     |  |
| MDM718    | PH1  | round | -   | 40 | 122 | 12     |  |



Mini Screwdrivers - PH Type →

# DO'S AND DONT'S OF SCREWDRIVERS

The right tip

Use the correct type of screwdriver to suit the size and type of fastening you need to turn and how much torque you need to apply. The larger the handle and the longer the blade the more torque can be applied.

Keep it clean and dry

After use always check the tools are clean and dry before putting them away, this will help to avoid problems such as corrosion and moving parts seizing or becoming tight.

Apply extra torque correctly
If extra torque is needed make sure the driver is fitting tightly and securely and use extra torque by creating a T handle by using another screwdriver through the hanging hole. Alternatively on screwdrivers with a hexagon shank use a wrench or spanner to give extra torque.

Use the right handle

**Tools** 

Teng

Teng Tools screwdrivers have different shaped handles for different applications. A round handle is ideal for transporting screws in and out of the thread, an oval handle gives much greater torque.

On not use the wrong screwdriver If the screwdriver does not fit tightly and securely to the screw or fastening check that you have the right size and type of screwdriver

② Do not use a screwdriver as a lever

Screwdrivers are designed to apply torque laterally and will bend or break if used as a lever - not only bad for the tool but dangerous as well

On not use on live electrics

If you have to work on electrical or electronic equipment disconnect the power supply wherever possible and always use insulated tools even if you believe that the power is off.

Do not use too much power

Only apply reasonable force, particularly on small fasternings and TX or TPX fastenings.

### 1477NX Assorted Kev Set

8 piece set including hexagon, TX and screwdriver keys. Chrome vanadium steel Retractable in aluminium case.

| Accessories                 | ergonomically designed aluminium holder |
|-----------------------------|---|
| Individual hex keys         | 4, 5, 6mm                               |
| Individual TX keys          | TX25, TX30                              |
| Individual Screwdriver keys | 1.0x5.5mm flat, PH1, PZ2                |

### MDM706TXT Mini TX T handle driver set

A set of 6 mini T handle TX drivers. Supplied with a handy rack for fixing to the wall or tool panel. Includes TX6, TX7, TX8, TX9, TX10 and TX15. Weight 124g.



### Mini TX drivers

Individual mini T handle TX drivers

| Stock no. | Size | Weight |  |
|-----------|------|--------|--|
|           |      | g      |  |
| MDM806T   | TX6  | 10     |  |
| MDM807T   | TX7  | 10     |  |
| MDM808T   | TX8  | 10     |  |
| MDM809T   | TX9  | 15     |  |
| MDM810T   | TX10 | 15     |  |
| MDM815T   | TX15 | 15     |  |



## MDM706TX Mini Screwdrivers - TX type

Set of 6 mini screwdrivers for internal TX heads. Supplied with rack/holder for wall mounting or free standing. Made from CrMo alloy steel for extra strength.


| Screwdrivers | TX type | TX6, TX7, TX8, TX9, TX10, TX15 |
|--------------|---------|--------------------------------|
|              |         |                                |




### Mini Screwdrivers - TX type

Mini TX Type Screwdrivers. Chrome vanadium, black tips. Made from CrMo alloy steel for extra strength.


| Stock no. | Size | Shaft | Tip | L1 | L2  | Weight |
|-----------|------|-------|-----|----|-----|--------|
|           |      | type  |     | mm | mm  | g      |
| MDM806    | TX6  | round | -   | 40 | 122 | 12     |
| MDM807    | TX7  | round | -   | 40 | 122 | 12     |
| MDM808    | TX8  | round | -   | 40 | 122 | 12     |
| MDM809    | TX9  | round | -   | 40 | 122 | 12     |
| MDM810    | TX10 | round | -   | 40 | 122 | 12     |
| MDM815    | TX15 | round | -   | 40 | 122 | 12     |











Petter Solbergs rallycross car is maintained by me and my Teng Tools storage unit TCMM1055N. It's filled with 1055 pieces in 51 tool sets. All chosen by me, according to my preferences. For some, things organised perfectly might seem boring, but when it comes to chasing seconds, it's vital. Welcome to our world!

Lestinging tes



# **Screwdrivers**

### TTXMDTN

### 5 Piece Power Through Screwdriver Set

5 piece power through screwdriver set including flat, regular and PH types with ergonomically designed bi-material handle with hexagonal power thru blade and percussion cap in head of the handle. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x40mm, 1.4 kilos)



Power through screwdrivers Flat regular PH type

6.5 x 100mm, 8 x 150mm, 10 x 200mm PH2 x 100mm, PH3 x 150mm

### **TEXMDTN**

### Power Thru Screwdriver Set NEW!

5 piece power through screwdriver set including flat, regular and PH types with ergonomically designed bi-material handle with hexagonal power thru blade and percussion cap in head of the handle. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x40mm, 1.4 kilos)



| Screwdrivers | PH type   | PH2 x 100mm, PH3 x 150mm |
|--------------|-----------|--------------------------|
| Screwdrivers | flat type | 6.5x100, 8x150, 10x200mm |

### WRMDT05N

### **Power Through Screwdriver Set**

5 piece power through screwdriver set. Screwdrivers have bi-material TPR grip for added comfort and grip with a percussion cap in the head for striking with a hammer. Complete with a wall rack for fixing to the wall or a work bench.

| Screwdrivers | flat type | 1.2x6.5x100, 1.2x8.0x150, 1.6x10x200mm |
|--------------|-----------|--|
|              | PH        | PH2x100, PH3x150mm                     |
|              |           |  |



### Power Through Screwdrivers - Flat Type

Mega Drive Power Through Flat screwdrivers. Chrome vanadium. The hexagonal blade allows tightening using an open ended spanner, with percussion cap in the handle. DIN5264

| Stock no. | а   | b   | Shaft   | Tip    | L1  | L2  | Weight | Handle |  |
|-----------|-----|-----|---------|--------|-----|-----|--------|--------|--|
|           | mm  | mm  | type    |        | mm  | mm  | g      |        |  |
| MDT932N   | 1.2 | 6.5 | hexagon | flared | 100 | 216 | 120    | L      |  |
| MDT934N   | 1.2 | 8   | hexagon | flared | 150 | 275 | 200    | XL     |  |
| MDT935N   | 1.6 | 10  | hexagon | flared | 200 | 325 | 200    | XL     |  |

Power Thru screwdrivers - flat type →



### Power Through Screwdrivers - PH Type

Mega Drive Power Through PH type screwdrivers. Chrome vanadium. The hexagonal blade allows tightening using an open ended spanner, with percussion cap in the handle. DIN5264

| Stock no. | Size | Shaft<br>type | Tip      | L1<br>mm | L2<br>mm | Weight<br>g | Handle |  |
|-----------|------|---------------|----------|----------|----------|-------------|--------|--|
| MDT952N   | PH2  | hexagon       | phillips | 100      | 216      | 120         | L      |  |
| MDT953N   | PH3  | hexagon       | phillips | 150      | 275      | 200         | XL     |  |

Power Thru screwdrivers - PH type →





# TENGIOOLS

# **BITS AND BIT DRIVERS**

# Bit holder and bits

A comprehensive range of bits for screwdrivers and bit sets with numerous unique combinations of models and tips.



- All Teng Tools bits with a hexagonal drive are designed and manufactured in accordance with the latest industrial standards. Screwdriver bits and socket bits are classified as consumables and thus are only guaranteed to meet dimensional standards.
- The range comprises slotted tips, PH, PZ, GR type; square of Robertson type, TX, TPX, hex in metric sizes, imperial sizes and different lengths as well as various formats of hexagonal drive for individual needs.
- Full range of bit adapters, screw holders and accessories are available.
- Teng Tools unique bit sets mean resourceful storage in pocket format boxes, with bits that are easy to access and where the most popular bit holders are included.
- Different bit ratchet drivers and bit drivers are included in the range, among others bit drivers with 6 bits stored in the handle, stubby bit driver and a bit driver with folding handle for greater power transfer.




### **BBX10A 10 Piece Bits Box Set**

A handy pocket sized bits box including a magnetic bits holder and nine assorted bits.

| Accessories                    |           | 50mm magnetic bits holder with 1/4" hex drive |
|--------------------------------|-----------|---|
| 1/4" hex 25mm screwdriver bits | PZ type   | 1, 2, 3                                       |
|                                | PH type   | 1, 2, 3                                       |
|                                | Flat type | 0.6x4.5, 1.0x5.5, 1.2x6.5mm                   |





Whether it is Wheeler Dealer, Engine Addict, Turbo Pickers, Goblin Workshop or The Gadget Show you can expect to see Teng Tools - the preferred choice of TV experts.



### T1419 19 Piece 1/4" Drive Socket Set

19 piece 1/4" drive socket set containing 6 point sockets, bits ratchet handle, magnetic bits holder, plus 11 bits. Supplied in a plastic case with snap lock and metal pin hinges. (105x60x32mm, 0.25 kilos)

| Accessories     | 1/4" drive | 1/4" bits ratchet, magnetic bits holder,1/4"Mx1/4"Hex adaptor       |
|-----------------|------------|---|
| Regular sockets | 1/4" drive | 6 point 8, 9, 10, 11, 12, 13mm                                      |
| Bits            | 1/4" hex   | 4,5,6mm hex, PH1, PH2, PZ1, PZ2, 4.5mm flat, 5.5mm flat, 6.5mm flat |



T1420 20 Piece 1/4" Drive Socket Set
20 piece 1/4" drive socket set containing 6 point sockets, bits ratchet handle,
magnetic bits holder, plus 11 bits. Supplied in a plastic case with snap lock and
metal pin hinges. (105x60x32mm, 0.2 kilos)

| Accessories     | 1/4" drive | 1/4" bits ratchet, magnetic bits holder,1/4"Mx1/4"Hex adaptor        |
|-----------------|------------|--|
| Regular sockets | 1/4" drive | 6 point 5.5, 6, 7, 8, 9, 10, 13mm                                    |
| Bits            | 1/4" hex   | TX10, TX15, TX20, PH1, PH2, PZ1, PZ24mm flat, 5.5mm flat, 6.5mm flat |



TM028 28 piece bits set
A 28 piece bits set in a Teng Tools bits box, containing 26 of the most common bits used in the market, together with a quick release bit holder and an adaptor 1/4" hex. (105x60x32mm, 0.2 kilos)

| Bits        | 1/4" hex drive 25mm bits flat 0.6x4.5, 0.8x5.5, 1.0x6.5mm, PH 1, PH2, PH3, PZ1, PZ2, PZ3, TX10, TX15, TX20, TX25, TX30, TX40, TPX20, TPX25, TPX30, ROB No. 1, No. 2, |
|-------------|--|
|             | No. 3, Hex 4mm, 5mm, 6mm GR no.2 (2 pc)  |
| Accessories | 1/4" hex drive 50mm quick release bit holder adaptor 1/4"hex x 1/4"  |



TM029 29 piece bits box
A 29 piece bits set in a Teng Tools bits box, containing 26 of the most common bits used in the market, together with a magnetic bit holder, an adaptor and the Teng Tools bits ratchet. (105x60x32mm, 0.23 kilos)

1/4" hex drive 25mm bits flat 0.6x4.5, 0.8x5.5, 1.2x6.5mm, PH 1, PH2, PH3, PZ1, PZ2, PZ3, TX10, TX15, TX20, TX25, TX30, TX40, TPX20, TPX25, TPX30, R0B No. 1, No. 2, No. 3, Hex 4mm, 5mm, 6mm, GR no.2 (2 pc)

Accessories 1/4" hex drive 50mm magnetic bits holder, 1/4" bits ratchet with 8mm ring spanner Hex 1/4" and Square 1/4" 25mm adaptor





314

### 1400B 1/4" drive reversible ratchet

A 1/4" hex drive reversible ratchet with 8mm 12 point ring spanner. Drop forged. Chrome vanadium. Satin finish.



### MDBH Bits driver

A magnetic bits holder with a bi-material grip handle for use with 1/4" hexagon bits.



### MD900 Bits Driver

1/4" hex bit driver with magnetic bits holder and the Mega Drive bi-material grip handle with hanging hole/T drive facility.



### MD907FL Flexible 1/4" Drive Magnetic Bits Driver NEW!

A 555mm long flexible bits driver with a magnetic 1/4" hex bits driver that holds the bit and ferrous fastenings in place. The spring wound flexible shaft is protected by a plastic sleeve. The bi-material grip includes a T drive facility for added torque or for use as a hanging hole. The hole can also be used for securing the tool to a safety wire. Overall length 555mm, weight 226g).



### MD908N Bits Driver

A 9 piece bits driver set including the magnetic bits holder with a bi-material grip handle for use with 1/4" hexagon bits. 8 of the most commonly used bits are included in a handy bits holder.

| Bits | 1/4" hex drive 25mm flat bits     | 6.5mm, 8.0mm |
|------|-----------------------------------|--------------|
|      | 1/4" hex drive 25mm PH type bits  | PH1, PH2     |
|      | 1/4" hex drive 25mm PZ type bits  | PZ1, PZ2     |
|      | 1/4" hex drive 25mm hex type bits | 4mm, 5mm     |



### MDR908S Stubby Ratcheting Bits Driver Set

Stubby ratcheting bits driver Bi-material handle with storage in the handle for bits, reversible ratchet with forward, reverse and fixed settings. Supplied with 6 bits and a 1/4" square drive adaptor. Overall length 100mm.

| Bits | 1/4" hex drive 25mm flat bits       | 5mm, 7mm |
|------|-------------------------------------|----------|
|      | 1/4" hex drive 25mm PH bits         | PH1, PH2 |
|      | 1/4" hex drive 25mm PZ bits         | PZ1, PZ2 |
|      | 1/4" hex drive 1/4" square drive ac | laptor   |



### TTMD74 Ratcheting bits driver set

74 piece set including ratcheting bits driver, 6" flexible extension, 69 bits, 4" extension bar, coupler adaptors. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.74 kilos)

| Accessories   | 1/4" drive    | ratcheting bits handle including 6 bits PH1, PH2, PZ1, PZ2, 5 & 7mm flat,     |
|---------------|---------------|---|
|               |               | 6" flexible extension, 4"extension, 1/4" M:1/4" hex adaptor coupler,          |
|               |               | 1/4" F:1/4" hex coupler adaptor.  |
| 25mm hex bits | 1/4" hex driv | e TX6, 7, 8, 9, 10, 15, 20x3, 25x3, 27, 30, 40.TPX10, 15, 20x2, 25x2, 27, 30, |
|               |               | 40. 2, 3, 4, 5, 6, 8mm hex, 0.6x3.5, 0.6x4.5, 0.8x4.0, 0.8x5.5, 1.0x5.5,      |
|               |               | 1 2y5 0 1 2y6 5 1 4y7 0 1 6y8 0mm flat PH1y4 PH2y7 PH3y1                      |

PZ1x4,PZ2x7, PZ3x1, 1, 2, 3 square, GR



### **TTMDRT64** Angled Ratcheting bits Driver Set

64 piece set including jointed bits driver with adjustable angle setting, 11 regular 1/4" drive metric sockets and 52 bits. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.85 kilos).

| Accessories     | 1/4" drive   | ratcheting bits handle including 7 bits 5 & 7mm flat, PH1, PH2, PZ1, PZ2, ¼"M:1/4" hex adaptor.  |
|-----------------|--------------|--|
| Regular sockets | 1/4" drive   | 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm  |
| 25mm bits       | ¼" hex drive | 0.6x3.5, 0.6x4.5, 0.8x4.0, 0.8x5, 0.8x5.5, 1.0x5.5, 1.2x6.5, 1.2x7.0, 1.6x8.0 flat, PH1 x 4, PH2 x 4, PH3 x 2, PZ1, PZ2 x 3, PZ3 x 2, TX6, TX7, TX8, TX9, TX10, TX15, TX20 x 3, TX25 x 3, TX27, TX30, TX40, 2, 3, 4(x 3), 5, 6, 8mm hex, 1, 2, 3 square. |



### TTXMD41N Flexible handle 1/4" drive Socket and Screwdriver Bit Set NEW!

Set of two flexible drivers together with 1/4" drive sockets and a selection of the most commonly used screwdriver bits. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 1.36 kilos)

| Accessories     |                | 555mm flexible spinner<br>handle with 1/4" drive,<br>555mm flexible bits driver<br>with 1/4" hex drive, 1/4" x<br>1/4" hex adaptor                               |
|-----------------|----------------|--|
| Regular sockets | 1/4" drive     | 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm   |
| 25mm hex bits   | 1/4" hex drive | 0.8x4.0, 1.0x5.5, 1.6x8.0mm<br>flat, PH0, PH1, PH2, PH3, PH4,<br>PZ0,PZ1, PZ2, PZ3, TX8, TX10,<br>TX15, TX20, TX25, TX27, TX30,<br>TX40, 3, 4, 5, 6, 8, 10mm hex |







# TEDSD95 Torque Screwdriver, Impact Driver and Bit Set

1/4" drive 1-5Nm torque screwdriver and 1/2" drive impact driver together with assorted bits to suit most types of fastenings. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 2.40 kilos)

| Accessories         | 1/4" drive | 1-5Nm torque screwdriver, quick release chuck, sliding I<br>bar, 6" flexible extension, Ratchetting bits driver with<br>assorted bits in the handle (5, 7mm flat, PH1, PH2, P21, P22,<br>1/4"M:1/4" hex adaptor) |
|---------------------|------------|--|
|                     | 3/8" drive | 3/8"M:5/16" hex adaptor  |
|                     | 1/2" drive | impact driver, 5/16" hex bit adaptor   |
| 5/16" hex 36mm bits | flat type  | 1.4x6, 1.4x8, 2.2x10, 1.8x12mm   |
|                     | PH         | PH1, PH2, PH3, PH4   |
|                     | hex        | 4, 5, 6, 8mm   |
|                     | TX         | TX30, TX40, TX45, TX50, TX55   |
| 1/4" hex 25mm bits  | flat type  | 0.6x3.5, 0.6x4.5, 0.8x4.0, 0.8x5.5, 1.0x5.5, 1.2x6.5,<br>1.6x8.0mm   |
|                     | PH         | PH1 (x3), PH2 (x6), PH3  |
|                     | PZ         | PZ1 (x3), PZ2 (x6), PZ3  |
|                     | hex        | 2, 3, 4, 4, 6, 8mm   |
|                     | TX         | TX6, TX7, TX8, TX9, TX10, TX15, TX20 (x3), TX25 (x3), TX27, TX30, TX40   |
|                     | TPX        | TPX10, TPX15, TPX20 (x2), TPX25 (x2), TPX27, TPX30,  |
|                     |            | TPX40  |
|                     | Square     | 1, 2, 3  |
|                     | GR         | 2 (x3)   |



### MDR915 Ratcheting Bits Driver Set

Ratcheting bits driver. Bi-material handle with storage in the handle for bits, reversible ratchet with forward, reverse and fixed settings. Supplied with 7 double ended

screwdriver bits.

**Teng Tools** 

| Bits | 1/4" hex drive double ended 32mm flat bits    | 4mm x 6mm                |
|------|---|--------------------------|
|      | 1/4" hex drive double ended 32mm PH type bits | PH0 x PH3, PH1 x PH2     |
|      | 1/4" hex drive double ended 32mm PZ type bits | PZO x PZ3, PZ1 x PZ2     |
|      | 1/4" hex drive double ended 32mm TX type bits | TX10 x TX15, TX20 x TX25 |



### **MDR908** Ratcheting Bits Driver Set

Ratcheting bits driver. Bi-material handle with storage in the handle for bits, reversible ratchet with forward, reverse and fixed settings. Supplied with 6 bits and a 1/4" square drive adaptor. Overall length 175mm.

| Bits | 1/4" hex drive 25mm flat bits        | 5mm, 7mm |
|------|--------------------------------------|----------|
|      | 1/4" hex drive 25mm PH bits          | PH1, PH2 |
|      | 1/4" hex drive 25mm PZ bits          | PZ1, PZ2 |
|      | 1/4" hex drive 1/4" square drive ada | ptor     |



### MDRT908 Angled Ratcheting Bits Driver

Jointed handle can be offset at up to 60° to create a pistol grip handle for added torque or used as a straight bits driver. A fixed or forward/reverse ratchet mechanism with a magnet that holds the bit in place as well as the screw (steel, etc). Bi-material handle with storage for bits – includes 5 and 7mm flat, PH1, PH2, PZ1, PZ2 and a 1/4" male adaptor for use with 1/4" drive sockets. OverII length 172mm.



### M1410T5 Wing T5 set

Set containing a coupler adaptor and 9 5 wing T5 bits,

| Bit Coupler adaptor                | 1/4" drive - 1/4" hex              |
|------------------------------------|------------------------------------|
| Individual 1/4" hex 5 wing TX bits | 10, 15, 20, 25, 27, 30, 40, 45, 50 |



### 1486 TX bit set

Set containing a coupler adaptor and 6 TX bits for internal TX heads.

| Bit coupler adaptor         | 3/8" drive 1/4" hex                |
|-----------------------------|------------------------------------|
| Individual 1/4" hex TX bits | TX10, TX15, TX20, TX25, TX30, TX40 |





### 1488 TX bit set

Set containing a coupler adaptor and three TX bits for internal TX heads.

| Bit coupler adaptor          | 1/2" drive 5/16" hex |
|------------------------------|----------------------|
| Individual 5/16" hex TX bits | TX45, TX50, TX55     |





### FTF32406005 Double ended bits -flat type

32mm long double ended bits for slotted heads with 1/4" hex

| Stock<br>No. | Size (end 1)   | Size (end 2)   | Drive    | Pack<br>Qty | Length<br>mm | Weight<br>g |
|--------------|----------------|----------------|----------|-------------|--------------|-------------|
| FTF32406005  | flat 0.8 x 4mm | flat 1.2 x 6mm | 1/4" hex | 5           | 32           | 30          |





### Bits - flat type

25mm long bits for slotted heads with 1/4" hex. DIN3126.

| Stock no. Size Drive Pack Length |  |
|----------------------------------|--|
| otock no. Olec Dive rack Longar  |  |
| Qty mm                           |  |
| FL2506A03 0.6x3.5 1/4" hex 3 25  |  |
| FL2506B03 0.6x4.5 1/4" hex 3 25  |  |
| FL2508A03 0.8x4.0 1/4" hex 3 25  |  |
| FL2508B03 0.8x5.5 1/4" hex 3 25  |  |
| FL2510A03 1.0x5.5 1/4" hex 3 25  |  |
| FL2512A03 1.2x6.5 1/4" hex 3 25  |  |
| FL2516A03 1.6x8.0 1/4" hex 3 25  |  |




### Bits - Flat Type →

### Bits - flat type

50mm long bits for slotted heads with 1/4" hex. DIN3126.

| Size    | Drive                                    | Pack Qty   | Length<br>mm   |  |
|---------|--|--|--|--|
| 0.6x3.5 | 1/4" hex                                 | 3  | 50   |  |
| 0.8x4.0 | 1/4" hex                                 | 3  | 50   |  |
| 0.8x5.5 | 1/4" hex                                 | 3  | 50   |  |
| 1.0x5.5 | 1/4" hex                                 | 3  | 50   |  |
| 1.2x6.5 | 1/4" hex                                 | 3  | 50   |  |
|         | 0.6x3.5<br>0.8x4.0<br>0.8x5.5<br>1.0x5.5 | 0.6x3.5 1/4" hex<br>0.8x4.0 1/4" hex<br>0.8x5.5 1/4" hex<br>1.0x5.5 1/4" hex | 0.6x3.5 1/4" hex 3<br>0.8x4.0 1/4" hex 3<br>0.8x5.5 1/4" hex 3<br>1.0x5.5 1/4" hex 3 | mm           0.6x3.5         1/4" hex         3         50           0.8x4.0         1/4" hex         3         50           0.8x5.5         1/4" hex         3         50           1.0x5.5         1/4" hex         3         50 |















Bits - flat type 70mm long bits for slotted heads with 1/4" hex. DIN3126.

| Stock no. | Size    | Drive    | Pack | Length |  |
|-----------|---------|----------|------|--------|--|
|           |         |          | Qty  | mm     |  |
| FL7006A02 | 0.6x3.5 | 1/4" hex | 2    | 70     |  |
| FL7008A02 | 0.8x4.0 | 1/4" hex | 2    | 70     |  |
| FL7008B02 | 0.8x5.5 | 1/4" hex | 2    | 70     |  |
| FL7010A02 | 1.0x5.5 | 1/4" hex | 2    | 70     |  |
|           |         |          |      |        |  |



Bits - Flat Type



32mm long double ended bits for Phillips heads with ¼" hex

|             |         |         | - · · · · · · · · · · · · · · · · · · · |      |        |        |  |
|-------------|---------|---------|---|------|--------|--------|--|
| Stock no.   | Size    | Size    | Drive                                   | Pack | Length | Weight |  |
|             | (end 1) | (end 2) | Qty                                     | mm   | g      |        |  |
| PHH32000305 | 5 PHO   | PH3     | 1/4" hex                                | 5    | 32     | 30     |  |
| PHH32010205 | 5 PH1   | PH2     | 1/4" hex                                | 5    | 32     | 30     |  |



Bits - PH Type

### Bits - PH type

**Teng Tools** 

25mm long standard bits for Phillips heads with 1/4" hex. DIN3126.

| Stock no. | Size | Drive    | Pack | Length |
|-----------|------|----------|------|--------|
|           |      | Qty      | mm   |        |
| PH2500103 | PH1  | 1/4" hex | 3    | 25     |
| PH2500110 | PH1  | 1/4" hex | 10   | 25     |
| PH2500203 | PH2  | 1/4" hex | 3    | 25     |
| PH2500210 | PH2  | 1/4" hex | 10   | 25     |
| PH2500303 | PH3  | 1/4" hex | 3    | 25     |
| PH2500310 | PH3  | 1/4" hex | 10   | 25     |



Bits - PH Type



### Bits - PH type

50mm long bits for Phillips heads with 1/4"hex. DIN3126.

| Stock no. | Size | Drive<br>Qty | Pack<br>mm | Length |  |
|-----------|------|--------------|------------|--------|--|
| PH5000103 | PH1  | 1/4" hex     | 3          | 50     |  |
| PH5000203 | PH2  | 1/4" hex     | 3          | 50     |  |
| PH5000303 | PH3  | 1/4" hex     | 3          | 50     |  |



Bits - PH Type



**Bits - PH type** 70mm long bits for Phillips heads with 1/4" hex. DIN3126.

| Stock no. | Size | Drive    | Pack<br>Qty | Length<br>mm |  |
|-----------|------|----------|-------------|--------------|--|
| PH7000102 | PH1  | 1/4" hex | 2           | 70           |  |
| PH7000202 | PH2  | 1/4" hex | 2           | 70           |  |



Bits - PH Type





Impact Bits - PH type
A new range of 1/4" hex drive impact bits with a range of lengths that includes 30, 50 and 89mm. Available individually with the 30mm length range also available in packs of 5.

| Stock No.  | Size | Drive    | Pack<br>qty | Length<br>mm |  |
|------------|------|----------|-------------|--------------|--|
| PHP3000101 | PH1  | 1/4" hex | 1           | 30           |  |
| PHP3000105 | PH1  | 1/4" hex | 5           | 30           |  |
| PHP3000201 | PH2  | 1/4" hex | 1           | 30           |  |
| PHP3000205 | PH2  | 1/4" hex | 5           | 30           |  |
| PHP3000301 | PH3  | 1/4" hex | 1           | 30           |  |
| PHP3000305 | PH3  | 1/4" hex | 5           | 30           |  |
| PHP5000101 | PH1  | 1/4" hex | 1           | 50           |  |
| PHP5000201 | PH2  | 1/4" hex | 1           | 50           |  |
| PHP5000301 | PH3  | 1/4" hex | 1           | 50           |  |
| PHP8900201 | PH2  | 1/4" hex | 1           | 89           |  |



### Bits - GR type

25mm long standard bits for Phillips heads with 1/4" hex. GR type with reduced neck. DIN3126.

| Stock no.  | Size | Drive    | Pack<br>Qty | Length<br>mm |  |
|------------|------|----------|-------------|--------------|--|
| GR25002010 | PH2  | 1/4" hex | 10          | 25           |  |
| CD2E002100 | กมว  | 1/4" hov | 100         | 25           |  |



# Impact Bits - GR type NEW! New design impact bits for higher torsion.

| Stock no.  | Size | Drive    | Pack<br>Qty | Length<br>mm |  |
|------------|------|----------|-------------|--------------|--|
| GRP3000201 | GR2  | 1/4" hex | 1           | 30           |  |
| GRP3000205 | GR2  | 1/4" hex | 5           | 30           |  |
| GRP5000201 | GR2  | 1/4" hex | 1           | 50           |  |





**Double ended bits – PZ type** 32mm long double ended bits for PZ heads with 1/4" hex

| Stock no.   | Size    | Size    | Drive    | Pack | Length | Weight |
|-------------|---------|---------|----------|------|--------|--------|
|             | (end 1) | (end 2) |          | Qty  | mm     | g      |
| PZZ32000305 | PZ0     | PZ3     | 1/4" hex | 5    | 32     | 30     |
| PZZ32010205 | PZ1     | PZ2     | 1/4" hex | 5    | 32     | 30     |

### Double ended bits -PZ type

### Bits - PZ type

25mm long bits for PZ heads with 1/4"hex. DIN3126.

| Stock no. | Size | Drive    | Pack | Length |
|-----------|------|----------|------|--------|
|           |      |          | Qty  | mm     |
| PZ2500103 | PZ1  | 1/4" hex | 3    | 25     |
| PZ2500110 | PZ1  | 1/4" hex | 10   | 25     |
| PZ2500203 | PZ2  | 1/4" hex | 3    | 25     |
| PZ2500210 | PZ2  | 1/4" hex | 10   | 25     |
| PZ2500303 | PZ3  | 1/4" hex | 3    | 25     |
| PZ2500310 | PZ3  | 1/4" hex | 10   | 25     |

# Bits - PZ Type

**Bits - PZ type** 50mm long bits for PZ heads with 1/4" hex. DIN3126.

| Stock no. | Size | Drive    | Pack | Length |  |
|-----------|------|----------|------|--------|--|
|           |      |          | Qty  | mm     |  |
| PZ5000103 | PZ1  | 1/4" hex | 3    | 50     |  |
| PZ5000203 | PZ2  | 1/4" hex | 3    | 50     |  |
| PZ5000303 | PZ3  | 1/4" hex | 3    | 50     |  |
|           |      |          |      |        |  |

















**Bits - PZ type** 70mm long bits for PZ heads with 1/4" hex. DIN3126.

| Stock no. | Size | Drive    | Pack<br>Qty | Length<br>mm |  |
|-----------|------|----------|-------------|--------------|--|
| PZ7000102 | PZ1  | 1/4" hex | 2           | 70           |  |
| PZ7000202 | PZ2  | 1/4" hex | 2           | 70           |  |



# Impact bits – PZ type New design impact bits for higher torsion.

| Stock No.  | Size | Drive    | Pack | Length |  |
|------------|------|----------|------|--------|--|
|            |      |          | qty  | mm     |  |
| PZP3000101 | PZ1  | 1/4" hex | 1    | 30     |  |
| PZP3000105 | PZ1  | 1/4" hex | 5    | 30     |  |
| PZP3000201 | PZ2  | 1/4" hex | 1    | 30     |  |
| PZP3000205 | PZ2  | 1/4" hex | 5    | 30     |  |
| PZP3000301 | PZ3  | 1/4" hex | 1    | 30     |  |
| PZP3000305 | PZ3  | 1/4" hex | 5    | 30     |  |
| PZP5000101 | PZ1  | 1/4" hex | 1    | 50     |  |
| PZP5000201 | PZ2  | 1/4" hex | 1    | 50     |  |
| PZP5000301 | PZ3  | 1/4" hex | 1    | 50     |  |
| PZP8900201 | PZ2  | 1/4" hex | 1    | 89     |  |



25mm long standard bits for hex holes with 1/4" hex. DIN3126.

| Stock no.  | Size | Drive    | Pack<br>Qty | Length<br>mm |  |
|------------|------|----------|-------------|--------------|--|
|            |      |          |             | ******       |  |
| HEX2500203 | 2    | 1/4" hex | 3           | 25           |  |
| HEX2500303 | 3    | 1/4" hex | 3           | 25           |  |
| HEX2500403 | 4    | 1/4" hex | 3           | 25           |  |
| HEX2500503 | 5    | 1/4" hex | 3           | 25           |  |
| HEX2500603 | 6    | 1/4" hex | 3           | 25           |  |
| HEX2500803 | 8    | 1/4" hex | 3           | 25           |  |
|            |      |          |             |              |  |

# Bits - Hex Type

Teng

**Bits - hex type** 50mm long bits for hex holes with 1/4" hex. DIN3126.

| Stock no.  | Size<br>mm | Drive    | Pack<br>Qty | Length<br>mm |  |
|------------|------------|----------|-------------|--------------|--|
| HEX5000403 | 4          | 1/4" hex | 3           | 50           |  |
| HEX5000503 | 5          | 1/4" hex | 3           | 50           |  |
| HEX5000603 | 6          | 1/4" hex | 3           | 50           |  |
| HEX5000803 | 8          | 1/4" hex | 3           | 50           |  |

# Bits - Hex Type

### Bits - hex type

40mm long bits for hex holes with 10 or 12mm hex. DIN3126.

| Stock no. | Size | Drive  | Pack | Length |  |
|-----------|------|--------|------|--------|--|
|           | mm   | mm     | Qty  | mm     |  |
| 210705    | 5    | 10 hex | 1    | 40     |  |
| 210706    | 6    | 10 hex | 1    | 40     |  |
| 210707    | 7    | 10 hex | 1    | 40     |  |
| 210708    | 8    | 10 hex | 1    | 40     |  |
| 210709    | 9    | 10 hex | 1    | 40     |  |
| 210710    | 10   | 10 hex | 1    | 40     |  |
| 210712    | 12   | 12 hex | 1    | 40     |  |
| 210714    | 14   | 12 hex | 1    | 40     |  |
| 210717    | 17   | 12 hex | 1    | 40     |  |
| 210719    | 19   | 12 hex | 1    | 40     |  |

Bits - Hex Type



























**Bits - hex type** 75mm long bits for hex holes with 10 or 12mm hex. DIN3126.

| Stock no. | Size | Drive<br>mm | Pack<br>Qty | Length<br>mm |  |
|-----------|------|-------------|-------------|--------------|--|
| 210805    | 5    | 10 hex      | 1           | 75           |  |
| 210806    | 6    | 10 hex      | 1           | 75           |  |
| 210807    | 7    | 10 hex      | 1           | 75           |  |
| 210808    | 8    | 10 hex      | 1           | 75           |  |
| 210809    | 9    | 10 hex      | 1           | 75           |  |
| 210810    | 10   | 10 hex      | 1           | 75           |  |
| 210812    | 12   | 12 hex      | 1           | 75           |  |
| 210814    | 14   | 12 hex      | 1           | 75           |  |
| 210817    | 17   | 12 hex      | 1           | 75           |  |
| 210819    | 19   | 12 hex      | 1           | 75           |  |

### Bits - Hex Type

# Impact bits – HEXP range New design impact bits for higher torsion.

| Stock no.   | Size | Drive    | Pack | Length |  |
|-------------|------|----------|------|--------|--|
|             |      | mm       | Qty  | mm     |  |
| HEXP3000301 | 3mm  | 1/4" hex | 1    | 30     |  |
| HEXP3000305 | 3mm  | 1/4" hex | 5    | 30     |  |
| HEXP3000401 | 4mm  | 1/4" hex | 1    | 30     |  |
| HEXP3000405 | 4mm  | 1/4" hex | 5    | 30     |  |
| HEXP3000501 | 5mm  | 1/4" hex | 1    | 30     |  |
| HEXP3000505 | 5mm  | 1/4" hex | 5    | 30     |  |
| HEXP3000601 | 6mm  | 1/4" hex | 1    | 30     |  |
| HEXP3000605 | 6mm  | 1/4" hex | 5    | 30     |  |
| HEXP5000301 | 3mm  | 1/4" hex | 1    | 50     |  |
| HEXP5000401 | 4mm  | 1/4" hex | 1    | 50     |  |
| HEXP5000501 | 5mm  | 1/4" hex | 1    | 50     |  |
| HEXP5000601 | 6mm  | 1/4" hex | 1    | 50     |  |

**Double ended bits –TX type** 32mm long double ended bits for TX heads with 1/4" hex

| Stock no.   | Size<br>(end 1) | Size<br>(end 2) | Drive    | Pack<br>Qty | Length<br>mm | Weight<br>g |  |
|-------------|-----------------|-----------------|----------|-------------|--------------|-------------|--|
| TXX32101505 | TX10            | TX15            | 1/4" hex | 5           | 32           | 30          |  |
| TXX32202505 | TX20            | TX25            | 1/4" hex | 5           | 32           | 30          |  |

## Double ended bits -TX type

Bits - TX type 25mm long TX bits with 1/4" hex. For internal TX heads. DIN3126.

| Stock no. | Size | Drive    | Pack | Length |  |
|-----------|------|----------|------|--------|--|
|           |      |          | Qty  | mm     |  |
| TX2500603 | TX6  | 1/4" hex | 3    | 25     |  |
| TX2500703 | TX7  | 1/4" hex | 3    | 25     |  |
| TX2500803 | TX8  | 1/4" hex | 3    | 25     |  |
| TX2500903 | TX9  | 1/4" hex | 3    | 25     |  |
| TX2501003 | TX10 | 1/4" hex | 3    | 25     |  |
| TX2501503 | TX15 | 1/4" hex | 3    | 25     |  |
| TX2502003 | TX20 | 1/4" hex | 3    | 25     |  |
| TX2502503 | TX25 | 1/4" hex | 3    | 25     |  |
| TX2502703 | TX27 | 1/4" hex | 3    | 25     |  |
| TX2503003 | TX30 | 1/4" hex | 3    | 25     |  |
| TX2504003 | TX40 | 1/4" hex | 3    | 25     |  |

Bits - TX Type






















Bits - TX type 40mm long TX bits with 10 and 12mm hex. DIN3126.

| Stock no. | Size | Drive | Pack | Length |  |
|-----------|------|-------|------|--------|--|
|           |      | mm    | Qty  | mm     |  |
| 220720    | TX20 | 10    | 1    | 40     |  |
| 220725    | TX25 | 10    | 1    | 40     |  |
| 220727    | TX27 | 10    | 1    | 40     |  |
| 220730    | TX30 | 10    | 1    | 40     |  |
| 220740    | TX40 | 10    | 1    | 40     |  |
| 220745    | TX45 | 10    | 1    | 40     |  |
| 220750    | TX50 | 10    | 1    | 40     |  |
| 220755    | TX55 | 10    | 1    | 40     |  |
| 220760    | TX60 | 12    | 1    | 40     |  |
| 220770    | TX70 | 12    | 1    | 40     |  |





Bits - TX type 50mm long TX bits with 1/4" hex. For internal TX heads. DIN3126.

| Stock no.         Size         Drive         Pack Qty         Length mm           TX5000803         TX8         1/4" hex         3         50           TX5001003         TX10         1/4" hex         3         50           TX5001503         TX15         1/4" hex         3         50 |  |
|---|--|
| TX5000803 TX8 1/4" hex 3 50 TX5001003 TX10 1/4" hex 3 50  |  |
| TX5001003 TX10 1/4" hex 3 50  |  |
| 11.11.11  |  |
| TX5001503 TX15 1/4" hex 3 50  |  |
|   |  |
| TX5002003 TX20 1/4" hex 3 50  |  |
| TX5002503 TX25 1/4" hex 3 50  |  |
| TX5002703 TX27 1/4" hex 3 50  |  |
| TX5003003 TX30 1/4" hex 3 50  |  |

### Bits - TX Type

Teng Tools

Bits - TX type 70mm long TX bits with 1/4" hex. For internal TX heads. DIN3126.

| Size | Drive                | Pack                                      | Length     |   |
|------|----------------------|---|------------|---|
|      |                      | Qty                                       | mm         |   |
| TX10 | 1/4" hex             | 2   | 70         |   |
| TX15 | 1/4" hex             | 2   | 70         |   |
| TX20 | 1/4" hex             | 2   | 70         |   |
| TX25 | 1/4" hex             | 2   | 70         |   |
|      | TX10<br>TX15<br>TX20 | TX10 1/4" hex TX15 1/4" hex TX20 1/4" hex | Oty   TX10 | Oty         mm           TX10         1/4" hex         2         70           TX15         1/4" hex         2         70           TX20         1/4" hex         2         70 |

## Bits - TX Type

Bits - TX type 75mm long TX bits with 10 or 12mm hex. For internal TX heads. DIN3126.

| Stock no. | Size | Drive | Pack | Length |  |
|-----------|------|-------|------|--------|--|
|           |      | mm    | Qty  | mm     |  |
| 220820    | TX20 | 10    | 1    | 75     |  |
| 220825    | TX25 | 10    | 1    | 75     |  |
| 220827    | TX27 | 10    | 1    | 75     |  |
| 220830    | TX30 | 10    | 1    | 75     |  |
| 220840    | TX40 | 10    | 1    | 75     |  |
| 220845    | TX45 | 10    | 1    | 75     |  |
| 220850    | TX50 | 10    | 1    | 75     |  |
| 220855    | TX55 | 10    | 1    | 75     |  |
| 220860    | TX60 | 12    | 1    | 75     |  |
| 220870    | TX70 | 12    | 1    | 75     |  |

















# Impact bits – TXP range New design impact bits for higher torsion.

| Stock no.  | Size | Drive    | Pack | Length |
|------------|------|----------|------|--------|
|            |      | mm       | Qty  | mm     |
| TXP3001001 | TX10 | 1/4" hex | 1    | 30     |
| TXP3001005 | TX10 | 1/4" hex | 5    | 30     |
| TXP3001501 | TX15 | 1/4" hex | 1    | 30     |
| TXP3001505 | TX15 | 1/4" hex | 5    | 30     |
| TXP3002001 | TX20 | 1/4" hex | 1    | 30     |
| TXP3002005 | TX20 | 1/4" hex | 5    | 30     |
| TXP3002501 | TX25 | 1/4" hex | 1    | 30     |
| TXP3002505 | TX25 | 1/4" hex | 5    | 30     |
| TXP3002701 | TX27 | 1/4" hex | 1    | 30     |
| TXP3002705 | TX27 | 1/4" hex | 5    | 30     |
| TXP3003001 | TX30 | 1/4" hex | 1    | 30     |
| TXP3003005 | TX30 | 1/4" hex | 5    | 30     |
| TXP3004001 | TX40 | 1/4" hex | 1    | 30     |
| TXP3004005 | TX40 | 1/4" hex | 5    | 30     |
| TXP5001001 | TX10 | 1/4" hex | 1    | 50     |
| TXP5001501 | TX15 | 1/4" hex | 1    | 50     |
| TXP5002001 | TX20 | 1/4" hex | 1    | 50     |
| TXP5002501 | TX25 | 1/4" hex | 1    | 50     |
| TXP5002701 | TX27 | 1/4" hex | 1    | 50     |
| TXP5003001 | TX30 | 1/4" hex | 1    | 50     |
| TXP5004001 | TX40 | 1/4" hex | 1    | 50     |
| TXP8902001 | TX20 | 1/4" hex | 1    | 89     |
| TXP8902501 | TX25 | 1/4" hex | 1    | 89     |
| TXP8903001 | TX30 | 1/4" hex | 1    | 89     |





**Bits - TPX type** 25mm long TPX bits with hole (for tamper proof screws) with 1/4" hex. For internal TPX heads. DIN3126.

| Stock      | Size  | Drive    | Pack | Length |  |
|------------|-------|----------|------|--------|--|
| No.        |       |          | Qty  | mm     |  |
| TPX2501003 | TPX10 | 1/4" hex | 3    | 25     |  |
| TPX2501503 | TPX15 | 1/4" hex | 3    | 25     |  |
| TPX2502003 | TPX20 | 1/4" hex | 3    | 25     |  |
| TPX2502503 | TPX25 | 1/4" hex | 3    | 25     |  |
| TPX2502703 | TPX27 | 1/4" hex | 3    | 25     |  |
| TPX2503003 | TPX30 | 1/4" hex | 3    | 25     |  |
| TPX2504003 | TPX40 | 1/4" hex | 3    | 25     |  |

### Bits - TPX Type

**Bits - square type**Standard bits for ROB type recessed heads with 1/4" hex. DIN3126.

| Stock<br>No. | Size      | Drive    | Pack<br>Qty | Length<br>mm |  |
|--------------|-----------|----------|-------------|--------------|--|
| R0B2500103   | Square 01 | 1/4" hex | 3           | 25           |  |
| R0B2500203   | Square 02 | 1/4" hex | 3           | 25           |  |
| R0B2500303   | Square 03 | 1/4" hex | 3           | 25           |  |

## Bits - Square Type

# Impact bits – ROBP range New design impact bits for higher torsion.

| Stock no.   | Size | Drive<br>mm | Pack<br>Qty | Length<br>mm |  |
|-------------|------|-------------|-------------|--------------|--|
| ROBP3000101 | RS1  | 1/4" hex    | 1           | 30           |  |
| ROBP3000105 | RS1  | 1/4" hex    | 5           | 30           |  |
| R0BP3000201 | RS2  | 1/4" hex    | 1           | 30           |  |
| ROBP3000205 | RS2  | 1/4" hex    | 5           | 30           |  |
| ROBP5000101 | RS1  | 1/4" hex    | 1           | 50           |  |
| ROBP5000201 | RS2  | 1/4" hex    | 1           | 50           |  |
| ROBP5000301 | RS3  | 1/4" hex    | 1           | 50           |  |



















### **Extension bars**

1/4" hex extension bars for 1/4" hex bits when used together with a 1/4" hex driver. With knurled grip for easier use and a spring loaded ball bearing for

| Stock<br>No. | Drive    | Description         | Length<br>mm |  |
|--------------|----------|---------------------|--------------|--|
| TTMD74-1     | 1/4" hex | Fixed extension bar | 100mm (4")   |  |
| TTMD74-2     | 1/4" hex | Flexible extension  | 150mm (6")   |  |



### **Extension Bars**

# **ACC300CBH01** Flexible extension bar

A 300mm flexible 1/4" hex extension for working in hard to reach areas. Maximum torque 3Nm. Overall length 300mm, weight 140g

### **Bit Holders**

Recessed magnet holds the bits as well as the screw with 1/4" hex.

| Stock no.  | Description               | Drive    | Length<br>mm |  |
|------------|---------------------------|----------|--------------|--|
| ACC50MBH01 | 50mm magnetic bit holder  | 1/4" hex | 50           |  |
| ACC70MBH01 | 70mm magnetic bit holder  | 1/4" hex | 70           |  |
| ACC35CBH01 | 35mm chuck bit and holder | 1/4" hex | 35           |  |
| ACC50CBH01 | 50mm chuck bit holder     | 1/4" hex | 50           |  |



Coupler Adaptors
Coupler adaptors for Teng Tools bits.

| Stock<br>No. | Drive | DIN  | Description                        | Weight |
|--------------|-------|------|------------------------------------|--------|
| M140060-C    | 1/4"  | 3126 | coupler adaptor for 1/4" hex bits  | 20     |
| M380060-C    | 3/8"  | 3126 | coupler adaptor for 1/4" hex bits  | 32     |
| M380061-C    | 3/8"  | 3126 | coupler adaptor for 10mm hex bits  | 32     |
| M120060-C    | 1/2"  | 3126 | coupler adaptor for 5/16" hex bits | 88     |
| M120061-C    | 1/2"  | 3126 | coupler adaptor for 10mm hex bits  | 56     |
| M120062-C    | 1/2"  | 3126 | coupler adaptor for 12mm hex bits  | 62     |
| M120063-C    | 1/2"  | 3126 | coupler adaptor for 1/4" hex bits  | 88     |

## Coupler Adapters

### **Bit Adaptors**

For use with standard and impact sockets, etc. on electric and rechargeable screwdrivers (not impact tools).

Designed for use with the most common machine fittings (type 4).

| Stock no.  | Description  | Hex | Square |  |
|------------|--------------|-----|--------|--|
| ACCSDA1414 | 50mm adaptor | 1/4 | 1/4    |  |
| ACCSDA1438 | 50mm adaptor | 1/4 | 3/8    |  |
| ACCSDA1412 | 50mm adaptor | 1/4 | 1/2    |  |








**Nut Setters**Magnetic type nut setters. For use in electric and rechargable screwdrivers.

| Stock no. | Size | Drive    | Type     | Length<br>mm |  |
|-----------|------|----------|----------|--------------|--|
| NS45108M  | 1/4" | 1/4" hex | Magnetic | 45           |  |
| NS45506M  | 6mm  | 1/4" hex | Magnetic | 45           |  |
| NS45507M  | 7mm  | 1/4" hex | Magnetic | 45           |  |
| NS45508M  | 8mm  | 1/4" hex | Magnetic | 45           |  |
| NS45508R  | 8mm  | 1/4" hex | Ring     | 45           |  |

# Nut Setters →





















### 1000-volt insulated tools

1000-volt tools must always be used for electrical work. A tested and approved 1000-volt tool can protect the user against voltages of up to 1000 volts. Approval means that the tool must be insulated and tested according to IEC 60 9000 and DIN 60 900, and not just according to VDE 0680.





- IEC 60 900 is an international standard for testing tools designed for electrical work on the production line.
- DIN 60 900 is a European standard drawn up in 1995 and which states that each individual tool must be tested with regard to insulation for 1000 volts.
- VDE is an independent authority that tests and checks tools with regard to construction, production and packaging. It is not the same as IEC 60 900 or DIN 60 900.



All 1000-volt tools from Teng Tools satisfy all these standards completely. They conform or exceed all specifications that the relevant authorities have established. Each tool is individually tested before it is marked with a special standard tag and a marking that indicates the year of manufacture.

The screwdriver shaft in the 1000 volt range is covered with two layers of insulation in different colours that make it easy to see whether the insulation is damaged. The blades are insulated before the handle is moulded, which makes the screwdrivers safer.



### TV18N 18 Piece 1,000 volt insulated tool set

Set of thirteen 1,000 volt insulated screwdrivers including flat as well as PH and PZ types. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Also includes five 1,000 volt insulated pliers with ergonomically designed bi-material handles for greater grip and torque. All produced and tested according to the EN60900 standard. Approved for working up to 1,000 volt AC. Supplied in the Teng Tools carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 4.7 kilos)

| Flat regular | 2.5x75mm, 3.0x100mm, 4.0x100mm, 5.5x125mm, 6.5x150mm                       |
|--------------|--|
| PH type      | PH0x60mm, PH1x80mm, PH2x100mm, PH3x150mm                                   |
| PZ type      | PZ0x60mm, PZ1x80mm, PZ2x100mm, PZ3x150mm                                   |
|              | 6" side cutters, 8" heavy duty side cutters, 8" combination, 8" long nose, |
|              | 7" wire strippers  |
|              | PH type  |

# Tumaner

### MD912N1 12 Piece screwdriver set

Set of 12 screwdrivers for slotted heads as well as Phillips, Pozi and TX drive heads, including the most popular 1,000 volt insulated screwdrivers (produced and tested according to the EN60900 standard. Approved for working up to 1,000 volt AC). Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. Supplied in a full colour display box with PS tray.

| Screwdrivers | Flat regular | 3.0x75mm, 3.5x100mm, 5.5x150mm, 2.5x75mm insulated, 3.0x100mm insulated. |
|--------------|--------------|--|
|              | DUAma        | PH1x75mm. PH2x100mm. PH1x80mm insulated                                  |
|              | PH type      | PHIX/SIIIII, PHZXIOOIIIII, PHIXOOIIIII IIISUIALEU                        |
|              | PZ type      | PZ2x100mm  |
|              | TX type      | TX20x100mm, TX25x100mm, TX30x100mm                                       |
|              |              | · · · · · · · · · · · · · · · · · · ·                                    |



### MDV906N 6 Piece 1,000 volt insulated screwdriver set

Set of six 1,000 volt insulated screwdrivers including flat as well as PH types. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. All produced and tested according to the EN60900 standard. Approved for working up to 1,000 volt AC. Supplied in a full colour display box with PS tray.

| Screwdrivers | Flat regular | 2.5x75mm, 3.0x100mm, 4.0x100mm, 5.5x125mm |
|--------------|--------------|---|
| Screwdrivers | PH type      | PH1x80mm, PH2x100mm                       |



### TTV706N 1,000 Volt Insulated Screwdriver With Reduced Blade Diameter Set NE

Set of six 1,000 volt insulated screwdrivers with reduced blade diameter shafts for access in difficult to reach places and recessed fixings. All produced and tested according to the EN60900 standard. Approved for working up to 1,000 volt AC. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.60 kilos)

| Screwdrivers | flat type | 0.8x4.0x100, 1.0x5.5x125mm |
|--------------|-----------|----------------------------|
| Screwdrivers | PH type   | PH1x80, PH2x100mm          |
| Screwdrivers | PZ type   | PZ1x80, PZ2x100mm          |
|              |           |                            |

### **TTV907N** Insulated Screwdriver Set

Set of seven 1,000 volt insulated screwdrivers including flat as well as PH and PZ types. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. All produced and tested according to the EN60900 standard. Approved for working up to 1,000 volt AC. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.65 kilos)

| Screwdrivers | Flat type | 2.5x75mm, 4.0x100mm, 5.5x125mm      |  |
|--------------|-----------|-------------------------------------|--|
|              | PH type   | PHO x 60mm, PH1 x 80mm, PH2 x 100mm |  |
|              | PZ type   | PZ2 x 100mm                         |  |
|              |           |                                     |  |
|              | . = .960  | 1 12 X 10011111                     |  |



### TTDV910N 10 Piece Insulated Screwdriver Set

Set of ten 1,000 volt insulated screwdrivers including flat as well as PH and PZ types. Features include TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort. All produced and tested according to the EN60900 standard. Approved for working up to 1,000 volt AC. Supplied in the unique Teng Tools double TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x284x50mm, 1.2 kilos)

| Screwdrivers | Flat type | 2.5x75mm, 3.0x100mm, 4.0x100mm, 5.5x125mm |
|--------------|-----------|---|
|              | PH type   | PHO x 60mm, PH1 x 80mm, PH2 x 100mm       |
|              | PZ type   | PZ0x60mm, PZ1x80mm, PZ2 x 100mm           |



### TEDV909N 1.000 Volt Insulated Screwdriver Set

9 piece 1,000 volt insulated screwdriver set. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.02 kilos)

| Screwdrivers   | flat type | 2.5x75, 3.5x100, 4.0x100, 5.5x125mm |
|----------------|-----------|-------------------------------------|
| Screwdrivers   | PH type   | PHO, PH1, PH2                       |
| Screwdrivers   | PZ type   | PZ2                                 |
| Voltage tester |           | 100-250 volts                       |



## WRMDV05N 1,000 volt insulated screwdriver set

5 piece 1,000 volt insulated screwdriver set. Screwdrivers have bi-material TPR grip for added comfort and grip. Complete with a wall rack for fixing to the wall or a work bench.

| Screwdrivers | flat type | 0.5x3.0x100, 1.0x5.5x125mm |
|--------------|-----------|----------------------------|
|              | PH        | PH1x80, PH2x100mm          |
|              | PZ        | PZ2x100mm                  |



### WRMDV07N 1.000 volt insulated screwdriver set

7 piece 1,000 volt insulated screwdriver and voltage tester set. Screwdrivers have bi-material TPR grip for added comfort and grip. Complete with a wall rack for fixing to the wall or a work bench.

| Screwdrivers   | flat type | 0.4x2.5x75, 0.5x3.0x100, 0.8x4.0x100, 1.0x5.5x125mm |
|----------------|-----------|---|
|                | PH        | PH1x80mm, PH2x100mm                                 |
| Voltage tester |           | 100 to 250 volts                                    |







Tools

Teng




### Insulated Screwdrivers - flat type

Insulated Flat tip screwdrivers with two component handles and black tips. Produced and tested according to the EN 60900 standard.

Approved for live working up to 1000 volt AC.

| Stock no. | а   | b   | Shaft     | L1  | L2  | Weight | Handle |
|-----------|-----|-----|-----------|-----|-----|--------|--------|
|           | mm  | mm  | type      | mm  | mm  | g      |        |
| MDV820N   | 0.4 | 2.5 | insulated | 75  | 171 | 49     | S      |
| MDV822N   | 0.5 | 3.0 | insulated | 100 | 196 | 56     | S      |
| MDV823N   | 0.6 | 3.5 | insulated | 100 | 196 | 58     | S      |
| MDV824N   | 0.8 | 4.0 | insulated | 100 | 208 | 60     | M      |
| MDV826N   | 1.0 | 5.5 | insulated | 125 | 233 | 89     | M      |
| MDV828N   | 1.2 | 6.5 | insulated | 150 | 266 | 135    | L      |



### Insulated Screwdrivers - Flat Type →

### Insulated Screwdrivers – flat type with reduced blade diameter)

Reduced blade diameter 1,000 volt insulated screwdrivers with integrated protective insulation and ultra slim blades for easier access to recessed screws and spring elements. The ergonomic design, bi-material handles also feature a large diameter design for excellent torque transmission and grip. DIN899 and produced and tested in accordance with the EN60900 standard. Approved for working up to 1,000 volt AC.

| Stock no. | A<br>mm | B<br>mm | C<br>mm | D<br>mm | Shaft<br>type | L1<br>mm | L2<br>mm | Weight<br>g |  |
|-----------|---------|---------|---------|---------|---------------|----------|----------|-------------|--|
| MDV724N   | 0.8     | 4.0     | 15      | 31.5    | RBD           | 101      | 210      | 51          |  |
| MDV726N   | 1.0     | 5.5     | 15      | 31.5    | RBD           | 127      | 235      | 66          |  |





### Insulated Screwdrivers - Flat Type RBD →


### Insulated Screwdrivers - PH type

Tools

Teng

Insulated PH type tip screwdrivers with two component handles and black tips. Produced and tested according to the EN 60900 standard. Approved for live working up to 1000 volt AC.

| Stock no. | Size | Shaft     | L1  | L2  | Weight | Handle |  |
|-----------|------|-----------|-----|-----|--------|--------|--|
|           | mm   | type      | mm  | mm  | g      |        |  |
| MDV840N   | PH0  | insulated | 60  | 156 | 49     | S      |  |
| MDV842N   | PH1  | insulated | 80  | 188 | 54     | M      |  |
| MDV844N   | PH2  | insulated | 100 | 216 | 118    | L      |  |
| MDV846N   | PH3  | insulated | 150 | 275 | 177    | XL     |  |
|           |      |           |     |     |        |        |  |



### Insulated Screwdrivers - PH Type →

### Insulated Screwdrivers – PH type with reduced blade diameter

Reduced blade diameter 1,000 volt insulated screwdrivers with integrated protective insulation and ultra slim blades for easier access to recessed screws and spring elements. The ergonomic design, bi-material handles also feature a large diameter design for excellent torque transmission and grip. DIN899 and produced and tested in accordance with the EN60900 standard. Approved for working up to 1,000 volt AC.

| Stock no. | Α   | В   | С  | D    | Shaft | L1  | L2  | Weight |  |
|-----------|-----|-----|----|------|-------|-----|-----|--------|--|
|           | mm  | mm  | mm | mm   | type  | mm  | mm  | g      |  |
| MDV742N   | PH1 | 4.5 | 18 | 30.0 | RBD   | 81  | 190 | 51     |  |
| MDV744N   | PH2 | 6.0 | 18 | 30.5 | RBD   | 100 | 217 | 95     |  |






### Insulated Screwdrivers - PH Type RBD →



### Insulated Screwdrivers - PZ type

Insulated PZ type tip screwdrivers with two component handles and black tips. Produced and tested according to the EN 60900 standard. Approved for live working up to 1000 volt AC.

| Stock no. | Size | Shaft     | L1  | L2  | Weight | Handle |  |
|-----------|------|-----------|-----|-----|--------|--------|--|
|           |      | type      | mm  | mm  | g      |        |  |
| MDV860N   | PZ0  | insulated | 60  | 156 | 49     | S      |  |
| MDV862N   | PZ1  | insulated | 80  | 188 | 54     | M      |  |
| MDV864N   | PZ2  | insulated | 100 | 216 | 118    | L      |  |
| MDV866N   | PZ3  | insulated | 150 | 275 | 177    | XL     |  |



Insulated Screwdrivers - PZ Type →

### Insulated Screwdrivers – PZ type with reduced blade diameter


Reduced blade diameter 1.000 volt insulated screwdrivers with integrated protective insulation and ultra slim blades for easier access to recessed screws and spring elements. The ergonomic design, bi-material handles also feature a large diameter design for excellent torque transmission and grip. DIN899 and produced and tested in accordance with the EN60900 standard. Approved for working up to 1.000 volt AC.

| Stock no. | A<br>mm | B<br>mm | C<br>mm | D<br>mm | Shaft<br>type | L1<br>mm | L2<br>mm | Weight<br>g |  |
|-----------|---------|---------|---------|---------|---------------|----------|----------|-------------|--|
| MDV762N   | PZ1     | 4.5     | 18      | 30.0    | RBD           | 81       | 190      | 51          |  |
| MDV764N   | PZ2     | 6.0     | 18      | 30.5    | RBD           | 100      | 217      | 95          |  |





### Insulated Screwdrivers - PZ Type RBD →








# **Feng Too**

### Insulated Screwdrivers - Plus/Minus type

Insulated plus/minus type tip screwdrivers for slotted/PZ and slotted/PH type head. Two component handles and black tips. Produced and tested according to the EN60900 standard. Approved for live working up to 1000 volt AC.

| Stock no. | Size        | Shaft<br>type | L1<br>mm | L2<br>mm | Weight<br>g | Handle |  |
|-----------|-------------|---------------|----------|----------|-------------|--------|--|
| MDV844NF  | slotted/PH2 | insulated     | 100      | 216      | 118         | L      |  |
| MDV864NF  | slotted/PZ2 | insulated     | 100      | 216      | 118         | L      |  |

Insulated Screwdrivers - Plus/Minus type →




### Insulated Screwdrivers - ROB type

Insulated ROB type tip screwdrivers with two component handles and black tips. Produced and tested according to the EN60900 standard. Approved for live working up to 1000 volt AC.

| Stock no. | Size | Shaft<br>type | L1<br>mm | L2<br>mm | Weight<br>g | Handle |  |
|-----------|------|---------------|----------|----------|-------------|--------|--|
| MDV802N   | ROB2 | insulated     | 100      | 216      | 118         | L      |  |

Insulated Screwdrivers - ROB type →



### TTV440 Insulated plier set

4 piece Mega Bite insulated plier set, all produced and tested according to the EN 60900 standard. Approved for live working up to 1000 volt AC. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

6" side cutter (capacity 0.5mm piano wire) 7" combination (capacity 2.0mm piano wire), 8" long nose, 7" wire stripper (capacity 0.2-3.0mm).



### TEDV440 1.000 Volt Insulated Plier Set

4 piece 1,000 volt insulated plier set. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.28 kilos)

Pliers 6" side cutters, 8" long nose pliers, 8" combination pliers, 7" wire stripping pliers.



### WRMBV04 1,000 volt insulated plier set

4 piece 1,000 volt insulated plier set. Pliers have bi-material TPR grip for added comfort and grip. Complete with a wall rack for fixing to the wall or a work bench.

Pliers 6" side cutters, 8" heavy duty side cutters, 7" combination and 8" long nose



### MBV441-6 Insulated Side Cutters

Insulated Mega Bite side cutting pliers. Chrome Molybdenum steel 80° cutting edge angle. Produced and tested according to the EN 60900 standard. Approved for live working up to 1000 volt AC. DIN5749.



| Length<br>mm | Length<br>inch | Cutting capacity (mm) Piano wire | Cutting capacity (mm)<br>Hard wire | Cutting capacity (mm)  Medium hardness | Weight<br>g |  |
|--------------|----------------|----------------------------------|------------------------------------|--|-------------|--|
| 150          | 6              | 1.6                              | 2.0                                | 2.5                                    | 206         |  |

### MBV442-8 Insulated Side Cutters

Insulated heavy duty Mega Bite side cutting pliers. Chrome Molybdenum steel 80° cutting edge angle. Produced and tested according to the EN 60900 standard. Approved for live working up to 1000 volt AC. DIN5749.



| Length<br>mm | length<br>inch | Cutting capacity (mm) Piano wire | Cutting capacity (mm)<br>Hard wire | Cutting capacity (mm)<br>Medium hardness | Weight<br>g |  |
|--------------|----------------|----------------------------------|------------------------------------|--|-------------|--|
| 200          | 8              | 2.5                              | 3.0                                | 4.0                                      | 305         |  |

### **Insulated Combination Pliers**

Insulated Mega Bite combination pliers. Chrome Molybdenum steel 80° cutting edge angle. Produced and tested according to the EN 60900 standard. Approved for live working up to 1000 volt AC. DINS746



### Insulated Combination Pliers →

| Stock no. | Length<br>mm | Length<br>inch | Cutting capacity (mm) Piano wire | Cutting capacity (mm)<br>Hard wire | Cutting capacity (mm)<br>Medium hardness | Weight<br>g |  |
|-----------|--------------|----------------|----------------------------------|------------------------------------|--|-------------|--|
| MBV451-7  | 175          | 7              | 1.8                              | 2.0                                | 3.8                                      | 225         |  |
| MBV451-8  | 200          | 8              | 2.0                              | 2.2                                | 4.0                                      | 283         |  |

### MBV461-8 Insulated Long Nose Pliers

Insulated Mega Bite long nose pliers. Chrome Molybdenum steel 80° cutting edge angle. Produced and tested according to the EN 60900 standard. Approved for live working up to 1000 volt AC. DIN5745.



| Length<br>mm | Length<br>inch | Cutting capacity (mm) Piano wire | Cutting capacity (mm)<br>Hard wire | Cutting capacity (mm)  Medium hardness | Weight<br>g |  |
|--------------|----------------|----------------------------------|------------------------------------|--|-------------|--|
| 200          | 8              | 1.5                              | 1.8                                | 2.8                                    | 199         |  |

### MBV499-7 Insulated Wire Stripping Pliers

Insulated Mega Bite wire stripping pliers. Spring action.
Chrome Molybdenum steel 80° cutting edge angle. Produced and tested according to the EN 60900 standard. Approved for live working up to 1000 volt AC.

| Length | Length<br>inch | Cutting capacity (mm) Piano wire | Weight<br>g |
|--------|----------------|----------------------------------|-------------|
| 155    | 6              | 0.2 to 4.5                       | 175         |







## **Pliers**

The extensive Teng Tools range includes pliers for most applications. In addition, the range includes the usual side cutters, combination pliers and slip joint pliers as well as a number of cable pliers, side cutters for cable ties, frapping pliers, nail nippers, electronic pliers, precision shears and tweezers.


Handles are available in two models to suit the user: slim rubber dipped as well as ergonomic bi-material handles.



- Steel alloy with CrMo gives a greater cutting capacity.
- The cutting capacity is laser marked next to the cutting edge

   makes it easy to see which pliers you need to choose.
- Slim design gives better accessibility.
- The total length is designed to provide maximum leverage for each pair of pliers, irrespective of whether they are combination, water pump, flat or circlip pliers.
- Two handle types to choose from on many models – a slim rubber dipped handle or an ergonomic bi-material handle for a more

- comfortable grip.
- The ergonomic handle is wider where needed to support the palm of your hand when using greater force.
   However, it is also narrower, lighter and less bulky where needed.
- The cutting edges on cutting pliers are especially angled to suit different materials and application areas.
- The stripping pliers feature an integrated spring function.
- The new slip joint pliers have a button for quick setting of the jaw opening.



### TT440 Plier set

Set of 4 Mega Bite pliers: water pump pliers, combination pliers, side cutters and long nose pliers. Made of chrome molybdenum steel. Plastic covered handles. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm. 1.1 kilos)

Pliers 6" side cutter, 7" combination, 8" long nose, 10" water pump



### TTD441 8 Piece Plier Set

8 piece plier set made of chrome molybdenum with plastic covered handles for grip and comfort. Includes side cutters, combination pliers, long nose pliers and water pump pliers. Supplied in the unique Teng Tools double TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x284x50mm. 1.8 kilos)

| Side cutters              | heavy duty    | 6", 8" (2.5mm/3.0mm piano wire cutting capacity) |
|---------------------------|---------------|--|
| <b>Combination pliers</b> | high leverage | 6", 8" (1.6mm/2.0mm piano wire cutting capacity) |
| Long nose pliers          |               | 6", 8" (1.0mm/1.5mm piano wire cutting capacity) |
| Water pump pliers         |               | 7", 10" (25mm/38mm capacity)                     |



### TT440-T Plier set

eng

Set of 4 Mega Bite pliers: water pump pliers, combination pliers, side cutters and long nose pliers. Chrome molybdenum steel with TPR grips. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm. 1.3 kilos)

| TPR grip handles | 6" side cutter, 7" combination, 8" long nose, 10" water pump |  |
|------------------|--|--|
|                  |  |  |



### TTD441-T 8 Piece Plier Set

8 piece plier set made of chrome molybdenum with TPR grip bi-material handles for extra grip and comfort. Includes side cutters, combination pliers, long nose pliers and water pump pliers. Supplied in the unique Teng Tools double TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x284x50mm, 2.0 kilos)

| Side cutters       | heavy duty    | 6", 8" (2.5mm/3.0mm piano wire cutting capacity) |
|--------------------|---------------|--|
| Combination pliers | high leverage | 6", 8" (1.6mm/2.0mm piano wire cutting capacity) |
| Long nose pliers   |               | 6", 8" (1.0mm/1.5mm piano wire cutting capacity) |
| Water pump pliers  |               | 7", 10" (25mm/38mm capacity)                     |



### TTXMB02 Water Pump Plier and Adjustable Wrench Set NEW!

Two really handy tools in one TTX tray for use on it's own or as part of the Teng Tools TC control system. The set includes the MB482-10Q Quick adjust 10" water pump plier and the 4003J 10" "Alligator" adjustable wrench with pipe grip. (570x115x40mm, 0.97 kilos).

| Wrenches | 10" | Alligator adjustable    |
|----------|-----|-------------------------|
| Pliers   | 10" | Quick action water pump |
|          |     |                         |



# WRMB04 4 Piece Plier Set 4 piece plier set. Pliers have bi-mater

4 piece plier set. Pliers have bi-material TPR grip for added comfort and grip. Complete with a wall rack for fixing to the wall or a work bench.

Pliers 6" side cutters, 7" heavy duty combination, 8" long nose and 10" water pump



### TED441-T Plier Set

5 piece plier set. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.75 kilos)

Pliers 5" side cutters, 6" heavy duty side cutters, 8" long nose pliers, 8" heavy duty combination pliers, 10" water pump pliers.



### TEXMB02 Water Pump Pliers & Alligator Adjustable Wrench Set

Two really handy tools in one TTX Tray for use on it's own or as part of the Teng Tools TC control system. The set includes the MB482-10Q quick adjustable water pump plier and the 4003J 10" "Alligator" adjustable wrench with pipe grip. The tools are held in place using the Teng Tools three colour precut EVA foam tool control system. (570x115x40mm, 0.97 kilos)

| Wrenches | 10" "Alligator" adjustable  |
|----------|-----------------------------|
| Pliers   | 10" quick action water pump |
|          |                             |



### **TTEMB17** Plier set

Set containing 17 assorted Mega Bite pliers. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 4.25 kilos)


| Cutting pliers            | 5" side cutters, 6" side cutters, 6" heavy duty side cutters,                   |
|---------------------------|---|
|                           | 8" heavy duty side cutters, 8" offset heavy duty side cutters, 8" cable cutters |
| <b>Combination pliers</b> | 7" heavy duty combination, 8" heavy duty combination                            |
| Long nose pliers          | 8" long nose, 6" flat long nose   |
| Circlip pliers            | 7" inner/straight, 7" inner/bent, 7" outer/straight, 7" outer/bent              |
| Water pump pliers         | 7" water pump, 10" water pump   |
| Wire strippers            | 7" wire stripping pliers  |



### TTEMB11 11 piece plier set

Set containing a range of the most commonly used pliers and power grip pliers. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 3.3 kilos)

| Side cutters              | Heavy duty    | 8"(3.0mm piano wire cutting capacity)                      |
|---------------------------|---------------|--|
| <b>Combination pliers</b> | High leverage | 7"(1.8mm piano wire cutting capacity)                      |
| Long nose pliers          |               | 8" (1.5mm piano wire cutting capacity)                     |
| Water pump pliers         |               | 10" (38mm capacity)  |
| Circlip pliers            | Inner type    | 7" straight and bent type (1.8mm tip, 19 to 60mm capacity) |
| Circlip pliers            | outer type    | 7" straight and bent type (1.8mm tip, 19 to 60mm capacity) |
| Power grip pliers         | long nose     | 6" straight jaw (35mm capacity)                            |
| Power grip pliers         | regular       | 4" and 10" curved jaw (25mm/47mm capacity)                 |







338

### 445W Plier set

A set of 5 Mega Bite pliers in a handy tool roll storage wallet. Contents: 4 1/2" mini side cutting pliers, 6" side cutting pliers, 7" combination pliers, 8" long nose pliers and 10" water pump pliers.



# Mega Bite Side Cutters Side cutting pliers. Chrome Molybdenum

# MB441 style - vinyl grip



### Mega Bite Side Cutters →

steel, 80° cutting edge angle.

DIN 5749.

**Feng Tools** 

| Stock no. | Handle<br>type | Length<br>mm | Length<br>inch | Cutting capacity<br>(mm) Piano wire | Cutting capacity<br>(mm) Hard wire | Cutting capacity (mm)<br>Medium hardness wire | Cutting capacity (mm) Soft wire | Weight<br>g |  |
|-----------|----------------|--------------|----------------|-------------------------------------|------------------------------------|---|---------------------------------|-------------|--|
| MB441-5T  | TPR            | 135          | 5              | 1.5                                 | 1.8                                | 2.3   | 4.0                             | 126         |  |
| MB441-5   | Vinyl coated   | 135          | 5              | 1.5                                 | 1.8                                | 2.3   | 4.0                             | 111         |  |
| MB441-6T  | TPR            | 155          | 6              | 1.6                                 | 2.0                                | 2.5   | 4.0                             | 176         |  |
| MB441-6   | Vinyl coated   | 155          | 6              | 1.6                                 | 2.0                                | 2.5   | 4.0                             | 150         |  |

| Stock no. | Handle<br>type | Length<br>mm | Length<br>inch | Cutting capacity (mm) Piano wire | Cutting capacity (mm) Hard wire | Cutting capacity (mm)<br>Medium hardness wire | Cutting capacity (mm) Soft wire | Weight<br>g |  |
|-----------|----------------|--------------|----------------|----------------------------------|---------------------------------|---|---------------------------------|-------------|--|
| MB442-5   | Vinyl coated   | 140          | 5              | 1.5                              | 1.8                             | 2.3   | 4.0                             | 180         |  |
| MB442-6T  | TPR            | 160          | 6              | 2.0                              | 2.5                             | 3.8   | 4.0                             | 199         |  |
| MB442-6   | Vinyl coated   | 160          | 6              | 2.0                              | 2.5                             | 3.8   | 4.0                             | 180         |  |
| MB442-7   | Vinyl coated   | 180          | 7              | 2.0                              | 2.5                             | 4.0   | 4.0                             | 220         |  |
| MB442-8T  | TPR            | 200          | 8              | 2.5                              | 3.0                             | 4.0   | 4.0                             | 275         |  |
| MB442-8   | Vinyl coated   | 200          | 8              | 2.5                              | 3.0                             | 4.0   | 4.0                             | 240         |  |

### MB442-7S Mega Bite Side Cutters with Return Spring

Heavy duty side cutters with return spring. Chrome molybdenum steel. 80° cutting edge angle. DIN5749



|   | Handle       | Length | Length | Cutting capacity (mm) | Cutting capacity (mm) | Cutting capacity (mm) | Cutting capacity (mm) | Weight |
|---|--------------|--------|--------|-----------------------|-----------------------|-----------------------|-----------------------|--------|
| ı |              | mm     | inch   | Piano wire            | Hard wire             | Medium wire           | Soft wire             | g      |
|   | Vinyl coated | 18     | 7      | 2.0                   | 2.5                   | 4.0                   | 4.0                   | 250    |

### MB442B-8T Mega Bite offset side cutters

Offset side cutting pliers. Chrome Molybdenum steel, 80° cutting edge angle. DIN 5749.



| Hand | lle Length<br>mm | Length<br>inch | Cutting capacity (mm) Piano wire | Cutting capacity (mm)<br>Hard wire | Cutting capacity (mm)<br>Medium hardness wire | Cutting capacity (mm)<br>Soft wire | Weight<br>g |  |
|------|------------------|----------------|----------------------------------|------------------------------------|---|------------------------------------|-------------|--|
| TPR  | 200              | 8              | 2.5                              | 3.0                                | 4.0   | 4.0                                | 275         |  |



### Mega Bite Cable Cutters

Cable cutting pliers for copper and aluminium cable. One hand function with pitch guard. High carbon steel.

| Handle       | Length                             | Length  | <b>Cutting Capacity</b>  | Weight  |   |
|--------------|------------------------------------|---|--|---|---|
| type         | mm                                 | inch  | mm²  | g   |   |
| vinyl coated | 160                                | 6   | 22   | 181   |   |
| TPR          | 208                                | 8   | 38   | 347   |   |
| vinyl coated | 200                                | 8   | 38   | 322   |   |
| vinyl coated | 250                                | 10  | 60   | 381   |   |
|              | type vinyl coated TPR vinyl coated | type mm vinyl coated 160 TPR 208 vinyl coated 200 | type         mm         inch           vinyl coated         160         6           TPR         208         8           vinyl coated         200         8 | type         mm         inch         mm²           vinyl coated         160         6         22           TPR         208         8         38           vinyl coated         200         8         38 | type         mm         inch         mm²         g           vinyl coated         160         6         22         181           TPR         208         8         38         347           vinyl coated         200         8         38         322 |

# Mega Bite Cable Cutters →



### MB445-10 Heavy Duty Cable cutters

Heavy duty cable cutting pliers for copper and aluminium electric cable. One hand function with pitch guard. CR-MO steel.

| Handle       | Length | Length | <b>Cutting capacity</b> | Weight |
|--------------|--------|--------|-------------------------|--------|
|              | mm     | inch   | cable mm2               | g      |
| vinyl coated | 250    | 10     | 60                      | 412    |





### **Heavy Duty Cutters**

Chrome molybdenum steel with induction hardened cutting edges (HRC58). An 80° angled cutting edge. Return spring and locking function.

| Stock no. | Handle<br>type | Length<br>mm | Length<br>inch | Cutting capacity piano wire | Cutting capacity steel wire | Cutting capacity iron wire | Weight<br>g |  |
|-----------|----------------|--------------|----------------|-----------------------------|-----------------------------|----------------------------|-------------|--|
| BC408     | vinyl coated   | 200          | 8              | 3.6                         | 4.0                         | 5.2                        | 260         |  |
| BC408T    | TPR            | 200          | 8              | 3.6                         | 4.0                         | 5.2                        | 275         |  |

### **Flush Cut Pliers**


Plastic cutting pliers ideal for cutting cable ties flush with the especially shaped cutting edges. Chrome Molybdenum steel suitable for cutting plastic and can be used for cutting other soft material such as lead and tin. Spring return handles with vinyl coated grips.

|           |        | ,      | J 1    |  |
|-----------|--------|--------|--------|--|
| Stock no. | Length | Length | Weight |  |
|           | mm     | inch   | g      |  |
| MB541-5   | 125    | 5      | 100    |  |
| MB541-6   | 150    | 6      | 143    |  |
| MB541-7   | 180    | 7      | 227    |  |



### Mega Bite Combination pliers

Combination pliers. With pipe grip and serrated grip surfaces. Chrome Molybdenum steel, 80° cutting angle. Vinyl grip handles. DIN 5746.



| Stock no. | Handle       | Length | Length | Cutting capacity | Cutting capacity | Cutting capacity (mm) | Weight |  |
|-----------|--------------|--------|--------|------------------|------------------|-----------------------|--------|--|
|           | type         | mm     | inch   | (mm) Piano wire  | (mm) Hard wire   | Medium hardness wire  | g      |  |
| MB451-7   | Vinyl coated | 180    | 7      | 1.8              | 2.0              | 3.8                   | 195    |  |
| MB451-8   | Vinyl coated | 200    | 8      | 2.0              | 2.2              | 4.0                   | 253    |  |




340

# TPR grip

### **Mega Bite Combination pliers**

High Leverage Combination pliers. Chrome Molybdenum steel, 80° cutting angle. With pipe grip and serrated grip surfaces. DIN 5746.

### Mega Bite Combination Pliers →



# TPR grip Vinyl grip

### Mega Bite Long nose pliers

Tools

Long nose pliers. Long, straight jaws. Serrated grip surfaces. Chrome Molybdenum steel, 80° cutting edge. DIN 5745.

### Mega Bite Long Nose Pliers →

| Stock no. | Handle<br>type | Length<br>mm | Length<br>inch | Cutting capacity<br>(mm) Piano wire | Cutting capacity<br>(mm) Hard wire | Cutting capacity (mm)<br>Medium hardness wire | Weight<br>g |  |
|-----------|----------------|--------------|----------------|-------------------------------------|------------------------------------|---|-------------|--|
| MB461-5   | Vinyl coated   | 140          | 5              | 1.0                                 | 1.5                                | 2.5   | 130         |  |
| MB461-6T  | TPR            | 160          | 6              | 1.0                                 | 1.5                                | 2.5   | 160         |  |
| MB461-6   | Vinyl coated   | 160          | 6              | 1.0                                 | 1.5                                | 2.5   | 130         |  |
| MB461-8T  | TPR            | 200          | 8              | 1.5                                 | 1.8                                | 2.8   | 200         |  |
| MB461-8   | Vinyl coated   | 200          | 8              | 1.5                                 | 1.8                                | 2.8   | 180         |  |



### Mega Bite Bent Long Nose Pliers

Bent long nose pliers. Long, 45° angled jaws. Chrome Molybdenum steel, 80° cutting edge. DIN 5745.

### Mega Bite Bent Long Nose Pliers →

| Stock no. | Handle<br>type | Length<br>mm | Length<br>inch | Cutting capacity<br>(mm) Piano wire | Cutting capacity<br>(mm) Hard wire | Cutting capacity (mm)<br>Medium hardness wire | Weight<br>g |
|-----------|----------------|--------------|----------------|-------------------------------------|------------------------------------|---|-------------|
| MB463-5   | Vinyl coated   | 140          | 5              | 1.0                                 | 1.5                                | 2.5   | 150         |
| MB463-6   | Vinyl coated   | 160          | 6              | 1.0                                 | 1.5                                | 2.5   | 160         |
| MB463-8   | Vinyl coated   | 200          | 8              | 1.5                                 | 1.8                                | 2.8   | 167         |
| MB463-8T  | TPR            | 200          | 8              | 1.5                                 | 1.8                                | 2.8   | 186         |



Flat nose pliers. Long, straight jaws. Chrome Molybdenum steel. DIN5745.

| Stock no. | Handle       | Length | Length | Weight |  |
|-----------|--------------|--------|--------|--------|--|
|           | type         | mm     | inch   | g      |  |
| MB464-6   | Vinyl coated | 165    | 6      | 120    |  |
| MB464-6T  | TPR          | 165    | 6      | 120    |  |



**Pliers** 

### MB465-6 Round nose pliers

Chrome molybdenum alloy steel. Polished finish with smooth tip. Spring action and vinyl grip handles.

| Handle       | Length | Length | Weight |
|--------------|--------|--------|--------|
| type         | mm     | inch   | g      |
| Vinyl coated | 150    | 6      | 170    |



### Long Reach pliers

11" slim jaw long reach pliers. The long reach enables the plier to reach into recessed areas. Body hardness HRC 43-48.

| Stock | Туре     | Length | Length | Weight |  |
|-------|----------|--------|--------|--------|--|
| No.   |          | mm     | inch   | g      |  |
| AT096 | straight | 275    | 11     | 300    |  |
| AT097 | 45° bent | 275    | 11     | 300    |  |



## Long Reach Pliers →

### **Self Locking Pliers**

Special grade stainless steel self locking pliers with a three step lock function and precision joint construction. Matt finish, hot drop forged.


| Stock   | Length | Jaw type           | Weight |  |
|---------|--------|--------------------|--------|--|
| No.     | mm     |                    | g      |  |
| SLP1160 | 160    | straight, serrated | 43     |  |
| SLP2180 | 180    | straight, serrated | 45     |  |
| SLP3160 | 160    | curved, serrated   | 50     |  |
| SLP3180 | 180    | curved, serrated   | 58     |  |



### Mega Bite Water Pump pliers

Water pump pliers. Serrated jaws with pipe grip. Chrome vanadium steel.

| Stock no. | Handle       | Length | Length | Capacity | Weight |
|-----------|--------------|--------|--------|----------|--------|
|           | type         | mm     | inch   | mm       | g      |
| MB481-7T  | TPR          | 180    | 7      | 3-25     | 344    |
| MB481-7   | Vinyl coated | 180    | 7      | 3-25     | 159    |
| MB481-10T | TPR          | 250    | 10     | 3-38     | 371    |
| MB481-10  | Vinyl coated | 250    | 10     | 3-38     | 175    |












Quick set water pump pliers
Water pump pliers with a "quick set button" for easier adjustment of the jaws.
Serrated jaws with pipe grip. Chrome vanadium steel.

| Stock no.  | Handle       | Length | Length | Capacity | Weight |  |
|------------|--------------|--------|--------|----------|--------|--|
|            | type         | mm     | inch   | mm       | g      |  |
| MB481-10Q  | Vinyl coated | 250    | 10     | 3-38     | 380    |  |
| MB481-10TQ | TPR          | 250    | 10     | 3-38     | 405    |  |







### Quick set water pump pliers NEW!

Simple to operate self-adjusting water pump pliers with one hand action. Simply position the upper jaw against the work piece and press the button to close the jaw. HRC60 hardened jaws and shaped to protect the operator's fingers.

| Handle       | Length | Length | Capacity   | Weight |  |
|--------------|--------|--------|------------|--------|--|
| type         | mm     | inch   | mm         | g      |  |
| Vinyl coated | 252    | 10     | up to 49.4 | 335    |  |



MB499-7T Mega Bite Wire Stripping plier
Wire stripping pliers. Medium carbon alloy steel. With adjuster screw for required wire diameter 0.2-4.5 mm. Return spring and ergonomically designed two component TPR grip.

| Handle | Length | Length | Capacity   | Weight |
|--------|--------|--------|------------|--------|
| type   | mm     | inch   | mm         | g      |
| TPR    | 155    | 6      | 0.2 to 4.5 | 175    |



### 498-7 Wire Cutters

Tools

7" wire cutters for cutting wire and steel cable, special cutting edge gives an even cut. Return spring mechanism and vinyl grip handles.

| Handle               | Length    | Length<br>inch | Cutting<br>Capacity<br>steel wire | Cutting<br>Capacity<br>stainless steel | Cutting<br>Capacity | Weight |
|----------------------|-----------|----------------|-----------------------------------|--|---------------------|--------|
| type<br>Vinvl coated | mm<br>190 | 7              | 7mm                               | 4mm                                    | 2.5mm               | 306    |



### **AT605** Wire Twisting plier

6" wire twisting side cutting plier with slim nose tip for optimum maneuverability. Cutting capacity 1.0mm stainless and inconel wire.

| Length | Length | Weight |
|--------|--------|--------|
| mm     | inch   | g      |
| 150    | 6      | 250    |









**End Nippers** 

Higher leverage end nippers. Chrome molybdenum alloy steel. Polished finish and vinyl grip handles. DIN5748.

### End Nippers →

| Stock<br>No. | Length<br>mm | Length<br>inch | Cutting Capacity<br>(mm) Hard wire | Cutting Capacity<br>(mm) Medium wire | Cutting Capacity (mm)<br>Soft wire | Weight<br>g |  |
|--------------|--------------|----------------|------------------------------------|--------------------------------------|------------------------------------|-------------|--|
| MB448-6      | 160          | 6              | 1.6                                | 1.8                                  | 3.4                                | 200         |  |
| MB448-8      | 200          | 8              | 1.6                                | 1.8                                  | 3.4                                | 250         |  |



### Carpenter's Pliers

Carpenter's pliers with an 85° cutting angle. Vinyl coated grips.

| Stock   | Length | Length | Cutting Capacity (mm) | Cutting Capacity (mm) | Weight |  |
|---------|--------|--------|-----------------------|-----------------------|--------|--|
| No.     | mm     | inch   | steel wire            | iron wire             | g      |  |
| MB489-7 | 180    | 7      | 1.6                   | 2.0                   | 262    |  |
| MB489-8 | 200    | 8      | 1.8                   | 2.0                   | 283    |  |

### Mega Bite Tower pincer pliers

Tower pincer pliers, chrome molybdenum alloy steel, polish finish. Vinyl coated grip.

### Mega Bite Tower Pincer Pliers →


| Stock    | Length | Length | Cutting capcity | Cutting capcity (mm) | Cutting capcity | Weight |  |
|----------|--------|--------|-----------------|----------------------|-----------------|--------|--|
| No.      | mm     | inch   | (mm) Hard wire  | Medium hardness wire | (mm) Soft wire  | g      |  |
| MB449-9  | 220    | 9      | 1.8             | 2.0                  | 3.4             | 355    |  |
| MB449-10 | 250    | 10     | 2.0             | 2.2                  | 3.8             | 408    |  |
| MB449-11 | 280    | 11     | 2.5             | 3.0                  | 4.0             | 492    |  |

### Mega Bite Groove Joint pliers

Heavy duty model. Groove Joint pliers. Chrome vanadium. Non slip groove joints. Polished head. Vinyl grip handles.

| Stock no. | Handle       | Length | Length | Capacity | Weight |
|-----------|--------------|--------|--------|----------|--------|
|           | type         | mm     | inch   | mm       | g      |
| MB410     | Vinyl coated | 250    | 10     | 45       | 425    |
| MB412     | Vinyl coated | 300    | 12     | 60       | 600    |
| MB416     | Vinyl coated | 400    | 16     | 90       | 1330   |









# TTMI16 Mini plier & screwdriver set

Set containing 12 mini screwdrivers and 4 mini pliers. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.71 kilos)

| Screwdrivers | Flat regular | 2.0, 2.4, 3.0   |
|--------------|--------------|---|
|              | PH type      | PH00, PH0, PH1  |
|              | TX type      | TX6, TX7, TX8, TX9, TX10, TX15                                    |
| Pliers       |              | 4 1/2" side cutter, 4 1/2" end cutter, 5" long nose, 5" flat nose |
|              |              | PH type<br>TX type  |



### **MBM441 Mini Pliers**

Mini Side Cutting Pliers. Spring action handles, 68° Cutting Edge, High Carbon Steel, Vinyl Coated Grip.

| Length | Length | Cutting capacity mm | Weight |
|--------|--------|---------------------|--------|
| mm     | inch   |                     | g      |
| 125    | 5      | 0.8                 | 67     |



Mini End Cutting Pliers. Spring action handles, 68° Cutting Edge, High Carbon Steel, Vinyl Coated Grip.

| Length | Length | Cutting capacity | Weight |
|--------|--------|------------------|--------|
| mm     | inch   | mm               | g      |
| 110    | 4½"    | 0.8              |        |



Teng

Mini Long Nose Pliers. Spring action handles, 68° Cutting Edge, High Carbon Steel, Vinyl Coated Grip.

| Length | Length | Cutting capacity | Weight |
|--------|--------|------------------|--------|
| mm     | inch   | mm               | g      |
| 125    | 5      | 0.8              | 81     |

### MBM464 Mini Pliers

Mini Flat Nose Pliers. Spring action handles, High Carbon Steel, Vinyl Coated Grip.

| -      | -      |
|--------|--------|
| Length | Weight |
| inch   | g      |
| 5      | 85     |
|        | inch   |

### MBM467 Mini electronics Pliers.

Spring action handles, round nose. High Carbon Steel, Vinyl Coated Grip.

| ,      |                |
|--------|----------------|
| Length | Weight         |
| inch   | g              |
| 5      | 71             |
|        | Length<br>inch |











# **DO'S AND DONT'S OF PLIERS**

### Use the right type of cutting

If the plier does not cut the material without excessive force then use a stronger plier or a different type of tool. For example, standard side cutters are for cutting electrical wire not split pins.

### Use the right type of gripping

Different types of pliers are designed for different types of gripping - make sure the plier selected grips securely and comfortably.

### Use the right size of plier

The longer the handle the more power or torque can be applied when cutting or gripping.

### Keep it clean and dry

After use always check the tools are clean and dry before putting them away, this will help to avoid problems such as corrosion and moving parts seizing or becoming tight.

### Do not use the wrong plier

If the plier does not grip tightly and securely or does not cut with reasonable rather than excessive force choose another plier or tool.

### Do not use on live electrics

If you have to work on electrical or electronic equipment disconnect the power supply wherever possible and always use insulated tools even if you believe that the power is off.

### MBM468 Mini Needle nose Pliers.

Spring action handles, High Carbon Steel, Vinyl Coated Grip.

| Length<br>mm | Length<br>inch | Weight<br>g |
|--------------|----------------|-------------|
| 150          | 6"             | 75          |
|              |                |             |



### MBM469 Mini Bent Nose Pliers.

**Tweezers** 

Stock

Spring action handles, High Carbon Steel, Vinvl Coated Grip.

| Length | Length | Weight |
|--------|--------|--------|
| mm     | inch   | g      |
| 150    | 6"     | 78     |





# Special grade stainless steel tweezers. Hot drop forged, matt finish.

|        | •   |                    | •  |  |
|--------|-----|--------------------|----|--|
| No.    | mm  |                    | g  |  |
| ΓW1160 | 160 | straight, serrated | 37 |  |
| ΓW1180 | 180 | straight, serrated | 37 |  |
| TW2125 | 125 | bent, serrated     | 29 |  |

Tip type

| 1441100 | 100 | anaigin, acitatea     | 01 |  |
|---------|-----|-----------------------|----|--|
| TW2125  | 125 | bent, serrated        | 29 |  |
| TW2160  | 160 | bent, smooth jaws     | 42 |  |
| TW2180  | 170 | Z shaped, needle tips | 35 |  |
|         |     |                       |    |  |

Length







### 480 Circlip Plier set

For internal and external circlips 10-50mm. Four interchangeable heads giving eight different combinations. The tips are magnetic. Return spring. Plastic covered handles.

| Handles         | Reversible, spring loaded handles with locking pin |
|-----------------|--|
| Tips (magnetic) | internal/external straight 1.2mm tips              |
|                 | internal/external straight 1.5mm tips              |
|                 | internal/external 45 degree tips                   |
|                 | internal/external 90 degree tips                   |



### TT474-5 Circlip plier set

Set consisting of 4 Mega Bite circlip pliers (2 straight tip and 2 bent tip pliers for internal and external circlips). Fitted with return spring. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.5 kilos)

| 5" Circlip pliers | inner/straight (10 to 25mm capacity) | inner/bent (10 to 25mm capacity) |
|-------------------|--------------------------------------|----------------------------------|
|                   | outer/straight (10 to 25mm capacity) | outer/bent (10 to 25mm capacity) |



### TT474-7E 7" Circlip Pliers Set NEW

Set consisting of 4 circlip pliers with invisible spring design with non slip bearing steel points for heavy duty applications..Supplied in the unique Teng Tools TC tray with removable lid and dove tail joint for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.924 kilos)

| 7" Circlip pliers | inner/straight (19 to 60mm capacity) |  |
|-------------------|--------------------------------------|--|
|                   | inner/bent (19 to 60mm capacity)     |  |
|                   | outer/straight (19 to 60mm capacity) |  |
|                   | outer/bent (19 to 60mm capacity)     |  |





### Circlip Pliers NEW

- · Invisible return spring design
- Insert bearing steel points for heavy duty applications
- Non-slip point angle enables the ring to stick securely to the point when compressing or expanding
- Vinyl grip handles
- DIN 5254

Tools

Teng

| Stock no | Length<br>mm | Length<br>inch | Туре           | Tip<br>mm | Capacity<br>mm | Weight<br>g |  |
|----------|--------------|----------------|----------------|-----------|----------------|-------------|--|
| MBE470-7 | 185          | 7"             | straight/inner | 1.8       | 19-60          | 150         |  |
| MBE471-7 | 170          | 7"             | bent/inner     | 1.8       | 19-60          | 150         |  |
| MBE472-7 | 185          | 7"             | straight/outer | 1.8       | 19-60          | 170         |  |
| MBE473-7 | 170          | 7"             | bent/outer     | 1.8       | 19-60          | 170         |  |



### Circlip Pliers →

### TT474-7 Circlip plier set

Set consisting of 4 Mega Bite circlip pliers (2 straight tip and 2 bent tip pliers for internal and external circlips). Fitted with return spring. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.0 kilos)

| 7" Circlip plier | s inner/straight (19 to 60mm capacity) | inner/bent (19 to 60mm capacity) |
|------------------|--|----------------------------------|
|                  | outer/straight (19 to 60mm capacity)   | outer/bent (19 to 60mm capacity) |



# TENGTOOLS

### TTX474-9 Circlip plier set

4 piece Mega Bite circlip plier set consisting of 2 straight tip and 2 bent tip pliers for internal and external circlips. Fitted with return spring. Supplied in the unique Teng Tools TC tray for use on it's own or as part of the Teng Tools TC control system. (670x115x40mm, 1.5 kilos)



9" Circlip pliers inner/straight (40-100mm capacity) inner/bent (40-100mm capacity) outer/straight (40-100mm capacity) outer/bent (40-100mm capacity)

# Circlip Pliers

Snap ring pliers. Chrome vanadium. Straight/inner type. Polished head. Vinyl grip handles. Return spring. DIN 5254.

| Stock no. | Handle       | Length | Length | Туре           | Tip  | Capacity  | Weight |
|-----------|--------------|--------|--------|----------------|------|-----------|--------|
|           | type         | mm     | inch   |                | mm   | mm        | g      |
| MB470-5   | Vinyl coated | 130    | 5      | Straight/inner | 1.25 | 10 to 25  | 100    |
| MB470-7   | Vinyl coated | 175    | 7      | Straight/inner | 1.8  | 19 to 60  | 134    |
| MB470-9   | Vinyl coated | 225    | 9      | Straight/inner | 2.25 | 40 to 100 | 160    |



# 00

### **Circlip Pliers**

Snap ring pliers. Chrome vanadium. Bent/inner type. Polished head. Vinyl grip handles. Return spring. DIN 5254

| Viring grip mandres. Neturn spring. Dirv 5204. |              |        |        |            |      |           |        |  |
|--|--------------|--------|--------|------------|------|-----------|--------|--|
| Stock no.                                      | Handle       | Length | Length | Type       | Tip  | Capacity  | Weight |  |
|  | type         | mm     | inch   |            | mm   | mm        | g      |  |
| MB471-5  | Vinyl coated | 130    | 5      | Bent/inner | 1.25 | 10 to 25  | 100    |  |
| MB471-7  | Vinyl coated | 175    | 7      | Bent/inner | 1.8  | 19 to 60  | 134    |  |
| MB471-9  | Vinyl coated | 225    | 9      | Bent/inner | 2.25 | 40 to 100 | 160    |  |

### Circlip Pliers →



### **Circlip Pliers**

Snap ring pliers. Chrome vanadium. Straight/outer type. Polished head. Vinyl grip handles. Return spring. DIN 5256.

| Stock no. | Handle       | Length | Length | Type           | Tip  | Capacity  | Weight |  |
|-----------|--------------|--------|--------|----------------|------|-----------|--------|--|
|           | type         | mm     | inch   |                | mm   | mm        | g      |  |
| MB472-5   | Vinyl coated | 130    | 5      | Straight/outer | 1.25 | 10 to 25  | 100    |  |
| MB472-7   | Vinyl coated | 175    | 7      | Straight/outer | 1.8  | 19 to 60  | 134    |  |
| MB472-9   | Vinyl coated | 225    | 9      | Straight/outer | 2.25 | 40 to 100 | 160    |  |

Circlip Pliers →



### **Circlip Pliers**

Snap ring pliers. Chrome vanadium. Bent/outer type. Polished head. Vinyl grip handles. Return spring. DIN 5256.

| Stock no. | Handle       | Length | Length | Type       | Tip  | Capacity  | Weight |
|-----------|--------------|--------|--------|------------|------|-----------|--------|
|           | type         | mm     | inch   |            | mm   | mm        | g      |
| MB473-5   | Vinyl coated | 130    | 5      | Bent/outer | 1.25 | 10 to 25  | 100    |
| MB473-7   | Vinyl coated | 175    | 7      | Bent/outer | 1.8  | 19 to 60  | 134    |
| MB473-9   | Vinyl coated | 225    | 9      | Bent/outer | 2.25 | 40 to 100 | 160    |
|           |              |        |        |            |      |           |        |







# Power grip pliers

A range of standard and tapered power grip pliers in a broad size range together with a wide range of welding power grip pliers. In both options with anti-pinch release arms.



- Self-locking with quick release gives easier use.
- Unique locking nut on the adjustment knob makes presetting the jaws possible for easier use when you frequently work with items of the same size.
- · Wire cutter/crimp action integrated in the jaws.
- Manufactured of plated, chrome vanadium steel that ensures durability and strength.
- Choose between flat or rounded jaws on the most common power grip pliers.
- Some of the welding power grip pliers are fitted with pivoted clamping jaws that can hold work pieces with irregular profiles without damaging the surface.
- Choose between models with standard release arms or antipinch release arms.



### **TTVG05** Power grip pliers

Set consisting of 5 power grip pliers: 4", 7" and 10" round jaw, 4" and 6" long nose. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.5 kilos)

| Pliers | 4" Power Grip Plier     |
|--------|-------------------------|
|        | 4" Long Nose Power Grip |
|        | 6" Long Nose Power Grip |
|        | 7" Power Grip           |
|        | 10" Power Grip          |



### TTZVG03 Power Grip Pliers NEW!

A storage tray half the size of a TTX tray with three of the most commonly used power grip pliers. Can be used on it's own or as part of the Teng Tools TC control system. (285x115x40mm, 0.56 kilos)

| Pliers | 4" Power Grip Plier           |
|--------|-------------------------------|
|        | 4" Long Nose Power Grip Plier |
|        | 6" Long Nose Power Grip Plier |



### **TTPSPG** Welding plier set

Teng

4 piece set containing C clamp, welding, sheet metal and 6" long nose power grip pliers. Supplied in the unique Teng Tools PS tray for use on it's own or as part of the Teng Tools TC control system. (540x265x40mm, 2.3 kilos)


Power grip pliers 11" C clamp, 9" welding grip, 8" sheet metal grip, 6" long nose



### TTEVG11 Power grip plier set

Set containing 11 assorted power grip pliers. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 5.17 kilos)

| -              |   |
|----------------|---|
| Round jaw type | 4", 5", 10" and 12"   |
| Flat jaw type  | 10" and 12"   |
| Long nose type | 4", 6 1/2" and 9"   |
| Clamp pliers   | 11" C clamp plier with swivel pad, 12" self levelling locking plier |



### **402** Power Grip Plier set

Set of two pliers. Self locking and with release lever. With locking nut on adjustment knob for pre-setting.

| Round jaw | 10" power grip plier with round and flat grip (401-10) |
|-----------|--|
| Long nose | 6" power plier with round and flat grip (404-6)        |
|           |  |



### Power Grip Pliers

Power Grip Pliers, plated, round and flat grip. Chrome vanadium. wire cutter/ crimper action. Self locking and with release lever. With locking nut on adjustment knob for pre-setting.

| Stock no. | Length<br>mm | Length<br>inch | Capacity<br>mm | Weight<br>g |  |
|-----------|--------------|----------------|----------------|-------------|--|
| 401-4     | 100          | 4              | 25             | 75          |  |
| 401-5     | 125          | 5              | 28             | 180         |  |
| 401-7     | 180          | 7              | 38             | 345         |  |
| 401-10    | 250          | 10             | 47             | 514         |  |
| 401-12    | 300          | 12             | 50             | 680         |  |

### Power Grip Pliers →

### **Power Grip Pliers**

Power Grip Pliers, plated, serrated, flat grip. Self locking, with release lever. Chrome vanadium. With locking nut on adjustment knob for pre-setting.

| Stock no. | Length<br>mm | Length<br>inch | Capacity<br>mm | Weight<br>g |  |
|-----------|--------------|----------------|----------------|-------------|--|
| 401-10F   | 250          | 10             | 45             | 527         |  |
| 401-12F   | 300          | 12             | 52             | 693         |  |

### Power Grip Pliers →

### **Power Grip Pliers**

Long Nose Power Grip Pliers, plated. Chrome vanadium. Wire Cutter/Crimper Action. Self locking, with release lever. With locking nut on adjustment knob for pre-setting.

| Stock no. | Length | Length | Capacity | Weight |  |
|-----------|--------|--------|----------|--------|--|
|           | mm     | inch   | mm       | g      |  |
| 404-4     | 100    | 4      | 35       | 180    |  |
| 404-6     | 155    | 6      | 35       | 197    |  |
| 404-9     | 230    | 9      | 70       | 380    |  |

### Power Grip Pliers →

### 404-6S Power Grip Pliers - Narrow Jaw

Long nose power grip pliers with a narrow jaw for easier access in confined spaces. Chrome vanadium. Wire cutter/crimper action. Self locking with non pinch one handed operation locking/release lever. With locking nut on adjustment knob for pre-setting. Overall length 160mm with a jaw width of 6mm and jaw length of 35mm, weight 185 g.

**409 Oil Filter Remover Plier**Multi purpose plier 53-118mm opening. Chrome vanadium steel, drop forged jaws, heat treated and nickel plated. Suitable for removing and installing objects of many shapes. The locking system gives an excellent extra function.













# **Clamping Tools**

### Clamps

**Clamping Tools** 

F Clamps with a fixed handle for fast action tightening and loosening

| Stock<br>No. | Span<br>mm | Throat depth<br>mm | Bar dimension<br>mm | Weight<br>Kg |  |
|--------------|------------|--------------------|---------------------|--------------|--|
| CMF16        | 160        | 80                 | 16.5x7.5            | 0.48         |  |
| CMF20        | 200        | 100                | 19.5x9.5            | 0.9          |  |
| CMF25        | 250        | 120                | 22x10.5             | 1.21         |  |
| CMF30        | 300        | 140                | 25x12               | 1.80         |  |
| CMF35        | 300        | 120                | 25x12               | 1.72         |  |
|              |            |                    |                     |              |  |



Clamps →

### Clamps

F clamps with a 180° swivel handle for extra torque and fast action tightening and loosening. Ergonomic grip for added comfort.

| Stock  | Span | Throat depth | Bar dimension | Weight |  |
|--------|------|--------------|---------------|--------|--|
| No.    | mm   | mm           | mm            | Kg     |  |
| CMF16T | 160  | 80           | 16.5x7.5      | 0.57   |  |
| CMF20T | 200  | 100          | 19.5x9.5      | 1.01   |  |
| CMF25T | 250  | 120          | 22x10.5       | 1.33   |  |
| CMF30T | 300  | 140          | 25x12         | 1.96   |  |
| CMF35T | 300  | 100          | 25x12         | 1.14   |  |



Clamps →

### Clamps

**Feng Tools** 

Reinforced malleable cast iron arms, high quality profiled rail with serrations, pressure plate with bi-material handle. Protective caps on the clamping surfaces.

| Stock  | Maximum   | Span  | Throat | Bar         | Weight |  |
|--------|-----------|-------|--------|-------------|--------|--|
| No.    | clamping  | Width | Depth  | Dimensions  | g      |  |
|        | Force (N) | mm    | mm     | mm          |        |  |
| CMD12  | 1961      | 120   | 60     | 20.0 x 5.0  | 430    |  |
| CMD16  | 2648      | 160   | 80     | 25.0 x 6.0  | 750    |  |
| CMD20  | 3922      | 200   | 100    | 27.0 x 7.0  | 1120   |  |
| CMD25  | 4903      | 250   | 120    | 29.0 x 9.0  | 1500   |  |
| CMD30  | 4903      | 300   | 120    | 29.0 x 9.0  | 1590   |  |
| CMD30A | 5393      | 300   | 140    | 32.0 x 10.0 | 2050   |  |
| CMD40  | 5393      | 400   | 140    | 32.0 x 10.0 | 2260   |  |
| CMD40A | 5393      | 400   | 175    | 32.0 x 10.0 | 2330   |  |
| CMD50  | 4903      | 500   | 120    | 29.0 x 9.0  | 1940   |  |
| CMD80  | 4903      | 800   | 120    | 29.0 x 9.0  | 2480   |  |



Clamps →

### **Fast Action Clamps**

For high pressure, fast action clamping. The ratchet type lever prevents over loading and resists vibration. Ergonomic clamping and release lever.

| Stock  | Maximum  | Span  | Throat | Bar         | Weight |
|--------|----------|-------|--------|-------------|--------|
| No.    | clamping | Width | Depth  | Dimensions  | g      |
|        | Force(N) | mm    | mm     | mm          |        |
| CMFQ20 | 3432     | 200   | 100    | 19.5 x 9.5  | 1130   |
| CMFQ25 | 3922     | 250   | 120    | 22.0 x 10.5 | 1500   |
| CMFQ30 | 4903     | 300   | 140    | 25.0 x 12.0 | 2260   |
| CMFQ40 | 5393     | 400   | 120    | 25.0 x 12.0 | 2400   |



Fast Action Clamps →

### **Quick Clamps**

A quick action lever clamp with a unique design and powerful lever bar that makes it easy to apply the correct clamping force. The top mounted lever makes the clamp guick and comfortable to use, the easy release button makes it equally quick and easy to unclamp. A bi-material grip on the handle and FRP material pads help protect the working surfaces.

| Stock<br>No. | Maximum<br>clamping<br>Force (N) | Span<br>Width<br>mm | Clamping<br>Capacity<br>mm | Weight<br>g |  |
|--------------|----------------------------------|---------------------|----------------------------|-------------|--|
| CMQL150      | 1780                             | 80                  | 150                        | 670         |  |
| CMQL300      | 1780                             | 80                  | 300                        | 780         |  |
| CMQL450      | 1780                             | 80                  | 450                        | 900         |  |

Quick Clamps →

### **Quick Clamps**

A quick action lever clamp with a unique design and powerful lever bar that makes it easy to apply the correct clamping force. The bottom mounted lever makes the clamp quick and comfortable to use, the easy release button makes it equally quick and easy to unclamp. A bi-material grip on the handle and FRP material pads help protect the working surfaces.

| Stock  | Maximum   | Span  | Clamping | Weight |
|--------|-----------|-------|----------|--------|
| No.    | clamping  | Width | Capacity | g      |
|        | Force (N) | mm    | mm       |        |
| CMQ150 | 1580      | 85    | 150      | 580    |
| CMQ300 | 1580      | 85    | 300      | 680    |
| CMQ450 | 1580      | 85    | 450      | 790    |
| CMQ600 | 1580      | 85    | 600      | 890    |

Quick Clamps →

TTPSPG Welding plier set
4 piece set containing C clamp, welding, sheet metal and 6" long nose power grip pliers. Supplied in the unique Teng Tools PS tray for use on it's own or as part of the Teng Tools TC control system. (540x265x40mm, 2.3 kilos)

Power grip pliers 11" C clamp, 9" welding grip, 8" sheet metal grip, 6" long nose



406 Clamping pliers

C Clamp Power Grip Pliers, plated. Chrome vanadium. Self locking, with release lever. With locking nut on adjustment knob for pre-setting.

| Length | Length | Capacity | Throat   | Throat    | Weight |
|--------|--------|----------|----------|-----------|--------|
| mm     | inch   | mm       | depth mm | height mm | g      |
| 280    | 11     | 80       | 70       | 100       | 772    |

**406-6 Clamping pliers**C clamp power grip pliers. Nickel plated. Chrome vanadium. Self locking with release lever. With locking nut on adjustment knob for pre-setting.

| Length | Length | Capacity | Throat   | Throat    | Weight |
|--------|--------|----------|----------|-----------|--------|
| mm     | inch   | mm       | depth mm | height mm | g      |
| 172    | 6      | 0-50     | 40       | 60        | 235    |
|        |        |          |          |           |        |





Teng Tools

354

# C Clamps with Non Pinch Release Lever

C clamp power grip pliers. Nickel plated. Chrome vanadium. Self locking with non pinch one hand operation locking/ release lever. With locking nut on adjustment knob for pre-setting.

| Stock  | Length | Length | Capacity | Throat   | Throat    | Weight |
|--------|--------|--------|----------|----------|-----------|--------|
| No.    | mm     | inch   | mm       | depth mm | height mm | g      |
| 406-6S | 172    | 6      | 0-50     | 40       | 60        | 235    |
| 406S   | 285    | 11     | 0-80     | 70       | 100       | 760    |



### C Clamps with Non Pinch Release Lever →

### **406P** Clamping pliers

11" C Clamp Power Grip Pliers, plated with swivel pads. Chrome vanadium. Self locking, with release lever. With locking nut on adjustment knob for pre-setting.

| Length | Length | Capacity | Throat   | Throat    | Weight |
|--------|--------|----------|----------|-----------|--------|
| mm     | inch   | mm       | depth mm | height mm | g      |
| 280    | 11     | 80       | 70       | 100       | 772    |



**406-6P Clamping pliers**C clamp power grip pliers with swivel pads for holding. Nickel plated. Chrome vanadium. Self locking with release lever. With locking nut on adjustment knob for pre-setting.

| Length | Length | Capacity  | Throat   | Throat    | Weight |
|--------|--------|-----------|----------|-----------|--------|
| mm     | inch   | <i>mm</i> | depth mm | height mm | g      |
| 172    | 6      | 0-50      | 40       | 60        | 235    |



### C Clamps with Non Pinch Release Lever

C clamp power grip pliers with swivel pads for holding. Nickel plated. Chrome vanadium. Self locking with non pinch one hand operation locking/ release lever. With locking nut on adjustment knob for pre-setting.

| Stock   | Length | Length | Capacity | Throat   | Throat    | Weight |  |
|---------|--------|--------|----------|----------|-----------|--------|--|
| No.     | mm     | inch   | mm       | depth mm | height mm | g      |  |
| 406-6SP | 172    | 6      | 0-50     | 40       | 60        | 235    |  |
| 406SP   | 285    | 11     | 0-80     | 70       | 100       | 760    |  |



### C Clamps with Non Pinch Release Lever →

### 407 Clamping pliers

Welding Power Grip Pliers, plated. Chrome vanadium. Self locking, with release lever. With locking nut on adjustment knob for pre-setting.

| Length | Length | Capacity | Weight |
|--------|--------|----------|--------|
| mm     | inch   | mm       | g      |
| 230    | 9      | 65       | 580    |
|        |        |          |        |



### **407AS** Clamping pliers

Welding power grip pliers. Nickel plated. Chrome vanadium. Self locking with non pinch one hand operation locking/ release lever. With locking nut on adjustment knob for pre-setting.

| Length | Length | Gap width | Jaw depth | Weight |
|--------|--------|-----------|-----------|--------|
| mm     | inch   | mm        | mm        | g      |
| 270    | 11     | 90        | 85        | 855    |
|        |        |           |           |        |



### 408 Clamping pliers

Sheet Metal Power Grip Pliers, plated. Chrome vanadium. Self locking, with release lever.

With locking nut on adjustment knob for pre-setting.

| Length | Length | Capacity | Weight |
|--------|--------|----------|--------|
| mm     | inch   | mm       | g      |
| 230    | 8      | 65       | 580    |



### **409P** Clamping pliers

Self levelling 12" clamp pliers, plated. Chrome vanadium. Self locking, with release lever.

With locking nut on adjustment knob for pre-setting.

| Length | Length | Capacity | Weight |
|--------|--------|----------|--------|
| mm     | inch   | mm       | g      |
| 300    | 12     | 65       | 580    |



### **409SP** Clamping pliers

C clamp power grip pliers with swivel pads for holding. Nickel plated. Chrome vanadium. Self locking with non pinch one hand operation locking/ release lever. With locking nut on adjustment knob for pre-setting.

| Length | Length | Gap width | Weight |
|--------|--------|-----------|--------|
| mm     | inch   | mm        | g      |
| 300    | 12     | 88        | 740    |



### 410P Machine Table Clamp

Self locking, quick release clamping pliers for holding material on machines with a swivel pad fixing point. With locking nut on adjustment knob for

| Length | Clamping | Clamp   | Weight |
|--------|----------|---------|--------|
| mm     | Heightmm | hole mm | g      |
| 320    | 65       | 10.0    | 580    |
|        |          |         |        |



### 410SP Machine Table Clamp

Self locking, quick release clamping pliers for holding material on machines with a swivel pad fixing point. Non pinch, one handed operation for easier use. With locking nut on adjustment knob for pre-setting.

| Length | Clamping | Clamp   | Weight |
|--------|----------|---------|--------|
| mm     | Heightmm | hole mm | g      |
| 230    | 65       | 4.0     | 580    |
|        |          |         |        |








356

- Lever with single hand grip for locking the snips when not in use.
- Double spring with high torsional strength, designed for frequent use.
- Soft ergonomic two component handles give more comfortable use with a safer grip.
- Hole in the handle for tool-securing when working at height, for hanging or for easy storage. Does not apply to the shorter shears.
- Gently serrated cutting edges made of chrome molybdenum steel for stable cutting with a minimal risk of sliding.
- Available in straight, straight/right or straight/left with two models for different cutting techniques. Standard or offset.

 Colour coded handles that make it easy to choose the right tin snips: left (red), straight (yellow) and right (grey).

- Available individually, but also as a set in a TT-tray that fits in the Teng Tools tool storage system.
- Designed and manufactured in high strength steel in accordance with DIN and ANSI standards for professional automotive and industrial applications.
- The induction hardened cutting edges (60–62 HRC), cut up to 1.5 mm cold rolled steel or 0.9 mm stainless steel.
- The range also comprises three pairs of short tin snips, with the same high cutting capacity as the longer models.
- Also a basic model with plastic handles in straight, straight/right and straight/left versions.





#### **TTDCT05** Cutting tool set

Set containing two tin snips, utility knife, scissors and a HD cable cutter. Supplied in the unique Teng Tools double TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x284x50mm, 2.1 kilos)

| Tin Snips (491)        | Straight/right |
|------------------------|----------------|
| Tin Snips (492)        | Straight/left  |
| Utility knife (710N)   |                |
| Scissors (497)         |                |
| HD Cable Cutters (496) | Capacity 2AWG  |



#### Tin Snips

Tin Snips with spring loaded high leverage handles, safety lock, hanging hole and bi-material handles for comfortable cutting. CrMo steel, hot drop forged cutting blades give an increased cutting capacity of 1.5mm steel or 0.9mm stainless steel.

| Stock no. | Туре           | Handle<br>colour | Capacity steel mm | Capacity<br>stainless steel mm |  |
|-----------|----------------|------------------|-------------------|--------------------------------|--|
| 490       | Straight       | Yellow           | 1.5               | 0.9                            |  |
| 491       | Straight/Right | Grey             | 1.5               | 0.9                            |  |
| 492       | Straight/Left  | Red              | 1.5               | 0.9                            |  |



#### Tin Snips →

#### 495 Tin Snips

Tools

Teng

Straight, long cut tin snips with serrated edges on hot drop forged blades in CrMo alloy steel induction hardened to HRC60-62 with a full cutting length of 3" giving a cutting capacity of 0.94mm for cold rolled steel and 0.53mm for stainless steel. Overall length 290mm.



#### **Tin Snips**

Tin Snips, offset type for right and left cutting. Bi-material handles for comfortable cutting. Capacity 1.5mm steel or 0.9mm stainless steel.

|         |             | steel mm st | ainless steel mm |
|---------|-------------|-------------|------------------|
| 493 Off | f set/Right | 1.5         | 0.9              |
| 494 01  | ff set/Left | 1.5         | 0.9              |



#### Tin Snips →

#### **High Leverage Tin Snips**

Tin snips with single hand grip for easy locking of the snips when not in use. High leverage action. Double spring with high torsional strength, designed for frequent use. Serrated chrome molybdenum cutting edges induction hardened to HRC60-62 for a high and consistent quality. Suitable for cutting up to 1.5mm cold rolled sheet steel. With spring and one hand operation locking lever. Overall length 10", 250mm, weight 380g.

| Stock<br>no. | Туре          | Handle<br>colour | Capacity<br>copper<br>mm | Capacity<br>cold rolled<br>steel mm | Capacity<br>hard<br>steel mm | Capacity<br>stainless<br>steel mm |  |
|--------------|---------------|------------------|--------------------------|-------------------------------------|------------------------------|-----------------------------------|--|
| 490W         | Straight      | Yellow           | 1.8                      | 1.5                                 | 1.0                          | 0.9                               |  |
| 491W S       | traight/Righ  | t Grey           | 1.8                      | 1.5                                 | 1.0                          | 0.9                               |  |
| 492W S       | Straight/Left | Red              | 1.8                      | 1.5                                 | 1.0                          | 0.9                               |  |

360



#### High Leverage Tin Snips →



#### 496 Cable Cutter

Heavy Duty cable cutter. Chrome Molybdenum alloy steel blades are hardened to help maintain the cutting edges. Compound leverage increases cutting power while reducing the cutting effort. Also included is a new quick and simple spring free automatic latch design (one hand release) providing safety and convenience. Cuts copper and aluminium electrical cables up to 12mm diameter. Bi-material handles for comfortable cutting. Drop forged.

| Length | Capacity |
|--------|----------|
| mm     | mm       |
| 250    | 12       |



#### 497 Scissors

Scissors with high carbon stainless steel blade. Bi-material grip for added comfort.

| Length | Blade length | Capacity soft |
|--------|--------------|---------------|
| mm     | mm           | mm            |
| 138    | 42.0         | 22.0          |





SR1180

#### **Intricate Cutting Scissors**

SR1160

Special grade stainless steel. Hot drop forged and matt finish.

| Stock  | Length | Tip Type        | Weight |  |
|--------|--------|-----------------|--------|--|
| No.    | mm     |                 | g      |  |
| SR1160 | 160    | straight, sharp | 61     |  |
| SR1180 | 180    | straight, sharp | 77     |  |
| SR2180 | 180    | straight, blunt | 69     |  |
| SR3160 | 160    | curved, sharp   | 61     |  |



SR2180

#### **Bolt Cutters**

Hardened central cutting edge (cutting angle 30°). Compound action. Equipped with centering screw that gives increased safety when cutting. Tubular handles with plastic grips.

| Stock | Length | Length | Capacity                | Weight |  |
|-------|--------|--------|-------------------------|--------|--|
| No.   | mm     | inch   |                         | g      |  |
| BC414 | 350    | 14"    | 7mm HRC15 or 4mm HRC40  | 1000   |  |
| BC418 | 450    | 18"    | 8mm HRC15 or 5mm HRC40  | 1600   |  |
| BC424 | 600    | 24"    | 10mm HRC15 or 6mm HRC40 | 2500   |  |
| BC430 | 750    | 30"    | 13mm HRC15 or 7mm HRC40 | 3500   |  |
| BC436 | 900    | 36"    | 16mm HRC15 or 8mm HRC40 | 5000   |  |




#### Bolt Cutters →

#### **Bolt Cutter Spare Jaws**

Spare jaws for Teng Tools bolt cutters.

| Stock no. | Suitable for |  |
|-----------|--------------|--|
|           | bolt cutter  |  |
| BC414J    | BC414        |  |
| BC418J    | BC418        |  |
| BC424J    | BC424        |  |
| BC430J    | BC430        |  |
| BC436J    | BC436        |  |





#### Mega Bite Cable Cutters

Cable cutting pliers for copper and aluminium cable. One hand function with pitch guard. High carbon steel and Titanium coated joints.

| Stock no. | Handle<br>type | Length<br>mm | Length<br>inch | Cutting capacity cable mm² | Weight<br>g |  |
|-----------|----------------|--------------|----------------|----------------------------|-------------|--|
| MB444-6   | vinyl coated   | 160          | 6              | 22                         | 181         |  |
| MB444-8T  | TPR            | 208          | 8              | 38                         | 347         |  |
| MB444-8   | vinyl coated   | 200          | 8              | 38                         | 322         |  |
| MB444-10  | vinyl coated   | 250          | 10             | 60                         | 381         |  |



#### Mega Bite Cable Cutters →

#### MB445-10 Heavy Duty Cable cutters

Heavy duty cable cutting pliers for copper and aluminium electric cable. One hand function with pitch guard. CR-MO steel.

| Stock<br>No. | Handle       | Length<br>mm | Length<br>inch | Cutting capacity cable mm² | Weight |  |
|--------------|--------------|--------------|----------------|----------------------------|--------|--|
| MB445-10     | vinyl coated | 250          | 10             | 60                         | 412    |  |



#### Heavy Duty Cable Cutters →

#### **TF22** Pipe Cutters

For copper and brass pipe. One thin cutting wheel and two rollers. The tool has a constant length and is ideal for use in confined spaces.

| Capacity           |  |
|--------------------|--|
| 3-22mm (1/8"-7/8") |  |
|                    |  |



#### **TF30** Pipe Cutters

Heavy duty cutter complete with spare blade and retractable reamer.

| Capacity          |  |
|-------------------|--|
| 3-32mm (1/8"-1¼") |  |
|                   |  |



#### **TF2230RK** Pipe Cutter Blades

2 replacement cutting wheels for the TF22 and TF30 pipe cutters.



#### **TF76** Pipe Cutter

Pipe cutter with aluminium frame. Capacity 6 to 76mm (1/4" to 3") in thin and thick walled copper, brass and aluminium pipe, and 16 to 76mm (5/8" to 3") for plastic pipe.



#### **TF76RK Pipe Cutter Cutting Wheels**

5 replacement cutting wheels for the TF76 pipe cutter.





#### **TTTC06** Pipe Cutters

6 piece set with pipe cutters for plastic, copper and brass pipes together with a deburring tool. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.3 kilos).

| Pipe cutters            | capacity (mm)10, 12, 15, 22 |
|-------------------------|-----------------------------|
| Adjustable pipe cutters | capacity (mm) 3-22          |
| Deburring tool          | DET01                       |



#### **Pipe Cutters**

Individual pipe cutters for cutting by rotating around the pipe.

| Stock no. | Pipe diameter capacity (mm) |  |
|-----------|-----------------------------|--|
| TFA10     | 10                          |  |
| TFA12     | 12                          |  |
| TFA15     | 15                          |  |
| TFA22     | 22                          |  |
| TFA0252RK | 5 spare wheels              |  |



#### **TFP01** Pipe Cutter

42mm diameter. Gives a right angled and burr free cut with the cutter being fed stage by stage via a ratchet mechanism.



Cuts PEX or XLPE polyethylene tubing and other similar soft plastic piping up to



#### **TFP01RK** Pipe Cutter Blade

Replacement cutter for TFP01 pipe cutter.



#### **TFP02** Pipe Cutter

Cuts PEX or XLPE polyethylene tubing and other similar soft plastic piping up to 42mm diameter. Gives a right angled and burr free cut with the cutter being fed stage by stage via a ratchet mechanism.



# **TFP02RK** Pipe Cutter Blade

Replacement cutter for TFP02 pipe cutter.





#### **TF300** Chain Pipe Cutters

For cutting thin walled pipes (stainless steel, copper, PVC, etc.) up to a material thickness of 1.5mm. Self locking with non pinch, one hand operation lever and locking nut on adjustment knob for pre-setting. Nickel plated. The chain has 15 cutter wheels. Overall length 10", 780g.



#### **TF300RK** Replacement Cutting Chain

Repair kit for TF300 exhaust pipe cutter

#### TTTF10 Flaring tool set

Comprehensive tube flaring kit, suitable for copper, brass and thin walled aluminium tubing. 45° tube press flare pipes from 3/16" to 5/8" diameter. The pipe cutter can cut up to 30mm diameter. Includes spare cutting wheel inside the handle. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.7 kilos)

| Pipe Cutter  | 3-32mm (1/8"- 1¼")                                |
|--------------|---|
| 2 piece doub | le flaring tool set                               |
| Adaptors     | 4, 4.75 (3/16"), 6 (1/4"), 8 (5/16"), 10,12, 14mm |



#### **DBT41** Pipe Reamer

Tools

For deburring copper, aluminium and brass pipes with cutters at both ends for internal and external deburring. For pipe diameters between 3 and 41mm. Made of plastic.



#### **Aluminium Pipe Reamers**

For deburring pipes of all types with cutters at both ends for internal and external deburring. Made of aluminium.

| Stock no. | For pipe diameter |  |
|-----------|-------------------|--|
| DBT35     | 8 to 35mm         |  |
| DBT54     | 10 to 54mm        |  |



#### **DET01** Deburring Tool

The HSS blade knives are swivel mounted in the handle and automatically adapt to the shape of the work piece. Use for different deburring operations on pipes, holes, edges, etc. Supplied with 2 HSS knife blades.

| DET01 Deburring tool   |  |
|------------------------|--|
| DET01RK 2 spare blades |  |



#### **DET02** Deburring Tool

The HSS blade knives are swivel mounted in the handle and automatically adapt to the shape of the work piece. Use for different deburring operations on pipes, holes, edges, etc. A handy pocket clip for added convenience.

# 700-PRO5 The Cutting Edge The Cutting Edge is a special pack including the Teng Tools utility knife, junior

hacksaw and 12" hacksaw.

#### Hacksaw frame

Professional quality steel hacksaw with ergonomically designed aluminium handle with soft rubber grip. Includes 300mm/12" HSS 24 teeth blade. A choice of settings for cutting at 45° or 90°. Overall length 395mm.

| Stock no. | Туре                    |
|-----------|-------------------------|
| 701N1     | Hacksaw frame           |
| 702       | 2 spare blades 24 teeth |

#### Hacksaw Frame →

#### Hacksaw frame

Professional quality steel hacksaw with ergonomically designed aluminium handle with soft rubber grip. Includes 300mm/12" HSS 24 teeth blade. A choice of settings for cutting at 45° or 90°. Overall length 395mm.

|           | •                       |  |
|-----------|-------------------------|--|
| Stock no. | Туре                    |  |
| 701N      | Hacksaw frame           |  |
| 702       | 2 spare blades 24 teeth |  |

#### Hacksaw Frame →

#### Hacksaw frame

Professional quality steel hacksaw frame with ergonomically designed aluminium handle and 12" Swedish M2 HSS 24 teeth blade. Includes facilities for presetting at 45 degree or 90 degree cutting angle or for use as a key hole saw. Includes storage space for extra blades.

| Stock no. | Туре                    |
|-----------|-------------------------|
| 701       | Hacksaw frame           |
| 702       | 2 spare blades 24 teeth |

#### Hacksaw Frame →

#### Mini hacksaw

Professional quality mini hacksaw frame with 6 position blade setting and complete with 3 6" hacksaw blades.

| Stock no. | Туре               |  |
|-----------|--------------------|--|
| 705       | Mini hacksaw frame |  |
| 705-5     | 5 spare blades     |  |















Mini Hacksaw

- · Cast aluminium strong frame construction
- Curved shape to allow access to confined spaces
- · Ergonomic rubber coated grip
- Supplied with two blades
- Complete with 6"x 24 teeth and 6-3/4" x 16 teeth hacksaw blades

| Stock no | Length            | Weight              |
|----------|-------------------|---------------------|
| 705A     | 280               | 193                 |
| 705A-5   | 6 3/4" X 16 teeth | 19 5pcs( for wood)  |
| 705-5    | 6" X 24 teeth     | 19 5pcs( for metal) |

#### Gun saw

3 piece Gun Saw set complete with 24 teeth blade for cutting metal and 10 teeth blade for cutting wood or plastic. Ergonomically designed grip with 4 position locking mechanism.

| Stock no. | Туре                                       |  |
|-----------|--|--|
| 703       | 3 piece Gun Saw set                        |  |
| 703-10    | 10 teeth blade for cutting wood or plastic |  |
| 703-24    | 24 teeth blade for cutting metal           |  |



Tools

Teng







#### 704 Hacksaw holder

Hacksaw holder in plastic with a non slip handle with 12" blade. Can be used as a key hole saw

#### TTDB28 28 Piece Drill Bits Set

28 piece drill bits set with a spiral angle of 28° and a split point of 118° for use on steel and cast iron. DIN 338. 265 x 142 x 50mm, 0.62 kilos

| Performance        | Fully Ground  |
|--------------------|---|
| Drills diameter mr | 1.0 (x3), 1.5 (x3), 2.0 (x2), 2.5 (x2), 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, |
|                    | 8.0, 8.5, 9.0, 10.0, 10.5, 11.0, 12.0, 13.0   |
| Shank              | same as drills diameter   |
|                    |   |





#### DB028 28 Piece Drill Bit Set

28 piece drill bit set supplied in plastic folding boxes. The spiral angle is 28° and a point angle of 118°. It has a split point for better positional accuracy. Standard drill bits for use in steel and cast iron.

| Drill diameters | mm | 1.0(x4), 1.5(x3), 2.0(x2), 2.5, 3.0, 3.3, 3.5, 4.0, 4.2, 4.5, 5.0, 5.5, 6.0, 6.5, 6.8, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0 |  |
|-----------------|----|---|--|
| No. of drills   |    | 28  |  |



#### DB034 34 Piece Drill Bit Set

34 piece drill bit set supplied in plastic folding boxes. The spiral angle is 28° and a point angle of 118°. It has a split point for better positional accuracy. Standard drill bits for use in steel and cast iron.

| Drill diameters | mm | 1.0(x4), 1.5(x3), 2.0(x2), 2.5, 3.0, 3.3, 3.5, 4.0, 4.2, 4.5, 5.0, 5.5, 6.0, 6.5, 6.8, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0, 10.5, 11.0, 11.5, 12.0, 12.5, 13.0 |
|-----------------|----|---|
| No. of drills   |    | 34  |

| Stock    | Size | Flute Length | Overall Length | Pack Qty |  |
|----------|------|--------------|----------------|----------|--|
| No.      | mm   | mm           | mm             |          |  |
| DBX010   | 1.0  | 12.0         | 34.0           | 10       |  |
| DBX015   | 1.5  | 18.0         | 40.0           | 10       |  |
| DBX020   | 2.0  | 24.0         | 49.0           | 10       |  |
| DBX025   | 2.5  | 30.0         | 57.0           | 10       |  |
| DBX030   | 3.0  | 33.0         | 61.0           | 10       |  |
| DBX033   | 3.3  | 36.0         | 65.0           | 10       |  |
| DBX035   | 3.5  | 39.0         | 70.0           | 10       |  |
| DBX040   | 4.0  | 43.0         | 75.0           | 10       |  |
| DBX042   | 4.2  | 43.0         | 75.0           | 10       |  |
| DBX045   | 4.5  | 47.0         | 80.0           | 10       |  |
| DBX050   | 5.0  | 52.0         | 86.0           | 10       |  |
| DBX055   | 5.5  | 57.0         | 93.0           | 10       |  |
| DBX060   | 6.0  | 57.0         | 93.0           | 10       |  |
| DBX065   | 6.5  | 63.0         | 101.0          | 10       |  |
| DBX068   | 6.8  | 69.0         | 109.0          | 10       |  |
| DBX070   | 7.0  | 69.0         | 109.0          | 10       |  |
| DBX075   | 7.5  | 69.0         | 109.0          | 10       |  |
| DBX080   | 8.0  | 75.0         | 117.0          | 5        |  |
| DBX085   | 8.5  | 75.0         | 117.0          | 5        |  |
| DBX090   | 9.0  | 81.0         | 125.0          | 5        |  |
| DBX095   | 9.5  | 81.0         | 125.0          | 5        |  |
| DBX100   | 10.0 | 87.0         | 133.0          | 5        |  |
| DBX105   | 10.5 | 87.0         | 133.0          | 5        |  |
| DBX110   | 11.0 | 94.0         | 142.0          | 5        |  |
| DBX115   | 11.5 | 94.0         | 142.0          | 5        |  |
| DBX120   | 12.0 | 101.0        | 151.0          | 5        |  |
| DBX125   | 12.5 | 101.0        | 151.0          | 5        |  |
| DBX130   | 13.0 | 101.0        | 151.0          | 5        |  |
| TTTD47 T |      |              |                |          |  |



#### **Fully Ground Drill bits**

Drill bits with a spiral angle of 28° and a point angle of 118°. The drill bits have a split point for better positional accuracy. Standard drill bits for use in steel and cast iron. DIN 338.



Fully Ground Drill Bits →

#### TTTD17 Tap & Die set

17 piece set containing one tap and one die of each dimension as well as a tap wrench, a die stock and a screw pitch gauge. Suitable for repairing threads. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.8 kilos)

| Metric dies | 3mm x 0.5, 4mm x 0.7, 5mm x 0.8,6mm x 1.0, 8mm x 1.25, 10mm x 1.5,12mm x 1.75           |
|-------------|---|
| Metric taps | 3mm, 4mm, 5mm, 6mm, 8mm, 10mm, 12mm   |
| Accessories | tap handle (capacity 3 to 12mm), die handle with adjustment screw (capacity 3 to 12mm), |
|             | screw nitch naune   |



#### TTDTD34 Tap & Die Set

34 piece tap and die set containing 7 taps, 7 dies, pitch gauge, 7 drill bits, 5 screw extractors, one mini screwdriver, adaptor, mini palm ratchet, interchangeable die chuck and two tap chucks. Supplied in the unique Teng Tools double TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x284x50mm, 1.6 kilos)

| Metric dies      | mm | 3x0.5, 4x0.7, 5x0.8, 6x1.0, 8x1.25,10x1.5, 12x1.75   |
|------------------|----|--|
| Metric taps      | mm | 3, 4, 5, 6, 8, 10, 12mm  |
| Drill bits       | mm | 2.5, 3.3, 4.2, 5.0, 6.8, 8.5, 10.5mm   |
| Screw extractors | 3  | 1/8" 3/16" 15/64" 5/16" 3/8"   |
| Accessories      |    | Screw pitch gauge, mini screwdriver hex (2.5x40mm), 1/4" extension bar, 3/8"F:1/4"M adaptor, 1/4" mini palm ratchet, 1/4" interchangeable die chuck, 1/4" tap chuck (x2 - M3-M8, M5-M12) |







366



# **RUBEN, Flight Engineer**

When it comes to flying you don't want to gamble. You want perfectly tuned machinery. To get that, you need a perfectly tuned workshop. For some, things organised perfectly might seem boring, but when it comes to getting clear for take-off, it's vital. Welcome to our world!



#### Individual Taps & Dies

Separate dies and taps, suitable as replacement parts for Teng Tools Tap and Die sets.

| Stock    | Size        | Description |  |
|----------|-------------|-------------|--|
| No.      |             |             |  |
| TDT03050 | 3mm x 0.5   | Spare Tap   |  |
| TDT04070 | 4mm x 0.7   | Spare Tap   |  |
| TDT05080 | 5mm x 0.8   | Spare Tap   |  |
| TDT06100 | 6mm x 1.0   | Spare Tap   |  |
| TDT08125 | 8mm x 1.25  | Spare Tap   |  |
| TDT10150 | 10mm x 1.5  | Spare Tap   |  |
| TDT12175 | 12mm x 1.75 | Spare Tap   |  |
| TDD03050 | 3mm x 0.5   | Spare Die   |  |
| TDD05080 | 5mm x 0.8   | Spare Die   |  |
| TDD04070 | 4mm x 0.7   | Spare Die   |  |
| TDD06100 | 6mm x 1.0   | Spare Die   |  |
| TDD08125 | 8mm x 1.25  | Spare Die   |  |
| TDD10150 | 10mm x 1.5  | Spare Die   |  |
| TDD12175 | 12mm x 1.75 | Spare Die   |  |

#### Individual Taps and Dies →



#### M140070 Die chuck

1/4" drive interchangeable die chuck for use with, for example, the Teng Tools mini palm ratchet. Suitable for use with Teng Tools individual dies. Length 70mm, diameter 35mm.



#### ap chucks

1/4" drive adjustable tap chucks for use with, for example the Teng Tools mini palm ratchet. Suitable for use with Teng Tools individual taps.

| Stock No | Drive | For taps | Chuck diameter |  |
|----------|-------|----------|----------------|--|
| M140071  | 1/4   | 3-8      | 20             |  |
| M140072  | 1/4   | 5-12     | 25             |  |

#### Tap Chucks →



#### **TAP-HNDL** Individual Tap Handle

Individual tap handle for use with Teng Tools taps and Teng Tools screw extractors (capacity 3 to 12mm).



#### **DIE-HNDL** Individual Die Handle

Individual die handle for use with Teng Tools dies.







# KNIVES

Knives that are easy and efficient to use. The right quality knives for each occasion and user. Everyone will find their favourite among these best-sellers.



# Safety knives

- The function to lock the blade in the retracted position prevents you from accidentally extending the blade and injuring yourself.
- Practical storage of 5 extra knife blades in the handle.
- Easy to change the blade press the red button and remove the old blade, load a new blade by pressing the button at the rear of the knife.
- With comfortable two component grip, shaped for pushing and pulling forces.

# Flexible, foldable knives

- Magazine that holds three blades which are easy to change – press the red button, take out the dull blade and reload with the black button at the front.
- The blade locks in the extended position, preventing the knife from being folded up unintentionally.
   Release with the black button.

#### Knife blade

- Knife blade that fits all standard knives.
- Manufactured of high-alloy carbon steel, which ensures maximum sharpness and optimum durability.
- Two different sizes of packages with loose knife blades: 10-pack or 100-pack.
- Easy to store and handle loose knife blades.
- Practical dispenser with new blades and space for used blades.

# Snap-off blade knives

- Several of these are equipped with tools that make it easy to snap off the blade.
- The five most popular models on the market.
- Two blade widths to choose from: 9 mm or 18 mm.

Gerionaline res

# Teng Tools

#### TTK40 Knife Set

A handy set of knives for different uses in one convenient set. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.7 kilos)

| Knives | utility knife with auto load function | Spare blades | 5 x  | Regular knife blades |
|--------|---------------------------------------|--------------|------|----------------------|
|        | folding universal knife               |              | 10 x | Mini knife blades    |
|        | folding mini utilty knife             |              | 10 x | 9mm Snap off blades  |
|        | hobby knife with 9mm blade            |              | 10 x | 18mm Snap off blades |
|        | habba balka aalib 40aan blada         |              |      |                      |



#### 710S Knife Set

4 assorted hobby type knives with snap off blades

| Snap off blade knives | 9mm blade with metal body                      |
|-----------------------|--|
|                       | 9mm blade with plastic body                    |
|                       | 18mm blade with plastic body                   |
|                       | 18mm blade with plastic body and position lock |



#### Hobby knife

Hobby knife with 9mm blade. Metal casing with break off tool and pocket clip. Supplied with one 9mm snap off blade (spare blades available).

| Stock No. |                     |  |
|-----------|---------------------|--|
| 710A      | Hobby Knife         |  |
| 710A-10   | 10 spare 9mm blades |  |



#### Hobby Knives →

#### Hobby knife

**Teng Tools** 

Hobby knife with 9mm blade. Plastic casing with break off tool and pocket clip. Supplied with one 9mm snap off blade (spare blades available).

| Stock No. |                     |  |
|-----------|---------------------|--|
| 710H      | Hobby knife         |  |
| 710A-10   | 10 spare 9mm blades |  |



## Hobby Knives →

#### Hobby knife

Hobby knife with 9mm blade. Supplied with 2 spare blades. Additional spare blades available.

| Stock No. |                     |  |
|-----------|---------------------|--|
| 710F      | Hobby Knife         |  |
| 710A-10   | 10 spare 9mm blades |  |



#### Hobby Knives →



#### 710A-100 Spare Blades

Pack of 100 replacement 9mm snap off blades.



#### Hobby knife

Hobby knife with 18mm blade. Plastic casing with break off tool and pocket clip. Supplied with one 18mm snap off blade (spare blades available).

| Stock No. |                          |  |
|-----------|--------------------------|--|
| 710C      | Hobby Knife              |  |
| 710F-10   | 10 spare 18mm blades     |  |
| 7105-10   | TO spare Tollilli blades |  |

#### Hobby Knives →



Hobby knife with 18mm blade. Plastic casing with locking mechanism, break off tool and pocket clip. Supplied with two 18mm snap off blades (spare blades available).

| Stock No. |                      |  |
|-----------|----------------------|--|
| 710G      | Hobby Knife          |  |
| 710F-10   | 10 spare 18mm blades |  |

#### Hobby Knives →



#### 710F-100 Spare Blades

Pack of 100 replacement 18mm snap off blades.



P-UKF Mini Folding Utility Knife
Folding aluminium utility knife with fixed blade. (Spare blades available)

| 3         |                 |  |
|-----------|-----------------|--|
| Stock No. |                 |  |
| P-UKF     | Utility Knife   |  |
| 710U-10   | 10 spare blades |  |
|           |                 |  |









#### 711 Utility knife

Safety knife with bi-material plastic handle and featuring an automatic blade return that makes the knife safer to work with. When the blade has come to the end of its use, there is a handy release button at the end of the knife, one of the 6 stored blades then automatically loads into position. Also with non slip sections. Supplied with 6 blades.

| Stock No. | Туре            |  |
|-----------|-----------------|--|
| 711       | Utility knife   |  |
| 710-10    | 10 spare blades |  |

#### Utility Knife →



#### 712 Utility knife

Folding universal utility knife with a fixed blade. Supplied with 3 blades. Additional spare blades available.

| Stock No. |                 |  |
|-----------|-----------------|--|
| 712       | Utility Knife   |  |
| 710-10    | 10 spare blades |  |

## Utility Knife →

#### 710 Utility knife

Heavy duty utility knife with retractable blade. Supplied complete with two spare blades.

| Stock No. | Туре            |  |
|-----------|-----------------|--|
| 710       | Utility knife   |  |
| 710-10    | 10 spare blades |  |

#### Utility Knife →

Tools

Teng

#### 710N Utility knife

Heavy duty utility knife with ergonomically designed handle including a non slip section for better grip. A 3 step blade adjustment. Quick opening and closing action and with spare blade storage inside handle. Supplied with 2 blades.

| Stock No. | Туре            |  |
|-----------|-----------------|--|
| 710N      | Utility knife   |  |
| 710-10    | 10 spare blades |  |

#### Utility Knife →

#### 710-10 Spare Blades

Pack of 10 replacement utility knife blades with storage for used blades.



#### 710-100 Spare Blades

Pack of 100 replacement utility knife blades with storage for used blades.



#### 710-10H Spare Blades

Pack of 10 replacement utility knife hook shaped blades with storage for used blades.



#### 710-100H Spare Blades

Pack of 100 replacement utility knife hook shaped blades with storage for used blades.











#### MD503N 6 and 7mm Hose Clip Driver

Reversible 6mm or 7mm fitting to suit most worm drive hose clips. Additional features include Mega Drive style handle for a more comfortable grip and a flexible spiral steel shaft for easier access (overall length 275mm).

| Stock no. | Desciption               |
|-----------|--------------------------|
| MD503N    | Hose clip driver         |
| MD503RK   | Replacement 6/7mm socket |

#### 6 & 7mm Hose Clip Driver →

#### MD503NA 7mm Hose Clip Driver

7mm fitting to suit the most commonly used worm drive hose clips such as Jubilee hose clips. Additional features include Mega Drive style handle for a more comfortable grip and a flexible spiral steel shaft for easier access (overall length 275mm).



#### MD503ND 8mm Hose Clip Driver

8mm fitting to suit some European style worm drive hose clips and Jubilee high torque hose clips. Additional features include Mega Drive style handle for a more comfortable grip and a flexible spiral steel shaft for easier access (overall length 275mm).



#### TTTM03 Inspection tool set

3 piece inspection set including an inspection mirror, a magnifying glass and a magnetic pick up. All with pocket clips. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.5 kilos)

| Telescopic magnifying glass      |  |
|----------------------------------|--|
| Telescopic inspection mirror     |  |
| Telescopic magnetic pick up tool |  |

**Tool** 



#### TTTM08 Inspection tool set

Containing flexible and telescopic pick ups, magnifying glass, inspection mirror, flexible claw pick up, LED torch and batteries. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

| LED flashlight                   |                       |
|----------------------------------|-----------------------|
| Flexible magnetic pick up        | length 310mm          |
| Telescopic magnetic pick up      | length 160-480mm      |
| 38mm magnifying glass 1:3        | with magnetic adaptor |
| 38mm inspection mirror           | with magnetic adaptor |
| 230mm flexible claw pick up tool |                       |
| Batteries AAA (2 pieces)         |                       |



#### TTOS16 Oil service set

Set consisting of 6 double ended drain plug sockets, 16 and 21mm 6 point spark plug sockets, oil filter wrench, 3" and 10" wobble extension bars, 1/2"-3/8" adaptor, telescopic inspection mirror with magnet and a set of feeler gauges. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.8 kilos)

| Accessories        | 3", 10" wobble extensions, 1/2"F:3/8" Male T bar adaptor, 6 point 21mm socket   |
|--------------------|---|
| Spark plug sockets | 3/8" drive 16, 21mm   |
| Drain plug set     | bar, 5/16" hex x 3/8" hex, 11mm square x 12mm hex, 17mm hex x 1/2" hex,<br>8mm square x 3/8" square, 13mm square x 14mm hex, 8mm hex x 10mm hex |
| Accessories        | strap type oil filter wrench, 3 in 1 telescopic inspection tool,<br>21 piece feeler gauge set (.005 mm - 1.0 mm)                                |



#### **TTSR04** Scraper set

4 piece set consisting of scraper, hooks and an awl. A multi purpose tool kit. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.4 kilos)

| Gasket scraper | 22mm wide blade, total length 245mm |
|----------------|-------------------------------------|
| Hooks & awl    | curved hook, 90° hook and awl       |



#### FG21 Feeler Gauge

Professional quality feeler gauge set with removable nickel plated spring steel conical blades and locking nut. For measuring gaps and bearing play, etc. Measurement range 0.05 to 1.00mm.


Feeler gauge blades 0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50, 0.55, 0.60, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 0.95,1.00mm



#### **Scraping & Removing Tools**

Individual tools for scraping and removing.

| Stock no. | Product        | Description |
|-----------|----------------|-------------|
| MDH-S     | 90 degree hook | L-shape     |
| MDH-L     | Curved hook    | S-shape     |
| MDA-R     | Awl            | Round tip   |
| MDA-SQ    | Awl            | Square tip  |
| MD-SCR    | Scraper        | Width 22mm  |





#### TTHC03 Hose clamp set

Special designed jaws to prevent internal hose linings from damage. Lightweight, easy to use and non conductive. 3 sizes to fit all types of hose. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.5 kilos)

| Hose clamps   | for hoses  | 1/4"-3/4", | 1/4"-1 | 1/4", | 3/4"-2¼" |
|---------------|------------|------------|--------|-------|----------|
| nuse ciallips | 101 110262 | 1/4 -3/4 , | 1/4 -1 | 1/4,  | 3/4 -2/4 |







# ooL gue

#### **Individual Hose Clamps**

Special designed jaws prevents internal hose linings from damage. Lightweight, easy to handle and non conductive. 3 sizes to fit all types of hose.

| Stock no. | For hoses<br>inch |  |
|-----------|-------------------|--|
| AT080     | 1/4-3/4           |  |
| AT085     | 1/4-11/4          |  |
| AT090     | 3/4-21/4          |  |



#### Hose Clamps →

#### TM149 Hook & Pick Set

Set of 4 tips, awl, hook tool, 45 and 90 degrees bent tools, aluminium handle. For detail work and scribing. Supplied in a pocket sized case with click lock. (105x60x32mm)

#### **MD-SCR** Gasket Scraper

Gasket scraper with 22mm blade for easy removal of gasket residue. With Mega Drive handle for more comfortable grip (overall length 245mm).



#### Spark Plug Boot Plier

- Heavy duty spark plug boot pliers with spring action handle
- Designed for removing spark plug boots without damaging

| Stock no. | Length<br>mm | Weight<br>g |  |
|-----------|--------------|-------------|--|
| SPBP20    | 250          | 297         |  |




#### **Spark Plug Thread Cleaners**

Cleaning tool for spark plug threads in engine blocks

| Stock no. | For threads         |  |
|-----------|---------------------|--|
| TRC1012   | 10x1.0 and 12x1.25  |  |
| TRC1418   | 14x1.25 and 18x1.25 |  |
| TRC1418   | 14x1.25 and 18x1.25 |  |







6 point chrome vanadium sockets, with rubber insert.

#### Spark Plug Sockets →

| Stock     | Drive | Description                             | Thread | Length | Weight |  |
|-----------|-------|---|--------|--------|--------|--|
| No.       |       |   | size   | mm     | g      |  |
| M380039-C | 3/8"  | 6 point 14mm spark plug socket          | 8      | 64     | 73     |  |
| M380040-C | 3/8"  | 6 point 16mm spark plug socket          | 10     | 64     | 100    |  |
| M380041-C | 3/8"  | 6 point 16mm flexible spark plug socket | 10     | 85     | 117    |  |
| M380042-C | 3/8"  | 6 point 18mm spark plug socket          | 12     | 70     | 130    |  |
| M380046-C | 3/8"  | 6 point 21mm spark plug socket          | 14     | 70     | 160    |  |
| M380047-C | 3/8"  | 6 point 21mm flexible spark plug socket | 14     | 91     | 169    |  |
| M120040-C | 1/2"  | 6 point 16mm spark plug socket          | 10     | 70     | 165    |  |
| M120042-C | 1/2"  | 6 point 18mm spark plug socket          | 12     | 70     | 165    |  |
| M120046-C | 1/2"  | 6 point 21mm spark plug socket          | 14     | 70     | 165    |  |

# **TTXTB05** 3/8" drive extra long swivel spark plug set 5 piece set with 3/8" drive extra long swivelling spark plug

5 piece set with 3/8" drive extra long swivelling spark plug sockets and a T bar with handle. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.5 kilos)

| Spark plug sockets | 14, 16, 21mm         |
|--------------------|----------------------|
| Accessories        | 2 piece T bar handle |



#### TEXTB05 T bar Spark Plug Socket Set NEW!

5 piece T bar spark plug socket set supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x70mm, 1.4 kilos)


| Accessories                         | T bar handle and T bar handle adaptor |
|-------------------------------------|---------------------------------------|
| 520mm long T bar spark plug sockets | 14, 16, 21mm                          |
|                                     |                                       |



#### T bar universal joint spark plug sockets

520mm long with universal joint 6 point spark plug sockets, a T bar handle and 3/8" drive.

#### T bar universal joint spark plug sockets →



| Stock No | Size mm | Thread mm         | L mm          | C mm          | D mm           | Weight g     |
|----------|---------|-------------------|---------------|---------------|----------------|--------------|
| TBUSP14  | 14      | 8                 | 520           | 60            | 10             | 380          |
| TBUSP16  | 16      | 10                | 520           | 60            | 10             | 400          |
| TBUSP21  | 21      | 14                | 520           | 60            | 10             | 440          |
| T-HD01   | 200mm   | x 8mm spare bar f | or use with 1 | Γ bar univers | al joint spark | plug sockets |







#### Oil Filter Wrench

Fully adjustable oil filter wrench, heavy duty strap spanner for a wide range of garage and workshop tasks. With strong, drop forged steel handle for high leverage and reinforced, rubberised non stretch strap. Capacity 160mm. Length of tool 230mm.

| Stock No. | Description                  |  |
|-----------|------------------------------|--|
| 9123      | oil filter wrench            |  |
| 9123RK    | oil filter wrench repair kit |  |



#### Oil Filter Wrench →

#### 409 Oil Filter Remover Plier

Multi purpose plier 53-118mm opening. Chrome vanadium steel, drop forged jaws, heat treated and nickel plated. Suitable for removing and installing objects of many shapes. The locking system gives an excellent extra function.



#### 9124 Chain pipe wrench

Chain pipe wrench for mounting and unmounting pipes etc. Capacity of pipes 4".



#### TTOS16 Oil service set

Set consisting of 6 double ended drain plug sockets, 16 and 21mm 6 point spark plug sockets, oil filter wrench, 3" and 10" wobble extension bars, 1/2"-3/8" adaptor, telescopic inspection mirror with magnet and a set of feeler gauges. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.8 kilos)

| Accessories        | 3", 10" wobble extensions, 1/2"F:3/8" Male T bar adaptor, 6 point 21mm socket   |
|--------------------|---|
| Spark plug sockets | 3/8" drive 16, 21mm   |
| Drain plug set     | bar, 5/16" hex x 3/8" hex, 11mm square x 12mm hex, 17mm hex x 1/2" hex,<br>8mm square x 3/8" square, 13mm square x 14mm hex, 8mm hex x 10mm hex |
| Accessories        | strap type oil filter wrench, 3 in 1 telescopic inspection tool,<br>21 piece feeler gauge set (.005 mm - 1.0 mm)                                |



#### Oil Filter Removal Tool

9110. Nylon webbing strap wrench style oil filter removal tool with 1/2" drive carbon steel adaptor. Capacity 130mm.

9120. All steel chain style oil filter removal tool with 1/2" drive carbon steel adaptor. Capacity 120mm.

| Stock no. | Description                | Drive | Capacity mm |  |
|-----------|----------------------------|-------|-------------|--|
| 9110      | oil filter wrench          | 1/2"  | 130         |  |
| 9110RK-1  | replacement strap for 9110 |       |             |  |
| 9120      | oil filter wrench          | 1/2"  | 120         |  |
| 9120RK-1  | replacement chain for 9120 |       |             |  |



#### Oil Filter Removal Tool →



## 380

#### 9120HD Heavy duty Oil Filter Removal Tool

Chain type oil filter removal tool with a maximum tensile strength of 1850kgf and a capacity of 150mm. ½" drive adaptor for use with ratchets or other socket accessories.



#### **Drain Plug Keys**

Separate plug sockets with different shapes and sizes suitable for drain plugs in engines and gearboxes.

| Stock no. | Size                     |  |
|-----------|--------------------------|--|
| DP0810    | 8mm hex x 10mm hex       |  |
| DP0812    | 8mm square x 3/8" square |  |
| DP1012    | 5/16" hex x 3/8" hex     |  |
| DP1112    | 11mm square x 12mm hex   |  |
| DP1314    | 13mm square x 14mm hex   |  |
| DP1716    | 17mm hex x 1/2" hex      |  |

#### Drain Plug Keys →

#### AT005 Cylinder Leakage Tester

Two in one 14/18mm spark plug and 1/4" BSP female airline coupler. Holds most engine valves for service with the cylinder head still in place. Overall length 160mm.



#### **AT020** Piston Ring Compressor

Piston ring compressor with 4 tightening bands suitable for cylinder diameters of 90 to 175mm. Self-locking ratchet pawl prevents premature release and allows a positive locking action. Friction proof band edge gives a smooth and accurate action.



#### **AT040** Engine Cylinder Honing Tool

An adjustable engine cylinder honing tool suitable for cylinders from 50 to 180mm diameter. Spring tension adjustment to give a positive cutting action. Suitable for use with air tools. Grit 280.

| Stock no. | Description                   |  |
|-----------|-------------------------------|--|
| AT040     | Engine cylinder honing tool   |  |
| AT040-SM  | Replacement stones (3 pieces) |  |




#### Flare Nut Wrenches Range

Double Flare Nut Wrenches with different openings at each end. DIN 3118 Chrome vandium. Satin Finish.

| Stock  | Size  | L     | Н    | D1   | D2   | C1   | C2   | Т   | Weight |
|--------|-------|-------|------|------|------|------|------|-----|--------|
| No.    | mm    | mm    | mm   | mm   | mm   | mm   | mm   | mm  | g      |
| 641011 | 10x11 | 152.4 | 7.9  | 21.4 | 23.0 | 7.0  | 8.2  | 4.3 | 60     |
| 641213 | 12x13 | 178.6 | 10.0 | 25.0 | 27.4 | 9.0  | 10.3 | 5.7 | 113    |
| 641314 | 13x14 | 178.6 | 13.1 | 25.0 | 27.4 | 14.3 | 15.1 | 5.7 | 113    |
| 641617 | 16x17 | 196.0 | 15.1 | 29.9 | 31.9 | 15.4 | 17.0 | 6.4 | 162    |
| 641922 | 19x22 | 207.7 | 17.0 | 34.2 | 38.2 | 18.9 | 20.0 | 7.4 | 220    |

| Stock  | Size     | L     | Н    | D1   | D2   | C1  | C2  | Т   | Weight |  |
|--------|----------|-------|------|------|------|-----|-----|-----|--------|--|
| No.    |          | mm    | mm   | mm   | mm   | mm  | mm  | mm  | g      |  |
| 661416 | 7/16x1/2 | 158.8 | 11.9 | 23.0 | 24.3 | 8.2 | 9.0 | 5.5 | 220    |  |





#### **AT160 Brake Spring Washer Tool**

Two in one tool that fits both large and small brake spring washers. Easy to use with a design that enables good visibility when assembling or dismantling brake assemblies. (length 230mm, weight 153g).



#### **Disc Pad Removal Parallel Pin Punches**

Parallel pin punches for removing pins from brake disc pads. Overall length 165mm.

| Stock no. | Description              |
|-----------|--------------------------|
| AT170     | 5.5mm parallel pin punch |



#### **AT180** Brake Cylinder Honing Tool

An adjustable brake cylinder honing tool suitable for cylinders from 20 to 68mm diameter. Spring tension adjustment to give a positive cutting action. Grit 220.

| Stock no. | Description                   |  |
|-----------|-------------------------------|--|
| AT180     | Brake cylinder honing tool    |  |
| AT180-S   | Replacement stones (3 pieces) |  |



#### AT330 Disc Brake Pad Puller

Simply hooks on to the disc pad with 5mm pins. The sliding hammer function helps release the pad from the caliper.



#### TTXPB3A Pry bar set

3 piece heavy duty pry bar set with Power Thru handles. Supplied in the unique Teng Tools TTX tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 1.8 kilos)



| Pry bars | 12", 18", 22" |  |
|----------|---------------|--|
|----------|---------------|--|

#### **Pry Bars**

Heavy duty pry bar with Power Thru handles. 12", 18" and 22"

| . loar, aar, p., c |         | nanaico. 12 , 10 ana 22 . |  |
|--------------------|---------|---------------------------|--|
| Stock No.          | Size mm | Size inch                 |  |
| PB12A              | 300     | 12                        |  |
| PB18A              | 450     | 18                        |  |
| PB22A              | 550     | 22                        |  |



Pry Bars →



#### **Ball Joint Separators**

Simple to use tool for separating ball joints.

| Stock No. | Opening | Adjustable |  |
|-----------|---------|------------|--|
|           | mm      | height mm  |  |
| AT186     | 18      | 38         |  |
| AT191     | 29      | 60         |  |
| AT192     | 40      | 80         |  |
| AT194     | 46      | 100        |  |
|           |         |            |  |







#### AT195 Ball Joint Separator

Heat treated drop forged steel body and thrust bolt. Fits most cars.

AT200 Coil Spring Compressor Set

Coil spring compressor set with safety hooks. Simple to use.

| Stock No. | Opening<br>mm | Adjustable<br>height mm |  |
|-----------|---------------|-------------------------|--|
| AT195     | 16            | 50                      |  |







#### Tyre Levers

Tyre Levers →

Capacity 250mm.

Traditional flat tyre levers manufactured in medium carbon steel (HRC 40 +/- 2°) for high leverage.

| Stock   | Size | Size |  |
|---------|------|------|--|
| No.     | mm   | inch |  |
| AT20512 | 304  | 12   |  |
| AT20516 | 406  | 16   |  |
| AT20520 | 508  | 20   |  |
| AT20524 | 609  | 24   |  |





#### 1473 Bicycle Tool Kit

11 piece set especially designed for cyclists and including hexagon, TX and screwdriver keys, a tyre lever and a chain tool. Chrome nickel finish. Retractable in aluminium case.

| Accessories                 | ergonomically designed aluminium holder, tyre lever and chain tool |
|-----------------------------|--|
| Individual hex keys         | 2, 2.5, 3, 4, 5, 6mm   |
| Individual TX keys          | TX25   |
| Individual Screwdriver keys | 1.0x5.5mm flat, PH2  |













#### TEXW05 Wheel Tools Set

5 piece wheel removal tool set. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system.

(570x115x40mm. 2.38 kilos)

| Flexible handle    | 1/2" drive | 17" (425mm)              |
|--------------------|------------|--------------------------|
| Wheel nut sockets  | 1/2" drive | 17, 19, 21mm             |
| Impact accessories | 1/2" drive | 5" (125mm) extension bar |



#### **Wheel Wrenches**

1/2" drive extending wheel wrench complete with a choice of double ended sockets (also available individually or as a set with a 3" extension – see below). Extends from 14" (35cm) to 21" (55cm) for extra power when removing wheel nuts. Chrome vanadium steel.

| Stock no. | Drive | Wheel nut socket sizes mm | Weight<br>g |  |
|-----------|-------|---------------------------|-------------|--|
| 1202      | 1/2"  | 17 x 19                   | 900         |  |
| 1202A     | 1/2"  | 21 x 22                   | 905         |  |

#### **Wheel Wrenches**



#### STR01 Wheel Tool Set NEW!

An organised set of tools for changing wheels on cars. Includes an air gun, the most commonly used wheel nut impact sockets with nylon sleeves to protect alloy wheels. The torque wrench has four preset torque settings to suit most car applications. A handy rack is included for fixing to the wall or to a roller cabinet.

| Torque wrench     | 1292Q401 model 1/2" drive pre-set to 90, 110    |
|-------------------|---|
|                   | 120 and 140Nm settings                          |
| Wheel nut sockets | 1/2" drive deep metric with nylon sleeves - 17, |
|                   | 19, 21mm  |
| Air gun           | 1/2" drive ARWM12M model, compact               |
|                   | impact wrench                                   |
|                   |   |

# 9203N1 Wheel Nut Set


2 double ended 1/2" drive impact sockets to fit most car wheel nuts together with an extension bar

| Impact accessories | 1/2" drive | 3" (75mm) extension bar |
|--------------------|------------|-------------------------|
| Impact sockets     | 1/2" drive | 17x19mm, 21x22mm        |

# 1/2" Drive double ended sockets for wheel nuts 1/2" drive double ended impact sockets for wheel nuts

| Stock   | Size        | D1 | D2       | L               |  |
|---------|-------------|----|----------|-----------------|--|
| 9291719 | mm<br>17/19 | 28 | mm<br>28 | <i>mm</i><br>58 |  |
| 9292122 | 21/22       | 32 | 32       | 58              |  |

384





# 9203N Wheel Nut Sockets 1/2" drive 17, 19 and 21mm deep in

1/2" drive 17, 19 and 21mm deep impact sockets 6 point, metric. For wheel nuts. Made in chrome molybdenum with protective inserts for use on aluminium wheels. Black finish. Supplied as a set of three.




#### **Wheel Nut Sockets**

1/2" drive deep impact sockets 6 point, metric. For wheel nuts.

Made in chrome molybdenum with protective inserts for use on aluminium wheels.

Black finish.

| Stock no. | Size | L  | Т  | D1 | D2 | Weight |  |
|-----------|------|----|----|----|----|--------|--|
|           | mm   | mm | mm | mm | mm | g      |  |
| 920517N   | 17   | 85 | 27 | 26 | 32 | 260    |  |
| 920519N   | 19   | 85 | 27 | 29 | 32 | 270    |  |
| 920521N   | 21   | 85 | 27 | 29 | 32 | 380    |  |





#### **TTTS08** Torque Stick Set

8 piece torque stick and wheel nut set, for tightening wheel nuts on cars. When the intended tightening torque is reached, the socket end stops while the drive end springs back between each stroke. Reduces the risk of sheared wheel bolts or deformed rims. Supplied in the unique Teng

| 1/2" Torque sticks     | Nm   | 90, 110, 120, 140 |
|------------------------|------|-------------------|
| 1/2" Wheel nut sockets | mm   | 17, 19, 21        |
| Torque sten un adantor | inch | 3/8 x 1/2         |

Tools TC tray with removable lid and dove tail joints for use on it's own or

as part of the Teng Tools TC control system. (265x142x50mm, 2.0 kilos)



#### 1/2" Drive Torque Sticks

1/2" drive torqe sticks for tightening wheel nuts using percussive nut runners. When the intended tightening torque is reached the socket end stops while the drive end springs back between each stroke. Reduces the risk of sheared wheel bolts or deformed rims. Suitable for retaining rings and pins.

385

| Stock<br>No. | Drive | Torque<br>Nm | Length<br>mm | Retaining<br>Ring | Retaining<br>Pin |  |
|--------------|-------|--------------|--------------|-------------------|------------------|--|
| 923090       | 1/2"  | 90           | 200          | 0935202           | P90320           |  |
| 923110       | 1/2"  | 110          | 200          | 0935202           | P90320           |  |
| 923120       | 1/2"  | 120          | 200          | 0935202           | P90320           |  |
| 923140       | 1/2"  | 140          | 200          | 0935202           | P90320           |  |

1/2" Drive Torque Sticks →



#### **TTPSAD** Body working hammers

Set of five body working hammers including two dead blow and three metal working hammers. Supplied in the Teng Tools PS tray for use on it's own or as part of the Teng Tools TC control system. (560x265x40mm, 4.5 kilos).

| Hammers | dead blow hammers with 35 and 55mm diameter heads, crown face hammers |  |
|---------|---|--|
|         | with straight pein, pick heads and square milled face.                |  |








920627-C

#### **Dead Blow Hammers**

Dead blow hammer. Head filled with steel balls to prevent the hammer from bouncing.

| Stock no. | o. Face diameter Weight |      |  |
|-----------|-------------------------|------|--|
|           | mm                      | g    |  |
| HMDH35    | 35                      | 300  |  |
| HMDH45    | 45                      | 490  |  |
| HMDH55    | 55                      | 980  |  |
| HMDH65    | 65                      | 1365 |  |





## **Body Working Hammers**

Hammers with forged alloy steel heads and mirror polished face. Hickory handle. Handle and wedge are available, order part number HMBHRK.

| Stock no. | Туре                                 | Overall length | Weight |  |
|-----------|--------------------------------------|----------------|--------|--|
|           |                                      | mm             | g      |  |
| HMBH01    | round crown face and straight pein   | 325            | 400    |  |
| HMBH02    | round crown face and round point pic | k head         |        |  |
|           | for removing spots when finishing    | 325            | 350    |  |
| HMBH03    | round crown face and square milled f | ace 325        | 400    |  |





#### **Body Working Dollies**

Individual dollies for panel beating. Use together with Teng tools body working hammers (above).

| Stock<br>No. | Shape  | Length<br>Nm | Width<br>mm | Height<br>mm | Weight<br>kilos |  |
|--------------|--------|--------------|-------------|--------------|-----------------|--|
| AT415        | Curved | 128          | 58          | 40           | 1.1             |  |
| AT420        | Heel   | 80           | 60          | 30           | 0.9             |  |





SL01 single cup

#### **Suction Lifters**

For easy lifting of items with large flat smooth surfaces such as glass, marble, etc. The single cup lifter can also be used to pull out dents in flat surfaces such as bodywork panels. Suction cups are 118mm diameter. The maximum load for each lifter is shown in the table below.

| Stock<br>No. | Suction cups | Maximum<br>load kilos | Diameter of cup (mm) | Weight<br>g |  |
|--------------|--------------|-----------------------|----------------------|-------------|--|
| SL01         | 1            | 30                    | 118                  | 310         |  |
| SL02         | 2            | 60                    | 118                  | 600         |  |
| SL03         | 3            | 120                   | 118                  | 900         |  |



SL03 triple cup

Magnetic Angle Blocks
Magnetic block used when welding sheet metal and pipes etc. in exact 90° or 45°. Can be used for both round and flat work surfaces.

| Stock no. | Maximum width | Height | Magnetic force |  |
|-----------|---------------|--------|----------------|--|
|           | mm            | mm     | N              |  |
| MH75      | 120           | 82     | 27             |  |
| MH90      | 160           | 100    | 27             |  |

#### Magnetic Block →

#### **Specialist Automotive Sockets**

Specialist automotive sockets.

| Stock    | Drive | Size    | Length | Applications                |  |
|----------|-------|---------|--------|-----------------------------|--|
| No.      |       |         | mm     |                             |  |
| 920242-C | 1/2"  | 1 5/16" | 78.0   | Wheel nuts                  |  |
| 920248-C | 1/2"  | 1 1/2"  | 78.0   | Ball Joints                 |  |
| 920624-C | 1/2"  | 24mm    | 78.0   | Oil pressure switch         |  |
| 920627-C | 1/2"  | 27mm    | 78.0   | Injectors                   |  |
| 920628-C | 1/2"  | 28mm    | 78.0   | Diesel Injectors            |  |
| 920629-C | 1/2"  | 29mm    | 78.0   | Thermostat switch           |  |
| 920630-C | 1/2"  | 30mm    | 78.0   | Hub nuts                    |  |
| 920632-C | 1/2"  | 32mm    | 78.0   | Hub nuts/drive shafts       |  |
| 920635-C | 1/2"  | 35mm    | 78.0   | Hub nuts                    |  |
| 920636-C | 1/2"  | 36mm    | 78.0   | Hub nuts                    |  |
| 940641-C | 3/4"  | 41mm    | 58.0   | Hub nuts                    |  |
| 940258-C | 3/4"  | 1 3/16" | 58.0   | Deep ball joint socket      |  |
| 120955-C | 1/2"  | TX55    | 100    | Cylinder head bolts         |  |
| 120970-C | 1/2"  | TX70    | 125    | Cylinder head bolts         |  |
| AT350    | 1/2"  | 29mm    | 90.0   | Oxygen sensor socket        |  |
| AT355    | 3/8"  | 22mm    | 90.0   | Oxygen sensor socket        |  |
| AT360    | 1/2"  | 27mm    | 85.0   | Injector socket             |  |
| AT365    | 3/8"  | 7/8"    | 80.0   | Vacuum switch socket        |  |
| AT370    | 3/8"  | 11/16"  | 74.0   | Oil sender socket           |  |
| AT375    | 1/2"  | 7/8"    | 50.0   | Heated oxygen sensor socket |  |
| AT380    | 3/8"  | 7/8"    | 30.0   | Offset Oxygen sensor socket |  |

# Specialist Automotive Sockets →

#### TTSS07 Specialist socket set

Specialist socket set containing 2 oxygen sensor sockets, injector socket, vacuum switch socket, oil sender socket, heated oxygen sensor socket and offset oxygen sensor socket. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 3.5 kilos)

| 1/2" drive | 90mm in length   | Oxygen sensor socket  |
|------------|--|---|
| 3/8" drive | 90mm in length   | Oxygen sensor socket  |
| 1/2" drive | 85mm in length   | Injector socket   |
| 3/8" drive | 80mm in length   | Vacuum switch socket  |
| 3/8" drive | 74mm in length   | Oil sender socket   |
| 1/2" drive | 50mm in length   | Heated oxygen sensor socket   |
| 3/8" drive | 30mm in length   | Offset oxygen sensor socket   |
|            | 3/8" drive<br>1/2" drive<br>3/8" drive<br>3/8" drive<br>1/2" drive | 3/8" drive 90mm in length 1/2" drive 85mm in length 3/8" drive 80mm in length 3/8" drive 74mm in length 1/2" drive 50mm in length |



#### FC01 General - Protective wing cover

Protective wing cover with full length magnetic strip, measures 40cm x 107cm. Heavy duty red PVC front complete with the Teng eyes and cloth backing.





940641-C





386

#### **TTPS09** General Service Tools

9 piece tool set containing 2 adjustable wrenches, power grip pliers, utility knife, hacksaw frame, soft face hammer, measuring tape, steel rule and ball pein hammer. Supplied in the Teng Tools PS tray for use on it's own or as part of the Teng Tools TC control system. (560x265x40mm, 4.5 kilos)

| General tools | 6" adjustable wrench, 10" adjustable wrench,       |
|---------------|--|
|               | 10" power grip plier, utility knife, 12" hack saw, |
|               | soft face hammer, 3 meter tape measure,            |
|               | 200mm steel rule, 24oz (675g) ball pein hammer     |



#### **TTPS09E** General Service Tools

9 piece tool set containing two adjustable wrenches, power grip pliers, utility knife, hacksaw frame, soft face hammer, measuring tape, steel rule and engineers hammer. Supplied in the Teng Tools PS tray for use on it's own or as part of the Teng Tools TC control system. (560x265x40mm, 4.5 kilos).

General too

Teng

6" adjustable wrench, 10" adjustable wrench, 10" power grip plier, utility knife, 12" hack saw, soft face hammer, 3 meter measuring tape, 200mm steel rule, 800g engineers hammer.



#### **SCPS01** 6 Piece Service Tool Set

Service tray with 3 meter measuring tape, 12" hacksaw frame, utility knife, 10" power grip plier, 8" adjustable wrench and a 16oz ball pein hammer. Supplied in a PS tray to fit in the Teng Tools TC-SC service case (420x265x56mm, 2.5 kilos)

Measuring tape, hacksaw frame, utility knife, power grip plier, adjustable wrench, ball pein hammer.



#### **SCPS01E** 6 Piece Service Tool Set

Serviced tray with 3 meter measuring tape, 12" hacksaw frame, utility knife, 10" power grip plier, 8" adjustable wrench and a 500g engineers hammer. Supplied in a PS tray to fit in the Teng Tools service case. (420x265x56mm, 2.5 kilos)

Measuring tape, hacksaw frame, utility knife, power grip plier, adjustable wrench, engineers hammer.



#### TTEPS12 12 piece general service tools

Set containing a range of the most commonly used pliers and power grip pliers. Supplied in the Teng Tools 2 colour pre-cut EVA foam tool control system. (570x375x50mm, 3.34 kilos)



| Cutting tools   | utility knife with spare blades, 12" hack saw  |
|-----------------|--|
| Striking tools  | 800gm engineers hammer, soft face hammer, cold chisels (150x18mm, 200x25mm), 150x5mm centre punch, parallel pin punches (3, 4, 5, 6, 7, 8mm) |
| Gripping tools  | 6" and 10" adjustable wrenches   |
| Measuring tools | 3 meter measuring tape, 200mm steel rule   |

#### AT505 Pistol Grease Gun

One handed operation pistol style grease gun for use with bulk grease. Grease is automatically fed to the high pressure mechanism by a spring loaded low pressure piston to ensure a constant but steady flow of grease. Supplied with pipe and hydraulic coupling. Capacity 120cc.



#### AT500 High Leverage Grease Gun

Lever style style grease gun for use with 400g cartridges or bulk grease. Grease is fed to the high pressure mechanism by fully opening the lever. Supplied with pipe and hydraulic coupling. Thread G(R) 1/8". Capacity 500cc.







388

389

**Needle Files** 

Stock

TTNF12-01

TTNF12-02

TTNF12-03

TTNF12-04

TTNF12-05

TTNF12-06

TTNF12-07

TTNF12-08

TTNF12-09

TTNF12-10

TTNF12-11

TTNF12-12

No.

#### TTNF12 Needle file set

Set of 12 needle files. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system.(265x142x50mm, 0.47 kilos)

Needle files hand, half round, three square, square, round, flat pointknife type, barrette, crossing, oval, feather edge, round edge flat





#### TTXF05 Hand file set

Set of 5 files, flat, hand, half round, round, three square. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (570x115x40mm, 1.0 kilos)

Type

Hand

Half round

Three square

Square

Round

Flat

Knife

Barrette

Crossing

0val

Feather edge

Round edge flat

Length

mm

160

160

160

160

160

160

160

160

160

160

160

160

10" files Flat, Hand, Half Round, Round, Three square





#### WRFL05 Wall racks - files

A set of 5 10" files including, flat, hand, half round, round and three square high carbon steel files. Complete with a wall rack for fixing to the wall or a workbench.

10" flat file, 10" hand file, 10" half round file, 10" round file, 10" three square file



10" flat type hand file, 2nd cut, cut on both edges with bi-material handle. High carbon steel.

#### **FLHF10** File

10" hand type hand file, 2nd cut, cut on both edges with bi-material handle. High carbon steel.

#### **FLHR10** File

10" half round type hand file, 2nd cut with bi-material handle. High carbon steel.

#### **FLRD10** File

10" Round type hand file, 2nd cut with bi-material handle. High carbon steel.

## **FLTR10** File

10" triangular type hand file, 2nd cut, with bi-material handle. High carbon steel.

#### FLSQ10 File

10" square type hand file, 2nd cut, with bi-material handle. High carbon steel.











# **Service Tools**

#### TT804 Puller set

Set consisting of a three legged combination puller with an extra yoke for switching to two legged pulling. With reversible legs for internal and external grip. Chrome vanadium. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.2 kilos)

Puller set combination twin/triple 6" leg puller with 4" capacity



#### Twin/Triple Leg Pullers

Triple arm pullers with a special yoke that can be easily converted for use as a twin leg puller. With reversible legs for internal/external grip.

| Stock<br>No. | Clamping<br>Depth (mm) | Span Width<br>mm | Weight<br>mm |  |
|--------------|------------------------|------------------|--------------|--|
| SPA11        | 100                    | 50-100           | 1,080        |  |
| SPA22        | 170                    | 60-150           | 2,600        |  |



#### **SP11** Gear Puller

4" Gear Puller with a spread of 76mm to 102 mm and a maximum reach of 89mm. Three legged but with a special yoke for two legged pulling.



# **SP22** Gear Puller

7" Gear Puller with a spread of 75mm to 175mm and a maximum reach of 137mm. Three legged but with a special constructed yoke for two legged pulling.



#### 2 Arm universal internal/external pullers

Simple to use twin legged puller for fast removal of pulleys, wheels and bearings. Strong, drop forged design with reversible legs for use as an internal or an external puller.

#### 2 Arm Universal Internal/External Pullers →

| Stock  | Clamping width | Clamping width | Clamping  | Spindle   | Spindle length |             | Claw depth (d) | Claw          | Weight |
|--------|----------------|----------------|-----------|-----------|----------------|-------------|----------------|---------------|--------|
| no.    | internal (a1)  | external (a2)  | depth (b) | thread    | mm             | opening (c) | mm             | thickness (e) | kg     |
|        | mm             | mm             | mm        |           |                | mm          |                | mm            |        |
| SP1410 | 90             | 133            | 97        | M14 x 1.5 | 140            | 17          | 12             | 3.4           | 1.1    |
| SP1810 | 130            | 170            | 97        | M14 x 1.5 | 140            | 17          | 12             | 3.4           | 1.3    |
| SP2215 | 158            | 209            | 150       | M20 x 2.0 | 210            | 22          | 20             | 3.8           | 3.2    |
| SP2615 | 200            | 256            | 150       | M20 x 2.0 | 210            | 22          | 20             | 3.8           | 3.6    |
| SP3320 | 250            | 325            | 205       | M26 x 2.0 | 280            | 27          | 27             | 6.2           | 7.8    |



# **Service Tools**

#### DIS-SP05 2 Arm Universal Internal/External Puller Set

Set of five 2 legged reversible pullers complete with stand. Easily interchangeable between internal and external. Ideal for display but also for use as a set in a workshop giving a range of spreads from 90 to 250mm internal or 133 to 325mm external.


| Reversible pullers | 2 legged | 90/133mm spread, 130/170mm spread, 158/209mm |
|--------------------|----------|--|
|                    |          | spread, 200/256mm spread, 250/325mm spread.  |



#### 3 Arm universal internal/external pullers

Simple to use three legged puller for fast removal of pulleys, wheels and bearings. Strong, drop forged design with reversible legs for use as an internal or an external puller.

#### 3 Arm Universal Internal/External Pullers →





leng


Tools

| Stock<br>no. | Clamping width internal (a1) | Clamping width external (a2) | Clamping<br>depth (b) | Spindle<br>thread | Spindle<br>length | Spindle<br>opening (c) | Claw depth (d)<br>mm | Claw<br>thickness (e) | Weight<br>kg |
|--------------|------------------------------|------------------------------|-----------------------|-------------------|-------------------|------------------------|----------------------|-----------------------|--------------|
| SP31410      | 90                           | mm<br>133                    | 97                    | M14 x 1.5         | <i>mm</i>         | 17                     | 12                   | 3.4                   | 1.4          |
| SP31810      |                              | 170                          | 97                    | M14 x 1.5         | 140               | 17                     | 12                   | 3.4                   | 1.6          |
| SP32215      | 160                          | 211                          | 150                   | M20 x 2.0         | 210               | 22                     | 20                   | 3.8                   | 3.5          |
| SP32615      | 205                          | 261                          | 150                   | M20 x 2.0         | 210               | 22                     | 20                   | 3.8                   | 4.2          |
| SP33320      | 252                          | 327                          | 205                   | M26 x 2.0         | 280               | 27                     | 27                   | 6.2                   | 8.8          |

**2** arm quick action internal/external pullers Simple to use twin legged puller for fast removal of pulleys, wheels and bearings. Strong, drop forged design with reversible legs for use as an internal or an external puller. Quick lock action on the legs for fast adjustment.

#### 2 Arm Quick Action Internal/External Pullers →

| Z AITH Quick Action internal, External Functs |                                       |                                       |                             |                   |                         |                              |                         |                             |              |  |
|---|---------------------------------------|---------------------------------------|-----------------------------|-------------------|-------------------------|------------------------------|-------------------------|-----------------------------|--------------|--|
| Stock<br>no.                                  | Clamping width<br>internal (a1)<br>mm | Clamping width<br>external (a2)<br>mm | Clamping<br>depth (b)<br>mm | Spindle<br>thread | Spindle<br>length<br>mm | Spindle<br>opening (c)<br>mm | Claw<br>depth (d)<br>mm | Claw<br>thickness (e)<br>mm | Weight<br>kg |  |
| SP1410Q                                       | 90                                    | 133                                   | 97                          | M14 x 1.5         | 140                     | 17                           | 12                      | 3.4                         | 1.1          |  |
| SP1810Q                                       | 130                                   | 170                                   | 97                          | M14 x 1.5         | 140                     | 17                           | 12                      | 3.4                         | 1.2          |  |
| SP2215Q                                       | 158                                   | 209                                   | 150                         | M20 x 2.0         | 210                     | 22                           | 20                      | 3.8                         | 3.0          |  |
| SP2615Q                                       | 200                                   | 256                                   | 150                         | M20 x 2.0         | 210                     | 22                           | 20                      | 3.8                         | 3.4          |  |
| SP3320Q                                       | 250                                   | 325                                   | 205                         | M26 x 2.0         | 280                     | 27                           | 27                      | 6.2                         | 7.0          |  |







392



#### DIS-SP05Q 2 arm quick action internal/external puller set

Set of five quick action 2 legged pullers complete with stand. Easily interchangeable between internal and external. Ideal for display but also for use as a set in a workshop giving a range of spreads from 90 to 250mm internal or 133 to 325mm external.

Quick action pullers 2 legged 90/133mm spread, 130/170 spread,

158/209 spread, 200/256 spread, 250/325 spread

#### 3 arm quick action internal/external pullers

Simple to use three legged puller for fast removal of pulleys, wheels and bearings. Strong, drop forged design with reversible legs for use as an internal or an external puller. Quick lock action on the legs for fast adjustment.

#### 3 Arm Quick Action Internal/External Pullers →

| Stock<br>no. | Clamping width<br>internal (a1)<br>mm | Clamping width<br>external (a2)<br>mm | Clamping<br>depth (b)<br>mm | Spindle<br>thread | Spindle length<br>length<br>mm | Spindle<br>opening (c)<br>mm | Claw<br>depth (d)<br>mm | Claw<br>thickness (e)<br>mm | Weight<br>kg |  |
|--------------|---------------------------------------|---------------------------------------|-----------------------------|-------------------|--------------------------------|------------------------------|-------------------------|-----------------------------|--------------|--|
| SP31410      | Q 90                                  | 133                                   | 97                          | M14 x 1.5         | 140                            | 17                           | 12                      | 3.4                         | 1.5          |  |
| SP31810      | Q 130                                 | 170                                   | 97                          | M14 x 1.5         | 140                            | 17                           | 12                      | 3.4                         | 1.6          |  |
| SP322150     | Q 160                                 | 211                                   | 150                         | M20 x 2.0         | 210                            | 22                           | 20                      | 3.8                         | 3.9          |  |
| SP326150     | Q 205                                 | 261                                   | 150                         | M20 x 2.0         | 210                            | 22                           | 20                      | 3.8                         | 4.2          |  |
| SP333200     | N 252                                 | 327                                   | 205                         | M26 x 2 0         | 280                            | 27                           | 27                      | 6.2                         | 8.6          |  |

#### **TTCP121** Crimping Tool Set

Set consisting of crimping tool CP50 with slots for crimping red, blue and yellow terminals and cutters for bolts and wire. Also included in the assortment are 120 terminals of varying types coloured red and blue. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.6 kilos)

| Crimping tool        | multi function CP50 crimping tool     |  |  |  |
|----------------------|---------------------------------------|--|--|--|
| Terminals/connectors | red #6 ring terminals x 20            |  |  |  |
|                      | blue #8 spade terminals x 20          |  |  |  |
|                      | red butt connectors x 20              |  |  |  |
|                      | blue butt connectors x 20             |  |  |  |
|                      | blue 6.3x0.8mm female connectors x 20 |  |  |  |
|                      | blue 6.3x0.8mm male connectors x 20   |  |  |  |









#### **TTCP04** Crimping tool set

Set consisting of ratchetting crimping tool with interchangeable heads to use on insulated, non-insulated and non-insulated barrel type connectors. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 0.8 kilos)

| Changeable ratchet crimping tool                                | for insulated terminals 22-10 AWG<br>(0.324 square mm² - 5.261 square mm²)                              |
|---|---|
| Die for non-insulated open<br>barrel connector, commercial type | for non-insulated open barrel connector, commercial type 22-12 AWG (0.324 square mm² - 3.31 square mm²) |
| Die for non-insulated terminals                                 | for non-insulated terminals 22-8 AWG(0.3 square mm² - 8 square mm²)                                     |
| Hex hey wrench 2.5mm  |   |



#### **CP52** Crimping Plier

Interchangeable ratchet crimping tool with an automatic locking mechanism to ensure a consistent and correct crimping action. Suitable for roll crimping and both insulated and non-insulated terminals and connectors. Capacity 1.5 to 6mm<sup>2</sup> insulated and 1.5 to 2.5 mm<sup>2</sup> non-insulated terminals and connectors. Cutting edge for M2 to M5 bolts. Overall length 225mm.



#### **Spare Heads**

Spare heads for CP52 type ratcheting crimping pliers.

| Stock<br>No. | For insulated terminals mm² | For non insulated terminals mm² |  |
|--------------|-----------------------------|---------------------------------|--|
| CP04RK1      | 0.324 - 5.261               |                                 |  |
| CP04RK2      |                             | 0.324 - 3.31                    |  |
| CP04RK3      | 0.3 - 8.0                   |                                 |  |

#### CP58 Crimping plier

Precision, ratcheting crimping pliers with ergonomic bi-material handles. A compound action gives 30% extra strength. Suitable for red, blue and yellow insulated terminals. Capacity 0.75 to 6.0mm, 22-10 AWG. Overall length 250mm, weight 560g.



#### **CP50** Crimping and Wire Stripping Tools

Professional quality 9" crimping plier and wire stripper, suitable for Crimping insulated terminals from 0.75 to 6mm Crimping non insulated terminals from 1.5 to 6mm. Screw bolt cutting from M2 to M5 Stripping wire from 0.75 to 6mm.



#### **CP51** Crimping and Wire Stripping Tool

Professional quality 9" crimping plier and wire stripper, suitable for crimping insulated terminals from 0.75 to 6mm crimping non insulated terminals from 0.5 to 2.5mm (push on type), screw bolt cutting from M2 to M5 on a stripping wire from 0.75 to 6mm.







#### 9850 General - Auto Electricians Circuit Tester

Brass 6-24 volt DC tester with steel probe and screw on cover, 830mm cable with alligator clip. Simple to use. For replacement bulb use a 24V 5 Watt Festoon type bulb. Order stock code 9850RK for the repair kit.



#### MDV9855 Voltage Tester

Insulated voltage tester for use from 100 to 250 volts. Overall length 145mm, blade length 70mm



#### CTG01 Cable Tie Gun

Tools

Teng

Ideal for repeated operations, works with plastic cable ties from 2.2 to 4.8mm in width. Adjustable tensile strength to avoid over-tightening and automatic cable tie cut off. Weight 320g.



#### MB499-7T Mega Bite Wire Stripping plier

Wire stripping pliers. Medium carbon alloy steel. With adjuster screw for required wire diameter 0.2-4.5 mm. Return spring and ergonomically designed two component TPR grip.

| Handle | Length | Length | Capacity   | Weight |
|--------|--------|--------|------------|--------|
| type   | mm     | inch   | mm         | g      |
| TPR    | 155    | 6      | 0.2 to 4.5 | 175    |



#### MBV499-7 Insulated Wire Stripping Pliers

Insulated Mega Bite wire stripping pliers. Spring action.

Chrome Molybdenum steel 80° cutting edge angle and Titanium coated joints. Produced and tested according to the

EN 60900 standard. Approved for live working up to 1000 volt AC.

| Length | Length | Cutting capacity (mm) | Weight |
|--------|--------|-----------------------|--------|
| mm     | inch   | Piano wire            | g      |
| 155    | 6      | 0.2 to 4.5            | 175    |



## **CP55** Wire stripping tool

Easy to use wire strippers with a hardened SK5 blade for fast and accurate stripping of wire gauges 24-10AWG or 0.2 to 6mm² wire. A handy built in cutter cuts wire up to 2mm diameter. Overall length 190mm, 130g.



#### CP53 Wire stripping plier

Professional wire stripping pliers for crimping terminals, stripping cables and cutting copper wire. With return spring and locking lever. Stripping capacity 0.8 1.0 1.3 1.6 2.0 2.6 3.2mm, 20-8 AWG. Cutting capacity 1.0mm copper cable. Overall length 180mm, weight 140g.



#### CP60 Wire stripping plier

Automatic cable strippers, wire cutters and crimping pliers. Easily strips cables between 0.13mm and 8.0mm². Suitable for insulated and non insulated terminals 0.5 to 6.0mm. With return spring and bi-material grips. Overall length 210mm, weight 342g.



#### TTSN11 Extractor set

Combined set of 5 screw extractors, 4 bolt extractors and 2 nut splitters. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.3 kilos)

| Stud extractors  | 1/2" drive   | 6, 8, 10, 12mm    |
|------------------|--------------|-------------------|
| Screw extractors | 7/64" 9/64"  | 5/32" 1/4" 19/64" |
| Nut splitters    | 5 to 20mm, 1 | 4 to 27mm         |



#### **SE05** Screw Extractors

5 screw extractors supplied in a handy storage case to fit drill sizes: 7/64", 9/64", 5/32", 1/4", 19/64".



#### **TMSE05S** Screw Extractors

Set with 5 extractors for quick and easy extraction of broken screws, pipes and stud bolts. Suitable for use with both clockwise and anti-clockwise threads. Square shank. Hardened to HRC 50-52. Sizes for drill holes 3, 4, 5, 7 and 9mm. Supplied in plastic box with snap lock and metal pin hinges.







#### **Screw Extractors**

Separate screw extractors with a square shank. For a quick easy way to remove broken screws, pipes, bolts and studs. HRC50-52. Suitable for use with both clockwise and anti-clockwise threads.

| Stock No. | For drill hole mm | Weight g |  |
|-----------|-------------------|----------|--|
| SEL01S    | 3mm (1/8")        | 13       |  |
| SEL02S    | 4mm (3/16")       | 22       |  |
| SEL03S    | 5mm (15/64")      | 36       |  |
| SEL04S    | 7mm (5/16")       | 52       |  |
| SEL05S    | 9mm (3/8")        | 148      |  |

#### Extractors →



#### NS02 2 piece Nut Splitter Set

Set of 2 nut splitters with capacities of 5 to 20mm and 14 to 27mm.



#### Stud Extractors

Reversible. Hexagon drive end and 1/2" drive.

| Stock     | Drive | Size |  |
|-----------|-------|------|--|
| No.       |       | mm   |  |
| ST12506-C | 1/2"  | 6    |  |
| ST12508-C | 1/2"  | 8    |  |
| ST12510-C | 1/2"  | 10   |  |
| ST12512-C | 1/2"  | 12   |  |

#### Extractors →

Teng

#### TTBE18 3/8" & 1/2" Drive Stud Extractor set

3/8" drive (6-17mm) and 1/2" drive (19-25mm) stud extractor sockets plus a 4mm parallel pin punch. Chrome vanadium, satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.5 kilos)

| 3/8" stud extractors | mm | 6, 8, 10, 11, 12, 13, 14, 16, 17mm |
|----------------------|----|------------------------------------|
|                      | AF | 5/16" 3/8" 7/16" 1/2" 9/16" 5/8"   |
| 1/2" stud extractors | mm | 19, 21, 22, 24, 25mm               |
|                      | AF | 3/4" 13/16", 7/8" 15/16" 1"        |
| Parallel pin punch   |    | 4mm, 150mm length                  |

#### 3/8" Drive Stud Extractors

 $38\mbox{"}$  drive stud extractor sockets, chrome vanadium, satin finish. Designed for removing rounded or damaged bolt heads or nuts

| Stock   | Size | Size   | L    | Т    | D1   | D2   | Weight |
|---------|------|--------|------|------|------|------|--------|
| No.     | mm   | AF     | mm   | mm   | mm   | mm   | g      |
| ST38306 | 6    | 1/4"   | 27.0 | 11.0 | 15.9 | 9.9  | 21     |
| ST38308 | 8    | 5/16"  | 27.0 | 11.0 | 15.9 | 12.0 | 23     |
| ST38112 | -    | 3/8"   | 27.0 | 11.0 | 15.9 | 14.2 | 22     |
| ST38310 | 10   | -      | 27.0 | 11.0 | 19.0 | 15.3 | 33     |
| ST38311 | 11   | 7/16"  | 27.0 | 11.0 | 19.0 | 15.6 | 33     |
| ST38312 | 12   | -      | 27.0 | 11.0 | 19.0 | 17.4 | 33     |
| ST38116 | -    | 1/2"   | 27.0 | 11.0 | 19.0 | 17.7 | 34     |
| ST38313 | 13   | -      | 27.0 | 11.0 | 19.0 | 18.7 | 35     |
| ST38314 | 14   | 9/16"  | 27.0 | 11.0 | 22.2 | 20.7 | 50     |
| ST38316 | 16   | 5/8"   | 27.0 | 11.0 | 22.2 | 22.1 | 50     |
| ST38317 | 17   | -      | 27.0 | 11.0 | 25.4 | 24.8 | 74     |
| ST38122 | -    | 11/16" | 27.0 | 11.0 | 25.4 | 24.8 | 74     |

#### 3/8" Drive Stud Extractors →



# TENGTOOLS 12/16 (18mm)

#### 1/2" Drive Stud Extractors

1/2" drive stud extractor sockets, chrome vanadium, satin finish. Designed for removing rounded or damaged bolt heads or nuts

| Stock   | Size | Size   | L    | T    | D1   | D2   | Weight |  |
|---------|------|--------|------|------|------|------|--------|--|
| No.     | mm   | AF     | mm   | mm   | mm   | mm   | g      |  |
| ST12319 | 19   | 3/4"   | 44.5 | 11.0 | 27.0 | 26.6 | 167    |  |
| ST12321 | 21   | 13/16" | 44.5 | 12.5 | 32.0 | 28.0 | 199    |  |
| ST12322 | 22   | 7/8"   | 44.5 | 12.5 | 35.0 | 30.7 | 210    |  |
| ST12324 | 24   | 15/16" | 44.5 | 12.5 | 36.0 | 32.4 | 210    |  |
| ST12325 | 25   | 1"     | 44.5 | 12.5 | 36.0 | 33.4 | 214    |  |

#### 1/2" Drive Stud Extractors →



#### 2300 Extractor

1/2" drive stud extractor. For inserting and extracting stud bolts. One eccentric journalled, knurled wheel grips against an internal fluting. Ranging from 5.5mm to 19mm.




#### Claw Pick Up Tools

Flexible wire with non magnetic claws.

Press action to expand and contract.

Excellent for reaching small items lost in

Excellent for reaching small items lost in hidden areas. Overall length 600mm. Also available with a claw and magnetic pick up as stock number AT135M.



#### TTXPB3 Pry bar set

3 piece pry bar set consisting of 12", 16" and 20" bars. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x40mm, 1.8 kilos)



Roll/heel bars 12", 16", 20"

## **TEXPB4** Pry Bar Set

4 piece set including three roll/heel bars and a 20" tyre lever. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x40mm, 2.38 kilos)



| Roll/heel bars | 12", 16", 20" |
|----------------|---------------|
| Tyre lever     | 20"           |



398

399

#### Roll/heel bars

Individual roll/heel bars

| Stock | Size | Size |  |
|-------|------|------|--|
| No.   | inch | mm   |  |
| PB12  | 12   | 300  |  |
| PB16  | 16   | 400  |  |
| PB20  | 20   | 500  |  |





#### TTXPB3A Pry bar set

3 piece heavy duty pry bar set with Power Thru handles. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 1.8 kilos)



| Prv hare | 12" | 12" | 22" |
|----------|-----|-----|-----|

#### Pry Bars

Heavy duty pry bar with Power Thru handles. 12", 18" and 22".

| Stock<br>No. | Size<br>mm | Size<br>inch |  |
|--------------|------------|--------------|--|
| PB12A        | 300        | 12           |  |
| PB18A        | 450        | 18           |  |
| PB22A        | 550        | 22           |  |



Teng

#### SSH01 Safety wire

Safety wire for securing tools when working at heights. Locking wire with spring hook and plastic covered (3.0mm diameter) stainless steel (1.0mm diameter) spiral wire. Maximum load 3.0 kilos, stretches from 430mm to 1.6meters. Weight 68g.



Safety wire for securing tools when working at heights. Locking wire with spring hook and strength webbing with an elastic inner core. High strength nylon. Maximum load 3.0 kilos. Stretches from 750mm to 1.35 meters. Weight 109g.

#### SSH03 Safety Wire

Safety wire for securing tools when working at heights. Locking wire with spring hook and strength webbing with an elastic inner core. High strength nylon. Maximum load 4.5 kilos. Stretches from 800mm to 1.35 meters. Weight 112g.









#### SSH04 Safety Wire

Safety wire for securing tools when working at heights. Supplied with an adjustable rope lock on one end. Locking wire with spring hook and strength webbing with an elastic inner core. High strength nylon. Maximum load 4.5 kilos. Stretches from 860mm to 1.45 meters. Weight 94g.



#### 580 Magnetic Bits Tray

Stainless steel tray with plastic enclosed magnet which does not damage the car paintwork. For screws, nuts and washers, etc. Can be secured on its side as well as upside down. Ideal for working under cars, etc.



#### 580S Magnetic Bits Tray

An extra large stainless steel magnetic tray (295x270x42mm) with rubber protected magnets to avoid damage to paintwork. Can be secured on its side as well as upside down. Ideal for working under cars or by machinery or as a parts washing tray.



#### **580A** Magnetic Bits Tray

A large stainless steel magnetic tray with two rubber protected magnets to avoid damage to paintwork. The tray is deep to give extra space to store parts and more bulky items even upside down.



#### 582MI 3 in 1 Inspection Tool

Three in one telescopic inspection tool with maximum extension of 57cm combining a very strong magnet with a fully adjustable polished mirror and an etching scribe, all in one tool with pocket clip.



#### 585MP 2 in 1 Magnetic pick up pen

Two in one telescopic pick up with maximum extension of 63cm and a very powerful magnet plus a pen all in one handy tool with pocket clip. Ideal for retrieving dropped nuts and bolts and writing notes.







401



# **Service Tools**



#### **581TMG** Magnifying glass

Telescopic magnifying glass with maximum extension of 85cm and fully adjustable head and pocket clip.



#### **581TMI** Telescopic mirror

Telescopic mirror with maximum extension of 85cm and fully adjustable head and pocket clip. Mirror diameter 57mm.



#### 581TMP Magnetic pick up

Tools

Teng

Telescopic magnetic pick up with extra strong magnet and maximum extension of 85cm and pocket clip.



#### SD501 Magnetic pick up

With maximum extension of 55cm and a very powerful magnet, ideal for retrieving dropped nuts and bolts.



#### **TC-MAG Magnetic Tool rail**

6 individual magnets each with a capacity of 450 grams combined in a rail especially designed for fixing to Teng Tools roller cabinets, also suitable for wall mounting or other tool boxes. Ideal for hanging up tools while working. (457x52x17mm, 0.6 kilos)





## 583M Bracelet with Magnetic Disc

An adjustable 340mm length bracelet with a magnetic disc – ideal for holding fastenings or nails, etc in easy reach when working.



TTTM08 Inspection tool set
Containing flexible and telescopic pick ups, magnifying glass, inspection mirror,
flexible claw pick up, LED torch and batteries. Supplied in the unique Teng Tools
TC tray with removable lid and dove tail joints for use on it's own or as part of the
Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

LED flashlight
Flexible magnetic pick up length 310mm
Telescopic magnetic pick up length 160-480mm
38mm magnifying glass 1:3 with magnetic adaptor
38mm inspection mirror with magnetic adaptor
230mm flexible claw pick up tool



#### 587M Flexible, magnetic LED light

Flexible LED light with a magnet, supplied with 3 LED diodes. Suitable battery type LR44 (x3).

|              | 7 71  | ( - /  |
|--------------|-------|--------|
| Total length | mm    | 370    |
| Diameter     | mm    | 25     |
| Light        | lumen | 76.5   |
| Power        | W     | 0.0009 |
| Weight       | g     | 67     |
|              |       |        |



#### 587H Magnifying Glass

Batteries AAA (2 pieces)

Hand held magnifying glass with 14 LED bulbs in a ring around the glass to give excellent illumination. Requires 2 AAA batteries (not included). Mains adaptors also available.

| Magnification   | times | 3   |
|-----------------|-------|-----|
| Glass diameter  | mm    | 100 |
| LED bulb output | watts | 1.3 |
| Luminous flux   | lumen | 72  |





Jimmy de Ville travelled all round the world to create the Discovery Channel TV programme Engine Addict - from Sweden to South America, making crazy machines from classic engines such as this snow mobile powered by a FSO Syrena engine famous for having just seven moving parts.



# 587J LED light bar

A 255mm wide light bar with magnetic attachment for use with work bench panels or tool boxes. 9 white LED lights with 120° distribution angle. Requires 3 x AA batteries (not included).

| Length        | mm    | 255              |
|---------------|-------|------------------|
| Width         | mm    | 40               |
| Height        | mm    | 29               |
| Light         | lumen | 20               |
| Magnetic pull | Nm    | 30 x 2 (approx.) |
| Weight        | g     | 188              |
|               |       |                  |



#### 586 Flexible Light

A flexible, adjustable light with a magnet on the end. Ideal for use in confined spaces and retrieving items from hard to reach places. Requires 2 x AA batteries (not included).

| Total length           | mm | 595 |  |
|------------------------|----|-----|--|
| Flexible length        | mm | 400 |  |
| Outside diameter       | mm | 10  |  |
| Maximum magnetic force | g  | 750 |  |
|                        |    |     |  |



#### 586A Head Lamp

**Tools** 

A Cree LED head lamp with two modes – steady or flashing. Requires 3 x AA batteries, not included.

| Width         | mm    | 50  |  |
|---------------|-------|-----|--|
| Height        | mm    | 50  |  |
| Length        | mm    | 55  |  |
| Luminous flux | lumen | 250 |  |
| Weight        | g     | 110 |  |
|               |       |     |  |



#### 586C Head Lamp

A Cree LED head lamp with two modes – high beam or low beam. Requires 3 x AAA batteries, not included.

| Width         | mm    | 50  |  |
|---------------|-------|-----|--|
| Height        | mm    | 50  |  |
| Length        | mm    | 55  |  |
| Luminous flux | lumen | 250 |  |
| Weight        | g     | 110 |  |



#### 585 LED Torch

LED torch with satin chrome plated brass body. 25-30 lumen. 45 degree light distribution. 2 batteries type AAA give up to 5.5 hours average usage with constant strength. Batteries not included.



#### 581N CREE LED Torch

CREE LED torch with shockproof aluminium body and water resistance to IPX6. Batteries not included. Overall length 135mm, diameter 23mm.



#### 582N CREE LED Torch

CREE LED torch with shockproof aluminium body and water resistance to IPX6. Low battery indicator light shows red when less than 15% remains. Batteries not included. Overall length 138mm, diameter 40mm.



#### 583N CREE LED Torch

CREE LED torch with shockproof aluminium body and water resistance to IPX6. Low battery indicator light shows red when less than 15% remains. Batteries not included. Overall length 195mm, diameter 40mm.



#### **KP01** Kneeling Pad

Handy mechanics kneeling pad made in hard wearing 30.5mm thick EVA material. Ideal for protecting the knees whenever you need to kneel on a hard surface. Measures 450x210mm.



#### **KP02** Kneeling Pad

Handy mechanics kneeling pad made in hard wearing 30.5mm thick EVA material. Ideal for protecting the knees or the back whenever you need to kneel or lie on a hard surface. Measures 880 x 300mm.



#### **KP03** Kneeling Pad

Handy mechanics kneeling pad made in hard wearing 30.5mm thick EVA material. Individual cut out areas are included for putting small components, fastenings or tools. Ideal for keeping organised and for protecting the knees whenever you need to kneel on a hard surface. Measures 480x320mm.







# **Teng Tools**

#### **TCA06 Mechanics Chair**

A mechanic's stool with adjustable height and swivel castors plus a handy storage shelf. Spare castors available (stock no TCA06RK, code no 18625-1005)

| Seat cushion diameter | mm | 360     |  |
|-----------------------|----|---------|--|
| Storage area          | mm | 310x310 |  |
| Adjustable height     | mm | 420-500 |  |
| Weight                | kg | 6.3     |  |
|                       |    |         |  |



#### **TCA07 Mechanics Creeper**

A stable and comfortable workshop creeper with sturdy wheels and recesses in the frame for the elbows to make it more comfortable to use.

| Width  | mm | 500   |  |
|--------|----|-------|--|
| Height | mm | 155   |  |
| Length | mm | 1,050 |  |
| Weight | kg | 8.5   |  |



#### **Ball Pein Hammers**

Ball pein hammers with fibre glass shaft.

|        |             | 0              |             |           |  |
|--------|-------------|----------------|-------------|-----------|--|
| Stock  | Head weight | Overall weight | Head        | Overall   |  |
| no.    | OZ          | g              | diameter mm | length mm |  |
| HMBP12 | 12          | 550            | 28          | 280       |  |
| HMBP16 | 16          | 600            | 30          | 320       |  |
| HMBP24 | 24          | 1040           | 35          | 380       |  |
| HMBP32 | 32          | 1280           | 39          | 380       |  |
|        |             |                |             |           |  |



#### Ball Pein Hammers →

#### **Engineers Hammers**

Engineers style hammers with fibre glass shafts.

| -       |             | _              |           |  |
|---------|-------------|----------------|-----------|--|
| Stock   | Head weight | Overall weight | Overall   |  |
| no.     | g           | g              | length mm |  |
| HMEG300 | 300         | 420            | 300       |  |
| HMEG500 | 500         | 650            | 320       |  |
| HMEG800 | 008         | 1,000          | 350       |  |



#### Engineers Hammers →

#### Claw Hammers

Top quality 16oz claw hammer with steel tube and perforated rubber grip.

| Stock   | Head weight | Overall weight | Head        | Overall   |  |
|---------|-------------|----------------|-------------|-----------|--|
| no.     | oz          | g              | diameter mm | length mm |  |
| HMCH08A | A 8         | 394            | 21.6        | 290       |  |
| HMCH13A | A 13        | 552            | 27.0        | 335       |  |
| HMCH16A | A 16        | 700            | 27.0        | 312       |  |
| HMCH20A | A 20        | 765            | 30.0        | 340       |  |



#### **HMCHM16** Shock Absorbent Carpenters Hammers

One piece forged steel claw hammer with shock absorbent grip to reduce vibration when striking. A hanging hole on the side of the handle can be used to secure the hammer (with a Teng Tools safety wire or similar) to prevent the hammer being dropped when working at height.

| no.   | oz<br>16 16 | g<br>723       | diameter mm | length mm |  |
|-------|-------------|----------------|-------------|-----------|--|
| Stock | Head weight | Overall weight | Head        | Overall   |  |



#### **HMCHC16** Carbon Fibre Handle Carpenters Hammers

Claw hammer with a carbon fibre core in the handle to give up to 25% more "bend" in the hammer when striking. A hanging hole on the side of the handle can be used to secure the hammer (with a Teng Tools safety wire or similar) to prevent the hammer being dropped when working at height.


| Stock<br>no. | Head weight oz | Overall weight | Head<br>diameter mm | Overall<br>length mm |  |
|--------------|----------------|----------------|---------------------|----------------------|--|
| HMCHC1       | 6 16           | 686            | 28                  | 327                  |  |



#### **HMCH16M** Magnetic Claw Hammers

Carpenters claw hammer with magnetic nail holder in the head. Chrome, oval steel handle with perforated rubber grip, a round face and an octagonal throat. A hanging hole on the side of the handle can be used to secure the hammer (with a Teng Tools safety wire or similar) to prevent the hammer being dropped when working at height.

| Stock<br>no. | Head weight oz | Overall weight<br>g | Head<br>diameter mm | Overall<br>length mm |  |
|--------------|----------------|---------------------|---------------------|----------------------|--|
| HMCH16       | M 16           | 678                 | 27.5                | 341                  |  |





#### **Soft Face Hammer**

Top quality rubber and soft face hammer with tubular steel shaft with perforated rubber handle. For where no surface marking is required.

| Stock no. | Weight                                      | Overall length |  |
|-----------|---|----------------|--|
|           | kilos                                       | mm             |  |
| HMSF      | 0.67  | 320            |  |
| HMSFRK    | Replacement heads for HMSF soft face hammer |                |  |



#### Soft Face Hammer →

#### **HMBH16** Brick Layer/Masonry Hammers

Ideal for cutting, cleaning and setting bricks, stone or masonry. A hanging hole in the handle can be used to secure the hammer (with a Teng Tools safety wire or similar) to prevent the hammer being dropped when working at height.

| Stock<br>no. | Head weight oz | Overall weight | Head<br>diameter mm | Overall<br>length mm |  |
|--------------|----------------|----------------|---------------------|----------------------|--|
| HMBH16       | 16             | 733            | 23                  | 291                  |  |



#### **HMS1250** Lump Hammers

A 3 1/2lb (overall weight) club or lump hammer with bi-material grip. A hanging hole in the handle can be used to secure the hammer (with a Teng Tools safety wire or similar) to prevent the hammer being dropped when working at height.

| Stock   | Head weight | Overall weight | Head        | Overall   |  |
|---------|-------------|----------------|-------------|-----------|--|
| no.     | g           | g              | diameter mm | length mm |  |
| HMS1250 | 1,250       | 1,609          | 43          | 296       |  |







Tools

A 4 piece chisel set, finely ground and lacquer coated for corrosion protection. Impact resistant soft grip handles with percussion caps. Each chisel has a plastic blade cover. Supplied in a handy storage/carrying case. Includes 6, 12, 18 and 25mm chisels. Overall weight 1.6 kilos.



#### WCS04S Carpenters Chisel Set

A 4 piece chisel set, finely ground and lacquer coated for corrosion protection. Impact resistant soft grip handles with percussion caps. Each chisel has a plastic blade cover. Supplied in a handy storage/carrying case. Includes 10, 16, 18 and 20mm chisels. Overall weight 1.6 kilos.



#### WRWC07 Carpenters Chisel Set

A 7 piece chisel set, finely ground and lacquer coated for corrosion protection. Impact resistant soft grip handles with percussion caps. Each chisel has a plastic blade cover. Supplied with a Teng Tools wall rack for fixing to tool panels or the wall. Includes 6, 10, 12, 16, 18, 20 and 25mm chisels. Overall weight 1.7 kilos.



#### **Wood Chisels**

Tools

Teng

Professional quality wood chisels, finely ground and lacquer coated for corrosion protection. Impact resistant soft grip handles with percussion caps. Each chisel has a plastic blade cover

| Stock | Blade width | Overall length | Weight |  |
|-------|-------------|----------------|--------|--|
| no.   | mm          | mm             | g      |  |
| WCC06 | 6           | 276            | 157    |  |
| WCC08 | 8           | 276            | 159    |  |
| WCC10 | 10          | 276            | 171    |  |
| WCC12 | 12          | 276            | 183    |  |
| WCC14 | 14          | 276            | 179    |  |
| WCC16 | 16          | 276            | 195    |  |
| WCC18 | 18          | 276            | 200    |  |
| WCC20 | 20          | 276            | 212    |  |
| WCC22 | 22          | 276            | 224    |  |
| WCC25 | 25          | 281            | 229    |  |
| WCC32 | 32          | 291            | 289    |  |
| WCC38 | 38          | 305            | 340    |  |







#### TTPC09 Punch & chisel set

Combined 9 piece set containing 6 punches, 2 cold chisels and a centre punch. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.4 kilos)

|              | Type     | Length | size(s)            |
|--------------|----------|--------|--------------------|
| Punches      | centre   | 150mm  | 5mm                |
|              | parallel | 150mm  | 3, 4, 5, 6, 7, 8mm |
| Cold chisels | flat     | 150mm  | 19mm               |
|              |          | 200mm  | 25mm               |



#### **TEDPC14** Punch and Chisel Set

14 piece set including parallel pin punches, centre punch and cold chisels. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm 2.71 kilos)

| 150mm parallel pin punches | 3, 4, 5, 6, 7, 8mm                |
|----------------------------|-----------------------------------|
| Flat chisels               | 19x150, 25x200, 25x250, 26x240mm  |
| 150mm centre punches       | 4, 5, 8mm, automatic centre punch |



#### WRPC10 Punch and Chisel wall rack set

A 10 piece punch and chisel set including parallel pin punches, a centre punch and cold chisels. Complete with a wall rack for fixing to the wall or a work bench.

|              | Type     | Length | size(s)            |
|--------------|----------|--------|--------------------|
| Punches      | centre   | 150mm  | 5mm                |
|              | parallel | 150mm  | 3, 4, 5, 6, 7, 8mm |
| Cold chisels | flat     | 150mm  | 19mm               |
|              |          | 200mm  | 25mm               |
|              |          | 250mm  | 25mm               |



#### PCX05 Punch and Chisel set

A 5 piece set including an 18 x 150mm flat cold chisel, a 5 x 150mm centre punch and three parallel pin punches 3, 4 and 5mm. Supplied in a handy holder.



#### **Cold Chisels**

Special steel flat cold chisels, hardened for long life.


| Stock  | Туре             | Size | Length |  |
|--------|------------------|------|--------|--|
| No.    |                  | mm   | mm     |  |
| CC150F | Flat cold chisel | 18   | 150    |  |
| CC200F | Flat cold chisel | 25   | 200    |  |
| CC250F | Flat cold chisel | 25   | 250    |  |
| CC240F | Flat cold chisel | 26   | 240    |  |
|        |                  |      |        |  |



## Safety Hand Grip For Cold Chisels

- · Heavy moulded impact absorbing hand protection grip Made from TPR
- · Protective plate offers improved safety for the
- hand against impacts
- Ergonomic design
- Avoids injuries to the hand
- · Universal protective hand guard for use with Teng Tools 200, 240 or 250mm cold chisels.

| Stock | Code no    | Length | Width | Weight |  |
|-------|------------|--------|-------|--------|--|
| No.   |            | mm     | mm    | g      |  |
| PCCAP | 24566-0105 | 120    | 56    | 45     |  |









you need a perfectly tuned workstation. For some, things organised perfectly might seem boring, but when it comes to get things to run like clockwork, it's vital. Welcome to our world!

bedingnoted







#### **PPS06** Punch Set

A set of six 150mm high carbon steel parallel pin punches heat treated to HRC52 +/-2 with the strike end tempered to HRC40 +/-5 and containing: 3, 4, 5, 6, 7 and 8mm parallel pin punches. Supplied in a handy storage holder.

Parallel pin punches, hardened for long life.

| Stock | Size               | Туре | Length |  |
|-------|--------------------|------|--------|--|
| No.   | mm                 |      | mm     |  |
| PP03  | Parallel pin punch | 3    | 150    |  |
| PP04  | Parallel pin punch | 4    | 150    |  |
| PP05  | Parallel pin punch | 5    | 150    |  |
| PP06  | Parallel pin punch | 6    | 150    |  |
| PP07  | Parallel pin punch | 7    | 150    |  |
| PP08  | Parallel pin punch | 8    | 150    |  |

#### Punches →



#### **Centre Punches**

Special steel centre punches, hardened for longer life.

| Stock | Size | Length |  |
|-------|------|--------|--|
| No.   | mm   | mm     |  |
| CP04  | 4    | 150    |  |
| CP05  | 5    | 150    |  |
| CP08  | 8    | 150    |  |

#### **SCP01** Automatic Centre Punch

Automatic centre punch with spring loaded stroke. The spring is compressed and released when the tip is pushed down to create an indentation in the material to be marked. 1mm tip diameter, overall length 135mm and complete with pocket clip.



| Length   | mm | 135 |  |
|----------|----|-----|--|
| Diameter | mm | 7   |  |





# **RIVETING TOOLS**

A broad range of riveting tools for manual installation of pop-rivets and blind rivets, including standard hand modes, lattice models and models with long handles. The jaws can be removed quickly for cleaning or when switching between different rivet sizes.

#### **Pop-riveters**

- On pop-riveters for heavy-duty applications the upper and lower handles are made of a combination of aluminium and forged steel for maximum performance.
- Special support pins to reduce uneven loads and possible wear on the aluminium section are fitted on the heavy-duty models.

#### Lattice riveters

- Tool body of high strength aluminium.
- Lattice section of high strength steel with four-part lever arms to reduce hand force and maximise efficiency.
- Jaws and jaw housing of high grade alloyed steel, precision made for unbeatable durability.
- Bolts of alloy forged steel for high strength.
- System with 3 jaws for extra power and simple loading and removal of the rivet.

#### Pop-riveter with long handles

- Tool body of high strength aluminium.
- A spring for high torsional strength balances the movement so that pressing one handle controls the riveter while the other hand can be used as a counterhold. The rivet can also be safely left in the nozzle when using in a downward position.
- Used mandrels are collected in a container to protect the user and to keep the working area clean.
- Jaws and jaw housing of high grade alloyed steel, precision made for unbeatable durability.
- · Bolts of alloy forged steel for high strength.
- System with 3 jaws for extra power and simple loading and removal of the rivet.
- Long stroke length maximises efficiency and makes the work faster.

#### **Blind nut riveter**

- Blind nut riveter made of aluminium alloy with the top handle of forged steel.
   The threaded inserts (M3 to M6) are of high grade steel alloy are lockable and can be changed quickly. Can be ordered individually or in TT trays.
- Heavy duty blind nut riveter with long handles.
   M5 to M10 threaded inserts included.
   Pull rods with compound action makes it quick to load and empty.





# Tools

#### **HR12** Rivet Gun

Hand rivet gun for professional use in the construction and industrial work place. Supplied with four interchangeable nose bushes (for rivets 2.4, 3.2, 4.0 and 4.8mm) and plastic handles for improved grip. Spare parts set available (stock no. HR12RK).

| Aluminium       | Steel           | Stainless steel | Length | Weight |
|-----------------|-----------------|-----------------|--------|--------|
| mm              | mm              | mm              | mm     | g      |
| 2.4/3.2/4.0/4.8 | 2.4/3.2/4.0/4.8 | 2.4/3.2/4.0     | 250    | 560    |



#### **HR14** Rivet Gun

Heavy duty steel plate. The jaw and case are heat treated steel alloy. PVC grip. Repair kit available (stock no. HR14RK).

| Aluminium     | Rivet capacity steel | Length | Weight |
|---------------|----------------------|--------|--------|
| mm            | mm                   | mm     | g      |
| 2.4, 3.0/3.2, | 2.4/3.0/3.2          | 270    |        |



#### **HR30R** Rivet Gun

For professional use in construction and industrial applications with 4 nose bushes (for rivets 2.4, 3.2, 4.0, 4.8mm) and plastic covered handles. Repair kit available (stock no. HR30-RRK2).

| Aluminium           | Steel               | Stainless steel     | Length | Weight |
|---------------------|---------------------|---------------------|--------|--------|
| mm                  | mm                  | mm                  | mm     | g      |
| 2.4/3.0/3.2/4.0/4.8 | 2.4/3.0/3.2/4.0/4.8 | 2.4/3.0/3.2/4.0/4.8 | 270    |        |



#### **TTHR81 Rivet Gun Set**

Set containing one rivet gun with four nozzles as well as 75 assorted rivets (2.4, 3.2, 4.0 and 4.8mm). Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.0 kilos)

| Hand rivetter    | with four nozzles to suit aluminium/steel blind rivets (2.4, 3.2, 4.0, 4.8mm) |
|------------------|---|
| Aluminium rivets | 2.4mm (3/32") x 20 black  |
| Aluminium rivets | 3.2mm (1/8") x 20 black   |
| Aluminium rivets | 4.0mm (5/32") x 20 black  |
| Aluminium rivets | 4.8mm (3/16") x 15 black  |
| Accessories      | nozzle wrench   |



#### **HR01** Rivet Gun

Aluminium alloy, forged steel upper handle. The jaw and case are high grade heat treated steel alloy. PVC grip. Repair kit available (HR01RK).

| Aluminium       | Steel           | Stainless steel | Length | Weight |
|-----------------|-----------------|-----------------|--------|--------|
| mm              | mm              | mm              | mm     | g      |
| 2.4/3.2/4.0/4.8 | 2.4/3.2/4.0/4.8 | 2.4/3.2/4.0     | 250    | 560    |



#### HR360R Swivel Head Rivet Gun

For professional use in construction and industrial applications. The nose is adjustable between two positions for riveting vertically or horizontally. Supplied with four nose bushes.

| Aluminium               | Steel           | Stainless steel | Length | Weight |
|-------------------------|-----------------|-----------------|--------|--------|
| mm                      | mm              | mm              | mm     | g      |
| 2.4/3.0/3.2/4.0/4.8/5.0 | 2.4/3.0/3.2/4.0 | 2.4/3.0/3.2     | 295    | 712    |



#### **HRLT01** Lazy Tongue Rivet Gun

For professional use in construction and industrial applications. There are 3 jaws available giving a better grip and release of the nail. The lazy tong design gives a large rivetting force and is suitable for use in areas difficult to access. The long nose is good for access, with 5 nose bushes for rivert diameters of 3.2, 4.0, 4.8, 6.0 and 6.4mm. (Repair kits are available on request). Spare parts set available (stock no. HRLT01RK).



#### **HRLR01** Long Handle Rivet Gun

For professional use in construction and industrial applications. The two hand grips gives a large rivetting capacity. There are 3 jaws available giving a better grip and release of the nail. A plastic containier collects all the mandrels, with 5 nose bushes for rivet diameter of 3.2, 4.0, 4.8, 6.0 and 6.4mm. (Repair kits available) Spare parts set available (stock no. HRLT01RK, Price £41.90), set of five replacement nozzles also available (stock no HRLR01RK-2).



#### **TTNR81** Nutsert tool set

Set containing a nutsert gun together with 75 assorted blind nutserts. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.0 kilos)

| Nut serts     | M3 x 20 pieces, M4 x 20 pieces, M5 x 20 pieces, M6 x 15 pieces           |
|---------------|--|
| Accessories   | nose piece wrench  |
| Nut sert tool | with four quick change mandrels (M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0) |



#### **HN02** Nutsert Tool

Aluminium alloy, forged steel upper handle, quick change, lockable, threaded mandrel, high grade steel alloy. PVC grip. Spare parts set available (stock no. HN02RK).

| Nutsert capacity                       | Length | Weight |
|--|--------|--------|
|  | mm     | g      |
| M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0 | 250    | 10     |



#### **HRLN65N Nutsert Tool**

For professional use in construction and industrial applications. The two hand grips gives a large rivetting capacity. It has a draw rod compound action for quick loading and unloading. Mandrels for M5, M6, M8 and M10 included. Supplied in a metal case. Four piece mandrel set available (stock no. HRLN65NRK-1).

| Nutsert capacity | Length | Weight |
|------------------|--------|--------|
|                  | mm     | g      |
| M5, M6, M8, M10  | 530    | 1800   |








|                      | Т                  | HE R                       | IGHT LENS?   |
|----------------------|--------------------|----------------------------|--|
| Lens Colour          | CE<br>scale<br>no. | Visible Light<br>380-780nm | General Features   |
| lear                 | 2-1.2<br>2C-1.2    | 90%<br>(UV385)             | ◇ General purpose that provides maximum visibility. Indoor lens, good for mechanical work, or dusk dawn and night time activities For shooting indoors when no contrast is needed An excellent safety lens while hand loading  |
| A <mark>mbe</mark> r | 2-1.2              | 89%<br>(UV385)             | Maximum enhancement of contrast in low ligh environments is evarehouse.     Blocks out 87% of blue light with unparallelet level of detail definition & colour recognition.     Offers brighter view in early morning or late evening, on cloudy, foggy, or hazy days.     Suitable for night shift workers, surface inspection and mechanical work     Recommended for shooting and indoor racque sports. |
| orange               | 2-1.7              | 47%<br>(UV385)             | Suitable for all "medium light" conditions such a partly sumry, dull cloudy days and overcas conditions     Absorb 87% blue light, reduce glare and enhances the orange of the target     Increase contrast & tisual aculty and reduces eye     Good for surface inspection, medical/dentistry and mechanical work.  |
| moke                 | 5-2.5              | 18%<br>(UV385)             | O Transmits all colours at the same level Protects eyes from excessive glare and high levels of hazardous visible light and ultraviole radiation without distorting colour perception I deal for outdoors, for use on bright days & brigh sunlight, but does not enhance target. General purpose safety lens / the most popular tintod lens  |
| reen                 | 3-3                | 16%<br>(UV385)             | Provides protection from excessive glare and harmful ultraviolet radiation     Alternative to standard smoke lens  |
| <b>83</b>            | Shade<br>3         | 8~18%                      | Suitable for welders assistant (indirect exposure)in<br>the environments with low to medium levels of IR<br>radiation e.g. metal pouring, gas soldering, cutting<br>and brazing  |
| <b>3</b> 5           | Shade<br>5         | 1.18~3.16%                 | Environments with low to medium levels of IR radiation e.g. metal pouring, gas soldering, cutting and brazing     Light acetylene welding  |




#### THE RIGHT FRAME AND THE RIGHT LENS SPECIFICATION?

Teng Tools glasses are made to exacting standards and as a piece of safety equipment it is important that the user can see that he is correctly protected so each Teng Tools item is individually marked on the frame and the lens with codes that give information about what specifications that item is manufactured to.



#### MARKING OF FRAMES

- (a) Manufacturer
- EN standard number
- Suitable areas of application
  No marking = basic use (glasses)
- 3 = liquids (goggles and visors)
- 4 = dust particles > µm (goggles)
- 5 = gas and dust particles >µm (goggles)
- 8 = short circuit electrical arcs (visors) 9 = molten metal and hot material (goggles and visors)
- d) Mechanical resistance
  - S = enhanced strength
- F = high speed, low energy impact (6mm steel ball at 45 m/s)
- B = high speed, medium energy impact (6mm steel ball at 120 m/s)
- A = high speed, high energy impact (6mm steel ball at 190 m/s)
- Marking "T" after the symbol for mechanical resistance indicates protection at extreme temperatures (FT, BT, AT)
- (e) H = suitable for a smaller head shape
- (f) Highest shade number compatible with that particular frame



#### MARKING OF LENSES

#### a) Filter type

- 2 or 2C = UV 4 = IR
- 5 or 6 = sun filter
- b) Shade number (without filter type number = welding filter)
- Snade numbeManufacturer
- d) Optical class
  - 1 = permanent use 2 = temporary use
  - 3 = used in exceptional cases
- e) Mechanical resistance
- S = enhanced strength
  - F = high speed, low energy impact (6mm steel ball at 45 m/s)
  - B = high speed, medium energy impact (6mm steel ball at 120 m/s)
  - B = high speed, medium energy impact (6mm steel ball at 120 m/s)
    A = high speed, high energy impact (6mm steel ball at 190 m/s)
  - Marking "T" after the symbol for mechanical resistance indicates protection at

# extreme temperatures (FT, BT, AT) f) Other requirements

- 8 = short circuit electric arcs (visors)
- 9 = molten metal and hot materials (goggles and visors)
- K = resistance to surface damage by fine particles
- R = enhanced reflection factor.

#### SAFETY GLASSES

Optically neutral lens with anti-fog and anti scratch resistance (HC/AF) or just scratch resistance (HC). Polycarbonate lenses with large panorama view and integrated side protection. Suitable for work wear or for visitor protection wear. The glasses are in accordance with EN166 class 1FT. Yellow lens also meets EN170 and the grey lens meets EN172.

| Stock  | Lens       | Scratch   | Anti |  |
|--------|------------|-----------|------|--|
| No.    |            | resistant | fog  |  |
| SG960  | Clear      | Y         | Y    |  |
| SG960G | Grey/Smoke | Υ         | Υ    |  |
| SG960Y | Yellow     | Υ         | Υ    |  |
| SG960A | Clear      | Y         | -    |  |



#### Safety Glasses →





#### SAFETY GLASSES

A more sports inspired design with optically neutral lens with anti-fog and anti scratch resistance (HC/AF) and a soft bridge nose and side pieces for extra comfort. Polycarbonate lenses with large panorama view and integrated side protection. Suitable for work wear or for visitor protection wear. The glasses are in accordance with EN166 class 1FT. Grey lens also meets EN172.

| Stock  | Lens       | Scratch    | Anti |  |
|--------|------------|------------|------|--|
| No.    |            | resistance | Fog  |  |
| SG713  | Clear      | Y          | Υ    |  |
| SG713G | Grey/Smoke | Y          | Y    |  |











# TYPICALLY TENG AIR TOOLS

The brand new range of Teng Tools air tools has been created by our Product Development team to combine our expertise in mechanics hand tools with the very latest materials together with leading production and engineering methods. The result is a range of all the most frequently used air tools with products that easily meet or exceed the demands of the market and the specifications of professional workshop and industrial users.

The range has been developed with the user in mind with features such as ergonomic design and toughness. Advantages such as rubber grips, composite materials, swivelling air inlets

and reduced vibration are all "Typically Teng" features that combine to make Teng Tools air tools the preferred choice for professional users.

#### IMPACT WRENCH

- · Lightweight but strong aluminium housing
- Twin hammer mechanism for increased torque and reduced vibration
- Forward / reverse button for one handed operation
- Ergonomically designed handle for better grip and insulation aganist vibration and cold air
- · High torque action with three forward steps plus reverse

#### **COMPOSITE IMPACT WRENCH**

- Sound absorbent, extra lightweight composite housing
- Twin hammer mechanism for increased torque and reduced vibration
- Forward / reverse button for one handed operation
- Ergonomically designed handle for better grip and insulation aganist vibration and cold air
- High torque action with three forward steps plus reverse

#### COMPACT IMPACT WRENCH

- · Compact and light weight for easier use in confined spaces
- Extra high torque capacity compared to size and weight
- "Jumbo" clutch mechanism
- High torque action with three forward steps plus reverse
- Also available as a set in the Teng Tools double width tool tray for use on it's own or as part of the Teng Tools tool control system

#### **BLOW GUN**

- · Ergonomically designed pistol grip for left or right hand use
- · Low effort trigger operation for easier use
- · Metal thread insert
- Hanging hole for when not in use





#### **AIR DRILL**

- · Pistol style air drills for easier operation
- · Suitable for both left and right hand use
- · Thumb switch lever to change direction quickly and easily
- Quick chuck mechanism for simple changing of drill bits
- Ergonomically designed handle for better grip and insulation against vibration and cold air

#### **AIR RATCHET**

- · Ergonomically designed pistol grip for left or right hand use
- · Forward and reverse action
- · Metal trigger "squeeze" action for easier use
- · Simple single clutch operation
- · Ideal for working in confined areas





#### **AIR SAW**

- Ergonomically designed handle for better grip and insulation against vibration and cold air
- Metal trigger and safety cut off throttle mechanism for safer use
- Swivelling air intake for easier use and less interference from air line
- Suitable for sawing different materials such as metals, plastics, wood etc.
- · Adjustable saw blade support for use with different length blades

#### STRAIGHT IMPACT WRENCH

- High torque output with minimum weight
- Twin hammer mechanism for increased torque and reduced vibration
- Sound absorbent, extra lightweight composite housing
- · High torque action with four forward steps plus reverse
- Support handle for easier operation



#### **ARWM38** 3/8" Drive Impact Wrench

A robust and powerful, reversible impact wrench especially for workshop applications. High torque action with three forward steps and reverse. Housing manufactured in lightweight but hard wearing aluminium. Twin hammer mechanism for increased torque, greater reliability and reduced vibration. Forward/reverse button for one handed operation. Ergonomically designed handle for better grip and insulation against vibration and cold air.

| Square drive                 |       | 3/8"        |
|------------------------------|-------|-------------|
| Bolt capacity                | mm    | M13         |
| Free speed                   | rpm   | 9,000       |
| Max torque (3 steps)         | Nm    | 115/285/465 |
| Max torque (3 steps)         | ft-lb | 85/210/342  |
| Max reverse torque           | Nm    | 490         |
| Max reverse torque           | ft-lb | 361         |
| Hammer mechanism             | type  | Twin hammer |
| Sound level *                | dB    | 95.4        |
| Vibration **                 | m/s²  | 4.96        |
| Minimum hose size            | inch  | 3/8"        |
| Air inlet                    | inch  | 1/4"        |
| Air consumption at 100% int. | I/min | 105         |
| Air consumption at 100% int. | cfm   | 3.7         |
| Air consumption at 15% int.  | I/min | 16          |
| Air consumption at 15% int.  | cfm   | 0.6         |
| Length                       | mm    | 159.4       |
| Weight                       | kg    | 1.5         |
|                              |       |             |



- \* A weighted sound pressure level at work station in accordance with EN ISO 15744
- \*\* Vibration value according to EN ISO 28927-2

#### **ARWM12** 1/2" Drive Impact Wrench

A robust and powerful, reversible impact wrench especially for workshop applications. High torque action with three forward steps and reverse. Housing manufactured in lightweight but hard wearing aluminium. Twin hammer mechanism for increased torque, greater reliability and reduced vibration. Forward/reverse button for one handed operation. Ergonomically designed handle for better grip and insulation against vibration and cold air.

| Square drive                 |       | 1/2"        |
|------------------------------|-------|-------------|
| Bolt capacity                | mm    | M16         |
| Free speed                   | rpm   | 6,800       |
| Max torque (3 steps)         | Nm    | 385/530/930 |
| Max torque (3 steps)         | ft-lb | 285/390/685 |
| Max reverse torque           | Nm    | 950         |
| Max reverse torque           | ft-lb | 700         |
| Hammer mechanism             | type  | Twin hammer |
| Sound level *                | dB    | 92.5        |
| Vibration **                 | m/s²  | 22.45       |
| Minimum hose size            | inch  | 3/8"        |
| Air inlet                    | inch  | 1/4"        |
| Air consumption at 100% int. | I/min | 162         |
| Air consumption at 100% int. | cfm   | 5.3         |
| Air consumption at 15% int.  | I/min | 24.3        |
| Air consumption at 15% int.  | cfm   | 0.8         |
| Length                       | mm    | 183.1       |
| Weight                       | kg    | 2.5         |



- \* A weighted sound pressure level at work station with muffler in accordance with EN ISO 15744
- \*\* Vibration value according to EN ISO 28927-2

#### ARWM34 3/4" Drive Impact Wrench

A robust and powerful, reversible impact wrench especially for workshop applications. High torque action with three forward steps and reverse. Housing manufactured in lightweight but hard wearing aluminium. Twin hammer mechanism for increased torque, greater reliability and reduced vibration. Forward/reverse button for one handed operation. Ergonomically designed handle for better grip and insulation a gainst vibration and cold air.

| Square drive                 |       | 3/4"              |
|------------------------------|-------|-------------------|
| Bolt capacity                | mm    | M32               |
| Free speed                   | rpm   | 5,000             |
| Max torque (3 steps)         | Nm    | 1,084/1,300/1,790 |
| Max torque (3 steps)         | ft-lb | 800/960/1,320     |
| Max reverse torque           | Nm    | 1,830             |
| Max reverse torque           | ft-lb | 1,349             |
| Hammer mechanism             | type  | Twin hammer       |
| Sound level *                | dB    | 95.1              |
| Vibration **                 | m/s²  | 11.88             |
| Minimum hose size            | inch  | 1/2"              |
| Air inlet                    | inch  | 3/8"              |
| Air consumption at 100% int. | I/min | 181               |
| Air consumption at 100% int. | cfm   | 6.4               |
| Air consumption at 15% int.  | I/min | 27.2              |
| Air consumption at 15% int.  | cfm   | 1.0               |
| Length                       | mm    | 218.8             |
| Weight                       | kg    | 3.9               |



- \* A weighted sound pressure level at work station in accordance with EN ISO 15744
- \*\* Vibration value according to EN ISO 28927-2

#### ARWC38 3/8" Drive Composite Impact Wrench

A robust and powerful, reversible impact wrench especially for workshop applications. High torque action with three forward steps and reverse. Housing manufactured in sound absorbent, extra lightweight composite material. Twin hammer mechanism for increased torque, greater reliability and reduced vibration. Forward/reverse button for one handed operation. Ergonomically designed handle for better grip and insulation against vibration and cold air.

| Square drive                 |       | 3/8"        |
|------------------------------|-------|-------------|
| Bolt capacity                | mm    | M13         |
| ree speed                    | rpm   | 9,000       |
| Max torque (3 steps)         | Nm    | 163/244/450 |
| Max torque (3 steps)         | ft-lb | 120/180/331 |
| Max reverse torque           | Nm    | 470         |
| Max reverse torque           | ft-lb | 346         |
| lammer mechanism             | type  | Twin hammer |
| Sound level *                | dB    | 94.0        |
| /ibration **                 | m/s²  | 3.80        |
| Minimum hose size            | inch  | 3/8"        |
| Air inlet                    | inch  | 1/4"        |
| Air consumption at 100% int. | I/min | 128         |
| Air consumption at 100% int. | cfm   | 4.5         |
| Air consumption at 15% int.  | I/min | 19          |
| Air consumption at 15% int.  | cfm   | 0.7         |
| _ength                       | mm    | 161         |
| Veight                       | kg    | 1.3         |



- \* A weighted sound pressure level at work station in accordance with EN ISO 15744
- \*\* Vibration value according to EN ISO 28927-2





#### ARWC12 1/2" Drive Composite Impact Wrench

A robust and powerful, reversible impact wrench especially for workshop applications. High torque action with three forward steps and reverse. Housing manufactured in sound absorbent, extra lightweight composite material. Twin hammer mechanism for increased torque, greater reliability and reduced vibration. Forward/reverse button for one handed operation. Ergonomically designed handle for better grip and insulation against vibration and cold air.

| Square drive                 |       | 1/2"        |
|------------------------------|-------|-------------|
| Bolt capacity                | mm    | M16         |
| Free speed                   | rpm   | 6,800       |
| Max torque (3 steps)         | Nm    | 258/461/930 |
| Max torque (3 steps)         | ft-lb | 190/340/685 |
| Max reverse torque           | Nm    | 960         |
| Max reverse torque           | ft-lb | 708         |
| Hammer mechanism             | type  | Twin hammer |
| Sound level *                | dB    | 96.0        |
| Vibration **                 | m/s²  | 3.60        |
| Minimum hose size            | inch  | 3/8"        |
| Air inlet                    | inch  | 1/4"        |
| Air consumption at 100% int. | I/min | 144         |
| Air consumption at 100% int. | cfm   | 5.1         |
| Air consumption at 15% int.  | I/min | 22          |
| Air consumption at 15% int.  | cfm   | 0.8         |
| Length                       | mm    | 186         |
| Weight                       | kg    | 2.0         |
| 1                            |       |             |



- \* A weighted sound pressure level at work station in accordance with EN ISO 15744
- \*\* Vibration value according to EN ISO 28927-2

#### ARWC34 3/4" Drive Composite Impact Wrench

A robust and powerful, reversible impact wrench especially for workshop applications. High torque action with three forward steps and reverse. Housing manufactured in sound absorbent, extra lightweight composite material. Twin hammer mechanism for increased torque, greater reliability and reduced vibration. Forward/reverse button for one handed operation. Ergonomically designed handle for better grip and insulation against vibration and cold air.

| Square drive                 |       | 3/4"              |
|------------------------------|-------|-------------------|
| Bolt capacity                | mm    | M32               |
| Free speed                   | rpm   | 6,000             |
| Max torque (3 steps)         | Nm    | 1,084/1,300/1,790 |
| Max torque (3 steps)         | ft-lb | 800/960/1,320     |
| Max reverse torque           | Nm    | 1,830             |
| Max reverse torque           | ft-lb | 1,349             |
| Hammer mechanism             | type  | Twin hammer       |
| Sound level *                | dB    | 100.1             |
| Vibration **                 | m/s²  | 18.71             |
| Minimum hose size            | inch  | 1/2"              |
| Air inlet                    | inch  | 3/8"              |
| Air consumption at 100% int. | I/min | 195               |
| Air consumption at 100% int. | cfm   | 6.9               |
| Air consumption at 15% int.  | I/min | 29                |
| Air consumption at 15% int.  | cfm   | 1.0               |
| Length                       | mm    | 218.8             |
| Weight                       | kg    | 3.5               |



- \* A weighted sound pressure level at work station in accordance with EN ISO 15744
- \*\* Vibration value according to EN ISO 28927-2

#### TTDAWM13M 1/2" Drive Compact Impact Gun Set

A 13 piece impact gun set including a compact and lightweight 1/2" drive impact wrench for use in confined spaces together with stubby 1/2" drive impact sockets covering 10 to 24mm. Supplied in the unique Teng Tools double TC tray with removable lid and dove tail joints for use on its own or as part of the Teng Tools TC control system. (265x284x50mm, 3.2 kilos).

| Square drive                 |       | 1/2"   |
|------------------------------|-------|--|
| Impact sockets – stubby      | mm    | 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 |
| Bolt capacity                | mm    | M16  |
| Free speed                   | rpm   | 8,000  |
| Max torque (3 steps)         | Nm    | 285/380/680                                    |
| Max torque (3 steps)         | ft-lb | 210/280/501                                    |
| Max reverse torque           | Nm    | 770  |
| Max reverse torque           | ft-lb | 568  |
| Hammer mechanism             | type  | Jumbo hammer                                   |
| Minimum hose size            | inch  | 3/8"   |
| Air inlet                    | inch  | 1/4"   |
| Air consumption at 100% int. | I/min | 121  |
| Air consumption at 100% int. | cfm   | 4.23   |
| Air consumption at 15% int.  | I/min | 18   |
| Air consumption at 15% int.  | cfm   | 0.6  |
| Weight                       | kg    | 3.2  |



#### ARWM12M 1/2" Drive Compact Impact Wrench

A compact and light weight reversible impact wrench especially for use in confined spaces. Extra high torque capacity for the size and weight achieved through the "Jumbo" clutch mechanism. With three forward steps and reverse. Housing manufactured in sound absorbent, extra lightweight composite material. Forward/reverse button for one handed operation. Ergonomically designed handle for better grip and insulation against vibration and cold air.

| Square drive                 |                  | 1/2"         |
|------------------------------|------------------|--------------|
| Bolt capacity                | mm               | M16          |
| Free speed                   | rpm              | 8,000        |
| Max torque (3 steps)         | Nm               | 285/380/680  |
| Max torque (3 steps)         | ft-lb            | 210/280/501  |
| Max reverse torque           | Nm               | 770          |
| Max reverse torque           | ft-lb            | 568          |
| Hammer mechanism             | type             | Jumbo hammei |
| Sound level *                | dB               | 102.0        |
| Vibration **                 | m/s <sup>2</sup> | 7.50         |
| Minimum hose size            | inch             | 3/8"         |
| Air inlet                    | inch             | 1/4"         |
| Air consumption at 100% int. | I/min            | 121          |
| Air consumption at 100% int. | cfm              | 4.23         |
| Air consumption at 15% int.  | I/min            | 18           |
| Air consumption at 15% int.  | cfm              | 0.6          |
| Length                       | mm               | 113          |
| Weight                       | kg               | 1.3          |



- \* A weighted sound pressure level at work station in accordance with EN ISO 15744
- \*\* Vibration value according to EN ISO 28927-2





#### **ARWM11S 1" Drive Composite Impact Wrench**

A robust and powerful, reversible impact wrench especially for workshop applications. High torque action with four forward steps and reverse. Housing manufactured in sound absorbent, extra lightweight composite material. Twin hammer mechanism for increased torque, greater reliability and reduced vibration. Forward/reverse button for one handed operation. Ergonomically designed handle for better grip and insulation against vibration and cold air. Support handle for easier operation.

| Square drive                 |       | 1"                    |
|------------------------------|-------|-----------------------|
| Bolt capacity                | mm    | M36                   |
| Free speed                   | rpm   | 5,500                 |
| Max torque (4 steps)         | Nm    | 976/1,300/1,735/2,712 |
| Max torque (4 steps)         | ft-lb | 720/960/1,280/2,000   |
| Max reverse torque           | Nm    | 2,730                 |
| Max reverse torque           | ft-lb | 2,013                 |
| Hammer mechanism             | type  | Twin hammer           |
| Sound level *                | dB    | 104.5                 |
| Vibration **                 | m/s²  | 12.88                 |
| Minimum hose size            | inch  | 3/4"                  |
| Air inlet                    | inch  | 1/2"                  |
| Air consumption at 100% int. | I/min | 271                   |
| Air consumption at 100% int. | cfm   | 9.6                   |
| Air consumption at 15% int.  | I/min | 41                    |
| Air consumption at 15% int.  | cfm   | 1.4                   |
| Length                       | mm    | 504.5                 |
| Weight                       | kg    | 8.1                   |



- \* A weighted sound pressure level at work station in accordance with EN ISO 15744
- \*\* Vibration value according to EN ISO 28927-2

#### ARRM38 3/8" Drive Air Ratchet

A robust and powerful, reversible air ratchet especially designed working in confined areas in various workshop applications. High torque forward and reverse action with a simple single clutch operation and a metal "squeeze action" trigger for easier use. Ergonomically designed handle for better grip and insulation against vibration and cold air.

| o .                          | 0 1   | · ·   |
|------------------------------|-------|-------|
| Square drive                 |       | 3/8"  |
| Bolt capacity                | mm    | M10   |
| Free speed                   | rpm   | 220   |
| Forward/reverse torque       | Nm    | 41    |
| Forward/reverse torque       | ft-lb | 30    |
| Sound level *                | dB    | 88.1  |
| Vibration **                 | m/s²  | 9.71  |
| Minimum hose size            | inch  | 3/8"  |
| Air inlet                    | inch  | 1/4"  |
| Air consumption at 100% int. | I/min | 90.6  |
| Air consumption at 100% int. | cfm   | 3.2   |
| Air consumption at 15% int.  | l/min | 14    |
| Air consumption at 15% int.  | cfm   | 0.5   |
| Length                       | mm    | 173.9 |
| Weight                       | kg    | 0.6   |



- \* A weighted sound pressure level at work station in accordance with EN ISO 15744
- \*\* Vibration value according to EN ISO 28927-2

#### ARR12 1/2" Drive Air Ratchet

A robust and powerful, reversible air ratchet especially designed working in confined areas in various workshop applications. High torque forward and reverse action with a simple single clutch operation and a metal "squeeze action" trigger for easier use. Ergonomically designed handle for better grip and insulation against vibration and cold air.

| Square drive                 |       | 1/2"  |
|------------------------------|-------|-------|
| Bolt capacity                | mm    | M13   |
| Free speed                   | rpm   | 160   |
| Forward/reverse torque       | Nm    | 95    |
| Forward/reverse torque       | ft-lb | 70    |
| Sound level *                | dB    | 91.6  |
| Vibration **                 | m/s²  | 6.00  |
| Minimum hose size            | inch  | 3/8"  |
| Air inlet                    | inch  | 1/4"  |
| Air consumption at 100% int. | I/min | 113.2 |
| Air consumption at 100% int. | cfm   | 4     |
| Air consumption at 15% int.  | I/min | 17    |
| Air consumption at 15% int.  | cfm   | 0.6   |
| Length                       | mm    | 277   |
| Weight                       | kg    | 1.3   |



- \* A weighted sound pressure level at work station in accordance with EN ISO 15744
- Vibration value according to EN ISO 28927-2

#### ARD10 10mm Air Drill

A pistol style air drill for easy operation that is suitable for both left and right handed use. Simple to use with a thumb switch lever for changing direction quickly and easily together with a quick change chuck mechanism for easier changing of drill bits. Ergonomically designed handle for better grip and insulation against vibration and cold air.

| Chuck size                   | mm    | 10    |
|------------------------------|-------|-------|
| Free speed                   | rpm   | 1,800 |
| Minimum hose size            | inch  | 3/8"  |
| Air inlet                    | inch  | 1/4"  |
| Sound level *                | dB    | 87.6  |
| Vibration **                 | m/s²  | 2.73  |
| Air consumption at 100% int. | l/min | 121.4 |
| Air consumption at 100% int. | cfm   | 4.3   |
| Air consumption at 15% int.  | l/min | 18    |
| Air consumption at 15% int.  | cfm   | 0.7   |
| Length                       | mm    | 206.2 |
| Weight                       | kg    | 1.2   |



- \* A weighted sound pressure level at work station in accordance with EN ISO 15744
- \*\* Vibration value according to EN ISO 28927-2

#### ARD13 13mm Air Drill

A pistol style air drill for easy operation that is suitable for both left and right handed use. Simple to use with a thumb switch lever for changing direction quickly and easily together with a quick change chuck mechanism for easier changing of drill bits. Ergonomically designed handle for better grip and insulation against vibration and cold air.

| Chuck size                   | mm    | 13    |
|------------------------------|-------|-------|
| Free speed                   | rpm   | 450   |
| Minimum hose size            | inch  | 3/8"  |
| Air inlet                    | inch  | 1/4"  |
| Sound level *                | dB    | 88.8  |
| /ibration **                 | m/s²  | 1.93  |
| Air consumption at 100% int. | I/min | 140   |
| Air consumption at 100% int. | cfm   | 5     |
| Air consumption at 15% int.  | I/min | 21    |
| Air consumption at 15% int.  | cfm   | 0.8   |
| Length                       | mm    | 249.5 |
| Weight                       | kg    | 1.9   |



- A weighted sound pressure level at work station in accordance with EN ISO 15744
- \*\* Vibration value according to EN ISO 28927-2

#### **ARS01** Air Saw

A robust and powerful air saw suitable for cutting a variety of materials such as metals, plastic, wood, etc. with an adjustable blade support for use with different length blades. A metal trigger and safety cut off throttle mechanism make for safer use while the ergonomically designed handle gives better grip and insulation against vibration and cold air. A swivelling air intake ensures less interference from the airline making the air saw easier and safer to use.

| Stroke length                | mm    | 10     |
|------------------------------|-------|--------|
| Strokes per minute           | bpm   | 9,0000 |
| Cutting capacity - steel     | mm    | 3.0    |
| Cutting capacity - aluminium | mm    | 3.4    |
| Cutting capacity – wood      | mm    | 4.0    |
| Sound level *                | dB    | 83.6   |
| Vibration **                 | m/s²  | <2.4   |
| Minimum hose size            | inch  | 3/8"   |
| Air inlet                    | inch  | 1/4    |
| Air consumption at 100% int. | I/min | 31     |
| Air consumption at 100% int. | cfm   | 1.08   |
| Air consumption at 15% int.  | I/min | 4.7    |
| Air consumption at 15% int.  | cfm   | 0.2    |
| Length                       | mm    | 245.1  |
| Weight                       | kg    | 0.7    |



- \* A weighted sound pressure level at work station in accordance with EN ISO 15744
- \*\* Vibration value according to EN ISO 28927-2





ARG01 Air Die Grinder NEW

A robust and powerful air die grinder with a composite grip for added comfort, a rear exhaust with a silencer and a safety throttle lever.

| Angle                        |       | straight |
|------------------------------|-------|----------|
| Collet                       | mm    | 6        |
| Free speed                   | rpm   | 25,000   |
| Sound level*                 | dB(A) | 81.78    |
| /ibration **                 | m/s²  | 5.42     |
| Minimum hose size            | inch  | 3/8      |
| Air inlet                    | inch  | 1/4      |
| Air consumption at 100% int. | I/min | 113      |
| ir consumption at 15% int.   | I/min | 16.9     |
| ir consumption at 100% int.  | cfm   | 4.0      |
| ir consumption at 15% int.   | cfm   | 0.6      |
| ength                        | mm    | 161      |
| /eight                       | g     | 400      |



- A weighted sound pressure level at work station in accordance with EN ISO 15744
- Vibration value according to EN ISO 28927-2

#### ARG02 Air Die Grinder NEW

A robust and powerful air die grinder for use at 90 degrees. Includes a composite grip for added comfort, a rear exhaust with a silencer and a safety throttle lever.

| Angle                        |       | 90°    |
|------------------------------|-------|--------|
| Collet                       | mm    | 6      |
| Free speed                   | rpm   | 25,000 |
| Sound level*                 | dB(A) | 81.78  |
| Vibration **                 | m/s²  | 5.42   |
| Minimum hose size            | inch  | 3/8    |
| Air inlet                    | inch  | 1/4    |
| Air consumption at 100% int. | I/min | 113    |
| Air consumption at 15% int.  | I/min | 16.9   |
| Air consumption at 100% int. | cfm   | 4.0    |
| Air consumption at 15% int.  | cfm   | 0.6    |
| Length                       | mm    | 165    |
| Weight                       | g     | 400    |



- A weighted sound pressure level at work station in accordance with EN ISO 15744
- \*\* Vibration value according to EN ISO 28927-2

# **Air Tools**

#### **Air Blow Guns**

Ergonomically designed pistol grip air blow guns. Suitable for left or right handed use. A low effort trigger mechanism m gives easier use, a metal thread insert for reliability and a hanging hole for when not in use.

| Stock No      |      | ARB01 | ARB02 |
|---------------|------|-------|-------|
| Nozzle length | mm   | 100   | 270   |
| Air inlet     | inch | 1/4"  | 1/4"  |
| Length        | mm   | 212   | 360   |
| Weight        | g    | 106   | 130   |



#### OSHA Air Blow Gun NEW

Ergonomically designed pistol style grip air blow gun with a relief slot that conforms to OSHA (Occupational Safety and Health Administration) safety standards. Suitable for left or right handed use. A low effort trigger mechanism gives easier use, a metal thread insert for reliability and a hanging hole for when not in use.

| Stock No      |      | ARB03 |
|---------------|------|-------|
| Nozzle length | mm   | 100   |
| Air inlet     | inch | 1/4   |
| Length        | mm   | 212   |
| Weight        | g    | 160   |



<sup>\*</sup> A weighted sound pressure level at work station in accordance with EN ISO 15744 \*\* Vibration value according to EN ISO 28927-2

426



#### **TTCM05D Measuring Set**

5 piece general measuring set containing 150mm digital vernier caliper, micrometer 0-25 mm, square 150x100mm, steel rule 150mm and a 135 mm scriber with tungsten carbide tip. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm. 0.9 kilos)

| ,010 (20072       |         |           |
|-------------------|---------|-----------|
| Digital caliper   | mm/inch | 150/6"    |
| /licrometer       | mm      | 0/25      |
| recision square   | mm      | 150 x 100 |
| Steel rule        | mm/inch | 150/6"    |
| Scriber TC tipped |         | 135       |
|                   |         |           |



A 150mm 4 function digital caliper with 40mm jaw length. Adjustable between mm and inches, reset button, 0.01mm reading scale with 6mm high figures, automatic switch off and screw lock. Zero set in any position. DIN862. Uses 2 x LR44 type batteries.

|    | CAL150D  |
|----|----------|
| mm | 150      |
| mm | 40       |
| mm | 10       |
| mm | 0.01     |
|    | mm<br>mm |



Forged frame and matt chrome plated scale. Hardened 6.5mm spindle with polished measuring surfaces of hard metal. Friction sleeve and locking nut. DIN863.

| Stock no.       | MIR050 |       |
|-----------------|--------|-------|
| Measuring range | mm     | 0-25  |
| Reading         | mm     | 0.01  |
| Precision       | +/- mm | 0.004 |



#### **Measuring Tapes**

Measuring tapes with ABS case, tape lock and belt clip. Power return tape features metric and imperial graduations as well as aligning hook for internal/external measurement. Class II.

| Stock No. | Measuring<br>Length m | Measuring<br>Length ft | Width<br>mm |  |
|-----------|-----------------------|------------------------|-------------|--|
| MT03      | 3                     | 10                     | 13          |  |
| MT05      | 5                     | 16                     | 19          |  |
| MT08      | 8                     | 26                     | 25          |  |



Measuring Tapes →


#### **Measuring Tapes**

Metric only measuring tapes with ABS case, tape lock and belt clip. Power return tape features metric graduations as well as aligning hook for internal/external measurement. Class II.

| Stock No. | Measuring<br>Length m | Width<br>mm |  |
|-----------|-----------------------|-------------|--|
| MT03MM    | 3                     | 13          |  |
| MT05MM    | 5                     | 19          |  |
| MT08MM    | 8                     | 25          |  |



427





# **Measuring Tapes**

**Measuring Tools** 

Metric only measuring tapes with high impact plastic cases and a rubberised grip plus a belt clip. A steel roller cage prevents damage to the case when the nylon tape is retracted.

| Stock No. | Measuring | Width |
|-----------|-----------|-------|
|           | Length m  | mm    |
| MT10      | 10        | 10    |
| MT15      | 15        | 10    |
| MT30      | 30        | 10    |

#### Measuring Tapes →

#### **Measuring Tapes**

Metric only measuring tapes with high impact plastic cases and a rubberised grip plus a belt clip. A steel roller cage prevents damage to the case when the nylon tape is retracted, Class II.

| Stock No. | Measuring | Width |  |
|-----------|-----------|-------|--|
|           | Length m  | mm    |  |
| MTS30     | 30        | 12.7  |  |
| MTS50     | 50        | 12.7  |  |

#### Measuring Tapes →

#### Steel Rules

Tools

Teng

Steel rule with millimetre scale on the top edge, inches on the lower edge (150mm only with millimetre scale). With hanging hole.

| Stock No. | Length | Width x Thickness |  |
|-----------|--------|-------------------|--|
|           | mm     | mm                |  |
| ST150     | 150    | 20 x 0.8          |  |
| ST200     | 200    | 20 x 0.8          |  |

#### Steel Rules →

#### **Aluminium Try Squares**

Stainless steel blade with an anodised aluminium stock. The blade measures 1.5 x 45mm and the stock has an 18mm wide milled working surface. Deep etched and highly resistant to wear. Measurement accuracy of 0.03°.

| Stock   | Blade Length | Accuracy | Weight |  |
|---------|--------------|----------|--------|--|
| No.     | mm           |          | g      |  |
| SQAA200 | 200          | ±0.03°   | 240    |  |
| SQAA250 | 250          | ±0.03°   | 275    |  |
| SQAA300 | 300          | ±0.03°   | 300    |  |

#### **Plastic Try Squares**

Stainless steel blade with a fibre glass framed plastic stock. The blade measures 1.0 x 45mm and the stock has an 18mm wide milled working surface. Deep etched and highly resistant to wear. Measurement accuracy of 0.06°.

| Stock   | Blade Length | Accuracy | Weight |  |
|---------|--------------|----------|--------|--|
| No.     | mm           |          | g      |  |
| SQAP250 | 250          | ±0.06°   | 150    |  |
| SQAP300 | 300          | ±0.06°   | 160    |  |










# 



# **AB200** Sliding Bevel

200mm sliding bevel with straight and true stainless blade. Dimensions 200 x 23 x 25mm, weight 100g.



#### Flat Square

Made of steel with uniformly thick legs (25 x 6mm), 150mm long and 100mm short. All faces ground and polished. DIN875/2.



#### **SLA040** Aluminium Spirit Level

**Aluminium Spirit Levels** 

and 0.5mm/m in normal position.

Aluminium 400mm spirit level with one horizontal and two vertical vials. The design of the vials permits all round reading. Measurement accuracy of 1.0mm/m. End caps made of impact resistant plastic.

Easy to hold 24 x 50mm profile professional quality aluminium spirit

levels. Crush proof, durable tubular vials with high transparency for easy reading. Highly resistant to ultraviolet light and fluctuations in temperature the bubble is also not affected by static electricity. Shock absorbent end protectors and temperature proof vial mountings. Measurement accuracy of 0.75mm/m upside down











0.5mm/m

0.75mm/m Standard Position



| Stock   | Length | Width | Height | Tolerance | Tolerance | Weight |
|---------|--------|-------|--------|-----------|-----------|--------|
| No.     | mm     | mm    | mm     | normal    | inverted  | g      |
| SLA0300 | 300    | 24    | 50     | ±0.5mm/m  | ±0.75mm/m | 210    |
| SLA0400 | 400    | 24    | 50     | ±0.5mm/m  | ±0.75mm/m | 280    |
| SLA0600 | 600    | 24    | 50     | ±0.5mm/m  | ±0.75mm/m | 420    |
| SLA1000 | 1,000  | 24    | 50     | ±0.5mm/m  | ±0.75mm/m | 690    |
| SLA1200 | 1,200  | 24    | 50     | ±0.5mm/m  | ±0.75mm/m | 840    |
| SLA1500 | 1,500  | 24    | 50     | ±0.5mm/m  | ±0.75mm/m | 1,050  |
| SLA1800 | 1,800  | 24    | 50     | ±0.5mm/m  | ±0.75mm/m | 1,260  |
| SLA2000 | 2,000  | 24    | 50     | ±0.5mm/m  | ±0.75mm/m | 1,400  |

0.75mm/m

# **Magnetic Aluminium Spirit Levels**

Tools

Teng

Easy to hold 24 x 50mm profile professional quality aluminium spirit levels with magnets on the underside for fixing to ferrous work pieces (steel, etc). Crush proof, durable tubular vials with high transparency for easy reading. Highly resistant to ultraviolet light and fluctuations in temperature the bubble is also not affected by static electricity. Shock absorbent end protectors and temperature proof vial mountings. Measurement accuracy of 0.75mm/m.







Standard Position

| Stock<br>No. | Length<br>mm | Width<br>mm | Height<br>mm | Tolerance<br>normal |
|--------------|--------------|-------------|--------------|---------------------|
| SLM0300      | 300          | 24          | 50           | ±0.75mm/m           |
| SLM0400      | 400          | 24          | 50           | ±0.75mm/m           |
| SLM0600      | 600          | 24          | 50           | ±0.75mm/m           |
| SLM1000      | 1,000        | 24          | 50           | ±0.75mm/m           |
| SLM1200      | 1,200        | 24          | 50           | ±0.75mm/m           |



1.5mm/m

# **SLT01** Aluminium Torpedo Level with metal magnets

An impact resistant black aluminium 230mm torpedo style spirit level with three metal magnets on the underside for fixing to ferrous work pieces (steel, etc). Crush proof, durable tubular vials with high transparency for easy reading including 45° angle bubble. Highly resistant to ultraviolet light and fluctuations in temperature the bubble is also not affected by static electricity. Measurement accuracy of 1.0mm/m.



|       | ,      |       | ,      |           |        |  |
|-------|--------|-------|--------|-----------|--------|--|
| Stock | Length | Width | Height | Tolerance | Weight |  |
| No.   | mm     | mm    | mm     | normal    | g      |  |
| SLT01 | 230    | 16    | 38     | ±1.0mm/m  | 190    |  |

# SLT02 ABS plastic Torpedo Level with plastic magnets

An impact resistant ABS plastic 230mm torpedo style spirit level with a plastic strip magnet on the underside for fixing to ferrous work pieces (steel, etc). Crush proof, durable tubular vials with high transparency for easy reading including 45° angle bubble. Highly resistant to ultraviolet light and fluctuations in temperature the bubble is also not affected by static electricity. Measurement accuracy of 1.5mm/m



| Stock | Length | Width | Height | Tolerance | Weight |  |
|-------|--------|-------|--------|-----------|--------|--|
| No.   | mm     | mm    | mm     | normal    | g      |  |
| SLT02 | 230    | 16    | 40     | ±1.5mm/m  | 160    |  |
|       |        |       |        |           |        |  |

buckle. Features the Teng Tools eyes logo on the peak.

# P-CAP8 Teng Tools Baseball Cap Red

A special edition red Teng Tools baseball cap. Good quality with a strap and metal buckle adjustment at the back. Embroidered with the Teng Tools logo.

# P-CAP7 Teng Tools Baseball Cap Black

Black baseball cap with strap and buckle for adjusting the size. Embroidered with Teng Tools logo.

# P-UMB16 Teng Tools Umbrella

A smart golf style umbrella featuring the Teng Tools eyes logo.

## P-PS Teng Tools Seat Belt Protector Red

A double padded protector to make car seat belts more comfortable - suitable for driver and passenger sides.

# **Protective Glasses**

Light, comfortable work wear glasses that give stylish protection. Impact resistant with high optical clarity and conform to EN166, AS/NZS1067. Weight just 32g.

| Stock no. | Style             | Arm type |
|-----------|-------------------|----------|
|           |                   |          |
| SG001     | red frames        | straight |
| SG002     | black/grey frames | straight |
| SG003     | black frames      | curved   |

# **Teng Collection**



















# P-CAP6 Teng Tools Baseball Cap Red A stylish red baseball cap with adjustable strap with a

# **Teng**

# **Protective Glasses**

Light, comfortable work wear glasses that give stylish protection. Impact resistant with high optical clarity and conform to EN166, AS/NZS1067. Weight just 32g.

| Stock no. | Style             | Arm type |
|-----------|-------------------|----------|
| P-SG01    | red frames        | straight |
| P-SG02    | black/grey frames | straight |
| P-SG03    | black frames      | curved   |



# P-HN11 Teng Tools Necker Red

Can be worn as a snood style scarf, a head band, a neck warmer or even as a cap. 100% polyester.



# P-BET01 Teng Tools Belt

A fully adjustable two colour textile belt with the Teng Tools logo incorporated in the metal buckle. Supplied as 1350mm but can be cut to size.



Stylish and comfortable 100% cotton V neck T shirts. A ¾" rib knit neck line, taped neck and shoulders, tubular knit and a mitred V neck pattern all combine to create a good quality T shirt that looks good and feels good to wear. Embroidered with the Tena Tools logo on the sleeve.

|      | -           |
|------|-------------|
| Size |             |
|      |             |
| S    |             |
| М    |             |
| L    |             |
| XL   |             |
| XXL  |             |
|      | S<br>M<br>L |



# Teng Tools V neck T Shirts Black

Stylish and comfortable 100% cotton V neck T shirts. A 3/4" rib knit neck line, taped neck and shoulders, tubular knit and a mitred V neck pattern all combine to create a good quality T shirt that looks good and feels good to wear. Embroidered with the Teng Tools logo on the sleeve.

| Stock<br>No. | Size |  |
|--------------|------|--|
| POS-TSBKS    | S    |  |
| POS-TSBKM    | M    |  |
| POS-TSBKL    | L    |  |
| POS-TSBKXL   | XL   |  |
| POS-TSWBKXL  | XXL  |  |





# Teng Tools V neck T Shirts Red

Stylish and comfortable 100% cotton V neck T shirts. A ¾" rib knit neck line, taped neck and shoulders, tubular knit and a mitred V neck pattern all combine to create a good quality T shirt that looks good and feels good to wear. Embroidered with the Teng Tools logo on the sleeve.

| Stock<br>No. | Size |  |
|--------------|------|--|
| POS-TSRS     | S    |  |
| POS-TSRM     | М    |  |
| POS-TSRL     | L    |  |
| POS-TSRXL    | XL   |  |
| POS-TSRXXL   | XXL  |  |



# Teng Tools Polo Shirts Red

Stylish and comfortable 50% cotton/50% polyester polo shirts. A knitted collar with 3 buttons, taped neck, hemmed sleeve and bottom all combine to create a good quality polo shirt that looks good and feels good to wear. Embroidered with the Teng Tools logo on the left breast.

| Stock         | Size | To Fit     |  |
|---------------|------|------------|--|
| No.           |      | Chest Size |  |
| POS-POLORXS   | XS   | 36"        |  |
| POS-POLORS    | S    | 38"        |  |
| POS-POLORM    | M    | 40"        |  |
| POS-POLORL    | L    | 42"/44"    |  |
| POS-POLORXL   | XL   | 46"        |  |
| POS-POLORXXL  | XXL  | 48"        |  |
| POS-POLORXXXL | XXXL | 50"/52"    |  |



# **Teng Tools Polo Shirts Black**

Stylish and comfortable 50% cotton/50% polyester polo shirts. A knitted collar with 3 buttons, taped neck, hemmed sleeve and bottom all combine to create a good quality polo shirt that looks good and feels good to wear. Embroidered with the Teng Tools logo on the left breast.

| Stock         | Size | To Fit     |  |
|---------------|------|------------|--|
| No.           |      | Chest Size |  |
| POS-POLOBXS   | XS   | 36"        |  |
| POS-POLOBS    | S    | 38"        |  |
| POS-POLOBM    | M    | 40"        |  |
| POS-POLOBL    | L    | 42"/44"    |  |
| POS-POLOBXL   | XL   | 46"        |  |
| POS-POLOBXXL  | XXL  | 48"        |  |
| POS-POLOBXXXL | XXXL | 50"/52"    |  |



# **Teng Tools Hoodies Black**

Stylish and comfortable 80% cotton/20% polyester hooded sweat shirts. A kangaroo style front pouch, double fabric hood with draw string, ribbed cuffs and hem create a smart and fashionable hoodie. 280gsm material. Embroidered with the Teng Tools logo on the left breast.

| Stock        | Size | To Fit     |  |
|--------------|------|------------|--|
| No.          |      | Chest Size |  |
| POS-HOODXS   | XS   | 34"        |  |
| POS-HOODS    | S    | 36"        |  |
| POS-HOODM    | M    | 40"        |  |
| POS-HOODL    | L    | 44"        |  |
| POS-HOODXL   | XL   | 48"        |  |
| POS-HOODXXL  | XXL  | 52"        |  |
| POS-HOODXXXL | XXXL | 56"        |  |
|              |      |            |  |







Teng Tools Soft Shell Jackets Black
Stylish and comfortable 92% cotton/8% elastane soft shell jackets. A water proof membrane and high performance fabric give excellent water resistance and breathability and 320gsm material provides the warmth. Adjustable cuffs and an elasticated hem with side adjuster give the comfort, three external pockets, an inner mobile phone pocket plus two pen pockets give the practicality while the Teng Tools logo is embroidered on the left breast to give a finishing touch

| Stock         | Size | To Fit     |  |
|---------------|------|------------|--|
| No.           |      | Chest Size |  |
| POS-SOFTBXS   | XS   | 36"        |  |
| POS-SOFTBS    | S    | 38"        |  |
| POS-SOFTBM    | M    | 40"        |  |
| POS-SOFTBL    | L    | 42"/44"    |  |
| POS-SOFTBXL   | XL   | 46"        |  |
| POS-SOFTBXXL  | XXL  | 48"        |  |
| POS-SOFTBXXXL | XXXL | 50"/52"    |  |
|               |      |            |  |



# **Teng Tools Overalls Black**

Hard wearing 35% cotton/65% polyester 245gsm material overalls. Chest pocket with stud fastening and concealed stud front with an elasticated waistband, two deep side pockets and a ruler pocket. The Teng Tools logo is embroidered on the left breast to give a finishing touch.

| Stock        | To Suit     | To Fit     |  |
|--------------|-------------|------------|--|
| No.          | Height      | Chest Size |  |
| POS-OVERBM   | up to 5'11" | 38"/40"    |  |
| POS-OVERBL   | up to 5'11" | 42"/44"    |  |
| POS-OVERBXL  | up to 5'11" | 46"/48"    |  |
| POS-OVERBXXL | up to 5'11" | 50"/52"    |  |





Teng Tools Chino Trouser Black Stylish flat fronted chino trousers in 35% cotton/65% polyester 255gsm material. Front side pockets, rear pockets with button fastenings, zip fly, straight legs, belt loops and the Teng Tools logo embroidered above the rear pocket. Good quality, hard wearing stylish trousers.

| Stock      | To Fit     | To Fit     |  |
|------------|------------|------------|--|
| No.        | Waist Size | Inside Leg |  |
| POS-CH3032 | 30"        | 32"        |  |
| POS-CH3034 | 30"        | 34"        |  |
| POS-CH3232 | 32"        | 32"        |  |
| POS-CH3234 | 32"        | 34"        |  |
| POS-CH3432 | 34"        | 32"        |  |
| POS-CH3434 | 34"        | 34"        |  |
| POS-CH3632 | 36"        | 32"        |  |
| POS-CH3634 | 36"        | 34"        |  |
| POS-CH3832 | 38"        | 32"        |  |
| POS-CH3834 | 38"        | 34"        |  |
| POS-CH4032 | 40"        | 32"        |  |
| POS-CH4034 | 40"        | 34"        |  |





# **Teng Tools Overalls Red**

Hard wearing 35% cotton/65% polyester 245gsm material overalls. Chest pocket with stud fastening and concealed stud front with an elasticated waistband, two deep side pockets and a ruler pocket. The Teng Tools logo is embroidered on the left breast to give a finishing touch.

| Stock        | To Suit     | To Fit     |
|--------------|-------------|------------|
| No.          | Height      | Chest Size |
| POS-OVERRM   | up to 5'11" | 38"/40"    |
| POS-OVERRL   | up to 5'11" | 42"/44"    |
| POS-OVERRXL  | up to 5'11" | 46"/48"    |
| POS-OVERRXXL | up to 5'11" | 50"/52"    |





# **Teng Tools Work Trousers Black**

Hard wearing work trousers in 35% cotton/65% polyester 245gsm material. Front side leg pockets, slant entry front pockets and two rear pockets, zip fly, belt loops and the Teng Tools logo embroidered above the rear pocket. Good quality, hard wearing work trousers.

| Stock      | To Fit     | To Fit     |  |
|------------|------------|------------|--|
| No.        | Waist Size | Inside Leg |  |
| POS-WT3031 | 30"        | 31"        |  |
| POS-WT3033 | 30"        | 33"        |  |
| POS-WT3231 | 32"        | 31"        |  |
| POS-WT3233 | 32"        | 33"        |  |
| POS-WT3431 | 34"        | 31"        |  |
| POS-WT3433 | 34"        | 33"        |  |
| POS-WT3631 | 36"        | 31"        |  |
| POS-WT3633 | 36"        | 33"        |  |
| POS-WT3831 | 38"        | 31"        |  |
| POS-WT3833 | 38"        | 33"        |  |
| POS-WT4031 | 40"        | 31"        |  |
| POS-WT4033 | 40"        | 33"        |  |
| POS-WT4231 | 42"        | 31"        |  |
| POS-WT4233 | 42"        | 33"        |  |





# P-EZP Teng Tools Bag

A handy Teng Tools branded polyester bag with draw strings that double up as carrying straps. Ideal As a gym bag or light back pack. (370x440mm, 75g)



# P-CB Teng Tools Computer Bag

A small back pack for compact lap top computers or tablets measuring up to 320x280mm. Internal pockets give handy storage for cables, mobile phone, accessories, etc. Back pack style straps and a discreet Teng Tools logo.







# P-BP Teng Tools Back Pack

A versatile back pack with several compartments and pockets for storing things. Fully adjustable back straps and a carrying handle. Teng Tools branding with black trim.



**P-LB Luggage Strap**A fully adjustable luggage strap for extra security on suit cases.



# P-BP2 Teng Tools Back Pack

A smaller back pack with several compartments and pockets for storing things. Fully



# P-PW Teng Tools passport Wallet

A handy wallet for travel documents, etc with a discreet Teng Tools logo. (120x250x20mm)



adjustable back straps and a carrying handle. Teng Tools branding with black trim. (310x120x470mm)



# P-LT Teng Tools Luggage Tag

A solid plastic credit card sized luggage tag with plastic tie on strap and space to write



P-BM Teng Tools Travel Bag
A handy travel bag with adjustable shoulder strap and hand straps. Zip up pockets at each end for additional storage and a discreet Teng Tools logo. (430x255x290mm)



# P-SW Teng Tools Stationery Wallet

A handy textile stationery wallet with holders and compartments for pens, business cards, etc.



# Teng Tools suit cases

Available individually in two sizes or as a matching pair. High quality suitcases with 4 castors, a telescopic handle, key lock and combination lock.

| Stock<br>No. | Length<br>cm | Width<br>cm | Height<br>cm | Weight<br>kg |  |
|--------------|--------------|-------------|--------------|--------------|--|
| P-FC16A      | 29           | 45          | 65           | 5.4          |  |
| P-FC16B      | 25           | 35          | 49           | 3.8          |  |
| P-FC16AB     | 29/25        | 45/35       | 65/49        | 9.2          |  |

# **Teng Tools Pens**

A choice of colours with black or red. Blue ink biro type pens with a stylus for touch

| Stock<br>No. | Colour | Ink  |  |
|--------------|--------|------|--|
| P-PENBK15    | black  | blue |  |
| P-PENR2015   | red    | blue |  |







P-BH Teng Tools Bag Hook
An ingenious hook that folds in to a small round pocket sized disc but unwinds to create a gravity defying hook that can be used on the edge of a table to hang a hand bag or similar.









# P-CUP15 Teng Tools Coffee Mug

A stylish, quality Teng Tools branded mug for tea or coffee.



Teng

P-WSB14 Teng Tools Water Bottle
A 70cl water bottle with sports style drinking cap. Distinctive Teng Tools branding.



# P-FT17 Teng Tools Football

PU metallic outer surface with 32 segments and a rubber inner. Size 05.



# P-COP02 Teng Tools Bottle Opener

A Teng Tools bottle opener with a bi-material grip and hanging hole.

P-CS Teng Tools Cork Screw
A Teng Tools stainless steel cork screw with knife for cutting the foil or plastic wine bottle top and a fold out lever point for easy cork removal.



P-BCHR Teng Tools Bar Stool
A 755mm tall bar stool with a seat diameter of 360mm. Cushioned seat with the Teng Tools logo. Ideal for use with the Teng Tools bar table below.



P-BT Teng Tools Bar Table
A 600mm diameter bar table with Teng Tools branding
ideal for use with the Teng Tools bar stools above.



P-TENT Teng Tools Gazebo
A Teng Tools 3 meter square gazebo style tent. A stable aluminium frame that simply folds out with extending legs and a water proof pvc coated Oxford cloth roof cover. (17 kilos)



P-TENTW Teng Tools Tent Walls
Add on side walls fir the Teng Tools gazebo. Made from
water proof pvc coated Oxford cloth.





A large (180x300cm) Teng Tools flag for use with 11 to 12 meter tent poles



# **Get Organised**

# P-TS01 Teng Tools Exterior Sign

A 600x400mm acrylic sign for fixing to indoor or outdoor walls. Fixings included to give a depth of 85mm. (1.94 kilos)

# Teng Tools vinyl cut transfers

Vinyl cut transfer stickers. High quality material suitable for use on vehicles as well as general use. Black Teng Tools lettering.

| Stock   | Width |  |
|---------|-------|--|
| no.     | mm    |  |
| ST-R130 | 130   |  |
| ST-R200 | 200   |  |
| ST-R400 | 400   |  |

# Teng Tools vinyl cut transfers

Vinyl cut transfer stickers. High quality material suitable for use on vehicles as well as general use. White Teng Tools lettering.

| Stock    | Width |  |
|----------|-------|--|
| no.      | mm    |  |
| ST-R130W | 130   |  |
| ST-R400W | 400   |  |

# Vinyl transfers

S

00

Vinyl stickers. High quality material suitable for use on vehicles as well as general use. Black only print.

| Stock     | Width |  |
|-----------|-------|--|
| no.       | mm    |  |
| ST-R130BK | 130   |  |
| ST-R400BK | 400   |  |

# Teng Tools vinyl cut transfers

Vinyl cut transfer stickers with peel off mounting tape. High quality material suitable for use on vehicles as well as general use. Black lettering.

| Stock        | Width |
|--------------|-------|
| no.          | mm    |
| ST-ORGANISED | 65    |







INDEX CATEGORY PAGE INDEX CATEGORY PAGE ABS tops composite air guns 421-422 adaptors - sockets 188, 206 435 computer bag adjustable wrenches 258-259 439 cork screws 188. 326 air blow guns 426 coupler adaptors air conditioning torque wrenches 289 80-81 covers 425 406 air drills creepers 420-424 395-397 air guns crimping tools 420-424 air impact wrenches crow foot wrenches 260 air ratchets 424 crown face hammers 386 77-78, 136-137 air saws 425 cupboards air tools 418-426 cups 358-375 aluminium clip rails cutting tools 289 cylinder honing tools angular gauges angular gauge torque wrenches 282-288 cylinder leakage testers 381 377 386 awis dead blow hammers 436 back packs deburring tools 364-365 438 436 383 die holders bag hooks 369 369 bags ball joint separators diesel injector sockets 387 406 ball pein hammers digital calipers 427 banners 440 digital torque wrenches 284, 287 431 base ball caps disc pad removal tools 382 basin tap wrenches 260 dividers - tool boxes 76 432, 437 dollies 386 belts 254 bent long nose pliers 342 door hinge wrenches 267. 383 253 double flex wrenches bicycle tool set 248 245-247 bi flex wrenches 253 188, 326 double open ended spanners bit adaptors double ring spanners bit drivers 316-318 drain plug keys 381 bit holders 188, 326 drawer labels 81 bit ratchets 316-318 drill bit sets 366-367 bits - flat type 319 367, 425 bits - GR type 216, 321 engine cylinder honing tool 381 bits - hex type 216, 322-323 engineers hammers 406 bits - PH type 216, 320-321 engineers rules 428 bits - PZ type 216, 321-322 217, 325 428 40-47 engineers squares EVA tool kits bits - ROB type 116-129 bits - square type 217, 325 EVA tool tray sets 186-187, 206, 218 bits - T5 319 extension bars bits - TPX type 325 eve protection 417, 431 bits - TX type 217, 324-325 fall protection for tools 400-401 bits - wing TX type 377 feeler gauges 314-318 390-391 bits boxes/sets blades - knives 372-375 filter wrenches 353, 380 hlades- saws flags 440 426 253, 381 blow guns flare nut wrenches 364 343 190 192 body work tools 386 flaring tools 361 flat nose pliers bolt cutters 438-439 bottle openers flex handles bracelet 402 flex head adaptors brackets (tool boxes) flex head ratchets 182, 183 brake cylinder honing tool 382 flex wrenches brake spring washer tool 382 flexible light 404 407 436 brick layers hammers flight cases cable cutters 341, 362 flush cut pliers 341 fully ground drill bits cable strippers 335. 344.395-396 366-367 gasket scrapers gazebos 377, 378 cable tie guns 396 282-288 439 417, 431 calibrated torque wrenches calipers 427 glasses can holders glue clamps 354-355 74, 77 cantilever tool boxes grease guns 343-345 431 groove joint pliers caps 345 carpenters pincers gun saws 428-429 hacksaw blades carpenters squares 365 365-366 carrying boxes 72-74 hacksaws 411 386, 406-407 centre punches hammers chisels 408-409 hand saws 365-366 circlip pliers 348-349 head lamps 404 circuit testers heel bars 400 354-357 hex bit impact sockets 219, 223, 225 clamps 406-407 hex bit sets 167, 176 claw hammers hex bit sockets 197, 200, 203 claw pick up tools 159, 167, 175-177, 205 clip rail sets hexagon keys clip rails hobby knives 372-375 433-434 clothing - jackets hook and picks 377, 378 clothing - overalls hook wrenches 262-263 432-433 clothing - shirts and tops 83. 133 hooks clothing - trousers 434 hose clamps 377-378 407 club hammers hose clip drivers 376 215-217 coffee mug 438 impact driver bits coil spring compressors 383 impact drivers cold chisels 409 impact hex bit sockets 216, 219, 223, 225 combination pliers 335, 341-342 impact socket accessories 215-218 combination spanners 230-244 impact socket sets 3/8" drive 210

| INDEX CATEGORY                                       | PAGE                     | INDEX CATEGORY  | PAGE                     |
|--|--------------------------|---|--------------------------|
| impact socket sets 1/2" drive                        | 210-212                  | pliers - end cutters                                  | 345, 346                 |
| impact socket sets 3/4" drive                        | 213                      | pliers - flat nose                                    | 343                      |
| impact sockets 1/4" drive                            | 219                      | pliers - flush cut                                    | 341                      |
| impact sockets 3/8" drive                            | 219                      | pliers - groove joint                                 | 343-345                  |
| impact sockets 1/2" drive                            | 220-223                  | pliers - insulated                                    | 335                      |
| impact sockets 3/4" drive<br>impact sockets 1" drive | 225<br>226-227           | pliers - long nose<br>pliers - long reach             | 335, 342<br>343          |
| impact sockets 1 1/2" drive                          | 220-227                  | pliers - mini   | 346-347                  |
| impact TX bit sockets                                | 223                      | pliers - pincers                                      | 345                      |
| impact wrenches                                      | 420-424                  | pliers - power grip                                   | 352-353                  |
| insert wrenches                                      | 290-291                  | pliers - round nose                                   | 343                      |
| inspection mirrors                                   | 401-402                  | pliers - self-locking                                 | 343                      |
| inspection tools<br>insulated tools                  | 401-405<br>330-335       | pliers - side cutters<br>pliers - water pump          | 335, 340<br>343-345      |
| jackets  | 433-434                  | pliers - water pump                                   | 335, 396-397             |
| keys   | 82                       | pliers - wire twisting                                | 344                      |
| kneeling pads  | 405                      | podgers   | 263                      |
| knives   | 372-375                  | power grip pliers                                     | 352-353                  |
| lazy tongue rivet guns                               | 415                      | power through screwdrivers                            | 311<br>307-309           |
| LED lamps<br>levels                                  | 133, 404-405<br>429-430  | precision screwdrivers precision tweezers             | 347                      |
| lights   | 133, 404-405             | protective glasses                                    | 417, 431                 |
| LMP spanners   | 244                      | pry bars  | 382, 400                 |
| locks  | 82                       | pullers   | 392-394                  |
| long nose pliers                                     | 335, 342                 | punches   | 382, 411                 |
| long reach pliers                                    | 343<br>437               | quick wrenches  | 263<br>140 143           |
| luggage belts<br>luggage tags                        | 437<br>437               | racking system<br>ratchet service kits                | 140-143<br>183           |
| lump hammers   | 407                      | ratchets - 1/4" drive                                 | 182                      |
| machine clamps                                       | 357                      | ratchets - 3/8" drive                                 | 182                      |
| magnetic bits tray                                   | 79, 401                  | ratchets - 1/2" drive                                 | 182-183                  |
| magnetic bracelets                                   | 402                      | ratchets - 3/4" drive                                 | 183                      |
| magnetic chargers<br>magnetic holders                | 302<br>79. 387           | ratchets 1" drive<br>ratcheting bits drivers          | 183<br>317-318           |
| magnetic riolders                                    | 401-402                  | ratcheting combination spanners                       | 240-243                  |
| magnetic shelves                                     | 78-79                    | ratcheting offset ring spanners                       | 254                      |
| magnetic tool rails                                  | 76, 402                  | reamers   | 364-365                  |
| magnetic tool trays                                  | .79                      | retaining pins  | 218                      |
| magnifiers   | 402                      | retaining rings                                       | 218                      |
| masonry hammers<br>measuring kits                    | 407<br>427               | rethreading tools retractable knives                  | 369<br>372-373           |
| measuring tapes                                      | 427-428                  | ribe sockets  | 201                      |
| mechanics creepers                                   | 406                      | rigger jiggers  | 244                      |
| mechanics stool                                      | 406                      | ring spanners   | 244-246, 254             |
| mega master tool kits                                | 14-38, 42-45             | rivet guns  | 414-415                  |
| micrometers<br>middle boxes                          | 427<br>67-68             | roll bars<br>roller cabinets                          | 400<br>68-72             |
| midget wrenches                                      | 243                      | RORS wrenches   | 254                      |
| mini bits ratchets                                   | 182, 316                 | rules   | 428                      |
| mini pliers  | 346-347                  | safety glasses/goggles                                | 417, 432                 |
| mini screwdrivers                                    | 306-309                  | safety wires  | 400-401                  |
| mirrors<br>modular racking system                    | 401-402<br>140-143       | saw blades<br>saws                                    | 365, 366<br>365-366, 425 |
| monster tool kits                                    | 14-38, 42-45             | scissors  | 361                      |
| mugs   | 438                      | scrapers  | 377, 378                 |
| neckers  | 432                      | screw clamps  | 354                      |
| needle files   | 390                      | screw extractors                                      | 397-398                  |
| nut drivers<br>nut sert tools                        | 261<br>415               | screwdriver bit sets<br>screwdriver bit sockets       | 314-318<br>194-195       |
| nut setters  | 327                      | screwdriver bits                                      | 314-327                  |
| nut splitters  | 398                      | screwdriver sets                                      | 298-311. 330             |
| oil filter removal tools                             | 353, 380-381             | screwdrivers - double ended                           | 302, 307                 |
| oil service kits                                     | 380                      | screwdrivers - flat type                              | 303, 307, 311, 332       |
| open ended spanners                                  | 248                      | screwdrivers - hex type<br>screwdrivers - insulated   | 273, 307                 |
| overalls<br>palm ratchets                            | 435<br>182               | screwdrivers - insulated<br>screwdrivers - mini       | 330-334<br>306-309       |
| panels   | 121, 135                 | screwdrivers - PH type                                | 304, 307, 311, 333       |
| paper towel holders                                  | 81                       | screwdrivers - plus/minus                             | 334                      |
| parallel pin punches                                 | 411                      | screwdrivers - power through                          | 311                      |
| passport wallets                                     | 437                      | screwdrivers - PZ type                                | 304, 333                 |
| pens<br>pick up tools                                | 401, 437<br>399, 401-402 | screwdrivers - ROB type<br>screwdrivers - TX/TPX type | 306<br>306, 309          |
| pin punches  | 411                      | scribers  | 411                      |
| pin wrenches   | 262-263                  | seat belt protector                                   | 431                      |
| pincers  | 345                      | self locking pliers                                   | 343                      |
| pipe cutters   | 362-363                  | service cases   | 56-58, 72                |
| pipe wrenches  | 260                      | service kits  | 38-58<br>428             |
| piston ring compressor<br>plastic carrying boxes     | 381<br>74                | set squares<br>shelves                                | 78. 143                  |
| plier sets   | 338-340                  | side cupboards  | 76, 143                  |
| pliers - cable cutters                               | 341-362                  | side cutting pliers                                   | 335, 340                 |
| pliers - circlip                                     | 348                      | side plates   | 83                       |
| pliers - combination                                 | 335, 341-342             | side tables   | 81                       |
|  |                          |   |                          |

| INDEX CATEGORY                                   | PAGE                                 |
|--|--------------------------------------|
| sign boards                                      | 130, 440                             |
| sliding T bars<br>slogging wrenches              | 189<br>252                           |
| snap ring pliers                                 | 348-349                              |
| snoods<br>socket adaptors                        | 432<br>188, 206, 326                 |
| socket clips                                     | 75                                   |
| socket sets 1/4" drive<br>socket sets 3/8" drive | 152-159                              |
| socket sets 1/2" drive                           | 160-167, 204-205<br>168-177, 204-205 |
| socket sets 3/4" drive                           | 177                                  |
| socket sets 1" drive<br>sockets 1/4" drive       | 179<br>193-195                       |
| sockets 3/8" drive<br>sockets 1/2" drive         | 195-197, 207                         |
| sockets 3/4" drive                               | 198-202, 207<br>203                  |
| sockets 1" drive                                 | 204                                  |
| soft face hammers spanner rings                  | 407<br>247                           |
| spanner sets                                     | 230-248                              |
| spanners<br>spark plug sockets                   | 230-248<br>190, 379                  |
| specialist sockets                               | 387                                  |
| speed braces<br>spinner handles                  | 189<br>189                           |
| spirit levels                                    | 429-430                              |
| spline sockets<br>squares                        | 201, 221<br>428-429                  |
| stainless steel socketry                         | 204-207                              |
| starter kits<br>stationery wallets               | 38-58<br>437                         |
| steel rules                                      | 428                                  |
| stickers<br>stools                               | 81, 440<br>406, 439                  |
| storage trays                                    | 86-88                                |
| stubby wrenches<br>stud extractors               | 243<br>397-398                       |
| suction lifters                                  | 386                                  |
| suit cases                                       | 436<br>431                           |
| sun glasses<br>T5 bit sets                       | 319                                  |
| T bar adaptors                                   | 187, 206                             |
| T handles T shirts                               | 261, 273-274, 277<br>432-433         |
| table clamps                                     | 357                                  |
| tables<br>take away tool kits                    | 439<br>56-58                         |
| tap and die sets                                 | 367                                  |
| tap handles<br>tape measures                     | 369<br>427-428                       |
| taps and dies                                    | 367-369                              |
| teng collection<br>tents                         | 431-440<br>439                       |
| tin snips  | 360                                  |
| tool box covers<br>tool bags                     | 80-81<br>73                          |
| tool box handles                                 | 80                                   |
| tool box keys<br>tool boxes                      | 82<br>64-71                          |
| tool kits  | 14-59                                |
| tool mats<br>tool storage                        | 76<br>64-71                          |
| tool trays                                       | 86-128                               |
| top boxes<br>torches                             | 66-68<br>404-405                     |
| torpedo levels                                   | 430                                  |
| torque multipliers<br>torque screwdrivers        | 290<br>282                           |
| torque sticks                                    | 223, 385                             |
| torque wrenches<br>torque wrench testers         | 282-289<br>280-281                   |
| tote trays                                       | 75                                   |
| TPX bit sockets<br>TPX bits                      | 198, 202<br>325                      |
| TPX drivers                                      | 277                                  |
| trimming knives<br>trollies                      | 372-375<br>140                       |
| trousers   | 434                                  |
| tweezers<br>TX bit sets                          | 347<br>319                           |
| TX bits  | 323-325                              |
| TX bit sockets<br>TX drivers                     | 195, 198, 202<br>277                 |
| TX impact sockets                                | 223                                  |
| •  |                                      |

| INDEX CATEGORY                      | PAG                      |
|-------------------------------------|--------------------------|
| TX keys<br>TX-E sockets             | 275-277<br>194, 197, 202 |
| TX-E wrenches                       | 255                      |
| tyre levers                         | 383                      |
| umbrellas                           | 431                      |
| universal joints                    | 187, 218                 |
| uprights                            | 131, 134, 135            |
| utility knives                      | 372-375                  |
| vinyl transfer stickers             | 440                      |
| voltage testers                     | 396                      |
| wagons                              | 68-72                    |
| wall racks                          | 146-149                  |
| water bottles                       | 438                      |
| water pump pliers                   | 344-345                  |
| welding pliers                      | 355-357                  |
| welding tools                       | 355-357, 387             |
| wheel nut sockets                   | 384-385                  |
| wheel nut wrenches                  | 384                      |
| wheel tools                         | 384-385                  |
| wheel wrenches                      | 384                      |
| wheels                              | 74, 79, 80<br>254        |
| window hinge wrenches               | 387                      |
| wing covers<br>wing TX bit sets     | 319                      |
| wire strippers                      | 335, 396-397             |
| wire strippers wire twisting pliers | 344                      |
| wobble extension bars               | 187                      |
| wood chisels                        | 408                      |
| wooden tops                         | 80, 130, 135             |
| work bench panels                   | 131-132, 135             |
| work bench uprights                 | 131, 134, 135            |
| work benches                        | 130-140                  |
| wrenches, adjustable                | 258-259                  |
| wrenches, aluminium pipe            | 260                      |
| wrenches, bi-flex                   | 253                      |
| wrenches, double flex               | 253                      |
| wrenches, flare nut                 | 253, 381                 |
| wrenches, hook                      | 262-263                  |
| wrenches, oil filter                | 353, 380-381             |
| wrenches, pin                       | 262-263                  |
| wrenches, pipe                      | 260                      |
| wrenches, slogging                  | 252                      |
| wrenches, T handle                  | 261, 273-274, 277        |
| wrenches, torque                    | 282-289                  |
| wrenches, wheel nut<br>XZN sockets  | 384<br>201, 221          |
| VEIN SOUKEIS                        | 201, 221                 |
|                                     |                          |
|                                     |                          |





| 65RS12<br>401-4   | 241             | 7054                     | 000                  |                    |
|-------------------|-----------------|--------------------------|----------------------|--------------------|
|                   |                 | 705A                     | 366                  | 1479MM             |
|                   | 353             | 705A-5                   | 366                  | 1479TX             |
| 401-5             | 353             | 710                      | 374                  | 1479TX1            |
| 401-7             | 353             | 710-10                   | 374                  | 1486               |
| 401-10<br>401-10F | 353<br>353      | 710-10H<br>710-100       | 375<br>374           | 1487<br>1488       |
| 401-12            | 353             | 710-100H                 | 375                  | 1492AG-            |
| 401-12F           | 353             | 710A                     | 372                  | 1492AG-            |
| 402               | 352             | 710A-10                  | 372                  | 1492AGE            |
| 404-4             | 353             | 710A-100                 | 373                  | 1492SD             |
| 404-6<br>404-6S   | 353<br>353      | 710C<br>710F             | 373<br>373           | 1492SD-            |
| 404-95            | 353<br>353      | 710F<br>710F-10          | 372<br>373           | 1499AF<br>1499MM   |
| 406               | 355             | 710F-100                 | 373                  | 1499TX             |
| 406-6             | 355             | 710G                     | 373                  | 2300               |
| 406-6P            | 356             | 710H                     | 372                  | 3492AG             |
| 406-6S            | 356             | 710N                     | 374                  | 3492AG             |
| 406-6SP<br>406P   | 356<br>356      | 710S<br>710U-10          | 372<br>373           | 3492AG             |
| 406S              | 356             | 7100-10                  | 373<br>374           | 3492AG-<br>3492AG- |
| 406SP             | 356             | 712                      | 374                  | 3492AG             |
| 407               | 356             | 1200-72N                 | 182                  | 3492AG             |
| 407AS             | 357             | 1200-72NRK               | 183                  | 3492AGI            |
| 408               | 357             | 1200-72SN                | 182                  | 3492AGI            |
| 409<br>409P       | 353, 380<br>357 | 1200F<br>1200FRK         | 183<br>183           | 3492AG<br>3492P50  |
| 409SP             | 357             | 1200FRP                  | 182                  | 3492P50            |
| 410P              | 357             | 1200FRPRK                | 183                  | 3800-72            |
| 410SP             | 357             | 1200L                    | 183                  | 3800-72            |
| 445W              | 340             | 1201                     | 190                  | 3800-72            |
| 480               | 348             | 1201A                    | 190                  | 3800FRF            |
| 490<br>490W       | 360<br>360      | 1201ARK<br>1201RK        | 183, 190<br>183, 190 | 3800FRF<br>3892AG  |
| 491               | 360             | 1201111                  | 384                  | 3892AG             |
| 491W              | 360             | 1202A                    | 384                  | 3892AG             |
| 492               | 360             | 1292AG-090               | 287                  | 3892AG             |
| 492W              | 360             | 1292AG-110               | 287                  | 3892AG             |
| 493               | 360             | 1292AG-120               | 287                  | 3892AG             |
| 494<br>495        | 360<br>360      | 1292AG-140<br>1292AG4-CT | 287<br>285           | 3892CQ<br>3892D10  |
| 496               | 361             | 1292AG4R-CT              | 286                  | 3892D10            |
| 497               | 361             | 1292AG4RK                | 288                  | 3892P06            |
| 498-7             | 344             | 1292AG4RRK               | 288                  | 3892P06            |
| 580               | 401             | 1292AG-E4                | 285                  | 3892P10            |
| 580A<br>580C      | 401<br>78       | 1292AG-E4R<br>1292AG-EP  | 285<br>285           | 3892P10<br>4001    |
| 580CK             | 79              | 1292AG-ER                | 285                  | 4001RK             |
| 580CM             | 79              | 1292AGERK                | 288                  | 4002               |
| 580CN             | 79              | 1292AGERRK               | 288                  | 4002IQ             |
| 580D              | 78              | 1292AGP-CT               | 285                  | 4002IQF            |
| 580J              | 79              | 1292AGR-CT               | 286                  | 4002RK             |
| 580K<br>580M      | 79<br>79        | 1292D200<br>1292D200-CT  | 287<br>287           | 4002WT<br>4002WT   |
| 580N              | 79              | 1292P100                 | 286                  | 4003               |
| 580Q              | 79              | 1292P100-CT              | 286                  | 4003IQ             |
| 580R              | 79              | 1292P200                 | 286                  | 4003IQF            |
| 580S              | 401             | 1292P200-CT              | 286                  | 4003J_             |
| 581N              | 405             | 1292P320                 | 286                  | 4003JRI<br>4003RK  |
| 581TMG<br>581TMI  | 402<br>402      | 1292P320-CT<br>1400-72N  | 286<br>182           | 4003KK<br>4003WT   |
| 581TMP            | 402             | 1400-72NRK               | 183                  | 4003WT             |
| 582MI             | 401             | 1400-72SN                | 182                  | 4004               |
| 582N              | 405             | 1400B                    | 182, 316             | 4004IQ             |
| 583M              | 402             | 1400FRP                  | 182                  | 4004IQF            |
| 583N              | 405             | 1400FRPRK                | 183<br>182           | 4004RK<br>4004WT   |
| 585<br>585MP      | 404<br>401      | 1400M<br>1424            | 266                  | 4004WT             |
| 586               | 404             | 1425                     | 266                  | 4005               |
| 586A              | 404             | 1471AF                   | 268                  | 4005IQ             |
| 586C              | 404             | 1471AFA                  | 268                  | 4005IQF            |
| 587H              | 403             | 1471MM                   | 268                  | 4005RK             |
| 587J              | 133, 404        | 1471MMA                  | 268<br>267, 383      | 4005WT<br>4005WT   |
| 587M<br>589ME     | 403<br>133      | 1473<br>1474             | 267, 383<br>269      | 4005WT<br>4006     |
| 600               | 247             | 1475                     | 269                  | 4006IQ             |
| 700-PRO5          | 365             | 1476NAF                  | 268                  | 4006IQF            |
| 701               | 365             | 1476NMM                  | 267                  | 4006RK             |
| 701N              | 365             | 1476NMM1                 | 267                  | 4007               |
| 701N1             | 365             | 1476NTX                  | 276                  | 4007RK             |
| 702<br>703        | 365<br>366      | 1476NTX1<br>1476NTX2     | 276<br>276           | 4008<br>4008RK     |
| 703<br>703-10     | 366             | 1476NTX2<br>1477NX       | 267, 308             | 6005M1             |
| 703-24            | 366             | 1479AF                   | 270                  | 6005M1             |
| 704               | 366             | 1479MM                   | 269                  | 6005M1             |
| 705<br>705-5      | 365<br>365      | 1479MMA<br>1479MMR       | 269<br>266           | 6005M1;<br>6005M1  |

| Code No.                 | Page No.   | Code No.            | Page No.   |
|--------------------------|------------|---------------------|------------|
| 1479MMRL                 | 267        | 6005M15             | 243        |
| 1479TX                   | 274        | 6005M16             | 243        |
| 1479TX1                  | 275        | 6005M17             | 243        |
| 1486<br>1487             | 319<br>275 | 6005M18<br>6005M19  | 243<br>243 |
| 1488                     | 319        | 6059LMP             | 243        |
| 1492AG-CT                | 283        | 6208                | 247        |
| 1492AG-E                 | 282        | 6211                | 248        |
| 1492AGERK                | 288        | 6211MM              | 248        |
| 1492SD<br>1492SD-CT      | 282<br>282 | 6308<br>6308MM      | 245<br>245 |
| 1499AF                   | 270        | 6311                | 245        |
| 1499MM                   | 269        | 6503RX              | 254        |
| 1499TX                   | 276        | 6507AF_             | 236        |
| 2300                     | 399        | 6507JAF             | 236        |
| 3492AG1-CT<br>3492AG2-CT | 287<br>287 | 6507JMM<br>6507JMMA | 236<br>237 |
| 3492AG-CT                | 287        | 6508RMM             | 240        |
| 3492AG-E                 | 287        | 6508RSMM            | 241        |
| 3492AG-E1                | 287        | 6509AF              | 236        |
| 3492AG-E2<br>3492AG-ER   | 287<br>288 | 6510A<br>6510MM     | 233<br>233 |
| 3492AGERK                | 288        | 6510RMM             | 240        |
| 3492AGERRK               | 288        | 6512                | 234        |
| 3492AGR-CT               | 288        | 6512MM              | 235        |
| 3492P500                 | 288<br>288 | 6512MM1<br>6512MMA  | 234<br>237 |
| 3492P500-CT<br>3800-72N  | 182        | 6512N               | 237        |
| 3800-72NRK               | 183        | 6512RSMM            | 242        |
| 3800-72SN                | 182        | 6515MM              | 234        |
| 3800FRP                  | 182        | 6515MMA             | 237        |
| 3800FRPRK<br>3892AG1-CT  | 183<br>283 | 6517<br>6517MM      | 235<br>234 |
| 3892AG1RK                | 288        | 6521                | 235        |
| 3892AG3-CT               | 283        | 6526MM              | 235        |
| 3892AG3RK                | 288        | 8512A               | 233        |
| 3892AG-E1<br>3892AG-E3   | 283<br>283 | 8512MM<br>9110      | 233<br>380 |
| 3892CQ100R               | 290        | 9110RK-1            | 380        |
| 3892D100                 | 284        | 9120                | 380        |
| 3892D100-CT              | 284        | 9120HD              | 381        |
| 3892P060                 | 284<br>284 | 9120RK-1<br>9121    | 380<br>210 |
| 3892P060-CT<br>3892P100  | 284<br>284 | 9121                | 380        |
| 3892P100-CT              | 284        | 9123RK              | 380        |
| 4001                     | 258        | 9124                | 380        |
| 4001RK                   | 258        | 9126                | 210        |
| 4002<br>4002IQ           | 258<br>258 | 9203N<br>9203N1     | 385<br>384 |
| 4002IQRK                 | 259        | 9207S12             | 210        |
| 4002RK                   | 258        | 9381                | 210        |
| 4002WT                   | 259        | 9386                | 210        |
| 4002WTRK<br>4003         | 259<br>258 | 9850<br>120955-C    | 396<br>387 |
| 4003IQ                   | 258        | 120970-C            | 387        |
| 4003IQRK                 | 259        | 210705              | 322        |
| 4003J                    | 259        | 210706              | 322        |
| 4003JRK<br>4003RK        | 259<br>258 | 210707<br>210708    | 322<br>322 |
| 4003WT                   | 259        | 210709              | 322        |
| 4003WTRK                 | 259        | 210710              | 322        |
| 4004                     | 258        | 210712              | 322        |
| 4004IQ<br>4004IQRK       | 258<br>259 | 210714<br>210717    | 322<br>322 |
| 4004RK                   | 258        | 210719              | 322        |
| 4004WT                   | 259        | 210805              | 323        |
| 4004WTRK                 | 259        | 210806              | 323        |
| 4005<br>4005IQ           | 258<br>258 | 210807<br>210808    | 323<br>323 |
| 4005IQ<br>4005IQRK       | 259<br>259 | 210809              | 323        |
| 4005RK                   | 258        | 210810              | 323        |
| 4005WT                   | 259        | 210812              | 323        |
| 4005WTRK<br>4006         | 259<br>258 | 210814<br>210817    | 323<br>323 |
| 4006IQ                   | 258        | 210819              | 323        |
| 4006IQRK                 | 259        | 220720              | 324        |
| 4006RK                   | 258        | 220725              | 324        |
| 4007<br>4007RK           | 258<br>258 | 220727<br>220730    | 324<br>324 |
| 4007RK<br>4008           | 258<br>258 | 220730              | 324<br>324 |
| 4008RK                   | 258        | 220745              | 324        |
| 6005M10                  | 243        | 220750              | 324        |
| 6005M11<br>6005M12       | 243<br>243 | 220755              | 324<br>324 |
| 6005M12                  | 243<br>243 | 220760<br>220770    | 324<br>324 |
| 6005M14                  | 243        | 220820              | 324        |
|                          |            | 145                 | 4.11       |





| Code No.                   | Page No.          | Code No.             | Page No.          | Code No.             | Page No.          | Code No.             | Page No.  |
|----------------------------|-------------------|----------------------|-------------------|----------------------|-------------------|----------------------|---|
| 220825<br>220827           | 324<br>324        | 390107BL<br>390108BL | 272<br>272        | 600506<br>600507     | 238<br>238        | 600816<br>600817     | 263<br>263  |
| 220830                     | 324               | 390110BL<br>390112BL | 272               | 600507RF             | 243               | 600819               | 263   |
| 220840<br>220845           | 324<br>324        | 390502BL             | 272<br>271        | 600508<br>600508R_   | 238<br>240        | 600822<br>600824     | 263<br>263  |
| 220850<br>220855           | 324<br>324        | 390503BL<br>390504BL | 271<br>271        | 600508RF<br>600508RS | 243<br>242        | 600827<br>600830     | 263<br>263  |
| 220860<br>220870           | 324<br>324        | 390505BL<br>390506BL | 271<br>271        | 600509<br>600509R    | 238<br>240        | 600832<br>601013     | 263<br>263<br>263<br>263<br>263<br>263<br>244   |
| 310102<br>310103           | 271<br>271        | 390508BL<br>390510BL | 271<br>271<br>271 | 600509RF<br>600509RS | 243<br>242        | 605908<br>605909     | 244   |
| 310103BL                   | 271<br>271<br>271 | 390908BL<br>390909BL | 276               | 600510               | 238<br>240        | 605910               | 244   |
| 310104<br>310104BL         | 271               | 390910BL             | 276<br>276        | 600510R<br>600510RF  | 243               | 605911<br>605912     | 244   |
| 310105<br>310105BL         | 271<br>271        | 390915BL<br>390920BL | 276<br>276        | 600510RS<br>600511_  | 242<br>238        | 605913<br>605914     | 244 244   |
| 310106<br>310106BL         | 271<br>271        | 390925BL<br>390927BL | 276<br>276        | 600511R<br>600511RF  | 240<br>243        | 605915<br>605916     | 244<br>244  |
| 310107<br>310107BL         | 271<br>271        | 390930BL<br>390940BL | 276<br>276        | 600511RS<br>600512   | 242<br>238        | 605917<br>605918     | 244<br>244  |
| 310108<br>310108BL         | 271<br>271        | 510103<br>510104     | 274<br>274        | 600512R<br>600512RF  | 240<br>243        | 605919<br>611214     | 244<br>253  |
| 310110<br>310110BL         | 271<br>271        | 510105<br>510106     | 274<br>274        | 600512RS<br>600513   | 242<br>238        | 611618<br>612022     | 253<br>253  |
| 310112<br>310112BL         | 271<br>271        | 510107<br>510108     | 274<br>274<br>274 | 600513R<br>600513RF  | 240<br>243        | 620607<br>620809     | 248   |
| 310114                     | 271               | 510110               | 274               | 600513RS             | 242               | 621011               | 248   |
| 310116<br>310502<br>310502 | 271<br>270        | 510502<br>510503     | 273<br>273        | 600514<br>600514R    | 238<br>240        | 621213<br>621415     | 244<br>244<br>244<br>244<br>244<br>244<br>244<br>244<br>244<br>253<br>253<br>253<br>253<br>248<br>248<br>248<br>248<br>248                              |
| 310502BL-C<br>310503       | 271<br>270        | 510504<br>510505     | 273<br>273        | 600514RF<br>600514RS | 243<br>242        | 621617<br>621819     | 248<br>248  |
| 310503BL-C<br>310504       | 271<br>270        | 510506<br>510507     | 273<br>273        | 600515<br>600515R    | 238<br>240        | 622022<br>622123     | 248<br>248  |
| 310504BL-C<br>310505       | 271<br>270        | 510508<br>510510     | 273<br>273        | 600515RF<br>600515RS | 243<br>242        | 622427<br>623032     | 248<br>248<br>246<br>246  |
| 310505BL-C<br>310506       | 271<br>270        | 510512<br>510603     | 273<br>273<br>273 | 600516<br>600516R    | 238<br>240        | 630607<br>630809     | 246<br>246  |
| 310506BL-C                 | 271               | 510604               | 273               | 600516RF             | 243               | 630810FL             | _ 247   |
| 310507<br>310507BL-C       | 270<br>271        | 510605<br>510606     | 273<br>273        | 600516RS<br>600517   | 242<br>238        | 631011<br>631113FL   | 246<br>- 247  |
| 310508<br>310508BL-C       | 270<br>271        | 510607<br>510608     | 273<br>273        | 600517R<br>600517RF  | 240<br>243        | 631213<br>631214FL   |   |
| 310509<br>310510           | 270<br>270        | 520009<br>520010     | 277<br>277        | 600517RS<br>600518   | 242<br>238        | 631415<br>631617     | 246<br>247<br>246<br>246<br>246<br>246<br>247<br>247  |
| 310510BL-C<br>310512       | 271<br>270        | 520015<br>520020     | 277<br>277        | 600518R<br>600518RF  | 240<br>243        | 631618FL<br>631719FL | _ 247<br>_ 247  |
| 310514<br>310517           | 270<br>270        | 520025<br>520027     | 277<br>277        | 600518RS<br>600519   | 242<br>238        | 631819<br>632022     | 246<br>246  |
| 310519<br>310522           | 270<br>270        | 520030<br>520040     | 277<br>277<br>277 | 600519R<br>600519RF  | 240<br>243        | 632123<br>632224FL   | 246   |
| 310527<br>310532           | 270<br>270<br>270 | 520045<br>520050     | 277<br>277<br>277 | 600519RS<br>600520   | 242<br>238        | 632427<br>633032     | 246   |
| 310536                     | 270               | 520055               | 277               | 600520RS             | 242               | 641011               | 253, 381<br>253, 381<br>253, 381<br>253, 381<br>253, 381<br>253, 381<br>253<br>253  |
| 320008<br>320008BL         | 275<br>275        | 600108<br>600110     | 239<br>239        | 600521<br>600521RS   | 238<br>242        | 641213<br>641314     | 253, 381<br>253, 381  |
| 320009<br>320009BL         | 275<br>275        | 600110R<br>600112    | 242<br>239        | 600522<br>600522R    | 238<br>240        | 641617<br>641922     | 253, 381<br>253, 381  |
| 320010<br>320010BL         | 275<br>275        | 600112R<br>600114    | 242<br>239        | 600522RS<br>600523   | 242<br>238        | 650809<br>651011     | 253<br>253  |
| 320015<br>320015BL         | 275<br>275        | 600114R<br>600116    | 242<br>239        | 600524<br>600524R    | 238<br>240        | 651013<br>651213     | 253<br>253  |
| 320020<br>320020BL         | 275<br>275        | 600116R<br>600118    | 242<br>239        | 600524RS<br>600525   | 242<br>238        | 651415<br>651617     | 253<br>253<br>253<br>253  |
| 320025<br>320025BL         | 275<br>275        | 600118R<br>600120    | 242<br>239        | 600526<br>600527     | 238<br>238<br>238 | 651819<br>661416     | 253<br>253<br>381   |
| 320027                     | 275               | 600120R              | 249<br>249<br>239 | 600527R              | 240               | 680607E              | 255, 361<br>255   |
| 320027BL<br>320030         | 275<br>275        | 600122<br>600122R    | 242               | 600528<br>600529     | 238<br>238        | 680608<br>680709     | 254<br>254  |
| 320030BL<br>320040         | 275<br>275        | 600124<br>600124R    | 239<br>242        | 600530<br>600530R    | 238<br>240        | 680810E<br>681013    | 255<br>254  |
| 320040BL<br>320045         | 275<br>275        | 600126<br>600126R    | 239<br>242        | 600532<br>600532R    | 238<br>240        | 681112E<br>681214    | 255<br>254  |
| 320045BL<br>320050         | 275<br>275        | 600128<br>600128R    | 239<br>242        | 600533<br>600534     | 238<br>238        | 681416E<br>681719    | 255<br>254  |
| 320050BL<br>320502         | 275<br>270        | 600130<br>600132     | 239<br>239        | 600536<br>600538     | 238<br>238        | 681820E<br>682122    | 255<br>254  |
| 320503<br>320504           | 270<br>270<br>270 | 600134<br>600136     | 239<br>239<br>239 | 600541<br>600546     | 238<br>238<br>238 | 682224E<br>690510    | 255<br>253  |
| 320505                     | 270               | 600140               | 239<br>239<br>239 | 600550               | 238               | 690511               | 291<br>291  |
| 320506<br>320508           | 270<br>270        | 600142<br>600144     | 239<br>239<br>239 | 600555<br>600558     | 238<br>238        | 690512<br>690513     | 291<br>291  |
| 320510<br>390103BL         | 270<br>272        | 600146<br>600148     | 239<br>239<br>239 | 600560<br>600565     | 238<br>238<br>238 | 690514<br>690515     | 291<br>291  |
| 390104BL<br>390105BL       | 272<br>272        | 600152<br>600156     | 239               | 600570<br>600813     | 263               | 690516<br>690517     | 253, 381<br>253, 381<br>253, 381<br>254<br>254<br>255<br>254<br>255<br>254<br>255<br>254<br>255<br>291<br>291<br>291<br>291<br>291<br>291<br>291<br>291 |
| 390106BL                   | 272               | 600160               | 239               | 600814               | 263               | 690518               | 291   |
| 4                          |                   |                      |                   |                      |                   | 4.47                 | A   |

TENGTOOLS

| Code No.         | Page No.                 | Code No.              | Page No.          | Code No.                           | Page No. Code No.                | Page No.   |
|------------------|--------------------------|-----------------------|-------------------|------------------------------------|----------------------------------|--|
| 690519           | 291                      | 902090                | 252               | 920023-C                           | 218   920617A-C                  | 222  |
| 690613           | 291                      | 902095                | 252               | 920023A-C                          | 218   920618-C                   | 222  |
| 690614           | 291                      | 902100                | 252               | 920030-C                           | 218 920618A-C                    | 222  |
| 690615           | 291                      | 903024                | 252               | 920030A-C                          | 218 920619-C                     | 222  |
| 690616           | 291                      | 903027                | 252               | 920036-C                           | 218 920619A-C                    | 222  |
| 690617           | 291                      | 903030                | 252               | 920036A-C                          | 218 920621-C                     | 222  |
| 690618           | 291                      | 903032                | 252               | 920037-C                           | 218 920621A-C                    | 222  |
| 690619           | 291                      | 903036                | 252               | 920037A-C                          | 218 920622-C                     | 222  |
| 690621           | 291                      | 903038                | 252               | 920060-C                           | 218 920622A-C                    | 222  |
| 690622           | 291                      | 903041                | 252               | 920114-C                           | 221 920624-C                     | 222, 387   |
| 690624           | 291                      | 903046                | 252               | 920116-C                           | 221 920624A-C                    | 222  |
| 690626           | 291                      | 903050                | 252               | 920118-C                           | 221 920627-C                     | 222, 387   |
| 690627           | 291                      | 903055                | 252               | 920120-C                           | 221 920628-C                     | 222, 387   |
| 690629           | 291                      | 903060                | 252               | 920122-C                           | 221 920629-C                     | 222, 387   |
| 690630           | 291                      | 903065                | 252               | 920124-C                           | 221 920630-C                     | 222, 387   |
| 690632           | 291                      | 903070                | 252               | 920126-C                           | 221 920632-C                     | 222, 387   |
| 690634           | 291                      | 903075                | 252               | 920128-C                           | 221 920635-C                     | 222, 387   |
| 690636           | 291                      | 903080                | 252               | 920130-C                           | 221 920636-C                     | 222, 387   |
| 690638<br>690640 | 291                      | 903085<br>903090      | 252<br>252<br>252 | 920132-C<br>920136-C               | 221 920710-C<br>221 920712-C     | 221<br>221<br>221                                    |
| 690641           | 291<br>291               | 903095                | 252               | 920214-C                           | 222 920713-C                     | 221  |
| 690642           | 291                      | 903100                | 252               | 920216-C                           | 222 920714-C                     | 221  |
| 690644           | 291                      | 910086                | 218               | 920218-C                           | 222 920715-C                     | 221  |
| 690646           | 291                      | 910504                | 215               | 920220-C                           | 222 920716-C                     | 221  |
| 690710           | 291                      | 910505                | 215               | 920222-C                           | 222 920717-C                     | 221  |
| 690711<br>690712 | 291<br>291               | 910506<br>910508      | 215<br>215<br>215 | 920224-C<br>920226-C               | 222 920718-C<br>222 920719-C     | 221<br>221<br>221                                    |
| 690713           | 291                      | 910510                | 215               | 920228-C                           | 222 920721-C                     | 221  |
| 690714           | 291                      | 910524                | 226               | 920230-C                           | 222 920722-C                     | 221  |
| 690715           | 291                      | 910527                | 226               | 920232-C                           | 222 920724-C                     | 221  |
| 690716           | 291                      | 910530                | 226               | 920242-C                           | 222, 387 921210TX-C              | 223  |
| 690717           | 291                      | 910532                | 226               | 920248-C                           | 222, 387 921215TX-C              | 223  |
| 690718           | 291                      | 910533                | 226               | 920508-C                           | 220 921220TX-C                   | 223  |
| 690719           | 291                      | 910534                | 226               | 920510-C                           | 220 921225TX-C                   | 223  |
| 690813<br>690814 | 292<br>292               | 910536<br>910538      | 226<br>226<br>226 | 920510A-C<br>920511-C              | 220 921227TX-C<br>220 921230TX-C | 223<br>223<br>223                                    |
| 690815           | 292                      | 910541                | 226               | 920511A-C                          | 220 921240TX-C                   | 223  |
| 690816           | 292                      | 910546                | 226               | 920512-C                           | 220 921245TX-C                   | 223  |
| 690817           | 292                      | 910550                | 226               | 920512A-C                          | 220 921250TX-C                   | 223  |
| 690818<br>690819 | 292<br>292               | 910555<br>910560      | 226<br>226        | 920513-C<br>920513A-C              | 220 921255TX-C<br>220 921260TX-C | 223<br>223<br>223                                    |
| 690821           | 292                      | 910565                | 226               | 920514-C                           | 220 921270TX-C                   | 223  |
| 690822           | 292                      | 910570                | 226               | 920514A-C                          | 220 921505-C                     | 223  |
| 690824<br>690826 | 292<br>292               | 910575<br>910580      | 226<br>226<br>226 | 920515-C<br>920515A-C              | 220 921506-C<br>220 921508-C     | 223<br>223<br>223                                    |
| 690827           | 292                      | 910585                | 226               | 920516-C                           | 220 921510-C                     | 223  |
| 690829           | 292                      | 910590                | 226               | 920516A-C                          | 220 921512-C                     | 223  |
| 690830           | 292                      | 910595                | 226               | 920517-C                           | 220 921514-C                     | 223  |
| 690832           | 292                      | 910624                | 226               | 920517A-C                          | 220 921517-C                     | 223  |
| 690834           | 292                      | 910627                | 226               | 920517N                            | 385 921519-C                     | 223  |
| 690836           | 292                      | 910627R               | 227               | 920518-C                           | 220 923090                       | 223, 385   |
| 690838           | 292                      | 910628                | 226               | 920518A-C                          | 220 923110                       | 223, 385   |
| 690840           | 292                      | 910630                | 226               | 920519-C                           | 220 923120                       | 223, 385   |
| 690841           | 292                      | 910630R               | 227               | 920519A-C                          | 220 923140                       | 223, 385   |
| 690842           | 292                      | 910632                | 226               | 920519N                            | 385 930001                       | 215  |
| 690844           | 292                      | 910632R               | 227               | 920520-C                           | 220 930002                       | 215  |
| 690846           | 292                      | 910633_               | 226               | 920521-C                           | 220 930003                       | 215  |
| 691406           | 253                      | 910633R               | 227               | 920521A-C                          | 220 930004                       | 215  |
| 800608           | 237                      | 910636                | 226               | 920521N                            | 385 940006                       | 215  |
| 800609           | 237                      | 910732                | 227               | 920522-C                           | 220 940008                       | 215  |
| 800610           | 237                      | 912041                | 227               | 920522A-C                          | 220 940010                       | 215  |
| 800611<br>800612 | 237<br>237<br>237        | 912046<br>912050      | 227<br>227<br>227 | 920523-C<br>920524-C               | 220 940012<br>220 940022-C       | 215<br>218   |
| 800613           | 237                      | 912055<br>912060      | 227<br>227<br>227 | 920524-C<br>920524A-C<br>920525-C  | 220 940030-C                     | 218  |
| 800614<br>800615 | 237<br>237               | 912065                | 227               | 920526-C                           | 220 940085-C                     | 218<br>218<br>387                                    |
| 800616<br>800617 | 237<br>237               | 912070<br>912075      | 227<br>227        | 920527-C<br>920528-C               | 220 940258-C<br>220 940519-C     | 387<br>225<br>225                                    |
| 800618           | 237                      | 912080                | 227               | 920529-C                           | 220 940521-C                     | 225  |
| 800619           | 237                      | 912085                | 227               | 920530-C                           | 220 940522-C                     | 225  |
| 902024<br>902027 | 252                      | 912090<br>912095      | 227<br>227<br>227 | 920532-C<br>920610-C               | 220 940523-C<br>222 940524-C     | 225<br>225<br>225<br>225<br>225<br>225<br>225<br>225 |
| 902030           | 252<br>252               | 912100                | 227               | 920610A-C                          | 222 940527-C                     | 225  |
| 902032           | 252                      | 912105                | 227               | 920611-C                           | 222 940528-C                     | 225  |
| 902036           | 252                      | 912110                | 227               | 920611A-C                          | 222 940530-C                     | 225  |
| 902038<br>902041 | 252<br>252<br>252<br>252 | 912115<br>912120      | 227<br>227        | 920612-C<br>920612A-C              | 222 940532-C<br>222 940533-C     | 225<br>225<br>225<br>225<br>225<br>225<br>225<br>225 |
| 902046<br>902050 | 252<br>252               | 912125<br>912130      | 227<br>227<br>227 | 920613-C                           | 222 940534-C<br>222 940536-C     | 225<br>225   |
| 902055<br>902060 | 252<br>252<br>252        | 920001<br>920002      | 215<br>215<br>215 | 920613A-C<br>920614-C<br>920614A-C | 222 940538-C<br>222 940540-C     | 225<br>225   |
| 902065           | 252<br>252               | 920003                | 215               | 920615-C                           | 222 940541-C                     | 225  |
| 902070           | 252                      | 920020-C              | 218               | 920615A-C                          | 222 940546-C                     | 225  |
| 902075           | 252                      | 920020A-C             | 218               | 920616-C                           | 222 940550-C                     | 225  |
| 902080<br>902085 | 252<br>252               | 920021-C<br>920021A-C | 218<br>218        | 920616A-C<br>920617-C              | 222 940619-C<br>222 940621-C     | 225<br>225<br>225<br>225<br>225                      |
| A. IA            |                          | 148                   |                   |                                    | 449                              | 4.10   |

TENGIOOLS

| Code No.               | Page No.        | Code No.                 | Page No.   | Code No.         | Page No. Code No.                                  | Page No.  |
|------------------------|-----------------|--------------------------|------------|------------------|--|---|
| 940622-C               | 225             | 6005055                  | 238        | BC418            | 361 DBX105   | 367   |
| 940623-C               | 225             | 9291719                  | 221, 384   | BC418J           | 361 DBX110   | 367   |
| 940624-C               | 225             | 9292122                  | 221, 384   | BC424            | 361 DBX115   | 367   |
| 940627-C               | 225             | 60050811RX               | 254        | BC424J           | 361 DBX120   | 367   |
| 940630-C               | 225             | 60051215RX               | 254        | BC430            | 361 DBX125   | 367   |
| 940632-C<br>940633-C   | 225<br>225      | 60051619RX               | 254<br>429 | BC430J<br>BC436  | 361 DBX130   | 367<br>364  |
| 940634-C               | 225             | AB200<br>ABS-TOP         | 75         | BC436J           | 361 DET01RK  | 364<br>365  |
| 940636-C               | 225             | ACC35CBH01               | 326        | BWT406           | 260 DET02  | 365   |
| 940638-C               | 225             | ACC50CBH01               | 326        | CAL150D          | 427 DHW1300  | 254   |
| 940641-C<br>940646-C   | 225, 387<br>225 | ACC50MBH01<br>ACC70MBH01 | 326<br>326 | CC150F<br>CC200F | 409 DHW1417<br>409 DHW1922                         | 254<br>254<br>254<br>254<br>369                     |
| 940650-C               | 225             | ACC300CBH01              | 326        | CC240F           | 409 DIE-HNDL                                       | 369   |
| 940732-C               | 226             | ACCSDA1412               | 326        | CC250F           | 409 DIS-SP05                                       | 393   |
| 941519-C               | 225             | ACCSDA1414               | 326        | CMD12            | 354 DIS-SP05Q                                      | 394   |
| 941522-C               | 225             | ACCSDA1438               | 326        | CMD16            | 354 DP0810   | 381   |
| 941524-C               | 225             | ACD01                    | 289        | CMD20            | 354 DP0812   | 381   |
| 960506-C<br>960507-C   | 219<br>219      | ALU12<br>ALU14           | 75<br>75   | CMD25<br>CMD30   | 354 DP1012<br>354 DP1112                           | 381<br>381<br>381                                   |
| 960508-C               | 219             | ALU34                    | 75         | CMD30A           | 354 DP1314   | 381<br>381  |
| 960510-C               | 219             | ALU38                    | 75         | CMD40            | 354 DP1716   | 381   |
| 960513-C               | 219             | ALU430                   | 75         | CMD40A           | 354 EVA-01   | 128   |
| 970030                 | 215             | ALU450                   | 75         | CMD50            | 354 FC01   | 387   |
| 970040                 | 215             | ALU1000-1                | 75         | CMD80            | 354 FG21   | 377   |
| 970045                 | 215             | ALU1000-4                | 75         | CMF16            | 354 FL2506A03                                      | 319   |
| 970050                 | 215             | ARB01                    | 426        | CMF16T           | 354 FL2506B03                                      | 319   |
| 970055                 | 215             | ARB02                    | 426        | CMF20            | 354 FL2508A03                                      | 319   |
| 980020-C               | 217             | ARB03                    | 426        | CMF20T           | 354 FL2508B03                                      | 319   |
| 980035-C               | 217             | ARD10                    | 425        | CMF25_           | 354 FL2510A03                                      | 319   |
| 980036A-C              | 217             | ARD13                    | 425        | CMF25T           | 354 FL2512A03                                      | 319   |
| 980036-C               | 217             | ARG01                    | 426        | CMF30            | 354 FL2516A03                                      | 319   |
| 980060-C               | 217             | ARG02                    | 426        | CMF30T           | 354 FL5006A03                                      | 319   |
| 980086                 | 217             | ARR12                    | 424        | CMF35            | 354 FL5008A03                                      | 319   |
| 980508-C<br>980510-C   | 219             | ARRM38                   | 424        | CMF35T<br>CMFQ20 | 354 FL5008B03<br>354 FL5010A03                     | 319<br>319  |
| 980511-C               | 219<br>219      | ARS01<br>ARWC12          | 425<br>422 | CMFQ25           | 354 FL5012A03                                      | 319   |
| 980512-C               | 219             | ARWC34                   | 422        | CMFQ30           | 354 FL7006A02                                      | 320   |
| 980513-C               | 219             | ARWC38                   | 421        | CMFQ40           | 354 FL7008A02                                      | 320   |
| 980514-C               | 219             | ARWM11S                  | 424        | CMQ150           | 355 FL7008B02                                      | 320   |
| 980515-C               | 219             | ARWM12                   | 420        | CMQ300           | 355 FL7010A02                                      | 320   |
| 980516-C               | 219             | ARWM12M                  | 423        | CMQ450           | 355 FLFT10   | 391   |
| 980517-C               | 219             | ARWM34                   | 421        | CMQ600           | 355 FLHF10   | 391   |
| 980519-C               | 219             | ARWM38                   | 420        | CMQL150          | 355 FLHR10   | 391   |
| 980608-C               | 219             | AT005                    | 381        | CMQL300          | 355   FLRD10                                       | 391   |
| 980610-C               | 219             | AT020                    | 381        | CMQL450          | 355   FLSQ10                                       | 391   |
| 980611-C               | 219             | AT040                    | 381        | CP04             | 411 FLTR10   | 391   |
| 980612-C               | 219             | AT040-SM                 | 381        | CP04RK1          | 395 FTF4055  | 302   |
| 980613-C               | 219             | AT080                    | 378        | CP04RK2          | 395 FTF32406005                                    | 319   |
| 980614-C               | 219             | AT085                    | 378        | CP04RK3          | 395 GR25002010                                     | 321   |
| 980616-C               | 219             | AT090                    | 378        | CP05             | 411 GR25002100                                     | 321   |
| 980617-C               | 219             | AT096                    | 343        | CP08             | 411 GRP3000201                                     | 216, 321  |
| 980619-C               | 219             | AT097                    | 343        | CP50             | 395 GRP3000205                                     | 216, 321  |
| 981504-C<br>981505-C   | 219<br>219      | AT135<br>AT135M          | 399<br>399 | CP51<br>CP52     | 395 GRP5000201<br>395 HBH0303                      | 216, 321<br>216, 321<br>216, 321<br>216, 321<br>302 |
| 981506-C<br>981507-C   | 219             | AT160                    | 382        | CP53             | 397 HBH0404  | 302   |
| 981508-C               | 219             | AT170                    | 382        | CP55             | 396 HBH0505  | 302   |
|                        | 219             | AT180                    | 382        | CP58             | 395 HBH0606  | 302   |
| 981510-C<br>981512-C   | 219<br>219      | AT180-S<br>AT186         | 382<br>383 | CP60<br>CTG01    | 397 HEX2500203<br>396 HEX2500303                   | 302<br>322<br>322<br>322<br>322                     |
| 2912512                | 307             | AT191                    | 383        | DB028            | 366 HEX2500403                                     | 322   |
| 2912513                | 307             | AT192                    | 383        | DB034            | 367 HEX2500503                                     | 322   |
| 2912514<br>2912520     | 307<br>307      | AT194<br>AT195           | 383<br>383 | DBT35<br>DBT41   | 364 HEX2500603<br>364 HEX2500803                   | 322<br>322<br>322<br>322                            |
| 2912535                | 307             | AT200                    | 383        | DBT54            | 364 HEX5000403                                     | 322   |
| 2912537<br>2912539     | 307<br>307      | AT330<br>AT350           | 382<br>387 | DBX010<br>DBX015 | 367 HEX5000503<br>367 HEX5000603<br>367 HEX5000803 | 322<br>322<br>322<br>322<br>322                     |
| 3101025                | 271             | AT355                    | 387        | DBX020           | 367 HEX5000803                                     | 322   |
| 3101025BL              | 271             | AT360                    | 387        | DBX025           | 367 HEXP3000301                                    | 216, 323  |
| 3101035<br>3101045     | 271<br>271      | AT365<br>AT370           | 387<br>387 | DBX030<br>DBX033 | 367 HEXP3000305<br>367 HEXP3000401                 | 216, 323<br>216, 323<br>216, 323<br>216, 323        |
| 3105007                | 270             | AT375                    | 387        | DBX035           | 367 HEXP3000405                                    | 216, 323  |
| 3105009                | 270             | AT380                    | 387        | DBX040           | 367 HEXP3000501                                    | 216, 323  |
| 3105013                | 270             | AT415                    | 386        | DBX042           | 367 HEXP3000505                                    | 216, 323  |
| 3105015                | 270             | AT420                    | 386        | DBX045           | 367 HEXP3000601                                    | 216, 323  |
| 3105015BL-C            | 271             | AT500                    | 389        | DBX050           | 367 HEXP3000605                                    | 216, 323  |
| 3105025<br>3105025BL-C | 270<br>271      | AT505<br>AT605           | 389<br>344 | DBX055<br>DBX060 | 367 HEXP5000301<br>367 HEXP5000401                 | 216, 323<br>216, 323<br>216, 323<br>216, 323        |
| 3105045                | 270             | AT20512                  | 383        | DBX065           | 367 HEXP5000501                                    | 216, 323  |
| 3105055                | 270             | AT20516                  | 383        | DBX068           | 367 HEXP5000601                                    |   |
| 3205015                | 270             | AT20520                  | 383        | DBX070           | 367 HMBH01   | 216, 323<br>386<br>386                              |
| 3205025                | 270             | AT20524                  | 383        | DBX075           | 367 HMBH02   | 386   |
| 3901025BL              | 272             | BBX10A                   | 314        | DBX080           | 367 HMBH03   |   |
| 3905015BL              | 271             | BC408                    | 341        | DBX085           | 367 HMBH16   | 407   |
| 3905025BL              | 271             | BC408T                   | 341        | DBX090           | 367 HMBP12   | 406   |
| 5105025                | 273             | BC414                    | 361        | DBX095           | 367 HMBP16   | 406   |
| 5106025                | 273             | BC414J                   | 361        | DBX100           | 367 HMBP24   | 406   |
| - 1000EU               | 213             | 20110                    | 301        | DD/100           | TIVIDE24   | 400   |



| Code No.               | Page No.          | Code No.                             | Page No.             | Code No.   | Page No.          | Code No.                               | Page No.        |
|------------------------|-------------------|--------------------------------------|----------------------|--|-------------------|--|-----------------|
| HMBP32<br>HMCH08A      | 406<br>406        | M3814<br>M3816                       | 159, 167<br>167      | M120613-C<br>M120614-C   | 199<br>199        | M122705-C<br>M122706-C                 | 201<br>201      |
| HMCH13A                | 406               | M110010                              | 183                  | M120615-C  | 199               | M122708-C                              | 201             |
| HMCH16A<br>HMCH16M     | 406<br>407        | M110020<br>M110030                   | 183<br>187           | M120616-C<br>M120617-C   | 199<br>199        | M122709-C<br>M122710-C                 | 201<br>201      |
| HMCH20A<br>HMCHC16     | 406<br>407        | M110040<br>M110050                   | 186<br>186           | M120618-C<br>M120619-C   | 199<br>199        | M122711-C<br>M122712-C                 | 201<br>201      |
| HMCHM16                | 407<br>386        | M110070                              | 190                  | M120618-C<br>M120619-C<br>M120620-C<br>M120621-C                           | 199<br>199        | M122713-C                              | 201             |
| HMDH35<br>HMDH45       | 386               | M110070RK<br>M110536                 | 190<br>204           | M120622-C  | 199               | M122805-C<br>M122806-C                 | 201<br>201      |
| HMDH55<br>HMDH65       | 386<br>386        | M110541<br>M110546                   | 204<br>204           | M120624-C<br>M120627-C   | 199<br>199        | M122808-C<br>M122809-C                 | 201<br>201      |
| HMEG300<br>HMEG500     | 406<br>406        | M110550<br>M110555                   | 204<br>204           | M120630-C<br>M120632-C<br>M120636-C<br>M120710-C                           | 199<br>199        | M122810-C<br>M122812-C                 | 201<br>201      |
| HMEG800                | 406               | M110558                              | 204                  | M120326-C  | 199               | M122814-C                              | 201             |
| HMS1250<br>HMSF        | 407<br>407        | M110560<br>M110565                   | 204<br>204           | M120710-C<br>M120711-C   | 202<br>202        | M122816-C<br>M123814-C                 | 201<br>221      |
| HMSFRK<br>HN02         | 407<br>415        | M110570<br>M110575                   | 204<br>204           | M120711-C<br>M120712-C<br>M120714-C<br>M120716-C                           | 202<br>202        | M123816-C<br>M123818-C                 | 221<br>221      |
| HN02RK<br>HP101        | 415<br>262        | M110580<br>M120010-C                 | 204<br>190           | M120716-C<br>M120718-C   | 202               | M140015-C<br>M140020-C                 | 189<br>186      |
| HP102<br>HP103         | 262               | M120011-C                            | 189                  | M120718-C<br>M120720-C<br>M120722-C<br>M120724-C                           | 202<br>202<br>202 | M140021-C                              | 186             |
| HP2014                 | 262<br>263        | M120020-C<br>M120020W-C              | 186<br>187           | M120722-C<br>M120724-C   | 202               | M140022-C<br>M140023-C                 | 186<br>186      |
| HP2014-P<br>HP2015     | 263<br>263        | M120021-C<br>M120021W-C              | 186<br>187           | M121106-C  | 201<br>201        | M140024-C<br>M140030-C                 | 187<br>187      |
| HP2015-P<br>HP2025     | 263<br>263<br>263 | M120022-C                            | 186<br>187           | M121107-C<br>M121108-C<br>M121109-C  | 201<br>201        | M140036-C<br>M140036M                  | 187<br>188      |
| HP2026<br>HP2026-P     | 263<br>263<br>263 | M120022W-C<br>M120023-C<br>M120024-C | 186<br>187           | M121109-C<br>M121110-C   | 201<br>201        | M140037<br>M140038-C                   | 187<br>186      |
| HP2036                 | 263               | M120030-C                            | 187                  | M121112-C<br>M121116-C   | 201               | M140050-C                              | 189             |
| HP2036-P<br>HP2038     | 263<br>263        | M120036-C<br>M120037-C               | 187<br>187           | M121118-C<br>M121120-C   | 201<br>201        | M140060-C<br>M140070                   | 188, 326<br>369 |
| HP2038-P<br>HR01       | 263<br>414        | M120037M<br>M120040-C                | 188<br>190, 379      | M121220-C<br>M121220T-C  | 201<br>202        | M140071<br>M140072                     | 369<br>369      |
| HR01RK<br>HR12         | 414<br>414        | M120042-C<br>M120046-C               | 190, 379<br>190, 379 | M121225-C<br>M121225-C   | 201<br>202        | M140106-C<br>M140107-C                 | 193<br>193      |
| HR12RK                 | 414               | M120050-C                            | 189                  | M121227-C  | 201               | M140108-C                              | 193             |
| HR14<br>HR14RK         | 414<br>414        | M120060-C<br>M120061-C               | 188, 326<br>188, 326 | M121225-C<br>M121225-C<br>M121227-C<br>M121227-C<br>M121227-C<br>M121230-C | 202<br>201        | M140109-C<br>M140110-C                 | 193<br>193      |
| HR30R<br>HR30RRK-2     | 414<br>414        | M120062-C<br>M120063-C               | 188, 326<br>188, 326 | M1212301-C<br>M121240-C  | 202<br>201        | M140111-C<br>M140112-C                 | 193<br>193      |
| HR360R<br>HRLN65N      | 414<br>415        | M120080-C<br>M120112-C               | 192<br>199           | M121240T-C   | 202<br>201        | M140114-C<br>M140116-C                 | 193<br>193      |
| HRLN65NRK-1            | 415               | M120114-C                            | 199                  | M121240T-C<br>M121245-C<br>M121245T-C<br>M121245T-C<br>M121250-C           | 202               | M140206-C                              | 194             |
| HRLR01<br>HRLR01RK-2   | 415<br>415        | M120116-C<br>M120118-C               | 199<br>199           | M121250-C<br>M121250T-C<br>M121255-C                                       | 201<br>202        | M140207-C<br>M140208-C                 | 194<br>194      |
| HRLT01<br>HRLT01RK     | 415<br>415        | M120120-C<br>M120122-C               | 199<br>199           | M121255-C<br>M121255T-C  | 201<br>202        | M140209-C<br>M140210-C                 | 194<br>194      |
| ID506<br>ID506BIT      | 214<br>214        | M120124-C                            | 199<br>199           | M121255T-C<br>M121260-C<br>M121260T-C                                      | 201<br>202        | M140211-C<br>M140212-C                 | 194<br>194      |
| ID515                  | 215               | M120126-C<br>M120128-C               | 199                  | M121505-C  | 200               | M140214-C                              | 194             |
| ID515BIT<br>KP01       | 215<br>405        | M120130-C<br>M120132-C               | 199<br>199           | M121260T-C<br>M121505-C<br>M121506-C<br>M121507-C<br>M121508-C             | 200<br>200        | M140216-C<br>M140504-C                 | 194<br>193      |
| KP02<br>KP03           | 405<br>405        | M120134-C<br>M120136-C               | 199<br>199           | M121508-C<br>M121509-C   | 200<br>200        | M140505-C<br>M140506-C                 | 193<br>193      |
| M1100<br>M1100-72      | 183<br>183        | M120138-C<br>M120140-C               | 199<br>199           | M121509-C<br>M121510-C<br>M121512-C  | 200<br>200        | M140507-C<br>M140508-C                 | 193<br>193      |
| M1100-72RK<br>M1100RK  | 183<br>183        | M120508-C<br>M120509-C               | 198<br>198           | M121512-C<br>M121514-C   | 200<br>200        | M140509-C                              | 193<br>193      |
| M1115MM                | 179               | M120510-C                            | 198                  | M121517-C<br>M121519-C   | 200               | M140510-C<br>M140511-C                 | 193             |
| M1207<br>M1208-6       | 175<br>176        | M120511-C<br>M120512-C               | 198<br>198           | M121814-C<br>M121816-C   | 221<br>221        | M140512-C<br>M140513-C                 | 193<br>193      |
| M1209AF<br>M1210       | 176<br>176        | M120513-C<br>M120514-C               | 198<br>198           | M121818-C<br>M122220T-C  | 221<br>202        | M140604-C<br>M140605-C                 | 193<br>193      |
| M1211<br>M1212         | 176<br>176        | M120515-C<br>M120516-C               | 198<br>198           | M122225T-C<br>M122227T-C   | 202<br>202        | M140606-C<br>M140607-C                 | 193<br>193      |
| M1212N1                | 168               | M120517-C                            | 198                  | M122230T-C   | 202               | M140608-C                              | 193             |
| M1213TPX<br>M1213TX    | 177<br>177        | M120518-C<br>M120519-C               | 198<br>198           | M122240T-C<br>M122245T-C   | 202<br>202        | M140609-C<br>M140610-C                 | 193<br>193      |
| M1215AF<br>M1215MM     | 175<br>175        | M120520-C<br>M120521-C               | 198<br>198           | M122250T-C<br>M122255T-C   | 202<br>202        | M140611-C<br>M140612-C                 | 193<br>193      |
| M1407<br>M1408TX       | 159<br>159        | M120522-C<br>M120523-C               | 198<br>198           | M122260T-C<br>M122270T-C   | 202<br>202        | M140613-C<br>M140704-C                 | 193<br>194      |
| M1410T5                | 319               | M120524-C                            | 198                  | M122505-C  | 200               | M140705-C                              | 194             |
| M1412<br>M1413N1       | 159<br>152        | M120525-C<br>M120526-C               | 198<br>198           | M122506A-C<br>M122506-C  | 200<br>200        | M140706-C<br>M140707-C                 | 194<br>194      |
| M3400-72<br>M3400-72RK | 183<br>183        | M120527-C<br>M120528-C               | 198<br>198           | M122507-C<br>M122508A-C  | 200<br>200        | M140708-C<br>M141210T-C                | 194<br>195      |
| M3807<br>M3808MM       | 167<br>260        | M120529-C                            | 198<br>198           | M122508-C<br>M122510-C   | 200<br>200        | M141215T-C<br>M141220T-C               | 195<br>195      |
| M3811                  | 167               | M120530-C<br>M120532-C               | 198                  | M122510L-C   | 200               | M141225T-C                             | 195             |
| M3812<br>M3812N1       | 167<br>160        | M120534-C<br>M120610-C               | 198<br>199           | M122512-C<br>M122514-C   | 200<br>200        | M141227T-C<br>M141230T-C<br>M141240T-C | 195<br>195      |
| M3813TPX<br>M3813TX    | 167<br>167        | M120611-C<br>M120612-C               | 199<br>199           | M122517-C<br>M122704-C   | 200<br>201        | M141240T-C<br>M141300-C                | 195<br>194      |
| 644                    |                   | 152                                  |                      |  |                   | 453                                    | 444             |





|            | Code No.   | Page No.  | Code No.   | Page No.  | Code No.   | Page No.   | Code No.   | Page No.  |
|------------|--|---|--|---|--|--|--|---|
| Teng Tools | M141301-C M141302-C M141303-C M141404-C M141407-C M141601-C M141603-C M340020-C M340020-C M340021-C M340021-C M340022-C M340022-C M340050-C M340050-C M340050-C M340070-C M34010-C M340124-C M340128-C M340138-C M340138-C M340138-C M340138-C M340144-C M340144-C M340142-C M340144-C M340144-C M340148-C M340144-C M340148-C M340158-C M340030-C M380031-C M380031-C M380031-C M380031-C M380030-C M380030-C M380039-C M380039-C M380039-C M380039-C M380039-C M380039-C M380039-C M380039-C M380039-C M380041-C M380041-C M380041-C M380041-C | 194<br>194<br>194<br>194<br>194<br>195<br>195<br>195<br>186<br>186<br>186<br>186<br>186<br>187<br>189<br>190<br>190<br>190<br>190<br>190<br>190<br>190<br>203<br>203<br>203<br>203<br>203<br>203<br>203<br>203<br>203<br>20 | M380224-C M380228-C M380508-C M380508-C M380510-C M380510-C M380511-C M380513-C M380513-C M380513-C M380516-C M380516-C M380516-C M380516-C M380519-C M380520-C M380520-C M380520-C M380622-C M380607-C M380609-C M380610-C M38061 | 196 196 196 197 197 197 197 197 197 197 197 197 197 | M1205126-C M1205136-C M1205136-C M1205156-C M1205166-C M1205166-C M1205196-C M1205196-C M1205206-C M1205206-C M1205216-C M1205226-C M1205236-C M1205236-C M1205246-C M1205256-C M1205256-C M1205256-C M120526-C M1205286-C M1205286-C M1205306-C M1205306-C M1205306-C M1205306-C M1205346-C M1205346-C M1206136-C M1206136-C M1206136-C M1206156-C M1206156-C M1206186-C M1206196-C M1206196-C M1405045-C M1405045-C M1405045-C M1405045-C M1405045-C M340526-C M340526-C M340526-C M340526-C M340526-C M340526-C M340526-C M340538-C M340538-C M340538-C M340538-C M340536-C M340550-C M340536-C M340538-C M340538 | 199 199 199 199 199 199 199 199 199 199  | MB461-6T MB461-8 MB461-8T MB463-5 MB463-6 MB463-8 MB463-8 MB463-8 MB463-8 MB464-6 MB464-6 MB464-6 MB470-5 MB470-7 MB470-9 MB471-5 MB471-7 MB471-7 MB472-7 MB472-7 MB472-9 MB473-5 MB473-7 MB473-9 MB481-10 MB481-10Q MB481-10T MB481-10Q MB481-10TQ MB482-10Q MB482-10Q MB482-10Q MB482-10Q MB482-10Q MB482-10Q MB483-7 MB473-7 MB473-7 MB473-7 MB473-7 MB473-7 MB473-7 MB481-10TQ MB481-10TQ MB481-10TQ MB481-10TQ MB481-10TQ MB481-10TQ MB481-10TQ MB481-10TQ MB482-10Q MB489-7 MB489-8 MB499-7 MB541-6 MB541-7 MB541-6 MB541-7 MB6472-7 MB6473-7 MB6473-7 MB6471-7 MB6471-8 MB7461-8 MB | 342<br>342<br>342<br>342<br>342<br>343<br>343<br>343<br>349<br>349<br>349<br>349<br>349<br>349<br>349 |
|            | M380036-C<br>M380036M<br>M380037<br>M380039-C<br>M380040-C<br>M380041-C<br>M380042-C<br>M380042-C<br>M380047-C<br>M380050-C<br>M380060-C   | 187<br>188<br>187<br>190, 379<br>190, 379<br>190, 379<br>190, 379<br>190, 379<br>190, 379<br>188, 326<br>188, 326<br>188, 326<br>195<br>195<br>195<br>195<br>195<br>195<br>195<br>195<br>195<br>195                         | M381230-C<br>M381230T-C<br>M381240-C<br>M381240T-C<br>M381245-C  | 198<br>198<br>198<br>198<br>198<br>198              | MB442-6<br>MB442-6T<br>MB442-7<br>MB442-7S<br>MB442-8  | 340<br>340<br>340<br>340<br>340<br>340<br>341, 362<br>341, 362<br>341, 362<br>341, 362<br>345<br>345<br>345<br>345<br>345<br>345<br>345<br>341<br>342<br>342<br>342<br>342<br>342<br>342<br>342<br>342 | MD610TPN<br>MD615TPN<br>MD620TPN<br>MD625TPN<br>MD627TPN   | 306<br>306<br>306<br>306<br>306<br>306  |



Page No.

218 218

|           | Code No.                         | Page No.   | Code No.                      | Page No.   | Code No.   |
|-----------|----------------------------------|------------|-------------------------------|------------|--|
|           | MD915N                           | 303        | MDM706                        | 307        | MP2700   |
|           | MD915N1                          | 303        | MDM706TX                      | 309        | MP2700RK-1   |
|           | MD915TN                          | 306        | MDM706TXT                     | 309        | MP91500  |
|           | MD916N                           | 303        | MDM711                        | 307        | MP91500RK  |
|           | MD916N1                          | 303        | MDM712                        | 307        | MPSL01   |
|           | MD916N2                          | 303        | MDM713                        | 307        | MPSL01<br>MPSL02   |
|           | MD917N                           | 303        | MDM714                        | 307        | MR500  |
|           | MD917N1                          | 303        | MDM715                        | 307        | MS1200   |
|           | MD917N2                          | 303        | MDM716                        | 308        | MS1200RK   |
|           | MD920N                           | 303        | MDM717                        | 308        | MS1203   |
|           | MD920N1                          | 303        | MDM718                        | 308        | MS1213   |
|           | MD920TN                          | 306        | MDM806                        | 309        | M\$3800  |
|           | MD922N                           | 303        | MDM806T                       | 309        | M\$3800RK  |
|           | MD923N                           | 303        | MDM807                        | 309        | MS3814   |
|           | MD923N1                          | 303        | MDM807T                       | 309        | MS120021-C   |
|           | MD925TN                          | 306        | MDM808                        | 309        | MS120036-C   |
|           | MD927TN                          | 306        | MDM808T                       | 309        | MS380020-C   |
|           | MD928N                           | 303        | MDM809                        | 309        | MS380023-C   |
|           | MD928N1                          | 303        | MDM809T                       | 309        | MS380036-C   |
|           | MD928N2                          | 303        | MDM810                        | 309        | MS380508-C   |
|           | MD928N2<br>MD928N3<br>MD928N4    | 303<br>303 | MDM810T<br>MDM815             | 309<br>309 | MS380023-C<br>MS380036-C<br>MS380508-C<br>MS380509-C<br>MS380510-C<br>MS380511-C |
|           | MD928N5                          | 303        | MDM815T                       | 309        | MS380510-C<br>MS380511-C   |
|           | MD928N6<br>MD928N7               | 303<br>303 | MDMC702N<br>MDMC715N          | 299<br>304 |  |
|           | MD930N<br>MD930TN                | 303<br>306 | MDMC718N<br>MDN405            | 303<br>261 | MS380514-C   |
|           | MD931N                           | 303        | MDN406                        | 261        | MS380516-C   |
|           | MD932N<br>MD932N1                | 303<br>303 | MDN407<br>MDN408              | 261<br>261 | MS380513-C<br>MS380514-C<br>MS380515-C<br>MS380516-C<br>MS380516-C<br>MS380518-C |
|           | MD932N2<br>MD934N                | 303<br>303 | MDN410<br>MDN411              | 261<br>261 | M2300318-C   |
|           | MD935N                           | 303        | MDN412                        | 261        | MS1205106-C<br>MS1205116-C<br>MS1205106-C  |
|           | MD940N<br>MD940N1                | 304<br>304 | MDN413<br>MDN4055             | 261<br>261 | MS1205126-C<br>MS1205136-C<br>MS1205146-C  |
|           | MD940TN                          | 306        | MDNT405                       | 261        | MS1205146-C  |
|           | MD945TN                          | 306        | MDNT406                       | 261        | MS1205156-C  |
| S         | MD947N                           | 304        | MDNT407                       | 261        | MS1205166-C  |
|           | MD947N1                          | 304        | MDNT408                       | 261        | MS1205176-C  |
| 0         | MD947N2                          | 304        | MDNT409                       | 261        | MS1205186-C<br>MS1205196-C   |
| Ŏ         | MD948N<br>MD948N1                | 304<br>304 | MDNT410<br>MDNT411            | 261<br>261 | MS1205190-C<br>MS1205216-C<br>MS1205246-C  |
| $\preceq$ | MD948N2                          | 304        | MDNT412                       | 261        | MS1205246-C  |
|           | MD948N3                          | 304        | MDNT413                       | 261        | MS1206176-C  |
| _         | MD948N4                          | 304        | MDNT414                       | 261        | MS1206196-C  |
|           | MD948N5                          | 304        | MDNT4055                      | 261        | MS1206216-C  |
| eng       | MD948N6                          | 304        | MDR908                        | 318        | MT03   |
|           | MD948N8                          | 304        | MDR908S                       | 317        | MT03MM   |
| 7         | MD949N                           | 304        | MDR915                        | 318        | MT05   |
|           | MD950N                           | 304        | MDRT908                       | 318        | MT05MM   |
|           | MD952N                           | 304        | MD-SCR                        | 377, 378   | MT08   |
| _         | MD952N1                          | 304        | MDT932N                       | 311        | MT08MM   |
|           | MD953N                           | 304        | MDT934N                       | 311        | MT10   |
|           | MD954N                           | 304        | MDT935N                       | 311        | MT15   |
|           | MD960N                           | 304        | MDT952N                       | 311        | MT30   |
|           | MD961N                           | 304        | MDT953N                       | 311        | MTS30  |
|           | MD961N1                          | 304        | MDV724N                       | 332        | MTS50  |
|           | MD961N2                          | 304        | MDV726N                       | 332        | MX04   |
|           | MD962N                           | 304        | MDV742N                       | 332        | NS02   |
|           | MD962N1                          | 304        | MDV744N                       | 332        | NS45108M   |
|           | MD962N2                          | 304        | MDV762N                       | 333        | NS45506M   |
|           | MD962N3                          | 304        | MDV764N                       | 333        | NS45507M   |
|           | MD962N4                          | 304        | MDV802N                       | 334        | NS45508M   |
|           | MD962N4A<br>MD962N4C<br>MD962N4D | 304<br>304 | MDV820N<br>MDV822N<br>MDV823N | 332<br>332 | NS45508R<br>O92416<br>O92419   |
|           | MD962N4D                         | 304        | MDV823N                       | 332        | O92419   |
|           | MD962N5                          | 304        | MDV824N                       | 332        | O93525   |
|           | MD963N<br>MD964N                 | 304<br>304 | MDV826N<br>MDV828N            | 332<br>332 | 093525<br>093528<br>093530   |
|           | MD7020HBN                        | 274        | MDV840N                       | 332        | O93532   |
|           | MD7020HN                         | 273        | MDV842N                       | 332        | O93534   |
|           | MD7025HBN                        | 274        | MDV844N                       | 332        | O93538   |
|           | MD7025HN                         | 273        | MDV844NF                      | 334        | O93546   |
|           | MD7030HBN                        | 274        | MDV846N                       | 332        | O93548   |
|           | MD7030HN                         | 273        | MDV860N                       | 333        | O95034   |
|           | MD7040HBN                        | 274        | MDV862N                       | 333        | O95036   |
|           | MD7050HBN                        | 274        | MDV864N                       | 333        | O95046   |
|           | MD7060HBN                        | 274        | MDV864NF                      | 334        | O95775   |
|           | MD7080HBN                        | 274        | MDV866N                       | 333        | O97043   |
|           | MD9053N                          | 298        | MDV906N                       | 330        | 097045   |
|           | MDA-R                            | 377        | MDV9855                       | 396        | 097051   |
|           | MDA-SQ                           | 377        | MH75                          | 387        | O910075  |
|           | MDBH                             | 316        | MH90                          | 387        | O935202  |
|           | MDH-L                            | 377        | MIR050                        | 427        | O9100115   |
|           | MDH-S                            | 377        | MP1400                        | 290        | P90320   |
|           | MDM700                           | 307        | MP1400RK-1                    | 290<br>290 | P90324   |
|           | X                                | '          |                               |            |  |

TENGTOOLS

TENGTOOLS

Page No.

183, 206 183, 206

207 207 207

428 428 428

428 188

218

218 218

218 218

218 218

290

290

Code No.

P90328

P90332

P90433 P90435 P90437

P90445 P90543

P90545 P90551

P90675 P902515

P902515 P902518 P906110 PB12 PB12A PB16 PB18A PB20 PB22A P-BCHR P-BET01 P-BH P-BM P-BP

P-BP2 P-BT P-CAP6 P-CAP7 P-CAP8 P-CCAP P-COP02 P-CS P-CUP15 PCX05 P-EZP P-FC16A P-FC16A P-FC16B P-FC16B P-FC16B

PGW1719 PGW1922 PGW2124 PGW2730 PH2500103 PH2500110 PH2500203

PH2500210 PH2500303 PH2500310 PH5000103

PH5000203 PH5000303 PH7000102 PH7000202 PHF0365

PHH0102 PHH32000305 PHH32010205 P-HN11

P-HN11 PHP3000101 PHP3000105 PHP3000201 PHP3000205 PHP30003015 PHP5000101 PHP5000201

PHP5000301 PHP8900201

POS-CH3032 POS-CH3034 POS-CH3232 POS-CH3234 POS-CH3432 POS-CH3632 POS-CH3634

POS-CH3832 POS-CH3834

POS-CH4032 POS-CH4034 POS-HOODL POS-HOODM

P-LB P-LT

| Code No.                      | Page No.   | Code No.                   | Page No.             | Code No.                            | Page No.   | Code No.                      | Page No.   |
|-------------------------------|------------|----------------------------|----------------------|-------------------------------------|------------|-------------------------------|--|
| POS-HOODS<br>POS-HOODXL       | 433        | PW14A                      | 260                  | SLA1000                             | 429        | ST-ORGANISED                  | 440  |
| POS-HOODXS                    | 433<br>433 | PW18A<br>PW24A             | 260<br>260           | SLA1200<br>SLA1500                  | 429<br>429 | STR01<br>ST-R130              | 384<br>440   |
| POS-HOODXXL<br>POS-HOODXXXL   | 433<br>433 | PW36A<br>P-WSB14           | 260<br>438           | SLA1800<br>SLA2000                  | 429<br>429 | ST-R130BK<br>ST-R130W         | 440<br>440   |
| POS-OVERBL                    | 435        | PZ2500103                  | 321<br>321           | SLC0400                             | 430        | ST-R200                       | 440  |
| POS-OVERBM<br>POS-OVERBXL     | 435<br>435 | PZ2500110<br>PZ2500203     | 321<br>321           | SLC0600<br>SLC0800                  | 430<br>430 | ST-R400<br>ST-R400BK          | 440<br>440   |
| POS-OVERBXXL                  | 435        | PZ2500210                  | 321                  | SLC1000                             | 430        | ST-R400W                      | 440  |
| POS-OVERRL<br>POS-OVERRM      | 435<br>435 | PZ2500303<br>PZ2500310     | 321<br>321           | SLC1200<br>SLC1500                  | 430<br>430 | ST-TTP01<br>T1206             | 81<br>211  |
| POS-OVERRXL                   | 435        | PZ5000103                  | 321                  | SLC1800                             | 430        | T1220AF                       | 168  |
| POS-OVERRXXL<br>POS-POLOBL    | 435<br>433 | PZ5000203<br>PZ5000303     | 321<br>321<br>322    | SLC2000<br>SLM0300                  | 430<br>430 | T1221<br>T1221-6              | 168<br>168<br>169  |
| POS-POLOBM<br>POS-POLOBS      | 433<br>433 | PZ7000102<br>PZ7000202     | 322<br>322           | SLM0400<br>SLM0600                  | 430<br>430 | T1230<br>T1234                | 169<br>169   |
| POS-POLOBXL                   | 433        | PZP3000101                 | 216, 322<br>216, 322 | SLM1000<br>SLM1200                  | 430        | T1268                         | 51, 169<br>155, 169  |
| POS-POLOBXS<br>POS-POLOBXXL   | 433<br>433 | PZP3000105<br>PZP3000201   | 216, 322             | SLM1200<br>SLP1160                  | 430<br>343 | T1272<br>T1419                | 155, 169<br>152, 315   |
| PÓS-PÓLÓBXXXL<br>POS-POLORL   | 433<br>433 | PZP3000205<br>PZP3000301   | 216, 322<br>216, 322 | SLP2180<br>SLP3160                  | 343<br>343 | T1420<br>T1422                | 152, 315<br>152, 315   |
| POS-POLORM                    | 433        | PZP3000305                 | 216, 322             | SLP3180                             | 343        | T1423                         | 152<br>153   |
| POS-POLORS<br>POS-POLORXL     | 433<br>433 | PZP5000101<br>PZP5000201   | 216, 322<br>216, 322 | SLT01<br>SLT02                      | 430<br>430 | T1424<br>T1424S               | 153<br>153   |
| POS-POLORXS                   | 433<br>433 | PZP5000301                 | 216, 322<br>216, 322 | SP11                                | 392        | T1435AF                       | 153<br>154   |
| POS-POLORXXL<br>POS-POLORXXXL | 433<br>433 | PZP8900201<br>PZZ0102      | 216, 322<br>302      | SP22<br>SP1410                      | 392<br>392 | T1436<br>T1460                | 154<br>154   |
| POS-SOFTBL                    | 434<br>434 | PZZ32000305<br>PZZ32010205 | 321                  | SP1410Q<br>SP1810                   | 393<br>392 | T3418-6<br>T3422S             | 154<br>177<br>177  |
| POS-SOFTBM<br>POS-SOFTBS      | 434        | ROB2500103                 | 321<br>325           | SP1810Q                             | 393        | T3834                         | 160  |
| POS-SOFTBXL<br>POS-SOFTBXS    | 434<br>434 | ROB2500203<br>ROB2500303   | 325<br>325           | SP2215<br>SP2215Q                   | 392<br>393 | T3834S<br>T3835AF             | 160<br>160   |
| POS-SOFTBXXL                  | 434        | ROBP3000101                | 217. 325             | SP2615                              | 392        | T3839                         | 161  |
| POS-SOFTBXXXL<br>POS-TSBKL    | 434<br>432 | ROBP3000105<br>ROBP3000201 | 217, 325<br>217, 325 | SP2615Q<br>SP3320                   | 393<br>392 | T3840<br>T3848                | 161<br>50, 161   |
| PÓS-TSBKM<br>POS-TSBKS        | 432<br>432 | ROBP3000205<br>ROBP5000101 | 217, 325<br>217, 325 | SP3320Q<br>SP31410                  | 393<br>393 | T3867<br>TAP-HNDL             | 50, 162<br>369   |
| POS-TSBKXL                    | 432        | ROBP5000201                | 217, 325             | SP31410Q                            | 394        | TBSKT07                       | 197, 262   |
| POS-TSBKXXL<br>POS-TSRL       | 432<br>433 | ROBP5000301<br>RSD070004   | 217, 325<br>143      | SP31810<br>SP31810Q                 | 393<br>394 | TBSKT08<br>TBSKT10            | 197, 262<br>197, 262   |
| POS-TSRM                      | 433        | RSD135004                  | 143                  | SP32215                             | 393        | TBSKT12                       | 197, 262   |
| POS-TSRS<br>POS-TSRXL         | 433<br>433 | RSK0700<br>RSK0700A        | 140<br>141           | SP32215Q<br>SP32615                 | 394<br>393 | TBSKT13<br>TBSKT14            | 197, 262<br>197, 262   |
| POS-TSRXXL<br>POS-TSWHL       | 433<br>432 | RSK1350<br>RSK1350A        | 140<br>141           | SP32615Q<br>SP33320                 | 394<br>393 | TBSKT17<br>TBSKT19            | 197, 262<br>197, 262   |
| POS-TSWHM                     | 432        | RSKC02                     | 141                  | SP33320Q                            | 394        | TBUSP14                       | 192, 379   |
| POS-TSWHS<br>POS-TSWHXL       | 432<br>432 | RSRU01<br>RSS0700          | 143<br>143           | SPA11<br>SPA22                      | 392<br>392 | TBUSP16<br>TBUSP21            | 192, 379<br>192, 379   |
| POS-TSWHXXL<br>POS-WT3031     | 432        | RSS1350                    | 143                  | SPBP20<br>SQA090                    | 378        | TBW10                         | 196, 262<br>73   |
| POS-WT3033                    | 434<br>434 | RSSC01<br>RSSS700          | 143<br>143           | SQAA200                             | 429<br>428 | TC-3<br>TC-4                  | 73<br>73<br>73   |
| POS-WT3231<br>POS-WT3233      | 434<br>434 | RSSS1350<br>SC01           | 143<br>56            | SQAA250<br>SQAA300                  | 428<br>428 | TC-4SBL<br>TC045B             | 73<br>49   |
| POS-WT3431                    | 434        | SC02                       | 56                   | SQAP250                             | 428        | TC082B                        | 49<br>39<br>82<br>66<br>48<br>49   |
| POS-WT3433<br>POS-WT3631      | 434<br>434 | SC03<br>SC04               | 57<br>57             | SQAP300<br>SR1160                   | 428<br>361 | TC-90CLOCK<br>TC103NF         | 82<br>66   |
| POS-WT3633<br>POS-WT3831      | 434        | SC04E                      | 58<br>58             | SR1180<br>SR2180                    | 361<br>361 | TC144D<br>TC144E              | 48   |
| POS-WT3833                    | 434<br>434 | SC058B<br>SC083B           | 59                   | SR3160                              | 361        | TC-160UR                      | 134  |
| POS-WT4031<br>POS-WT4033      | 434<br>434 | SCP01<br>SCPS01            | 411<br>59, 113, 388  | SSH01<br>SSH02                      | 400<br>400 | TC-180CLOCK<br>TC187          | 134<br>82<br>50<br>74  |
| POS-WT4231                    | 434        | SCPS01E                    | 59, 113, 389         | SSH03                               | 400        | TC450                         | 74   |
| POS-WT4233<br>PP03            | 434<br>411 | SCR01<br>SD501             | 411<br>402           | SSH04<br>ST150                      | 401<br>428 | TC540<br>TC-540W              | 74<br>74   |
| PP04<br>PP05                  | 411<br>411 | SE05<br>SEL01S             | 397<br>398           | ST200<br>ST12319                    | 428<br>399 | TC-540W<br>TC803N<br>TC803NBK | 67<br>68   |
| PP06                          | 411        | SEL02S                     | 398                  | ST12321                             | 399        | TC803SV                       | 68   |
| PP07<br>PP08                  | 411<br>411 | SEL03S<br>SEL04S           | 398<br>398           | ST12322<br>ST12324                  | 399<br>399 | TC805NFX<br>TC805SV           | 66<br>66   |
| P-PENBK15                     | 437        | SEL05S                     | 398                  | ST12325                             | 399        | TC806NF                       | 66   |
| P-PENR2015<br>P-PS            | 437<br>431 | SG001<br>SG002             | 431<br>431           | ST12506-C<br>ST12508-C<br>ST12510-C | 398<br>398 | TC806NGM<br>TC806SV           | 67   |
| PPS06<br>P-PW                 | 411<br>437 | SG003<br>SG713             | 431<br>417           | ST12510-C<br>ST12512-C              | 398<br>398 | TC810N<br>TC816STACK          | 67<br>64   |
| P-SG01                        | 432        | SG713G                     | 417                  | ST38112                             | 398        | TC816SV                       | 64   |
| P-SG02<br>P-SG03              | 432<br>432 | SG960<br>SG960A            | 417<br>417           | ST38116<br>ST38122                  | 398<br>398 | TC819BK<br>TC8140NF           | 64<br>38   |
| P-SW<br>PT3810R               | 437<br>189 | SG960G<br>SG960Y           | 417<br>417           | ST38306<br>ST38308                  | 398<br>398 | TC8140P<br>TCA01              | 39   |
| P-TENT                        | 439        | SL01                       | 386                  | ST38310                             | 398        | TCA02                         | 81   |
| P-TENTW<br>P-TF01             | 439<br>440 | SL02<br>SL03               | 386<br>386           | ST38311<br>ST38312                  | 398<br>398 | TCA05<br>TCA06                | 75<br>406  |
| P-TS01                        | 440        | SLA040                     | 429<br>429           | ST38313                             | 398        | TCA07                         | 406  |
| P-UKF<br>P-UMB16              | 373<br>431 | SLA0300<br>SLA0400         | 429<br>429<br>429    | ST38314<br>ST38316                  | 398<br>398 | TCB80<br>TCB80A               | 68<br>68<br>66<br>66<br>66<br>67<br>67<br>67<br>64<br>64<br>64<br>38<br>39<br>81<br>75<br>406<br>406<br>136<br>136 |
| PW12A                         | 260        | SLA0600                    | 429                  | ST38317                             | 398        | TCB80C                        | 136  |
| A. 163                        |            | 150                        |                      |                                     |            | 450                           | 4  |



| Code No.   | Paq                                     | ge No. Code No. | Page No.   |
|--|---|-----------------|--|
| Code No.  TCB135 TCB180 TC-BKEY TCC01 TCC02 TCC03 TC-COVEF TC-COVEF TC-COVEF TC-COVEF TCDIVL TCDIVS TCDRK TCDSH TCEMM24 TCEMM41 TCEMM41 TCEMM41 TCF01 TC-F802 TC-F803 TC-H01 TC-H02 TC-H05 TC-H05 TC-H05 TC-LEG TC-LOCK5 TC-MAT TCMM479 TCMM479 TCMM479 TCMM471 TCMM546 TCMM546 TCMM560 TCMM600 TCMM105 TCMM600 TCMM600 TCMM600 TCMM569 TCMM600 TCMM569 TCMM600 TCMM569 TCMM600 TCMM569 TCMM600 TCMM560 TCMM576 TCMM560 TCMM576 TCMM560 TCMM560 TCMM576 TCMM560 TCMM576 TCMM576 TCMM560 TCMM576 TCMM576 TCMM576 TCMM576 TCMM576 TCMM576 TCMM576 TCMM560 TCMM576 TCMM57 | 133 133 133 133 133 133 133 133 133 133 | 136             | 72 69 69 70 770 770 772 771 771 771 655 655 69 881 877 77 777 78 83, 133 84, 120 120, 241 110, 124 120, 246 127, 259, 339 125, 311 125, 311 125, 311 125, 311 125, 311 |

| TFA222   363   | Code No.   | Page No.                | Code No.  | Page No.             |
|--|------------|-------------------------|-----------|----------------------|
| TFP01  |            |                         |           |                      |
| TFP01RK  |            |                         |           |                      |
| TFP02RK  |            | 363                     | TT9207A   | 94, 211              |
| T-HD T-HDD T-HDD1 T-HDD1 T-HDD1 T-HDD1 T-HDD1 THG22 TTHAP22 S9, 157, 164 TMC28 TTHAP32 S9, 157, 164 TMC29 TM |            |                         |           |                      |
| TM028         315         TTALU         86           M029         315         TTBE18         111, 398           M035NF         48         TIBS35         89, 157, 165           M079         51, 162         TTCM05D         114, 427           M095         52, 154, 163, 170         TTCP04         111, 398           M106         52, 154, 163, 170         TD00         87           M111         156, 164, 171         TD00         87           M1127         52, 156, 164, 171         TD00         87           M149         306         TD441-T         105, 338           MMSE0S         307         TID912TXN         106, 338           MSSEOS         397         TID914TN         103, 305           TORROB         280         TID941F         96, 213           TORROB         280         TID941F         96, 213           TORROB         280         TID441-T         106, 338           TORROB         280         TID441-T <td></td> <td></td> <td></td> <td>93, 188</td>   |            |                         |           | 93, 188              |
| TM035NF  |            |                         |           |                      |
| TM079  |            |                         |           |                      |
| TM095  | TM079      | 51, 162                 | TTCM05D   | 114, 427             |
| TM106  |            |                         |           |                      |
| TM127  | TM106      | 52, 154, 163, 170       | TTD00     | 87                   |
| TM149  |            |                         |           |                      |
| TMSEGSS         397         TTD912TNN         103, 305           TORP01E         280         TTD914N         102, 300           TORQ02         280         TTD9416         96, 213           TORQ03         280         TTD0416         96, 213           TORQ04         280         TTDB28         111, 366           TORQ05         280         TTDCT05         108, 360           TORQS01         280         TTDU710N         105, 331           TORQS01         280         TTDV910N         105, 331           TORQS01         281         TTEAF62         121, 232           TPM01         134         TTEISK73         119, 213           TPM202         134         TTEISK73         119, 212           TPT01         134         TTEMB11         127, 339           TPX2501003         325         TTEMB11         127, 339           TPX2501503         325         TTEMB17         127, 339           TPX2502003         325         TTEMB122N         126, 301           TPX2502503         325         TTESK32         118, 178           TPX2502003         325         TTESK32         118, 178           TPX2502003         325   | TM149      | 378                     | TTD441 _  | 105, 338             |
| TORP01E         280         TTD914N         102, 300           TORQ02         280         TTD416         96, 213           TORQ03         280         TTDAWM13M         93, 423           TORQ04         280         TTDAWM13M         93, 423           TORQ95         280         TTDCT05         108, 360           TORQ99E         280         TTDU704         114, 367           TORQ         281         TTDF034         114, 367           TORQ         281         TTDF0910N         105, 331           TORQ         281         TTEAF62         121, 232           TPM01         134         TTEISK33         119, 213           TPM02         134         TTEISK33         119, 213           TPM01         134         TTEISK33         119, 212           TPT01         134         TTEISK33         119, 212           TPX2501003         325         TTEMB17         127, 339           TPX2502003         325         TTEMD12PN         125, 301           TPX2502003         325         TTESK32         118, 178           TPX2503003         325         TTESK32         118, 178           TPX2503003         325         TTE   |            |                         |           |                      |
| TORQ03         280         TTDAWM13M         93, 423           TORQ04         280         TTDB28         111, 366           TORQ05         280         TTDC105         108, 360           TORQ99E         280         TTDV910N         105, 331           TORQ         281         TTEAF62         121, 232           TPM01         134         TTEISK33         119, 213           TPT01         134         TTEISK73         119, 212           TPT01         134         TTEMB11         127, 339           TPX2501003         325         TTEMB11         127, 339           TPX2501003         325         TTEMB17         127, 339           TPX2502003         325         TTEMB17         126, 301           TPX2502003         325         TTEMB17         127, 339           TPX2502703         325         TTEMB17         128, 389           TPX2503003         325         TTESK32         181, 178           TPX2503003         325         TTESK63         117, 174           TPX2504003         325         TTESK63         117, 174           TPX2504003         325         TTESK77         117, 158, 166, 175           TOSA16 <td< td=""><td></td><td></td><td></td><td>102, 300</td></td<>  |            |                         |           | 102, 300             |
| ORQ05  | TORQ03     | 280                     |           | 93, 423              |
| TORQ9E         280         TTDTD34         114, 367           TORQS01         280         TTDV910N         105, 331           TORQ         281         TTEAF62         121, 232           TPM01         134         TTEISK73         119, 212           TPT01         134         TTEMB11         127, 339           TPX2501003         325         TTEMB17         127, 339           TPX2501503         325         TTEMD98N         126, 301           TPX2502503         325         TTEMD122N         125, 301           TPX2502503         325         TTEMD122N         125, 301           TPX2502703         325         TTESK32         118, 178           TPX2503003         325         TTESK63         117, 174           TPX2504003         325         TTESK63         117, 158, 166, 175           TQAG         289         TTESK77         117, 158, 166, 175           TQAG         289         TTESK85         118, 159, 166, 175           TQS018         289         TTESK86         117, 158, 166           TQS042         289         TTESK86         117, 158, 166           TQS055         289         TTESP37         121, 232  |            |                         |           | 111, 366             |
| TORO         281         TTEAF62         121, 232           TPM01         134         TTEISK73         119, 212           TPT01         134         TTEISK73         119, 212           TPT2501003         325         TEMB11         127, 339           TPX2501503         325         TTEMB17         127, 339           TPX2502003         325         TTEMD12N         125, 301           TPX2502503         325         TTEPS12         128, 389           TPX2502703         325         TTESK22         118, 178           TPX2503003         325         TTESK32         117, 158, 166, 175           TOAG         289         TTESK63         117, 158, 166, 175           TOAG         289         TTESK85         118, 159, 166, 175           TOAG         289         TTESK86         118, 159, 166, 175           TOS018         289         TTESK86         117, 158, 166, 175           TOS055         289         TTESK86         117, 158, 166           TRO70         140         TTEX17         127, 332           TRC1012         378         TTEX23         124, 261, 273           TRC1012         378         TTEX32         124, 261, 273   | TORQ99E    | 280                     | TTDTD34   | 114, 367             |
| TPM01         134         TTEISK33         119, 213           TPM02         134         TTEISK73         119, 212           TPT01         134         TTEISK73         119, 212           TPX2501003         325         TTEMB11         127, 339           TPX2501503         325         TTEMD98N         126, 301           TPX2502003         325         TTEMD122N         128, 389           TPX2502703         325         TTESK32         118, 178           TPX2503003         325         TTESK32         118, 178           TPX2504003         325         TTESK63         117, 158, 166, 175           TQAG         289         TTESK85         118, 159, 166, 175           TQS018         289         TTESK85         118, 159, 166, 175           TQS042         289         TTESK86         117, 158, 166, 175           TQS055         289         TTESP31         121, 232           TQS065         289         TTESP37         121, 232           TQS065         289         TTEVG11         127, 352           TRO70         140         TTEX23         124, 261, 273           TRC1418         378         TTHC03         109, 377  |            |                         |           |                      |
| TPX2501503   325   | TPM01      | 134                     | TTEISK33  | 119, 213             |
| TPX2501503   325   |            |                         |           | 119, 212<br>127, 339 |
| TPX2502003         325         TTEMD122N         125, 301           TPX2502503         325         TTESK32         128, 389           TPX2503003         325         TTESK63         117, 174           TPX2504003         325         TTESK63         117, 158, 166, 175           TQAG         289         TTESK85         118, 159, 166, 175           TQS018         289         TTESK86         117, 158, 166         175           TQS042         289         TTESK86         117, 158, 166         175           TQS055         289         TTESP31         121, 232           TQS065         289         TTEVG11         127, 352           TRO70         140         TTEX17         124           TR135         140         TTEX23         124, 261, 273           TRC1012         378         TTEX32         124, 261, 273           TRC1418         378         THC03         109, 377           TS1218         204         TTHEX7         100, 272           TS3816         204         TTHEX7         100, 272           TT00         86         THEX7S         100, 272           TT02         86         THEX16         91, 173   |            |                         | TTEMB17   | 127, 339             |
| TPX2502503         325         TTEPS12         128, 389           TPX2503003         325         TTESK63         117, 174           TPX2504003         325         TTESK63         117, 174           TPX2504003         325         TTESK65         117, 158, 166, 175           TQAG         289         TTESK85         118, 159, 166, 175           TQS018         289         TTESK86         117, 158, 166           TQS042         289         TTESP31         121, 232           TQS065         289         TTESP31         121, 232           TQS065         289         TTEVG11         127, 352           TR070         140         TTEX13         124, 261, 273           TRC1012         378         TTEX23         124, 261, 273           TRC1418         378         TTEX32         124, 261, 273           TS1218         204         TTHEX7         100, 272           TS3816         204         TTHEX7         100, 272           TT01         86         TTHEX7S         100, 272           TT01         86         TTHEX8         100, 272           TT02         86         TTHEX16         91, 173           TT03         86   |            |                         |           |                      |
| TPX2503003         325         TTESK63         117, 174           TPX2504003         325         TTESK77         117, 158, 166, 175           TQAG         289         TTESK85         118, 159, 166, 175           TQS018         289         TTESK86         117, 158, 166           TQS042         289         TTESP31         121, 232           TQS055         289         TTESP37         121, 232           TQS065         289         TTEVG11         127, 352           TR070         140         TTEX17         124           TR135         140         TTEX23         124, 261, 273           TRC1012         378         TTEX32         121, 232           TRC1418         378         TTEX32         121, 232           TS21218         204         TTHEX7         100, 272           TS3816         204         TTHEX7AF         100, 272           TG00         86         THEX7S         100, 272           TT01         86         THEX16         91, 173           TT02         86         THEX23         91, 173           T03         86         THEX23         91, 173           T03         86         THEX23  |            |                         |           |                      |
| TOAG         289         TTESK85         118, 159, 166, 175           TQS018         289         TTESK86         117, 158, 166           TQS042         289         TTESP31         121, 232           TQS055         289         TTESP37         121, 232           TR070         140         TTEX17         124           TR135         140         TTEX23         124, 261, 273           TRC1012         378         TTHC03         109, 377           TS1218         204         TTHEX7         100, 272           TS3816         204         TTHEX7AF         100, 272           TT00         86         TTHEX7S         100, 272           TT01         86         TTHEX7S         100, 272           TT01         86         TTHEX23         91, 173           TT02         86         TTHEX23         91, 173           TT03         86         TTHEX23         91, 173           TT03         86         TTHEX23         91, 173           T103         86         TTHEX81         100, 262           TT04         86         TTHR81         112, 414           TT440         105, 338         TTHT28         101, 266   | TPX2503003 | 325                     | TTESK63   | 117, 174             |
| TOS018         289         TTESK86         117, 158, 166           TQS042         289         TTESP31         121, 232           TOS055         289         TTESP37         121, 232           TR070         140         TTEVG11         127, 352           TR070         140         TTEX17         124           TR135         140         TTEX23         124, 261, 273           TRC1012         378         TTEX32         121, 232           TRC1418         378         TTEX32         121, 232           TRC1418         378         TTEX32         121, 232           TS3816         204         TTHEX7         100, 272           TS3816         204         TTHEX7AF         100, 272           TT00         86         TTHEX7S         100, 272           TT01         86         TTHEX16         91, 173           TT02         86         TTHEX23         91, 173           T03         86         TTHEX23         91, 173           T03         86         TTHEX23         91, 173           T04         86         TTHEX3         92, 24           TTHR81         112, 414           T1440         105,   |            |                         |           | 117, 158, 166, 175   |
| TQS055         289         TTESP37         121, 232           TQS065         289         TTEVG11         127, 352           TR070         140         TTEX17         124           TR135         140         TTEX23         124, 261, 273           TRC1012         378         TTEX32         121, 232           TRC1418         378         TTHC03         109, 377           TS1218         204         TTHEX7         100, 272           TS3816         204         TTHEX7AF         100, 272           TT00         86         TTHEX7S         100, 272           TT01         86         TTHEX16         91, 173           TT02         86         TTHEX23         91, 173           TT03         86         TTHEX23         91, 173           TT03         86         TTHEX93         91, 173           TT03         86         TTHEX8         100, 262           TT04         86         TTHR81         112, 414           TT440         105, 338         TTHT28         101, 266           TT440-T         106, 348         TTH20         95, 214           TT474-5         106, 348         TTK40         108, 372     <   | TQS018     | 289                     | TTESK86   | 117, 158, 166        |
| TOS065         289         TTEVG11         127, 352           TR070         140         TTEX17         124           TR135         140         TTEX23         124, 261, 273           TRC1012         378         TTEX32         121, 232           TRC1418         378         THC03         109, 377           TS1218         204         TTHEX7         100, 272           TS3816         204         TTHEX7AF         100, 274           T100         86         THEX7S         100, 272           T101         86         THEX16         91, 173           T102         86         THEX23         91, 173           T103         86         THEX23         91, 173           T103         86         THEX23         91, 173           T104         86         THEX23         91, 173           T104         86         THR81         112, 414           T1440         105, 338         TTHT28         101, 266           T1440-T         106, 338         TID20         95, 214           T1474-5         106, 348         TIK40         108, 372   |            | 289<br>289              |           |                      |
| TR135         140         TTEX23         124, 261, 273           TRC1012         378         TTEX32         121, 232           TRC1418         378         TTHC03         109, 377           TS1218         204         TTHEX7         100, 272           TS3816         204         TTHEX7AF         100, 272           TT00         86         THEX7S         100, 272           TT01         86         TTHEX16         91, 173           TT02         86         TTHEX23         91, 173           TT03         86         TTHEX23         91, 173           TT03         86         TTHEX8         100, 262           TT04         86         TTHR81         112, 414           TT440         105, 338         TTHT28         101, 266           TT440-T         106, 338         TID20         95, 214           TT474-5         106, 348         TTK40         108, 372   | TQS065     | 289                     | TTEVG11   | 127, 352             |
| IRC1012     378     TIEX32     121, 232       TRC1418     378     TIHC03     109, 377       TS1218     204     TIHEX7     100, 272       TS3816     204     TIHEX7AF     100, 274       TT00     86     TIHEX7S     100, 272       TT01     86     TIHEX16     91, 173       TT02     86     TIHEX23     91, 173       TT03     86     TIHEX23     91, 173       TT03     86     TIHP08     100, 262       TT04     86     TIHR81     112, 414       TT440     105, 338     TIHT28     101, 266       TT440-T     106, 338     TID20     95, 214       TT474-5     106, 348     TTK40     108, 372   |            |                         |           | 124<br>124, 261, 273 |
| TS1218         204         TTHEX7         100, 272           TS3816         204         TTHEX7AF         100, 272           TT00         86         THEX7S         100, 272           TT01         86         THEX16         91, 173           TT02         86         THEX23         91, 173           TT03         86         THEX23         100, 262           TT04         86         THR81         112, 414           TT440         105, 338         THT128         101, 266           TT440-T         106, 338         TID20         95, 214           TT474-5         106, 348         TTK40         108, 372   |            |                         | TTEX32    | 121, 232             |
| TT00         86         TTHEX7S         100, 272           TT01         86         TTHEX16         91, 173           TT02         86         THEX23         91, 173           TT03         86         TTHP08         100, 262           TT04         86         TTHR81         112, 414           TT440         105, 338         TTHT28         101, 266           TT440-T         106, 338         TTID20         95, 214           TT474-5         106, 348         TTK40         108, 372   |            |                         |           |                      |
| TT01         86         TTHEX16         91,173           TT02         86         TTHEX23         91,173           TT03         86         TTHP08         100,262           TT04         86         TTHR81         112,414           TT440         105,338         TTHT28         101,266           TT440-T         106,338         TID20         95,214           TT474-5         106,348         TTK40         108,372  |            |                         |           |                      |
| TT03     86     TTHP08     100, 262       TT04     86     TTHR81     112, 414       TT440     105, 338     TTHT28     101, 266       TT440-T     106, 338     TTID20     95, 214       TT474-5     106, 348     TTK40     108, 372   | TT01       | 86                      | TTHEX16   | 91, 173              |
| TT04     86     TTHR81     112, 414       TT440     105, 338     TTHT28     101, 266       TT440-T     106, 338     TID20     95, 214       TT474-5     106, 348     TTK40     108, 372  |            |                         |           | 91, 173<br>100, 262  |
| TT440-T 106, 338 TTID20 95, 214 TT474-5 106, 348 TTK40 108, 372  | TT04       | 86                      | TTHR81    | 112, 414             |
| TT474-5 106, 348 TTK40 108, 372  |            |                         |           |                      |
|  |            | 106, 348                |           | 108, 372             |
| TT474-7 107, 348 TTMD12D 103, 302 TT474-7E 107, 348 TTMD74 103, 317  |            |                         |           |                      |
| TT804 109, 392 TTMD74-1 326<br>TT917N 102, 299 TTMD74-2 326  |            |                         |           |                      |
| TT917TXN 103, 305 TTMDRT64 104, 317  | TT917TXN   | 103, 305                | TTMDRT64  | 104, 317             |
| TT1205 90, 172 TTMl16 105, 307, 346 TT1211 90, 172, 190 TTNF12 108, 390  |            | 90, 172<br>90, 172, 190 |           |                      |
| TT1215AF 91, 173 TTNF12-01 390   | TT1215AF   | 91, 173                 | TTNF12-01 | 390                  |
| TT1217 90, 172 TTNF12-02 390<br>TT1217-6 90, 172 TTNF12-03 390   |            |                         |           |                      |
| TT1218 91, 172 TTNF12-04 390   | TT1218     |                         | TTNF12-04 | 390                  |
| TT1218-6 91, 172 TTNF12-05 390 TT1236 97, 230 TTNF12-06 390  |            |                         |           |                      |
| TT1435 88, 157 TTNF12-07 390 TT3592 97, 230 TTNF12-08 390  |            | 88, 157<br>97, 230      |           |                      |
| TT3816 89, 164 TTNF12-09 390   | TT3816     | 89, 164                 | TTNF12-09 | 390                  |
| TT3819 88, 164 TTNF12-10 390 TT6010M 96, 243 TTNF12-11 390   |            | 88, 164<br>96, 243      |           |                      |
| TT6208 99, 248 TTNF12-12 390   | TT6208     | 99, 248                 | TTNF12-12 | 390                  |
| TT6506 99, 252 TTNR81 112, 415 TT6508R 98, 239 TTOS16 109, 377, 380  |            |                         |           |                      |
| TT6508RAF 98, 242 TTPC09 112, 408  | TT6508RAF  | 98, 242                 | TTPC09    | 112, 408             |
| TT6508RF 98, 243 TTPS09 113, 388 TT6508RS 98, 240 TTPS09E 113, 388   |            | 98, 240                 | TTPS09E   | 113, 388             |
| TT6511R 98, 239 TTPSAD 112, 385  |            |                         | TTPSAD    | 112, 385             |
| TT8012 96, 230 TTPSTQ04 102, 147, 286  | TT8012     | 96, 230                 | TTPSTQ04  | 102, 147, 286        |
| TT9015HX 95, 212 TTRORS 99, 254<br>TT9024 94, 210 TTRS15 92, 174   |            |                         |           |                      |
| 1,114  |            | 0., 2.0                 |           | 4                    |



| Code No.  | Page No.  | Code No.   | Page No.   |
|---|---|--|--|
| TTSD39 TTSN11 TTSR04 TTSS07 TTTC06 TTD17 TTTF10 TTTF10 TTTM03 TTM08 TTSS08 TTSS08 TTX18 TTX7 TTX23 TTX23 TTX23 TTX23 TTX20 TTX25 TTX25 TTX440 TV706N TV907N TV907N TV907N TV907N TV907N TV907N TV907N TTX01 TTX02 TTX03 TTX01 TTX02 TTX03 TTX44F TTX474-9 TTX918N TTX1292 TTX2640 TTX3404S TTX3414 TTX3892 TTX6311 TTX9415 TTXEXT13 TTXF05 TTXEXT13 TTXF05 TTXEXT13 TTXFU506 TTXLMP12 TTXMD41N TTXMD1N TTXMDN TTXMD1N | 101, 281 111, 397 109, 377 109, 387 114, 363 114, 367 1110, 364 111, 376, 402 112, 376, 403 110, 213, 223, 385 92, 173 101, 277 92, 173 104, 376 106, 334 104, 330 105, 330 107, 352 87 87 88 88 93, 179 107, 349 104, 300 102, 285 97, 231 92, 178 93, 178 93, 178 93, 178 93, 178 93, 178 101, 260, 283 99, 245 96, 213 92, 186 108, 390 99, 246 97, 244 106, 338 104, 317 101, 261 104, 311 102, 289 110, 382, 400 100, 263 89, 165, 192, 379 90, 165, 196, 262 90, 165, 196, 262 307 307 347 347 347 347 347 347 347 347 347 34 | TX7001002 TX7001502 TX7002502 TX7002502 TXP3001001 TXP3001501 TXP3001501 TXP3002005 TXP3002005 TXP3002505 TXP3002505 TXP3002505 TXP3003001 TXP3003005 TXP3003001 TXP3003005 TXP3003001 TXP3003005 TXP3003001 TXP3003001 TXP5001001 TXP5001001 TXP5001001 TXP5002501 TXP5002501 TXP5002501 TXP5003001 TXP5003001 TXP5003001 TXP5003001 TXP5003001 TXP3003005 TXP303000 TXP3004001 TXP3003001 TXP30 | 324<br>324<br>324<br>324<br>217, 325<br>217, |









www.tengtools.com





